



Brand	DESIGNATION	Price List 01/11/2019 (€)	QTY1	Weight	UnP
SNR	6018	172,08	1	1,045	KG
NTN	6030	705,28	1	4,22	KG
NTN	6032	1.295,98	1	5,19	KG
NTN	6034	1.506,84	1	0,744	KG
NTN	6036	1.750,12	1	9,09	KG
NTN	6038	1.975,33	1	9,18	KG
NTN	6040	2.335,83	1	12,2	KG
NTN	6044	3.095,58	1	17,39	KG
NTN	6048	3.826,02	1	17,49	KG
NTN	6052	5.863,55	1	25,2	KG
NTN	6056	7.314,78	1	34	KG
NTN	6232	1.955,76	1	12,9	KG
NTN	6234	2.489,45	1	16,15	KG
NTN	6238	3.351,75	1	19,2	KG
NTN	6244	6.565,34	1	33	KG
NTN	6326	1.943,13	1	15,52	KG
NTN	6328	2.723,84	1	19,55	KG
NTN	6332	4.268,63	1	26,3	KG
NTN	6334	4.994,52	1	30,8	KG
NTN	6336	7.660,26	1	37	KG
NTN	6338	8.844,71	1	42,32	KG
NTN	6417	1.230,55	1	7,98	KG
NTN	6418	1.556,16	1	9,72	KG
NTN	6800	20,06	1	0,005	KG
NTN	6801	22,07	1	0,007	KG
NTN	6802	22,90	1	7	G
NTN	6803	24,72	1	0,014	KG
NTN	6812	112,84	1	0,103	KG
NTN	6813	130,94	1	0,145	KG
NTN	6814	141,33	1	0,137	KG
NTN	6815	161,30	1	0,166	KG
NTN	6816	173,07	1	0,17	KG
NTN	6817	212,40	1	0,27	KG
NTN	6818	219,00	1	0,285	KG
NTN	6819	242,29	1	0,32	KG
NTN	6820	266,30	1	0,33	KG
NTN	6821	297,48	1	0,343	KG
NTN	6822	323,91	1	0,513	KG
NTN	6824	379,75	1	0,547	KG
NTN	6826	455,52	1	0,767	KG
NTN	6828	492,77	1	0,89	KG

NTN	6830	564,64	1	1,16	KG
NTN	6832	684,50	1	1,275	KG
NTN	6834	711,65	1	1,075	KG
NTN	6836	1.029,24	1	2,18	KG
NTN	6838	1.134,53	1	2,6	KG
NTN	6840	1.482,97	1	2,895	KG
NTN	6844	1.615,46	1	2,95	KG
NTN	6856	1.805,94	1	7,11	KG
NTN	6860	5.270,22	1	10,14	KG
NTN	6864	4.633,97	1	10,91	KG
NTN	6868	6.954,89	1	11,4	KG
NTN	6900	22,32	1	0,01	KG
NTN	6901	22,37	1	0,011	KG
NTN	6902	25,02	1	0,016	KG
NTN	6904	28,47	1	0,05	KG
NTN	6905	36,04	1	0,045	KG
NTN	6906	44,39	1	0,056	KG
NTN	6907	66,37	1	0,076	KG
NTN	6908	72,78	1	0,113	KG
NTN	6909	84,64	1	0,135	KG
NTN	6910	89,17	1	0,15	KG
NTN	6911	100,02	1	0,198	KG
NTN	6912	117,11	1	0,22	KG
NTN	6913	126,14	1	0,208	KG
NTN	6914	147,41	1	0,335	KG
NTN	6915	197,87	1	0,38	KG
NTN	6916	207,29	1	0,373	KG
NTN	6917	255,61	1	0,565	KG
NTN	6918	290,57	1	0,556	KG
NTN	6919	293,97	1	0,579	KG
NTN	6920	325,21	1	0,799	KG
NTN	6921	360,81	1	0,842	KG
NTN	6922	441,09	1	0,915	KG
NTN	6924	718,06	1	1,245	KG
NTN	6926	949,77	1	1,615	KG
NTN	6928	1.165,87	1	1,72	KG
NTN	6930	1.249,79	1	2,47	KG
NTN	6932	1.535,04	1	2,72	KG
NTN	6934	1.643,84	1	2,995	KG
NTN	6936	2.048,24	1	4,96	KG
NTN	6938	2.292,68	1	5,19	KG
NTN	6940	2.481,81	1	7,17	KG
NTN	6944	2.726,59	1	7,86	KG
NTN	6948	3.603,27	1	8,595	KG
NTN	6952	4.522,76	1	14,2	KG
NTN	6956	8.811,31	1	14,4	KG
NTN	6960	12.523,42	1	24	KG
NTN	16005	19,61	1	60	G
NTN	16007	26,56	1	0,115	KG
NTN	16101JRX	17,34	1	0,027	KG

NTN	60/22	21,02	1	0,075	KG
NTN	60/22C3	21,02	1	0,084	KG
NTN	60/22LLU/5K	40,66	1	0,074	KG
NTN	60/22LLUC3/2AS	40,66	1	0,075	KG
NTN	60/22ZZ/5K	30,40	1	0,08	KG
NTN	60/28	21,43	1	0,097	KG
NTN	60/28C3	21,43	1	0,097	KG
NTN	60/28LLU/5K	32,15	1	0,089	KG
NTN	60/28LLUNR/2AS	41,80	1	0,098	KG
NTN	60/28ZZ/5K	29,33	1	0,097	KG
NTN	60/32	26,88	1	0,14	KG
NTN	60/32LLU/5K	39,11	1	0,129	KG
NTN	60/32ZZ/2AS	36,34	1	0,14	KG
SNR	6000.E	10,83	1	21	G
NTN	6000LU	10,83	1	0,02	KG
SNR	6000.Z	11,10	1	0,021	KG
SNR	6001.Z	11,68	1	0,024	KG
SNR	6001ZZC4	11,92	1	0,025	KG
SNR	6002.E	14,86	1	0,033	KG
NTN	6002LLUNR/5K	27,53	1	35	G
NTN	6002LLUNRC3/2AS	27,53	1	31	G
SNR	6002.NC3	12,41	1	30	G
NTN	6002NR	13,40	1	0,04	KG
SNR	6002NZZ	25,09	1	0,166	KG
SNR	6002.Z	13,10	1	0,033	KG
SNR	6003.E	15,58	1	0,038	KG
NTN	6003NR	14,10	1	0,05	KG
SNR	6003.NREE	27,55	1	0,046	KG
NTN	6003ZNR	16,90	1	0,042	KG
NTN	6004C4	14,94	1	0,07	KG
SNR	6004.E	17,33	1	0,07	KG
NTN	6004LLUNR/5K	24,78	1	0,075	KG
SNR	6004.NEEC4	20,71	1	0,068	KG
NTN	6004NR	25,15	1	0,07	KG
SNR	6004.NR	25,15	1	68	G
SNR	6004.NR.EE	24,78	1	0,08	KG
SNR	6004.NR.ZZ	21,94	1	0,074	KG
SNR	6004.Z	15,27	1	0,072	KG
NTN	6004ZC3	15,27	1	0,067	KG
NTN	6004ZZNR/2AS	21,94	1	0,076	KG
SNR	6005.E	19,87	1	0,08	KG
SNR	6005.G15C4	15,22	1	0,076	KG
NTN	6005LLUC2/5K	22,62	1	0,077	KG
NTN	6005LLUC4/5K	23,89	1	0,08	KG
NTN	6005LLUNR/2AS	27,50	1	0,082	KG
NTN	6005LLUNRC3/5K	27,50	1	0,09	KG
NTN	6005LU	19,87	1	0,076	KG
SNR	6005.N	16,61	1	0,078	KG
NTN	6005NR	22,95	1	0,088	KG
NTN	6005NRC3	22,95	1	0,081	KG

SNR	6005.Z	17,58	1	0,081	KG
SNR	6005.ZC3	17,58	1	82	G
NTN	6005ZZC4/5K	16,91	1	0,079	KG
NTN	6005ZZNR/5K	23,12	1	0,09	KG
SNR	6006.E	24,30	1	0,119	KG
SNR	6006.EC3	24,30	1	0,12	KG
NTN	6006LLUNR/2AS	33,26	1	0,13	KG
NTN	6006NR	28,05	1	0,13	KG
SNR	6006.NR	28,05	1	0,12	KG
SNR	6006.NR.EE	33,26	1	0,12	KG
SNR	6006.NR.ZZ	27,29	1	0,127	KG
SNR	6006.Z	22,04	1	0,12	KG
SNR	6006.ZC3	22,04	1	0,12	KG
SNR	6006.ZZC4	21,40	1	0,123	KG
NTN	6006ZZNR/5K	27,29	1	0,13	KG
SNR	6007.E	30,12	1	0,157	KG
NTN	6007LLUC4/5K	35,48	1	0,146	KG
NTN	6007LLUNR/2AS	49,80	1	0,15	KG
NTN	6007LUC3	30,12	1	0,152	KG
NTN	6007N	29,98	1	0,16	KG
NTN	6007NR	37,41	1	0,158	KG
SNR	6007.NR	37,41	1	0,16	KG
SNR	6007.NR.ZZ	33,81	1	0,164	KG
SNR	6007.Z	26,62	1	0,15	KG
SNR	6007.ZC3	26,62	1	0,138	KG
SNR	6008.E	37,82	1	0,19	KG
SNR	6008.EEC4	37,66	1	0,196	KG
NTN	6008LLUNR/2AS	69,44	1	0,193	KG
NTN	6008LU	37,82	1	0,188	KG
NTN	6008NR	44,33	1	0,196	KG
SNR	6008.NRC3	44,33	1	0,188	KG
SNR	6008.NR.ZZ	42,48	1	0,21	KG
SNR	6008.Z	33,43	1	0,19	KG
NTN	6008ZC3	33,43	1	0,19	KG
SNR	6008.ZC3	33,43	1	0,188	KG
NTN	6008ZZNR/2AS	42,48	1	0,19	KG
SNR	6009.EC3	52,63	1	0,246	KG
NTN	6009LLUC4/2AS	57,86	1	0,24	KG
NTN	6009LLUNR/2AS	62,38	1	0,27	KG
NTN	6009LU	52,63	1	0,25	KG
NTN	6009NR	55,23	1	0,237	KG
SNR	6009.NR	55,23	1	0,256	KG
SNR	6009.Z	43,48	1	0,241	KG
NTN	6009ZZNR/2AS	55,14	1	0,27	KG
NTN	6010C4	49,15	1	0,282	KG
SNR	6010.C4	49,15	1	0,256	KG
SNR	6010.E	57,01	1	0,266	KG
NTN	6010LLUNR/2AS	72,36	1	0,284	KG
NTN	6010LU	57,01	1	0,261	KG
SNR	6010.N	53,63	1	255	G

SNR	6010.NEE	61,85	1	0,264	KG
SNR	6010.NR	75,94	1	0,272	KG
SNR	6010.NR.EE	72,36	1	0,283	KG
SNR	6010.NRZ	81,63	1	0,276	KG
SNR	6010.NR.ZZ	63,95	1	0,279	KG
SNR	6010.Z	50,39	1	0,26	KG
SNR	6010.ZC3	50,39	1	0,27	KG
NTN	6010ZZNR/5K	63,95	1	0,261	KG
NTN	6011LLUNR/2AS	92,38	1	0,42	KG
NTN	6011NR	77,48	1	0,42	KG
SNR	6011.NREE	92,38	1	0,41	KG
SNR	6011.Z	64,31	1	0,35	KG
NTN	6011ZZNR/2AS	81,74	1	0,401	KG
SNR	6012.E	83,39	1	0,416	KG
NTN	6012LLUNR/2AS	98,00	1	0,432	KG
NTN	6012Z	73,85	1	0,418	KG
SNR	6012.ZC3	73,85	1	0,404	KG
NTN	6012ZZNR/2AS	93,72	1	0,455	KG
NTN	6013C4	91,95	1	0,445	KG
NTN	6013LU	103,00	1	0,435	KG
NTN	6013NR	106,91	1	0,485	KG
SNR	6013.NR	106,91	1	0,45	KG
NTN	6013NRC3	106,91	1	0,484	KG
SNR	6013.NRZ	111,36	1	0,458	KG
NTN	6013Z	91,15	1	0,446	KG
NTN	6013ZNR	111,36	1	0,47	KG
NTN	6013ZZNR/2AS	109,76	1	0,235	KG
NTN	6014LLUNR/2AS	147,91	1	0,632	KG
NTN	6014LU	137,48	1	0,593	KG
NTN	6014NR	123,11	1	0,629	KG
SNR	6014.NR	123,11	1	0,612	KG
NTN	6014Z	113,58	1	0,62	KG
SNR	6014.Z	113,58	1	0,6	KG
NTN	6014ZZNR/2AS	133,19	1	0,63	KG
NTN	6015C4	147,19	1	0,68	KG
SNR	6015.C4	147,19	1	0,63	KG
SNR	6015.E	157,63	1	0,655	KG
SNR	6015.EEC4	149,20	1	0,66	KG
NTN	6015L1C3	272,07	1	0,79	KG
NTN	6015NR	156,73	1	0,669	KG
SNR	6015.Z	130,00	1	0,647	KG
NTN	6015ZNR	152,50	1	0,686	KG
NTN	6015ZZNR/2AS	160,43	1	0,695	KG
NTN	6016C4	151,28	1	0,854	KG
NTN	6016NR	211,61	1	0,925	KG
NTN	6016Z	158,44	1	0,854	KG
NTN	6017C4	158,76	1	0,9	KG
NTN	6017NR	193,69	1	0,89	KG
SNR	6017.NRZZC3	210,13	1	0,97	KG
NTN	6017Z	189,83	1	0,91	KG

SNR	6017.Z	189,83	1	0,896	KG
NTN	6017ZZNR/2AS	210,13	1	0,98	KG
NTN	6018C4	201,97	1	1,22	KG
NTN	6018NR	272,75	1	1,26	KG
SNR	6018.NR.EE	294,03	1	1,228	KG
NTN	6018Z	210,79	1	1,18	KG
NTN	6018ZNR	267,74	1	1,225	KG
NTN	6019C4	227,70	1	1,08	KG
NTN	6019Z	254,70	1	1,23	KG
SNR	6020.C4	257,28	1	1,22	KG
NTN	6020LU	325,94	1	1,28	KG
NTN	6020NR	313,62	1	1,312	KG
SNR	6020.NR	313,62	1	1,285	KG
NTN	6020Z	269,00	1	1,227	KG
NTN	6020ZNR	327,36	1	1,323	KG
NTN	6021C4	314,29	1	1,6	KG
NTN	6022C4	362,50	1	2,02	KG
NTN	6024C4	481,48	1	2,12	KG
SNR	6024.E	633,95	1	2192	G
NTN	6024L1C3	549,19	1	2,46	KG
NTN	6024L1C4	604,11	1	2,53	KG
NTN	6024NR	442,31	1	2,28	KG
NTN	6024Z	470,08	1	2,17	KG
NTN	6026C4	583,33	1	3,345	KG
NTN	6026NR	636,19	1	3,96	KG
NTN	6028C4	651,00	1	3,555	KG
NTN	6028L1C3	867,39	1	3,35	KG
NTN	6028Z	686,81	1	3,58	KG
NTN	6030C3	705,28	1	4,345	KG
NTN	6030C4	775,07	1	4,232	KG
NTN	6030CM	705,28	1	4,22	KG
NTN	6030L1	1.180,47	1	4,82	KG
NTN	6030L1C3	1.180,47	1	4,93	KG
NTN	6030LLU/5K	1.016,56	1	4,08	KG
NTN	6030ZZ/2AS	889,31	1	4,158	KG
NTN	6030ZZC3/5K	896,25	1	4,158	KG
NTN	6032C3	1.295,98	1	5,3	KG
NTN	6032CM	1.295,98	1	5,3	KG
NTN	6032L1C3	1.295,98	1	6,14	KG
NTN	6032LLU/2AS	1.425,01	1	5,26	KG
NTN	6032ZZ/2AS	1.186,75	1	5,24	KG
NTN	6034C3	1.506,84	1	7,145	KG
NTN	6034L1	1.506,84	1	8,12	KG
NTN	6034L1C3	1.506,84	1	8,12	KG
NTN	6036C3	1.750,12	1	9,09	KG
NTN	6036L1C3	1.750,15	1	10,7	KG
NTN	6036L1C4	2.112,00	1	8,8	KG
NTN	6036LLU/2AS	2.282,66	1	9,39	KG
NTN	6038C3	1.975,33	1	9,55	KG
NTN	6038L1C3	1.975,42	1	11,1	KG

NTN	6040C3	2.335,83	1	12,2	KG
NTN	6040L1	2.430,84	1	14	KG
NTN	6040L1C3	2.430,84	1	14	KG
NTN	6040ZZ/2AS	2.829,01	1	12,3	KG
NTN	6044C3	3.095,58	1	15,56	KG
NTN	6044L1	3.201,75	1	18,7	KG
NTN	6044L1C3	3.201,75	1	19,82	KG
NTN	6048C3	3.826,02	1	17,49	KG
NTN	62/22	25,69	1	0,119	KG
NTN	62/22C3	25,69	1	0,125	KG
NTN	62/22C4	23,42	1	0,13	KG
NTN	62/22CM	25,69	1	0,119	KG
NTN	62/22LLU/5K	26,58	1	0,117	KG
NTN	62/22LLUC3/5K	26,58	1	0,122	KG
NTN	62/22NR	25,37	1	0,13	KG
NTN	62/22ZZ/2AS	28,69	1	0,116	KG
NTN	62/28	33,04	1	0,175	KG
NTN	62/28C3	33,04	1	0,18	KG
NTN	62/28LLU/5K	40,29	1	0,175	KG
NTN	62/28LLUC3/2AS	40,29	1	0,172	KG
NTN	62/28LLUNR/2AS	40,59	1	0,18	KG
NTN	62/28NR	27,71	1	0,18	KG
NTN	62/28NRC3	27,71	1	0,178	KG
NTN	62/32	45,70	1	0,231	KG
NTN	62/32C3	45,70	1	0,234	KG
NTN	62/32LLU/5K	58,57	1	0,234	KG
NTN	6200C4	10,87	1	0,032	KG
SNR	6200.C4	10,87	1	0,033	KG
NTN	6200LLBNR/2AS	16,08	1	0,04	KG
NTN	6200LLUNR/2AS	16,08	1	0,033	KG
NTN	6200NR	11,03	1	0,034	KG
SNR	6200.NR.ZZ	15,93	1	0,036	KG
NTN	6200Z	11,19	1	0,031	KG
NTN	6200ZZC4/5K	8,62	1	0,032	KG
NTN	6200ZZNR/5K	15,93	1	0,033	KG
SNR	6201.E	13,14	1	0,194	KG
NTN	6201LLUNR/5K	16,75	1	45	G
NTN	6201NR	22,34	1	0,04	KG
SNR	6201.NRZZ	17,46	1	0,044	KG
SNR	6201.Z	11,65	1	37	G
SNR	6201.ZC3	11,65	1	38	G
SNR	6202E	14,17	1	0,05	KG
NTN	6202LLBC3/5K	12,13	1	0,045	KG
NTN	6202LLUC2/5K	16,74	1	0,044	KG
NTN	6202LLUC4/5K	17,04	1	0,043	KG
NTN	6202LU	7,00	1	0,043	KG
NTN	6202NR	17,50	1	0,048	KG
SNR	6202.NREE	20,96	1	0,052	KG
SNR	6202.NRZZ	18,05	1	0,046	KG
SNR	6202ZC3	12,55	1	0,045	KG

NTN	6202ZZC4/5K	12,07	1	0,046	KG
NTN	6203C4	13,47	1	0,066	KG
SNR	6203.C4	13,47	1	0,068	KG
SNR	6203.EEC4	19,80	1	0,07	KG
SNR	6203.G15C3	11,94	1	0,066	KG
NTN	6203NR	18,91	1	0,066	KG
SNR	6203.NR	18,91	1	0,07	KG
NTN	6203NRC3	18,91	1	0,066	KG
SNR	6203.NREE	23,30	1	0,068	KG
SNR	6203.NRZZ	17,89	1	0,074	KG
NTN	6203ZC3	14,06	1	0,061	KG
SNR	6203.ZC3	14,06	1	64	G
SNR	6203.ZZC4	17,00	1	0,158	KG
NTN	6203ZZC4/5K	17,00	1	0,064	KG
NTN	6203ZZNR/5K	17,89	1	0,065	KG
SNR	6204.E	18,74	1	0,106	KG
SNR	6204.G15C4	15,87	1	0,098	KG
NTN	6204JR2C4	15,87	1	0,099	KG
NTN	6204LLU/22/2AS	32,05	1	0,097	KG
NTN	6204LLUC4/5K	19,90	1	110	G
NTN	6204NRC3	21,97	1	120	G
SNR	6204.NR.EE	26,23	1	0,11	KG
SNR	6204.NR.ZZ	22,87	1	0,11	KG
SNR	6204.Z	16,48	1	0,102	KG
SNR	6204.ZC3	16,48	1	0,105	KG
NTN	6204ZC4	20,00	1	0,096	KG
SNR	6204.ZZC4	18,05	1	0,108	KG
NTN	6204ZZNR/2AS	22,87	1	0,11	KG
NTN	6205C4	18,46	1	0,132	KG
SNR	6205.E	21,87	1	0,13	KG
SNR	6205.G15C3	16,31	1	0,126	KG
SNR	6205.G15C4	18,46	1	0,124	KG
SNR	6205.K.EE	31,88	1	0,133	KG
SNR	6205.KEEC3	31,88	1	0,133	KG
NTN	6205LLBNR/2AS	30,06	1	0,13	KG
NTN	6205LLUNR/5K	30,06	1	0,13	KG
NTN	6205LLUNRC3/5K	30,06	1	0,138	KG
NTN	6205LUC3	21,87	1	0,13	KG
NTN	6205N	41,50	1	0,125	KG
SNR	6205.N	41,50	1	0,129	KG
SNR	6205.NEE	28,76	1	0,134	KG
NTN	6205NR	25,07	1	0,135	KG
SNR	6205.N.R	25,07	1	0,13	KG
NTN	6205NRC3	25,07	1	0,14	KG
SNR	6205.NRC3	25,07	1	0,14	KG
SNR	6205.N.R.EE	30,06	1	0,14	KG
SNR	6205.N.R.Z	23,87	1	0,14	KG
SNR	6205.N.R.ZZ	27,00	1	0,14	KG
SNR	6205.ZC3	19,32	1	0,13	KG
NTN	6205ZNR	23,87	1	0,064	KG

SNR	6205.ZZC4	24,00	1	0,137	KG
NTN	6205ZZC4/5K	24,00	1	0,14	KG
NTN	6205ZZNR/5K	27,00	1	131	G
SNR	6206.C4	24,61	1	0,194	KG
SNR	6206.E	29,10	1	0,2	KG
SNR	6206.EC3	29,10	1	200	G
SNR	6206.EEC4	31,97	1	0,21	KG
SNR	6206.G15C4	24,61	1	0,186	KG
SNR	6206.K.EE	35,41	1	207	G
SNR	6206.KEEC3	35,41	1	0,199	KG
SNR	6206.K.ZZ	39,83	1	0,207	KG
SNR	6206.KZZC3	39,83	1	0,2	KG
NTN	6206LLUNR/5K	37,58	1	0,204	KG
NTN	6206LLUNRC3/5K	37,58	1	0,204	KG
SNR	6206.N	29,08	1	0,19	KG
SNR	6206.N.EE	35,92	1	0,2	KG
SNR	6206.NEEC3	35,92	1	0,2	KG
SNR	6206.NR.EE	37,58	1	0,208	KG
SNR	6206.N.RZ	36,10	1	0,204	KG
SNR	6206.NR.ZZ	43,41	1	0,21	KG
SNR	6206.ZC3	25,71	1	0,19	KG
NTN	6206ZZC2/5K	31,35	1	0,206	KG
NTN	6206ZZNR/5K	43,41	1	0,204	KG
SNR	6207.C4	32,43	1	0,286	KG
SNR	6207.E	38,33	1	0,296	KG
SNR	6207.EEC4	43,02	1	0,296	KG
NTN	6207LLUC4/5K	43,02	1	0,285	KG
NTN	6207LLUNR/2AS	54,94	1	302	G
SNR	6207.N	39,33	1	0,284	KG
NTN	6207NC3	39,33	1	290	G
SNR	6207.N.EE	55,04	1	0,288	KG
NTN	6207NR	41,40	1	300	G
SNR	6207.NR	41,40	1	0,295	KG
NTN	6207NRC3	41,40	1	0,29	KG
SNR	6207.NR.EE	54,94	1	0,308	KG
SNR	6207.NR.Z	46,64	1	300	G
SNR	6207.NR.ZZ	65,26	1	0,308	KG
SNR	6207.Z	33,89	1	0,3	KG
SNR	6207.ZC3	33,89	1	0,29	KG
NTN	6207ZNR	46,64	1	0,284	KG
SNR	6207.ZZC4	38,10	1	0,3	KG
NTN	6207ZZC4/5K	38,10	1	0,295	KG
NTN	6207ZZNR/5K	65,26	1	0,3	KG
NTN	6207ZZNRC3/2AS	65,26	1	0,3	KG
NTN	6208C4	43,03	1	380	G
SNR	6208.C4	43,03	1	0,359	KG
SNR	6208.E	50,81	1	0,37	KG
SNR	6208.EC3	50,81	1	470	G
SNR	6208.EEC4	55,92	1	0,374	KG
SNR	6208.K.EE	52,46	1	0,368	KG

SNR	6208.KEEC3	52,46	1	0,366	KG
NTN	6208L1C3	118,37	1	460	G
NTN	6208LLUK/2AS	52,46	1	375	G
NTN	6208LLUNR/2AS	64,92	1	0,36	KG
NTN	6208LLUNRC3/2AS	64,92	1	0,366	KG
SNR	6208.N	49,22	1	0,357	KG
SNR	6208NC3	49,22	1	0,36	KG
NTN	6208NRC3	52,94	1	390	G
SNR	6208.NRC3	52,94	1	0,373	KG
SNR	6208.NR.EE	64,92	1	0,39	KG
SNR	6208.NR.Z	59,82	1	0,38	KG
SNR	6208.NR.ZZ	72,11	1	0,389	KG
NTN	6208ZC3	44,94	1	357	G
SNR	6208.ZC3	44,94	1	364	G
NTN	6208ZNR	59,82	1	390	G
NTN	6208ZZC4/5K	44,74	1	0,38	KG
NTN	6208ZZNR/5K	72,11	1	390	G
NTN	6209C4	52,63	1	0,42	KG
SNR	6209E	62,03	1	0,416	KG
SNR	6209.EC3	62,03	1	0,43	KG
SNR	6209.EEC4	76,96	1	0,42	KG
SNR	6209.K	56,22	1	0,38	KG
SNR	6209.K.EE	69,38	1	0,414	KG
NTN	6209L1C3	138,13	1	520	G
NTN	6209LLUNR/2AS	96,20	1	0,434	KG
SNR	6209.N	58,77	1	398	G
SNR	6209.NC3	58,77	1	0,4	KG
NTN	6209NR	63,05	1	0,398	KG
SNR	6209.NR	63,05	1	0,416	KG
SNR	6209.NR.EE	96,20	1	0,432	KG
SNR	6209.NREEC3	96,20	1	0,433	KG
SNR	6209.NR.Z	71,37	1	0,42	KG
SNR	6209.NR.ZZ	90,31	1	0,42	KG
SNR	6209.Z	54,91	1	0,414	KG
SNR	6209.ZC3	54,91	1	0,422	KG
NTN	6209ZC3	54,91	1	0,387	KG
NTN	6209ZNR	71,37	1	0,041	KG
NTN	6209ZZC4/5K	70,50	1	0,398	KG
NTN	6209ZZNR/5K	90,31	1	0,41	KG
NTN	6210C4	62,22	1	0,454	KG
SNR	6210.C4	62,22	1	0,451	KG
SNR	6210.E	73,46	1	0,467	KG
NTN	6210L1C3	168,10	1	0,566	KG
NTN	6210LLUNR/2AS	119,76	1	0,494	KG
NTN	6210NR	72,91	1	0,463	KG
SNR	6210.NR	72,91	1	0,472	KG
SNR	6210.NR.EE	119,76	1	0,5	KG
SNR	6210.NR.Z	70,37	1	0,49	KG
SNR	6210.NR.ZZ	76,19	1	0,49	KG
SNR	6210.Z	64,97	1	0,46	KG

NTN	6210ZC3	64,97	1	0,441	KG
SNR	6210.ZC3	64,97	1	0,46	KG
NTN	6210ZZC4/2AS	62,82	1	0,47	KG
NTN	6210ZZNR/2AS	76,19	1	0,49	KG
NTN	6211C4	78,86	1	0,622	KG
SNR	6211.C4	78,86	1	0,6	KG
SNR	6211.E	90,50	1	0,618	KG
SNR	6211.K	78,54	1	600	G
SNR	6211.KC4	86,41	1	590	G
SNR	6211.KEEC3	97,60	1	0,6	KG
NTN	6211L1C3	396,13	1	0,726	KG
NTN	6211LLBNR/2AS	140,47	1	0,65	KG
NTN	6211LLUC4/2AS	83,88	1	0,606	KG
NTN	6211LLUNR/2AS	140,47	1	0,625	KG
NTN	6211LUC3	90,50	1	0,61	KG
SNR	6211.N	80,56	1	0,595	KG
NTN	6211NR	85,41	1	0,646	KG
SNR	6211.NR.Z	103,77	1	0,636	KG
SNR	6211.NRZZ	118,85	1	0,65	KG
NTN	6211Z	76,88	1	0,601	KG
SNR	6211.Z	76,88	1	0,59	KG
SNR	6211.ZC3	76,88	1	0,61	KG
NTN	6211ZNR	103,77	1	0,624	KG
NTN	6211ZZNR/2AS	118,85	1	0,646	KG
NTN	6212C4	89,64	1	0,75	KG
SNR	6212.C4	89,64	1	0,747	KG
SNR	6212.E	105,10	1	0,791	KG
SNR	6212.EC3	105,10	1	0,779	KG
NTN	6212L1	206,76	1	0,94	KG
NTN	6212L1C3	233,12	1	0,93	KG
NTN	6212LLUNR/2AS	240,30	1	0,794	KG
NTN	6212NR	103,33	1	0,475	KG
SNR	6212.NR.Z	125,52	1	0,788	KG
SNR	6212.Z	93,60	1	0,77	KG
NTN	6212Z	93,60	1	0,75	KG
NTN	6212ZC3	93,60	1	0,783	KG
SNR	6212.ZC3	93,60	1	0,78	KG
NTN	6212ZC4	121,62	1	0,78	KG
NTN	6212ZNR	125,52	1	0,802	KG
NTN	6212ZZC4/5K	96,38	1	0,792	KG
NTN	6212ZZNR/2AS	102,20	1	0,783	KG
NTN	6213C4	127,13	1	1,02	KG
SNR	6213.E	161,38	1	1,008	KG
NTN	6213L1C3	267,03	1	0,974	KG
NTN	6213LLUNR/2AS	175,42	1	1,024	KG
SNR	6213.N	131,63	1	0,966	KG
NTN	6213NR	152,72	1	1,06	KG
SNR	6213.NR	152,72	1	1,02	KG
SNR	6213.NRC3	152,72	1	1,022	KG
NTN	6213Z	132,84	1	1	KG

SNR	6213.Z	132,84	1	1008	G
SNR	6213.ZC3	132,84	1	0,992	KG
NTN	6213ZNR	182,33	1	1,04	KG
NTN	6213ZZNR/2AS	160,01	1	1,05	KG
NTN	6214C4	141,30	1	1,085	KG
SNR	6214.E	178,90	1	1,079	KG
NTN	6214L1C3	458,04	1	1,29	KG
NTN	6214LU	178,90	1	1,07	KG
SNR	6214.N	140,27	1	1,024	KG
NTN	6214NR	232,45	1	1,135	KG
NTN	6214NRC3	232,45	1	1,076	KG
NTN	6214Z	147,86	1	1,08	KG
SNR	6214.Z	147,86	1	1,064	KG
NTN	6214ZC3	147,86	1	1,08	KG
NTN	6214ZC4	156,68	1	1,08	KG
NTN	6214ZZNR/2AS	173,34	1	1,1	KG
NTN	6215C4	166,87	1	1,16	KG
NTN	6215LLUNR/2AS	237,81	1	1,2	KG
NTN	6215LU	211,69	1	1,15	KG
NTN	6215NR	191,51	1	1,245	KG
NTN	6215ZNR	206,27	1	1,225	KG
NTN	6215ZZC4/2AS	194,81	1	1,18	KG
NTN	6215ZZNR/2AS	216,89	1	1,196	KG
NTN	6216C4	195,69	1	1,44	KG
SNR	6216.E	231,05	1	1,412	KG
NTN	6216L1C3	521,53	1	1,77	KG
NTN	6216LLUNR/2AS	265,44	1	1,49	KG
NTN	6216NR	273,43	1	1,485	KG
NTN	6216Z	204,72	1	1,42	KG
NTN	6217C4	238,62	1	1,845	KG
NTN	6217CM	209,61	1	1,79	KG
NTN	6217L1C3	317,72	1	2,17	KG
NTN	6217LLUCM/5K	272,38	1	1,82	KG
NTN	6217NR	310,51	1	1,91	KG
NTN	6217NRC3	310,51	1	1,91	KG
NTN	6217ZZC4/5K	306,50	1	1,81	KG
NTN	6217ZZCM/5K	241,32	1	1,79	KG
NTN	6217ZZNR/2AS	309,53	1	1,85	KG
NTN	6218CM	258,63	1	2,19	KG
NTN	6218LLUCM/5K	335,87	1	2,195	KG
NTN	6218NR	330,52	1	2,2	KG
NTN	6218Z	329,97	1	2,17	KG
NTN	6218ZZCM/5K	297,76	1	2,154	KG
SNR	6219.C4	354,85	1	2,55	KG
NTN	6219L1C3	465,61	1	3,21	KG
NTN	6219L1C4	521,53	1	3,14	KG
NTN	6219LLUCM/5K	443,90	1	2,65	KG
NTN	6219NR	410,55	1	2,745	KG
SNR	6219.Z	398,06	1	2,588	KG
NTN	6219ZZCM/5K	367,85	1	2,62	KG

SNR	62200.EE	22,20	1	0,044	KG
SNR	62200.ZZ	25,89	1	0,05	KG
SNR	62201.EE	26,54	1	0,052	KG
SNR	62201.EEC3	26,54	1	53	G
NTN	62201LLU/2AS	26,54	1	0,056	KG
SNR	62202.EE	29,54	1	0,062	KG
SNR	62202.EEC3	29,54	1	0,056	KG
SNR	62203.EE	32,24	1	0,09	KG
SNR	62203.EEC3	32,24	1	0,091	KG
SNR	62204.EE	35,34	1	0,134	KG
SNR	62204.EEC3	35,34	1	0,136	KG
SNR	62205.EE	38,95	1	0,161	KG
SNR	62205.EEC3	38,95	1	0,161	KG
SNR	62206.EE	50,20	1	0,25	KG
SNR	62206.EEC3	50,20	1	0,25	KG
SNR	62207.EE	65,30	1	0,396	KG
SNR	62207.EEC3	65,30	1	396	G
SNR	62208.EE	75,42	1	0,47	KG
SNR	62208.EEC3	75,42	1	0,474	KG
SNR	62209.EE	100,75	1	0,49	KG
SNR	62209.EEC3	100,75	1	0,5	KG
NTN	6220C3	358,93	1	3,19	KG
NTN	6220L1C3	565,98	1	3,84	KG
NTN	6220L1C4	622,54	1	3,74	KG
NTN	6220NR	446,97	1	3,28	KG
NTN	6220Z	426,71	1	3,175	KG
NTN	6220ZZCM/5K	412,57	1	3,14	KG
SNR	62210.EE	119,03	1	0,55	KG
SNR	62210.EEC3	119,03	1	0,54	KG
NTN	6221CM	455,40	1	3,825	KG
NTN	6222CM	520,72	1	4,38	KG
NTN	6222L1C3	960,64	1	5,38	KG
NTN	6224C3	667,92	1	5,15	KG
NTN	6224CM	667,92	1	5,42	KG
NTN	6228CM	1.090,32	1	7,71	KG
SNR	62300.EE	32,39	1	0,09	KG
SNR	62301.EE	32,99	1	0,082	KG
SNR	62302.EE	34,33	1	0,112	KG
SNR	62303.EE	38,63	1	0,154	KG
SNR	62304.EE	45,10	1	0,204	KG
SNR	62305.EE	58,86	1	0,326	KG
SNR	62306.EE	81,06	1	0,502	KG
SNR	62306.EEC3	81,06	1	0,5	KG
SNR	62307.EE	101,90	1	0,664	KG
SNR	62308.EE	130,42	1	0,902	KG
NTN	6230C3	1.300,73	1	10,105	KG
NTN	6230CM	1.300,73	1	9,94	KG
NTN	6230L1C3	1.891,22	1	12,01	KG
NTN	6232C3	1.955,76	1	14,3	KG
NTN	6232L1C3	2.090,27	1	14,6	KG

NTN	6234C3	2.489,45	1	16,14	KG
NTN	6234L1C3	2.489,50	1	18,145	KG
NTN	6236C3	2.812,59	1	16	KG
NTN	6236L1C3	2.947,21	1	18,7	KG
NTN	6238C3	3.351,75	1	19,2	KG
NTN	6240L1C3	4.374,49	1	26,7	KG
NTN	63/22C3	54,67	1	0,176	KG
NTN	63/22C4	47,54	1	0,182	KG
NTN	63/22JR2C4	47,54	1	0,177	KG
NTN	63/22LLU/5K	51,17	1	0,182	KG
NTN	63/22NC3	52,63	1	0,18	KG
NTN	63/22NRC3	57,01	1	0,185	KG
NTN	63/22ZZ/2AS	49,71	1	0,184	KG
NTN	63/22ZZC3/5K	49,71	1	0,182	KG
NTN	63/28	46,01	1	0,284	KG
NTN	63/28C3	46,01	1	0,292	KG
NTN	63/28C4	48,23	1	0,294	KG
NTN	63/28LLU/2AS	71,36	1	0,296	KG
NTN	63/28LLUNR/2AS	92,77	1	0,305	KG
NTN	63/28NR	57,83	1	0,284	KG
NTN	63/28NRC3	57,83	1	0,291	KG
NTN	63/28ZZ/2AS	57,83	1	0,295	KG
NTN	63/32	61,70	1	0,382	KG
NTN	63/32C3	61,70	1	0,404	KG
NTN	63/32LLU/5K	86,39	1	0,394	KG
NTN	63/32LLUNR/2AS	112,30	1	0,42	KG
NTN	63/32NR	100,85	1	0,4	KG
NTN	63/32NRC3	100,85	1	0,382	KG
SNR	63000.EE	28,80	1	0,034	KG
SNR	63000.EEC3	28,80	1	33	G
SNR	63001.EE	28,76	1	36	G
SNR	63001.EEC3	28,76	1	0,03	KG
SNR	63002.EE	31,47	1	0,048	KG
SNR	63002.EEC3	31,47	1	0,048	KG
SNR	63003.EE	33,64	1	0,05	KG
SNR	63003.EEC3	33,64	1	0,052	KG
SNR	63004.EE	35,39	1	0,096	KG
SNR	63004.EEC3	35,39	1	0,09	KG
SNR	63005.EE	37,13	1	0,109	KG
SNR	63005.EEC3	37,13	1	0,11	KG
SNR	63006.EE	51,63	1	0,17	KG
SNR	63006.EEC3	51,63	1	173	G
SNR	63007.EE	54,61	1	0,22	KG
SNR	63007.EEC3	54,61	1	0,218	KG
SNR	63008.EE	63,53	1	0,264	KG
SNR	63008.EEC3	63,53	1	0,264	KG
SNR	6301.Z	16,07	1	0,064	KG
SNR	6302.E	18,57	1	0,086	KG
NTN	6302LU	18,57	1	0,085	KG
NTN	6302NR	17,24	1	0,1	KG

SNR	6302.Z	16,46	1	0,086	KG
NTN	6303C4	17,81	1	0,12	KG
SNR	6303.G15C3	13,83	1	0,106	KG
NTN	6303LLUNR/2AS	23,95	1	0,118	KG
NTN	6303LLUNRC3/2AS	23,95	1	0,115	KG
NTN	6303NR	23,85	1	0,117	KG
NTN	6303NRC3	23,85	1	0,117	KG
SNR	6303.Z	18,60	1	0,112	KG
NTN	6303ZNR	22,41	1	0,12	KG
NTN	6303ZZC4/5K	22,95	1	0,122	KG
NTN	6303ZZNR/2AS	21,17	1	0,125	KG
NTN	6304C4	20,63	1	0,152	KG
SNR	6304.E	24,34	1	0,148	KG
SNR	6304.EC3	24,34	1	146	G
SNR	6304.G15C3	18,24	1	0,134	KG
NTN	6304JR2C3	16,00	1	0,16	KG
NTN	6304JR2C4	20,63	1	0,15	KG
SNR	6304.N.EE	26,47	1	0,15	KG
SNR	6304.NEEC3	26,47	1	0,15	KG
SNR	6304.NR	40,76	1	0,146	KG
NTN	6304NRC3	40,76	1	0,147	KG
SNR	6304.NR.EE	48,41	1	0,16	KG
SNR	6304.NRZ	27,46	1	148	G
SNR	6304.Z	21,57	1	0,143	KG
NTN	6304ZNR	27,46	1	0,15	KG
NTN	6305C4	25,82	1	0,232	KG
SNR	6305.C4	25,82	1	0,226	KG
SNR	6305.E	30,51	1	0,232	KG
SNR	6305.EEC4	29,23	1	238	G
NTN	6305LLUNR/2AS	40,48	1	0,244	KG
SNR	6305.N	37,76	1	0,225	KG
NTN	6305NC3	37,76	1	0,228	KG
NTN	6305NR	33,28	1	0,244	KG
SNR	6305.N.R	33,28	1	233	G
SNR	6305.NRC3	33,28	1	0,228	KG
SNR	6305.N.R.EE	40,48	1	0,244	KG
SNR	6305.N.R.Z	40,18	1	0,238	KG
SNR	6305.NRZZ	45,14	1	0,244	KG
SNR	6305.Z	27,02	1	0,23	KG
NTN	6305ZC3	27,02	1	0,23	KG
SNR	6305.ZC3	27,02	1	0,798	KG
NTN	6305ZNR	40,18	1	0,24	KG
NTN	6305ZZC4/5K	34,66	1	0,236	KG
NTN	6306C4	34,64	1	0,356	KG
SNR	6306.C4	34,64	1	0,344	KG
SNR	6306.E	41,00	1	0,355	KG
SNR	6306.EEC4	45,98	1	0,36	KG
NTN	6306L1C3	96,21	1	0,405	KG
NTN	6306LLUC4/5K	40,79	1	0,36	KG
NTN	6306LLUNR/2AS	77,03	1	0,35	KG

SNR	6306.N	40,33	1	0,343	KG
NTN	6306NC3	40,33	1	0,4	KG
NTN	6306NR	43,61	1	0,36	KG
SNR	6306.NR	43,61	1	357	G
NTN	6306NRC3	43,61	1	0,354	KG
SNR	6306.NRC3	43,61	1	0,354	KG
SNR	6306.NR.EE	77,03	1	0,368	KG
SNR	6306.NREEC3	77,03	1	0,37	KG
SNR	6306.NR.Z	49,08	1	0,36	KG
SNR	6306.NR.ZZ	60,00	1	0,37	KG
SNR	6306.Z	36,26	1	0,346	KG
SNR	6306.ZC3	36,26	1	0,32	KG
NTN	6306ZNR	49,08	1	0,36	KG
NTN	6306ZU1	36,26	1	0,34	KG
NTN	6306ZZC4/5K	35,52	1	0,358	KG
NTN	6307C4	52,61	1	0,47	KG
SNR	6307.C4	52,61	1	440	G
SNR	6307.E	55,16	1	0,46	KG
NTN	6307L1C3	156,28	1	0,538	KG
NTN	6307LLUNR/2AS	94,78	1	0,486	KG
NTN	6307LU	55,16	1	0,46	KG
SNR	6307.N	55,00	1	0,436	KG
NTN	6307NC3	55,00	1	0,47	KG
SNR	6307.NC3	55,00	1	0,435	KG
NTN	6307NR	56,56	1	0,48	KG
SNR	6307.NR	56,56	1	0,456	KG
SNR	6307.NRC3	56,56	1	0,454	KG
SNR	6307.NR.EE	94,78	1	0,475	KG
SNR	6307.NR.Z	63,92	1	0,463	KG
SNR	6307.NRZZ	65,58	1	0,478	KG
SNR	6307.Z	48,75	1	0,45	KG
NTN	6307ZC3	48,75	1	0,448	KG
SNR	6307.ZC3	48,75	1	0,487	KG
NTN	6307ZNR	63,92	1	0,457	KG
NTN	6307ZNRC3	63,92	1	0,466	KG
NTN	6307ZU1	48,75	1	0,47	KG
SNR	6307.ZZC4	48,46	1	459	G
NTN	6307ZZC4/5K	48,46	1	0,461	KG
NTN	6307ZZNR/5K	65,58	1	0,457	KG
NTN	6307ZZNRC3/2AS	65,58	1	0,48	KG
NTN	6308C4	65,96	1	0,648	KG
SNR	6308.C4	65,96	1	0,618	KG
SNR	6308.E	78,01	1	0,632	KG
SNR	6308.EEC4	79,94	1	0,643	KG
NTN	6308LLBNR/2AS	131,99	1	0,654	KG
NTN	6308LLUC4/2AS	79,94	1	0,637	KG
NTN	6308LLUNR/2AS	131,99	1	0,67	KG
SNR	6308.N	74,15	1	0,614	KG
NTN	6308NR	77,85	1	0,67	KG
SNR	6308.NR	77,85	1	0,639	KG

NTN	6308NRC3	77,85	1	0,647	KG
SNR	6308.NRC3	77,85	1	0,632	KG
SNR	6308.NR.EE	131,99	1	0,661	KG
SNR	6308.NREEC3	131,99	1	0,66	KG
SNR	6308.NR.Z	88,26	1	0,649	KG
SNR	6308.NR.ZZ	95,77	1	0,667	KG
SNR	6308.Z	68,94	1	0,63	KG
SNR	6308.ZC3	68,94	1	0,63	KG
NTN	6308ZNR	88,26	1	0,65	KG
SNR	6308.ZZC4	64,17	1	0,646	KG
NTN	6308ZZC4/5K	64,17	1	0,66	KG
NTN	6309C4	83,39	1	0,84	KG
SNR	6309.C4	83,39	1	0,822	KG
SNR	6309.E	98,37	1	0,87	KG
SNR	6309.EC3	98,37	1	0,848	KG
SNR	6309.K.EE	108,34	1	0,866	KG
NTN	6309L1C3	239,75	1	0,024	KG
NTN	6309LLBNR/2AS	118,81	1	0,876	KG
NTN	6309LLUNR/2AS	118,81	1	0,848	KG
NTN	6309LU	98,37	1	0,805	KG
SNR	6309.N	111,24	1	0,814	KG
NTN	6309NR	94,84	1	0,88	KG
SNR	6309.NR	94,84	1	0,837	KG
NTN	6309NRC3	94,84	1	0,86	KG
SNR	6309.NREE	118,81	1	0,87	KG
SNR	6309.NREEC3	118,81	1	0,88	KG
SNR	6309.NRZ	107,68	1	0,854	KG
SNR	6309.NR.ZZ	139,87	1	0,879	KG
SNR	6309.Z	87,07	1	0,836	KG
NTN	6309ZC3	87,07	1	0,83	KG
SNR	6309.ZC3	87,07	1	0,838	KG
NTN	6309ZC4	95,78	1	0,802	KG
NTN	6309ZNR	107,68	1	0,85	KG
NTN	6309ZU1	87,07	1	0,86	KG
NTN	6309ZZC4/5K	101,34	1	0,824	KG
NTN	6310C4	116,15	1	1,05	KG
SNR	6310.C4	116,15	1	1,052	KG
NTN	6310L1C3	251,62	1	1,07	KG
NTN	6310LLUC4/5K	146,58	1	1,105	KG
NTN	6310LU	142,23	1	1,05	KG
NTN	6310LUC3	142,23	1	1,05	KG
SNR	6310.N	109,12	1	1,048	KG
NTN	6310NR	121,62	1	1,1	KG
SNR	6310.NR	121,62	1	1,07	KG
NTN	6310NRC3	121,62	1	1,1	KG
SNR	6310.NRC3	121,62	1	1,076	KG
SNR	6310.NR.EE	188,20	1	1,131	KG
SNR	6310.NRZ	148,11	1	1,12	KG
SNR	6310.NRZZ	205,91	1	1,115	KG
SNR	6310.Z	113,35	1	1,07	KG

SNR	6310.ZC3	113,35	1	1,07	KG
NTN	6310ZC3	113,35	1	1,07	KG
NTN	6310ZNR	148,11	1	1,1	KG
NTN	6310ZZC4/5K	133,61	1	1,095	KG
NTN	6311C4	136,07	1	1,34	KG
SNR	6311.C4	136,07	1	1,354	KG
SNR	6311.E	171,83	1	1,4	KG
NTN	6311L1C3	319,19	1	1,37	KG
SNR	6311.N	154,29	1	1,336	KG
SNR	6311.NC3	154,29	1	1,342	KG
NTN	6311NR	156,75	1	1,381	KG
SNR	6311.NR	156,75	1	1,393	KG
SNR	6311.NRC3	156,75	1	1,39	KG
SNR	6311.NRC4	168,52	1	1,394	KG
NTN	6311Z	141,85	1	1,365	KG
SNR	6311.Z	141,85	1	1,344	KG
NTN	6311ZC3	141,85	1	1,365	KG
NTN	6311ZNR	190,00	1	1,425	KG
NTN	6311ZZC4/5K	143,93	1	1,38	KG
NTN	6311ZZNR/2AS	207,51	1	1,144	KG
NTN	6312C4	172,41	1	1,715	KG
SNR	6312.C4	172,41	1	1,637	KG
NTN	6312L1C3	364,45	1	2,01	KG
NTN	6312LU	218,11	1	1,715	KG
SNR	6312.NC3	173,35	1	1,63	KG
NTN	6312NR	193,93	1	1,77	KG
NTN	6312NRC3	193,93	1	1,775	KG
SNR	6312.Z	173,12	1	1,708	KG
NTN	6312Z	173,12	1	1,72	KG
NTN	6312ZNR	236,47	1	1,79	KG
NTN	6312ZZC4/5K	183,04	1	1,74	KG
NTN	6313C4	230,86	1	2,08	KG
SNR	6313.C4	230,86	1	2,046	KG
NTN	6313L1C3	504,02	1	2,5	KG
NTN	6313LLBNR/2AS	312,94	1	2,215	KG
NTN	6313LLUNR/2AS	312,94	1	2,146	KG
NTN	6313LUC3	285,22	1	2,127	KG
NTN	6313N	238,91	1	2,11	KG
NTN	6313NR	254,83	1	2,18	KG
SNR	6313.NR	254,83	1	2,108	KG
SNR	6313.NRC3	254,83	1	2,119	KG
NTN	6313Z	241,40	1	2,175	KG
SNR	6313.Z	241,40	1	2,081	KG
SNR	6313.ZC3	241,40	1	2,077	KG
NTN	6313ZNR	379,62	1	2,125	KG
SNR	6313.ZZC4	252,03	1	2,139	KG
NTN	6314C4	276,80	1	2,54	KG
NTN	6314L1C3	562,14	1	2,98	KG
NTN	6314NRC3	311,47	1	2,66	KG
NTN	6314Z	289,92	1	2,585	KG

SNR	6314.Z	289,92	1	2,546	KG
NTN	6314ZC3	289,92	1	2,595	KG
NTN	6314ZZC4/5K	340,28	1	2,632	KG
NTN	6315C4	328,34	1	3,095	KG
NTN	6315L1C3	649,68	1	3,63	KG
NTN	6316C4	384,49	1	3,7	KG
SNR	6316.C4	384,49	1	3,529	KG
NTN	6316L1	665,49	1	4,38	KG
NTN	6316L1C3	665,49	1	4,29	KG
NTN	6316ZZC4/5K	428,49	1	3,65	KG
NTN	6317C4	468,70	1	4,31	KG
SNR	6317.C4	468,70	1	4,082	KG
NTN	6317L1C3	1.009,64	1	5,14	KG
NTN	6318C4	568,48	1	4,9	KG
NTN	6318L1C3	1.202,62	1	5,99	KG
NTN	6318Z	680,32	1	4,91	KG
NTN	6319L1C3	982,37	1	5,8	KG
NTN	63204LLB/2AS	50,94	1	0,158	KG
NTN	63204ZZ/2AS	47,31	1	0,149	KG
NTN	63205LLB/2AS	57,38	1	0,18	KG
NTN	63206LLU/2AS	84,79	1	0,3	KG
NTN	63206ZZ/2AS	68,27	1	298	G
NTN	63207LLB/2AS	102,67	1	0,458	KG
NTN	63208LLU/2AS	121,53	1	0,62	KG
NTN	63208ZZ/2AS	117,47	1	0,62	KG
NTN	63208ZZC3/2AS	129,14	1	0,62	KG
NTN	6320C4	906,02	1	7	KG
NTN	6320L1C3	1.404,80	1	8,38	KG
NTN	6321C4	1.020,88	1	8,2	KG
NTN	6321CM	956,26	1	8,2	KG
NTN	6322C4	1.246,28	1	9,544	KG
NTN	6322CM	1.076,84	1	9,693	KG
NTN	6322L1C3	1.748,68	1	11,2	KG
NTN	6324C3	1.306,79	1	11,5	KG
NTN	6324C4	1.619,79	1	12,6	KG
NTN	6324CM	1.306,79	1	12,75	KG
NTN	6324L1C3	2.111,21	1	16,23	KG
NTN	6324LLUC3/2AS	2.888,66	1	13,58	KG
SNR	6324.M	2.111,21	1	14908	G
NTN	6324ZZ/2AS	2.682,32	1	12,76	KG
NTN	6326C3	1.943,13	1	15,44	KG
NTN	6326L1C3	2.437,45	1	15,3	KG
NTN	6328C3	2.723,84	1	18,5	KG
NTN	6328L1C3	3.351,89	1	22,125	KG
NTN	63306LLU/2AS	135,88	1	0,543	KG
NTN	63307LLU/2AS	147,97	1	0,75	KG
NTN	63309LLU/2AS	265,68	1	1,28	KG
NTN	6330C3	2.937,17	1	24,11	KG
NTN	6330L1C3	3.531,94	1	26,79	KG
NTN	6330ZZ/2AS	2.937,17	1	23,3	KG

NTN	63310LLU/2AS	298,20	1	1,735	KG
NTN	6332C3	4.268,63	1	27,215	KG
NTN	6332L1C3	4.720,10	1	30,7	KG
NTN	6336C3	7.660,26	1	37	KG
NTN	6340L1	9.957,59	1	53	KG
NTN	6406C4	116,13	1	0,744	KG
NTN	6409NR	236,92	1	1,61	KG
NTN	6410NR	295,61	1	1,86	KG
NTN	6411C3	265,95	1	2,29	KG
SNR	6411.N	322,56	1	2318	G
NTN	6411NR	419,68	1	2,45	KG
SNR	6411.NR	419,68	1	2389	G
NTN	6412NR	425,28	1	2,96	KG
NTN	6413NRC3	514,08	1	3,5	KG
NTN	68/560L1	33.064,91	1	40,2	KG
NTN	6800LLU/5K	25,53	1	0,005	KG
NTN	6800LLUC3/5K	25,53	1	0,005	KG
NTN	6800ZZ/5K	22,97	1	0,005	KG
NTN	6801LLB/2AS	25,07	1	5	G
NTN	6801LLU/5K	25,07	1	0,007	KG
NTN	6801ZZ/5K	22,57	1	0,005	KG
NTN	6802LLB/5K	27,36	1	0,007	KG
NTN	6802LLU/5K	27,36	1	0,005	KG
NTN	6802LLUC3/2AS	27,36	1	0,006	KG
NTN	6802ZZ/5K	24,62	1	0,007	KG
NTN	6803LLB/5K	29,65	1	0,008	KG
NTN	6803LLU/5K	29,65	1	0,008	KG
NTN	6803LLUC3/5K	29,65	1	0,01	KG
NTN	6803ZZ/5K	26,68	1	0,008	KG
NTN	6804JR	26,84	1	0,021	KG
NTN	6804JRC3	26,84	1	0,016	KG
NTN	6804JRLLB/5K	33,78	1	0,025	KG
NTN	6804JRLLU/5K	33,78	1	0,02	KG
NTN	6804JRZZ/5K	30,41	1	0,017	KG
NTN	6805JR	31,06	1	0,021	KG
NTN	6805JRLLU/5K	38,56	1	0,02	KG
NTN	6805JRZZ/5K	34,70	1	0,02	KG
NTN	6805JRZZC3/5K	34,70	1	0,03	KG
NTN	6806JR	48,77	1	0,03	KG
NTN	6806JRC3	48,77	1	0,023	KG
NTN	6806JRLLB/5K	50,17	1	0,03	KG
NTN	6806JRLLU/5K	47,94	1	0,016	KG
NTN	6806JRZZ/5K	43,16	1	0,02	KG
NTN	6807JR	57,57	1	0,029	KG
NTN	6807JRLLB/2AS	66,88	1	0,028	KG
NTN	6807JRLLU/5K	63,84	1	0,026	KG
NTN	6808JR	59,22	1	0,029	KG
NTN	6808JRLLB/2AS	73,12	1	0,029	KG
NTN	6808JRLLU/5K	69,77	1	0,04	KG
NTN	6808JRZZ/5K	62,79	1	0,035	KG

NTN	6809JR	70,59	1	0,044	KG
NTN	6809JRLLU/5K	82,33	1	0,05	KG
NTN	6809JRZZ/5K	74,10	1	0,04	KG
NTN	6810JR	81,83	1	0,052	KG
NTN	6810JRLLB/5K	106,03	1	0,058	KG
NTN	6810JRLLU/5K	93,61	1	0,062	KG
NTN	6810JRLLUC3/5K	93,61	1	0,168	KG
NTN	6810JRZZ/5K	84,25	1	0,052	KG
NTN	6811JR	96,22	1	0,09	KG
NTN	6811JRLLU/5K	113,96	1	0,08	KG
NTN	6811JRZZ/2AS	102,56	1	0,081	KG
NTN	6812LLB/5K	140,47	1	0,12	KG
NTN	6812LLU/5K	130,89	1	0,12	KG
NTN	6812ZZ/5K	117,81	1	0,1	KG
NTN	6813LLB/5K	153,98	1	0,14	KG
NTN	6813LLU/5K	148,52	1	0,138	KG
NTN	6813ZZ/5K	133,67	1	0,14	KG
NTN	6814C3	141,33	1	0,136	KG
NTN	6814LLB/5K	167,54	1	0,15	KG
NTN	6814LLU/5K	158,94	1	0,15	KG
NTN	6814LU	156,80	1	0,145	KG
NTN	6814ZZ/5K	139,46	1	0,148	KG
NTN	6815C3	161,30	1	0,168	KG
NTN	6815LLU/5K	181,44	1	0,145	KG
NTN	6815ZZ/5K	163,30	1	0,162	KG
NTN	6816C3	173,07	1	0,174	KG
NTN	6816C4	183,46	1	0,178	KG
NTN	6816LLB/5K	211,64	1	0,15	KG
NTN	6816LLU/5K	200,80	1	0,172	KG
NTN	6816ZZ/5K	180,71	1	0,146	KG
NTN	6817C3	212,40	1	0,261	KG
NTN	6817LLB/5K	278,50	1	0,264	KG
NTN	6817LLU/5K	251,22	1	0,28	KG
NTN	6817ZZ/2AS	226,10	1	0,255	KG
NTN	6818C3	219,00	1	0,275	KG
NTN	6818LLB/2AS	320,57	1	0,2	KG
NTN	6818LLU/5K	289,21	1	0,285	KG
NTN	6818LLUC3/5K	289,21	1	0,269	KG
NTN	6818ZZ/5K	260,29	1	0,29	KG
NTN	6819C3	242,29	1	0,3	KG
NTN	6819LLU/5K	293,20	1	0,32	KG
NTN	6820C3	266,30	1	0,334	KG
NTN	6820LLB/5K	363,50	1	0,326	KG
NTN	6820LLU/5K	327,92	1	0,313	KG
NTN	6820ZZ/2AS	295,13	1	0,318	KG
NTN	6821LLU/5K	349,28	1	0,308	KG
NTN	6821ZZ/5K	314,35	1	0,336	KG
NTN	6822C3	323,91	1	0,513	KG
NTN	6822LLB/5K	421,30	1	0,536	KG
NTN	6822LLU/5K	380,06	1	0,538	KG

NTN	6822ZZ/2AS	342,06	1	0,5	KG
NTN	6824C3	379,75	1	0,547	KG
NTN	6824LLU/2AS	455,12	1	0,565	KG
NTN	6824ZZ/2AS	409,61	1	0,52	KG
NTN	6826C3	455,52	1	0,797	KG
NTN	6826LLU/5K	545,93	1	0,8	KG
NTN	6826LLUC3/5K	545,93	1	0,8	KG
NTN	6826ZZ/2AS	491,34	1	800	G
NTN	6828C3	492,77	1	0,85	KG
NTN	6828LLU/5K	650,31	1	0,8	KG
NTN	6828LLUC3/2AS	650,31	1	0,828	KG
NTN	6828ZZ/2AS	585,29	1	0,87	KG
NTN	6830C3	592,22	1	1,245	KG
NTN	6830ZZ/2AS	889,85	1	1,122	KG
NTN	6832LLU/2AS	1.313,06	1	1,18	KG
NTN	6832ZZ/5K	1.193,70	1	1,265	KG
NTN	6834C3	711,65	1	1,6	KG
NTN	6834ZZ/2AS	1.422,29	1	1,675	KG
NTN	6836C3	1.029,24	1	2,165	KG
NTN	6836JRC3	1.065,99	1	1,96	KG
NTN	6838C3	1.134,53	1	2,6	KG
NTN	6840JR	1.150,34	1	2,25	KG
NTN	6844C3	1.615,46	1	2,95	KG
NTN	6848JR	1.882,24	1	4,13	KG
NTN	6852C3	2.438,35	1	7,08	KG
NTN	6852JR	2.438,35	1	3,96	KG
NTN	6856C3	1.805,94	1	7,17	KG
NTN	6900LLB/5K	24,49	1	0,009	KG
NTN	6900LLBC3/5K	24,49	1	0,009	KG
NTN	6900LLU/5K	24,49	1	0,009	KG
NTN	6900ZZ/5K	24,83	1	0,009	KG
NTN	6900ZZC3/5K	24,83	1	0,009	KG
NTN	6901LLB/5K	25,07	1	0,008	KG
NTN	6901LLBC3/5K	25,07	1	0,011	KG
NTN	6901LLU/5K	25,07	1	0,007	KG
NTN	6901ZZ/5K	25,62	1	0,01	KG
NTN	6902LLB/5K	27,34	1	0,016	KG
NTN	6902LLU/5K	27,34	1	0,015	KG
NTN	6902LLUC3/2AS	27,34	1	0,018	KG
NTN	6902ZZ/5K	26,20	1	0,016	KG
NTN	6903JRXLLB/5K	27,73	1	0,016	KG
NTN	6903JRXLLBC3/2AS	27,73	1	0,02	KG
NTN	6903JRXLLU/5K	28,16	1	0,016	KG
NTN	6903JRXLLUC3/5K	28,10	1	0,016	KG
NTN	6903JRXZZ/5K	28,16	1	0,018	KG
NTN	6904C3	28,47	1	0,042	KG
NTN	6904LLB/5K	33,57	1	0,032	KG
NTN	6904LLU/5K	33,57	1	0,04	KG
NTN	6904LLUC3/5K	33,57	1	0,032	KG
NTN	6904LLUNR/2AS	43,05	1	0,036	KG

NTN	6904ZZ/5K	33,77	1	0,031	KG
NTN	6904ZZC3/5K	33,77	1	0,04	KG
NTN	6905C3	36,04	1	0,048	KG
NTN	6905LLU/5K	43,65	1	0,043	KG
NTN	6905LLUC3/2AS	43,65	1	0,043	KG
NTN	6905ZZ/5K	43,90	1	0,042	KG
NTN	6906LLB/5K	51,29	1	0,048	KG
NTN	6906LLBC3/5K	51,29	1	0,054	KG
NTN	6906LLU/5K	56,08	1	0,048	KG
NTN	6906LLUC3/5K	56,08	1	0,048	KG
NTN	6906ZZ/5K	56,44	1	0,049	KG
NTN	6906ZZC3/5K	56,44	1	0,049	KG
NTN	6906ZZNR/2AS	73,37	1	0,054	KG
NTN	6907LLB/5K	76,13	1	0,082	KG
NTN	6907LLU/5K	75,15	1	0,073	KG
NTN	6907LLUC3/2AS	75,15	1	0,08	KG
NTN	6907ZZ/5K	76,57	1	0,072	KG
NTN	6907ZZNR/2AS	99,54	1	0,08	KG
NTN	6908C3	72,78	1	0,12	KG
NTN	6908LLB/5K	99,15	1	0,118	KG
NTN	6908LLBC3/5K	99,15	1	0,11	KG
NTN	6908LLU/5K	98,01	1	0,118	KG
NTN	6908ZZ/5K	81,04	1	0,11	KG
NTN	6908ZZC3/2AS	81,04	1	0,109	KG
NTN	6908ZZNR/2AS	105,36	1	120	G
NTN	6909LLU/5K	117,95	1	0,134	KG
NTN	6909ZZ/5K	95,23	1	0,135	KG
NTN	6910LLB/5K	128,53	1	0,144	KG
NTN	6910LLBC3/5K	128,53	1	0,146	KG
NTN	6910LLU/5K	128,53	1	0,148	KG
NTN	6910ZZ/5K	107,37	1	0,132	KG
NTN	6910ZZC3/5K	107,37	1	0,15	KG
NTN	6911LLB/5K	155,02	1	0,182	KG
NTN	6911LLU/5K	155,02	1	0,18	KG
NTN	6911ZZ/5K	115,56	1	0,18	KG
NTN	6912C3	117,11	1	0,215	KG
NTN	6912LLB/2AS	155,43	1	0,21	KG
NTN	6912LLU/5K	155,43	1	0,21	KG
NTN	6912ZZ/5K	141,00	1	0,193	KG
NTN	6913LLB/2AS	184,80	1	0,224	KG
NTN	6913LLU/5K	184,80	1	0,206	KG
NTN	6913ZZ/5K	152,16	1	0,22	KG
NTN	6914LLU/5K	189,82	1	0,334	KG
NTN	6914ZZ/5K	173,32	1	0,35	KG
NTN	6915LLB/2AS	216,76	1	0,346	KG
NTN	6915LLU/5K	216,76	1	0,353	KG
NTN	6915ZZ/5K	197,86	1	0,353	KG
NTN	6916LLU/2AS	235,04	1	0,39	KG
NTN	6916ZZ/5K	193,23	1	0,39	KG
NTN	6917C3	255,61	1	0,536	KG

NTN	6917LLU/5K	285,12	1	0,556	KG
NTN	6917ZZ/5K	250,78	1	0,525	KG
NTN	6918LLU/2AS	310,45	1	0,559	KG
NTN	6918ZZ/2AS	295,74	1	0,556	KG
NTN	6919LLU/2AS	359,70	1	0,615	KG
NTN	6919ZZ/2AS	334,00	1	0,616	KG
NTN	6920LLU/5K	426,55	1	0,796	KG
NTN	6920ZZ/5K	400,73	1	0,842	KG
NTN	6921C3	360,81	1	0,816	KG
NTN	6921LLU/5K	466,25	1	0,888	KG
NTN	6921ZZ/2AS	433,20	1	0,834	KG
NTN	6922C3	441,09	1	0,914	KG
NTN	6922LLU/2AS	474,76	1	0,868	KG
NTN	6924ZZ/5K	719,98	1	1,19	KG
NTN	6926C3	949,77	1	1,62	KG
NTN	6926LLU/2AS	1.066,56	1	1,56	KG
NTN	6928LLU/2AS	2.161,31	1	1,73	KG
NTN	6928ZZ/2AS	1.338,83	1	1,65	KG
NTN	6944C3	2.726,59	1	7,86	KG
NTN	88501/2AS	42,01	1	0,05	KG
NTN	88502/2AS	43,04	1	0,052	KG
NTN	88503/2AS	44,60	1	0,076	KG
NTN	88504/2AS	60,33	1	0,12	KG
NTN	88505/2AS	81,94	1	0,138	KG
NTN	88506/2AS	87,51	1	0,24	KG
NTN	88507/2AS	106,04	1	0,345	KG
NTN	BL213NR	261,69	1	1,115	KG
NTN	R10LLB/2AS	98,19	1	0,04	KG
NTN	R14ZZ/2AS	55,95	1	0,105	KG
NTN	R16ZZ/2AS	61,70	1	0,108	KG
NTN	R18ZZ/2AS	82,57	1	0,112	KG
NTN	R20LL/2AS	90,48	1	0,13	KG
NTN	R20ZZ/2AS	89,93	1	0,135	KG
NTN	R6LLU/2AS	23,93	1	0,01	KG
NTN	R6ZZ/1K	34,18	1	0,011	KG
NTN	R6ZZ/2AS	34,18	1	0,011	KG
NTN	R8JRXLLUC3/5K	52,15	1	0,025	KG
NTN	R8LLU/5K	52,15	1	0,022	KG
NTN	R8ZZC3/5K	36,43	1	0,022	KG
SNR	1204	42,83	1	0,12	KG
SNR	1205	45,68	1	0,145	KG
SNR	1206	50,40	1	0,23	KG
SNR	1207	60,74	1	0,33	KG
SNR	1208	71,01	1	430	G
SNR	1209	78,33	1	0,48	KG
SNR	1210	88,71	1	0,54	KG
SNR	1211	110,77	1	0,71	KG
SNR	1213	158,41	1	1,16	KG
SNR	1215	208,32	1	1,376	KG
SNR	1216	236,50	1	1701	G

SNR	1217	307,80	1	2120	G
SNR	1218	357,90	1	2590	G
SNR	1220	503,07	1	3772	G
SNR	1222	723,67	1	5208	G
NTN	1226	2.237,78	1	8,345	KG
SNR	1306	79,58	1	0,404	KG
SNR	1308	112,27	1	0,723	KG
SNR	1309	138,56	1	0,522	KG
SNR	1312	255,78	1	2,011	KG
SNR	1315	484,91	1	3643	G
SNR	2205	59,24	1	0,164	KG
SNR	2206	63,81	1	0,271	KG
SNR	2207	76,63	1	0,41	KG
SNR	2209	102,74	1	0,57	KG
SNR	2210	114,99	1	0,61	KG
SNR	2211	140,60	1	0,82	KG
SNR	2212	170,99	1	1,118	KG
SNR	2213	207,86	1	1,49	KG
SNR	2214	258,15	1	1,575	KG
SNR	2215	313,89	1	1,656	KG
SNR	2216	379,23	1	2070	G
SNR	2218	583,04	1	3284	G
SNR	2220	1.113,00	1	4800	G
SNR	2306	115,06	1	0,521	KG
SNR	2315	734,89	1	4906	G
SNR	3217	604,35	1	3375	G
SNR	3218	738,01	1	4174	G
NTN	5319	3.086,94	1	10,9	KG
NTN	1200S	40,02	1	0,033	KG
SNR	1201.G15	45,65	1	0,04	KG
SNR	1201.G15C3	45,65	1	0,05	KG
NTN	1201S	45,65	1	0,04	KG
NTN	1201SC3	45,65	1	0,043	KG
SNR	1202.G15	46,13	1	0,052	KG
SNR	1202.G15C3	46,13	1	54	G
NTN	1202S	46,13	1	0,049	KG
NTN	1202SC3	46,13	1	0,227	KG
SNR	1203.G15	45,61	1	0,08	KG
NTN	1203S	45,61	1	0,07	KG
NTN	1203SC3	45,61	1	0,08	KG
SNR	1204.C3	42,83	1	0,122	KG
NTN	1204S	42,83	1	0,116	KG
NTN	1204SC3	42,83	1	0,12	KG
SNR	1205.C3	45,68	1	0,147	KG
SNR	1205.KC3	46,78	1	0,13	KG
NTN	1205S	45,68	1	0,138	KG
NTN	1205SC3	45,68	1	0,133	KG
NTN	1205SK	46,78	1	0,14	KG
NTN	1205SKC3	46,78	1	0,14	KG
SNR	1206.C3	50,40	1	0,228	KG

SNR	1206.KC3	53,66	1	0,22	KG
NTN	1206S	50,40	1	0,217	KG
NTN	1206SC3	50,40	1	0,22	KG
NTN	1206SK	53,66	1	0,213	KG
NTN	1206SKC3	53,66	1	0,213	KG
SNR	1207.C3	60,74	1	0,336	KG
SNR	1207.KC3	57,16	1	332	G
NTN	1207S	60,74	1	0,33	KG
NTN	1207SC3	60,74	1	0,33	KG
NTN	1207SK	57,16	1	0,312	KG
NTN	1207SKC3	57,16	1	0,312	KG
SNR	1208.C3	71,01	1	430	G
SNR	1208.KC3	71,01	1	0,422	KG
NTN	1208S	71,01	1	0,413	KG
NTN	1208SC3	71,01	1	0,422	KG
NTN	1208SK	71,01	1	0,42	KG
NTN	1208SKC3	71,01	1	0,407	KG
SNR	1209.KC3	75,16	1	0,474	KG
NTN	1209S	78,33	1	0,477	KG
NTN	1209SC3	78,33	1	0,475	KG
NTN	1209SK	75,16	1	0,448	KG
NTN	1209SKC3	75,16	1	0,458	KG
SNR	1210.KC3	88,71	1	0,53	KG
NTN	1210S	88,71	1	0,54	KG
NTN	1210SC3	88,71	1	0,525	KG
NTN	1210SK	88,71	1	0,504	KG
NTN	1210SKC3	88,71	1	0,53	KG
SNR	1211.C3	110,77	1	0,724	KG
SNR	1211.KC3	108,59	1	0,7	KG
NTN	1211S	110,77	1	0,718	KG
NTN	1211SC3	110,77	1	0,697	KG
NTN	1211SK	108,59	1	0,705	KG
NTN	1211SKC3	108,59	1	0,692	KG
SNR	1212G15	130,82	1	891	G
SNR	1212KG15C3	145,84	1	880	G
NTN	1212S	130,82	1	0,83	KG
NTN	1212SC3	130,82	1	0,92	KG
NTN	1212SK	145,84	1	0,9	KG
NTN	1212SKC3	145,84	1	0,905	KG
SNR	1213.KC3	158,41	1	1,154	KG
NTN	1213S	158,41	1	1,165	KG
NTN	1213SC3	158,41	1	1,13	KG
NTN	1213SK	158,41	1	1,11	KG
NTN	1213SKC3	158,41	1	1,155	KG
NTN	1214S	176,54	1	1,238	KG
NTN	1214SC3	176,54	1	1,3	KG
SNR	1215.KC3	200,06	1	1,365	KG
NTN	1215S	208,32	1	1,375	KG
NTN	1215SC3	208,32	1	1,375	KG
NTN	1215SK	200,06	1	1,31	KG

NTN	1215SKC3	200,06	1	1,31	KG
SNR	1216.KC3	236,50	1	1692	G
NTN	1216S	236,50	1	1,695	KG
NTN	1216SC3	236,50	1	1,73	KG
NTN	1216SK	236,50	1	1,67	KG
NTN	1216SKC3	236,50	1	1,62	KG
SNR	1217.KC3	307,80	1	2087	G
NTN	1217S	307,80	1	2,1	KG
NTN	1217SC3	307,80	1	2,104	KG
NTN	1217SK	307,80	1	2,09	KG
NTN	1217SKC3	307,80	1	2,08	KG
SNR	1218.C3	357,90	1	2594	G
SNR	1218.KC3	355,60	1	2560	G
NTN	1218S	357,90	1	2,58	KG
NTN	1218SC3	357,90	1	2,58	KG
NTN	1218SK	355,60	1	2,55	KG
NTN	1218SKC3	355,60	1	2,55	KG
SNR	1219.KC3	441,05	1	3123	G
NTN	1219S	441,05	1	3,14	KG
NTN	1219SC3	425,99	1	3130	G
NTN	1219SK	441,05	1	3,12	KG
NTN	1219SKC3	441,05	1	3,095	KG
SNR	1220.KC3	503,07	1	3708	G
NTN	1220S	503,07	1	3,8	KG
NTN	1220SK	503,07	1	3,64	KG
NTN	1220SKC3	503,07	1	3,82	KG
NTN	1221S	608,61	1	4,2	KG
SNR	1222.KC3	695,05	1	5160	G
NTN	1222S	723,67	1	5,25	KG
NTN	1222SK	695,05	1	5,16	KG
NTN	1222SKC3	695,05	1	5,21	KG
NTN	1224C3	2.022,48	1	6,72	KG
NTN	1300S	43,70	1	0,06	KG
SNR	1301.G14	72,50	1	0,072	KG
NTN	1301S	72,50	1	0,07	KG
SNR	1302.G14	64,83	1	153	G
SNR	1302.G14C3	64,83	1	95	G
NTN	1302S	64,83	1	0,093	KG
NTN	1302SC3	64,83	1	0,092	KG
SNR	1303.G14	54,84	1	0,13	KG
SNR	1303.G14C3	54,84	1	0,13	KG
NTN	1303S	54,84	1	0,13	KG
SNR	1304G15	54,92	1	165	G
SNR	1304G15C3	54,92	1	165	G
NTN	1304S	54,92	1	0,15	KG
NTN	1304SC3	54,92	1	0,17	KG
SNR	1305G15	63,93	1	255	G
SNR	1305G15C3	63,93	1	260	G
SNR	1305.KG15C3	67,83	1	256	G
NTN	1305S	63,93	1	0,262	KG

NTN	1305SC3	63,93	1	0,255	KG
NTN	1305SK	67,83	1	0,26	KG
SNR	1306.C3	79,58	1	0,403	KG
SNR	1306.KC3	83,90	1	0,397	KG
NTN	1306S	79,58	1	0,292	KG
NTN	1306SC3	79,58	1	0,4	KG
NTN	1306SK	83,90	1	0,388	KG
NTN	1306SKC3	83,90	1	0,283	KG
SNR	1307G15	90,95	1	505	G
SNR	1307G15C3	90,95	1	505	G
SNR	1307KG15C3	97,31	1	500	G
NTN	1307S	90,95	1	0,52	KG
NTN	1307SC3	90,95	1	0,516	KG
NTN	1307SK	97,31	1	0,51	KG
NTN	1307SKC3	97,31	1	0,51	KG
SNR	1308.KC3	118,60	1	0,718	KG
NTN	1308S	112,27	1	0,715	KG
NTN	1308SC3	112,27	1	0,715	KG
NTN	1308SK	118,60	1	0,715	KG
NTN	1308SKC3	118,60	1	0,715	KG
SNR	1309.C3	138,56	1	1	KG
SNR	1309.KC3	138,56	1	0,969	KG
NTN	1309S	138,56	1	0,982	KG
NTN	1309SC3	138,56	1	0,953	KG
NTN	1309SK	138,56	1	0,97	KG
NTN	1309SKC3	138,56	1	0,938	KG
SNR	1310G15	171,82	1	1,228	KG
SNR	1310G15C3	171,82	1	1230	G
SNR	1310KG15C3	178,89	1	1215	G
NTN	1310S	171,82	1	1,25	KG
NTN	1310SC3	171,82	1	1,25	KG
NTN	1310SK	178,89	1	1,22	KG
NTN	1310SKC3	178,89	1	1,2	KG
SNR	1311G15	204,80	1	1565	G
SNR	1311KG15C3	204,80	1	1,544	KG
NTN	1311S	204,80	1	1,605	KG
NTN	1311SC3	204,80	1	1,6	KG
NTN	1311SK	204,80	1	1,6	KG
NTN	1311SKC3	204,80	1	1,6	KG
SNR	1312.KC3	264,79	1	1,988	KG
NTN	1312S	255,78	1	2,03	KG
NTN	1312SC3	255,78	1	1,995	KG
NTN	1312SK	264,79	1	1,96	KG
NTN	1312SKC3	264,79	1	1,98	KG
NTN	1313S	329,30	1	2,485	KG
NTN	1313SC3	329,30	1	2,47	KG
NTN	1313SK	316,33	1	2,38	KG
NTN	1313SKC3	316,33	1	2,452	KG
NTN	1314S	397,46	1	3,045	KG
NTN	1314SC3	397,46	1	3,19	KG

SNR	1315.KC3	484,91	1	3584	G
NTN	1315S	484,91	1	3,65	KG
NTN	1315SC3	484,91	1	3,65	KG
NTN	1315SK	484,91	1	3,61	KG
NTN	1315SKC3	484,91	1	3,5	KG
NTN	1316S	534,41	1	4,11	KG
NTN	1316SC3	534,41	1	4,28	KG
NTN	1316SK	556,34	1	4,17	KG
NTN	1316SKC3	556,34	1	4,11	KG
SNR	1317.KC3	727,28	1	4964	G
NTN	1317S	727,28	1	5,015	KG
NTN	1317SK	727,28	1	4,96	KG
NTN	1317SKC3	727,28	1	5,13	KG
NTN	1318S	770,43	1	5,94	KG
NTN	1318SK	770,43	1	5,75	KG
NTN	1318SKC3	770,43	1	5,75	KG
NTN	1319S	1.116,10	1	6,79	KG
NTN	1319SK	1.116,10	1	6,7	KG
NTN	1320S	1.379,01	1	8,42	KG
NTN	1320SK	1.391,64	1	8,35	KG
NTN	1320SKC3	1.391,64	1	8,33	KG
NTN	1322SK	2.516,73	1	11,42	KG
NTN	2200S	46,54	1	0,042	KG
SNR	2201.EE.G15	54,34	1	0,058	KG
SNR	2201.G15	58,16	1	0,05	KG
NTN	2201S	58,16	1	0,054	KG
SNR	2202.EE.G15	55,28	1	0,062	KG
SNR	2202.G15	51,21	1	0,06	KG
NTN	2202S	51,21	1	0,06	KG
NTN	2202SC3	51,21	1	0,06	KG
SNR	2203.EE.G15	58,87	1	0,1	KG
SNR	2203.G15	50,80	1	0,088	KG
SNR	2203.G15C3	50,80	1	89	G
NTN	2203S	50,80	1	0,092	KG
SNR	2204EEG15	63,53	1	140	G
SNR	2204G15	52,28	1	135	G
SNR	2204G15C3	52,28	1	140	G
SNR	2204KEEG15	62,71	1	140	G
NTN	2204S	52,28	1	0,15	KG
NTN	2204SC3	52,28	1	0,145	KG
SNR	2205EEG15	67,15	1	165	G
SNR	2205.G15	59,24	1	0,16	KG
SNR	2205.KC3	62,86	1	0,17	KG
SNR	2205KEEG15	81,40	1	160	G
NTN	2205S	59,24	1	0,15	KG
NTN	2205SC3	59,24	1	0,16	KG
NTN	2205SK	62,86	1	0,16	KG
NTN	2205SKC3	62,86	1	0,16	KG
SNR	2206.C3	63,81	1	0,288	KG
SNR	2206EEG15	77,67	1	270	G

SNR	2206.KC3	67,88	1	0,262	KG
SNR	2206KEEG15	85,71	1	260	G
NTN	2206S	63,81	1	0,27	KG
NTN	2206SC3	63,81	1	0,262	KG
NTN	2206SK	67,88	1	0,256	KG
NTN	2206SKC3	67,88	1	0,26	KG
SNR	2207.C3	76,63	1	418	G
SNR	2207EEG15	93,25	1	420	G
SNR	2207.KC3	78,22	1	0,408	KG
SNR	2207KEEG15	101,09	1	410	G
NTN	2207S	76,63	1	0,4	KG
NTN	2207SC3	76,63	1	0,406	KG
NTN	2207SK	78,22	1	0,378	KG
NTN	2207SKC3	78,22	1	0,395	KG
SNR	2208EEG15	110,52	1	505	G
SNR	2208G15	87,58	1	475	G
SNR	2208G15C3	87,58	1	480	G
SNR	2208KEEG15	116,03	1	495	G
SNR	2208KG15C3	89,29	1	465	G
NTN	2208S	87,58	1	0,505	KG
NTN	2208SC3	87,58	1	0,508	KG
NTN	2208SK	89,29	1	0,477	KG
NTN	2208SKC3	89,29	1	0,491	KG
SNR	2209.C3	102,74	1	0,571	KG
SNR	2209EEG15	133,25	1	540	G
SNR	2209.K	96,34	1	554	G
SNR	2209.KC3	96,34	1	0,552	KG
SNR	2209KEEG15	133,25	1	530	G
NTN	2209S	102,74	1	0,6	KG
NTN	2209SC3	102,74	1	0,56	KG
NTN	2209SK	96,34	1	0,54	KG
NTN	2209SKC3	96,34	1	0,51	KG
SNR	2210EEG15	140,54	1	590	G
SNR	2210.K	114,99	1	0,59	KG
SNR	2210.KC3	114,99	1	0,586	KG
SNR	2210KEEG15	158,65	1	585	G
NTN	2210S	114,99	1	0,6	KG
NTN	2210SC3	114,99	1	0,564	KG
NTN	2210SK	114,99	1	0,59	KG
NTN	2210SKC3	114,99	1	0,59	KG
SNR	2211EEG15	190,30	1	0,808	KG
SNR	2211.KC3	129,67	1	0,8	KG
SNR	2211KEEG15	190,30	1	790	G
NTN	2211S	140,60	1	0,815	KG
NTN	2211SC3	140,60	1	0,815	KG
NTN	2211SK	129,67	1	0,746	KG
NTN	2211SKC3	129,67	1	0,796	KG
SNR	2212EEG15	208,94	1	1075	G
SNR	2212.KC3	170,99	1	1,09	KG
NTN	2212S	170,99	1	1,03	KG

NTN	2212SC3	170,99	1	1,03	KG
NTN	2212SK	170,99	1	1,03	KG
NTN	2212SKC3	170,99	1	1,1	KG
SNR	2213.K	194,73	1	1,46	KG
SNR	2213.KC3	194,73	1	1,44	KG
NTN	2213S	207,86	1	1,44	KG
NTN	2213SC3	207,86	1	1,49	KG
NTN	2213SK	194,73	1	1,458	KG
NTN	2213SKC3	194,73	1	1,46	KG
NTN	2214S	258,15	1	1,57	KG
NTN	2214SC3	258,15	1	1,565	KG
SNR	2215.K	313,89	1	1606	G
SNR	2215.KC3	313,89	1	1,61	KG
NTN	2215S	313,89	1	1,64	KG
NTN	2215SC3	313,89	1	1,583	KG
NTN	2215SK	313,89	1	1,61	KG
NTN	2215SKC3	313,89	1	1,6	KG
SNR	2216.K	379,23	1	2074	G
SNR	2216.KC3	379,23	1	2036	G
NTN	2216S	379,23	1	1,99	KG
NTN	2216SC3	379,23	1	2,065	KG
NTN	2216SK	379,23	1	2,02	KG
NTN	2216SKC3	379,23	1	1,97	KG
NTN	2217S	483,64	1	2,48	KG
NTN	2217SC3	483,64	1	2,379	KG
NTN	2217SK	483,64	1	2,48	KG
NTN	2217SKC3	483,64	1	2,48	KG
SNR	2218.KC3	570,03	1	3207	G
NTN	2218S	583,04	1	3,23	KG
NTN	2218SC3	583,04	1	3,25	KG
NTN	2218SK	570,03	1	3,18	KG
NTN	2218SKC3	570,03	1	3,17	KG
NTN	2219S	1.132,16	1	4,019	KG
NTN	2219SK	1.132,16	1	3,91	KG
SNR	2220.KC3	1.118,21	1	4718	G
NTN	2220S	1.113,00	1	4,785	KG
NTN	2220SK	1.118,21	1	4,53	KG
NTN	2220SKC3	1.118,21	1	4,53	KG
NTN	2222S	1.153,69	1	6,79	KG
NTN	2222SK	1.364,61	1	6,64	KG
NTN	2222SKC3	1.364,61	1	6,63	KG
NTN	2300S	72,71	1	0,08	KG
NTN	2301S	81,08	1	0,094	KG
SNR	2302.G15	83,45	1	113	G
NTN	2302S	83,45	1	0,119	KG
SNR	2303.EE.G14	86,97	1	167	G
SNR	2303.G14	85,86	1	0,16	KG
NTN	2303S	85,86	1	0,15	KG
SNR	2304EEG15	87,43	1	220	G
NTN	2304S	88,69	1	0,212	KG

NTN	2304SC3	88,69	1	0,193	KG
SNR	2305EEG15	107,16	1	350	G
SNR	2305G15	88,29	1	335	G
SNR	2305G15C3	88,29	1	335	G
SNR	2305.K.G15	88,80	1	326	G
NTN	2305S	88,29	1	0,334	KG
NTN	2305SC3	88,29	1	0,335	KG
NTN	2305SK	88,80	1	0,319	KG
SNR	2306EEG15	135,53	1	525	G
SNR	2306.KC3	115,06	1	0,511	KG
NTN	2306S	115,06	1	0,496	KG
NTN	2306SC3	115,06	1	0,51	KG
NTN	2306SK	115,06	1	0,5	KG
NTN	2306SKC3	115,06	1	0,5	KG
SNR	2307EEG15	160,46	1	710	G
SNR	2307G15	128,32	1	660	G
SNR	2307G15C3	128,32	1	660	G
SNR	2307KG15C3	130,80	1	645	G
NTN	2307S	128,32	1	0,671	KG
NTN	2307SC3	128,32	1	0,7	KG
NTN	2307SK	130,80	1	0,68	KG
NTN	2307SKC3	130,80	1	0,642	KG
SNR	2308EEG15	198,56	1	967	G
SNR	2308G15	152,71	1	920	G
SNR	2308G15C3	152,71	1	918	G
SNR	2308KG15	155,62	1	900	G
NTN	2308S	152,71	1	0,98	KG
NTN	2308SC3	152,71	1	0,95	KG
NTN	2308SK	155,62	1	0,889	KG
NTN	2308SKC3	155,62	1	0,918	KG
NTN	2308SL1C3	420,46	1	1,03	KG
SNR	2309EEG15	251,86	1	1,295	KG
SNR	2309G15	190,10	1	1210	G
SNR	2309G15C3	190,10	1	1,21	KG
SNR	2309.KC3	190,10	1	1,244	KG
SNR	2309KG15	190,10	1	1180	G
NTN	2309S	190,10	1	1,26	KG
NTN	2309SC3	190,10	1	1,27	KG
NTN	2309SK	190,10	1	1,23	KG
NTN	2309SKC3	190,10	1	1,2	KG
NTN	2309SL1	524,23	1	1,4	KG
NTN	2309SL1C3	524,23	1	1,4	KG
SNR	2310EEG15	306,41	1	1724	G
SNR	2310G15	245,30	1	1,617	KG
SNR	2310.G15C3	245,30	1	1,615	KG
SNR	2310.KC3	255,38	1	1,675	KG
SNR	2310KG15	255,38	1	1,581	KG
NTN	2310S	245,30	1	1,58	KG
NTN	2310SC3	245,30	1	1,68	KG
NTN	2310SK	255,38	1	1,64	KG

NTN	2310SKC3	255,38	1	1,64	KG
SNR	2311G15	303,20	1	2055	G
SNR	2311.KC3	303,20	1	2,122	KG
NTN	2311S	303,20	1	2,15	KG
NTN	2311SC3	303,20	1	2,03	KG
NTN	2311SK	303,20	1	2,03	KG
NTN	2311SKC3	303,20	1	2,03	KG
SNR	2312.C3	374,56	1	2,687	KG
SNR	2312G15	374,56	1	2,55	KG
SNR	2312.KC3	389,98	1	2634	G
NTN	2312S	374,56	1	2,59	KG
NTN	2312SC3	374,56	1	2,66	KG
NTN	2312SK	389,98	1	2,595	KG
NTN	2312SKC3	389,98	1	2,61	KG
SNR	2313G15	470,19	1	3135	G
SNR	2313.KC3	451,63	1	3141	G
NTN	2313S	470,19	1	3,3	KG
NTN	2313SC3	470,19	1	3,285	KG
NTN	2313SK	451,63	1	3,12	KG
NTN	2313SKC3	451,63	1	3,12	KG
NTN	2314S	560,76	1	3,9	KG
NTN	2314SC3	560,76	1	3,9	KG
SNR	2315.C3	734,89	1	4926	G
SNR	2315.KC3	734,89	1	4778	G
NTN	2315S	734,89	1	4,89	KG
NTN	2315SC3	734,89	1	4,2	KG
NTN	2315SK	734,89	1	4,75	KG
NTN	2315SKC3	734,89	1	4,77	KG
NTN	2316S	893,59	1	5,79	KG
NTN	2316SC3	893,59	1	5,79	KG
NTN	2316SK	893,59	1	5,65	KG
NTN	2316SKC3	893,59	1	5,54	KG
NTN	2317SC3	1.427,12	1	6,72	KG
NTN	2317SK	1.352,38	1	6,765	KG
NTN	2317SKC3	1.352,38	1	6,56	KG
NTN	2318SK	1.706,19	1	7,75	KG
NTN	2318SKC3	1.706,19	1	7,75	KG
NTN	2319S	1.875,39	1	9,05	KG
SNR	3200.A	60,57	1	0,055	KG
SNR	3200.AC3	60,57	1	0,055	KG
NTN	3200S	60,57	1	0,051	KG
SNR	3201.A	61,75	1	0,062	KG
SNR	3201.AC3	61,75	1	64	G
NTN	3201S	61,75	1	0,065	KG
SNR	3202.A	62,67	1	40	G
SNR	3202.AC3	62,67	1	0,07	KG
NTN	3202S	62,67	1	0,072	KG
SNR	3203.A	65,48	1	0,1	KG
SNR	3203.AC3	65,48	1	159	G
NTN	3203S	65,48	1	0,099	KG

NTN	3203SC3	65,48	1	0,099	KG
SNR	3204.A	67,09	1	0,16	KG
SNR	3204.AC3	67,09	1	161	G
NTN	3204S	67,09	1	162	G
NTN	3204SC3	67,09	1	0,168	KG
SNR	3205.A	70,33	1	0,174	KG
SNR	3205.AC3	70,33	1	0,174	KG
NTN	3205S	78,53	1	0,185	KG
SNR	3206.A	83,87	1	0,28	KG
SNR	3206.AC3	83,87	1	0,281	KG
NTN	3206S	83,87	1	0,328	KG
NTN	3206SC3	83,87	1	0,326	KG
SNR	3207.A	99,45	1	0,442	KG
SNR	3207.BC3	99,45	1	0,49	KG
NTN	3207S	99,45	1	0,472	KG
NTN	3207SC3	99,45	1	0,472	KG
SNR	3208.A	127,09	1	0,65	KG
SNR	3208.AC3	127,09	1	0,576	KG
SNR	3208.B	127,09	1	0,65	KG
NTN	3208S	127,09	1	0,393	KG
NTN	3208SC3	127,09	1	0,65	KG
SNR	3209.A	146,02	1	0,654	KG
SNR	3209.AC3	146,02	1	0,658	KG
NTN	3209S	146,02	1	716	G
NTN	3209SC3	146,02	1	0,684	KG
SNR	3210.A	158,81	1	0,688	KG
SNR	3210.AC3	158,81	1	0,694	KG
NTN	3210S	158,81	1	0,734	KG
NTN	3210SC3	158,81	1	0,733	KG
SNR	3211.A	222,85	1	0,938	KG
SNR	3211.AC3	222,85	1	0,959	KG
NTN	3211S	222,85	1	1,011	KG
NTN	3211SC3	222,85	1	1,011	KG
SNR	3212.A	271,16	1	1,277	KG
SNR	3212.AC3	271,16	1	1,276	KG
NTN	3212S	271,16	1	1,366	KG
NTN	3212SC3	271,16	1	1,34	KG
SNR	3213.A	308,93	1	1647	G
SNR	3213.AC3	308,93	1	841	G
NTN	3213S	308,93	1	1,82	KG
NTN	3213SC3	308,93	1	1,765	KG
SNR	3214.A	359,63	1	1810	G
SNR	3214.AC3	359,63	1	1,803	KG
NTN	3214S	359,63	1	1,9	KG
NTN	3214SC3	359,63	1	1,9	KG
NTN	3215S	403,14	1	2,043	KG
NTN	3215SC3	403,14	1	2,043	KG
NTN	3216S	532,15	1	2,702	KG
NTN	3216SC3	541,16	1	2,702	KG
NTN	3217NR	781,09	1	3,635	KG

NTN	3217S	604,35	1	3,49	KG
NTN	3217SC3	604,35	1	3,49	KG
NTN	3218S	963,30	1	4,35	KG
NTN	3219S	956,16	1	5,2	KG
NTN	3220S	1.092,50	1	5,937	KG
SNR	3302.A	80,04	1	129	G
NTN	3302S	80,04	1	0,136	KG
NTN	3302SC3	80,04	1	0,131	KG
SNR	3303.A	85,14	1	0,19	KG
NTN	3303S	85,14	1	0,198	KG
SNR	3304.A	90,14	1	0,242	KG
SNR	3304.AC3	90,14	1	0,24	KG
NTN	3304SC3	90,14	1	0,238	KG
SNR	3305.AC3	107,68	1	0,376	KG
NTN	3305S	107,68	1	0,368	KG
NTN	3305SC3	107,68	1	0,368	KG
SNR	3306.A	129,02	1	0,592	KG
SNR	3306.BC3	129,02	1	0,6	KG
NTN	3306S	129,02	1	602	G
NTN	3306SC3	129,02	1	0,576	KG
SNR	3307.B	149,81	1	0,807	KG
SNR	3307.BC3	149,81	1	801	G
NTN	3307S	149,81	1	784	G
NTN	3307SC3	149,81	1	0,785	KG
SNR	3308.A	192,93	1	1,066	KG
SNR	3308.AC3	192,93	1	0,98	KG
NTN	3308S	192,93	1	1,065	KG
NTN	3308SC3	192,93	1	1,065	KG
SNR	3309.A	265,56	1	1,344	KG
SNR	3309.AC3	265,56	1	1,342	KG
NTN	3309S	265,56	1	1,417	KG
NTN	3309SC3	265,56	1	1,418	KG
SNR	3310.A	343,82	1	1,75	KG
SNR	3310.AC3	343,82	1	1,785	KG
NTN	3310S	343,82	1	1925	G
NTN	3310SC3	343,82	1	1,892	KG
SNR	3311.A	365,47	1	2314	G
SNR	3311.AC3	365,47	1	2,28	KG
SNR	3311.B	365,47	1	2491	G
NTN	3311S	365,47	1	2,47	KG
NTN	3311SC3	365,47	1	2470	G
SNR	3312.A	446,01	1	2876	G
SNR	3312.AC3	446,01	1	2873	G
NTN	3312S	446,01	1	2,934	KG
NTN	3312SC3	446,01	1	2,934	KG
SNR	3313.A	569,28	1	3572	G
SNR	3313.AC3	569,28	1	3573	G
NTN	3313S	569,28	1	3910	G
NTN	3313SC3	569,28	1	3,91	KG
SNR	3314.B	678,02	1	4970	G

SNR	3314.BC3	678,02	1	4978	G
NTN	3314S	678,02	1	5,188	KG
NTN	3315S	932,80	1	6098	G
NTN	3315SC3	910,63	1	6,395	KG
NTN	3316S	987,77	1	7,145	KG
NTN	3316SC3	1.014,28	1	7,275	KG
NTN	3317S	1.527,63	1	8580	G
NTN	3317SC3	1.527,63	1	8615	G
NTN	3318SC3	1.605,15	1	9,69	KG
SNR	4200.A	50,89	1	0,053	KG
SNR	4200.AC3	50,89	1	54	G
SNR	4201.A	50,98	1	0,058	KG
SNR	4202.A	52,83	1	0,066	KG
SNR	4203.A	57,61	1	0,1	KG
SNR	4204.A	60,02	1	0,148	KG
SNR	4205.A	63,83	1	0,17	KG
SNR	4205.AC3	63,83	1	168	G
SNR	4206.A	73,85	1	0,26	KG
SNR	4207.A	91,02	1	413	G
SNR	4208.A	105,13	1	510	G
SNR	4209.A	121,07	1	0,557	KG
SNR	4210.A	134,11	1	0,591	KG
SNR	4210.AC3	134,11	1	0,57	KG
SNR	4211.A	197,25	1	0,818	KG
SNR	4212.A	230,59	1	1,1	KG
SNR	4213.A	305,34	1	1,448	KG
SNR	4214.A	330,52	1	1,508	KG
SNR	4216.A	479,68	1	1983	G
SNR	4217.A	826,37	1	2512	G
SNR	4302.A	75,89	1	120	G
SNR	4303.A	80,44	1	165	G
SNR	4303.AC3	80,44	1	165	G
SNR	4304.A	81,68	1	0,214	KG
SNR	4305.A	90,42	1	0,342	KG
SNR	4305.AC3	90,42	1	341	G
SNR	4306.A	108,64	1	0,518	KG
SNR	4306.AC3	108,64	1	515	G
SNR	4307.A	129,26	1	0,696	KG
SNR	4308.A	164,05	1	0,932	KG
SNR	4308.AC3	164,05	1	0,932	KG
SNR	4309.A	331,70	1	1,235	KG
SNR	4310.A	337,30	1	1,638	KG
SNR	4311.A	430,73	1	2078	G
SNR	4312.A	529,59	1	2564	G
SNR	4313.A	570,30	1	3221	G
NTN	5200S	60,57	1	0,055	KG
NTN	5200SC3	60,57	1	0,051	KG
NTN	5200SCLLD/2AS	72,63	1	0,051	KG
NTN	5200SCZZ/2AS	66,64	1	0,051	KG
SNR	5201.EEG15	74,08	1	0,064	KG

NTN	5201S	73,16	1	0,064	KG
NTN	5201SCZZ/2AS	67,98	1	0,07	KG
SNR	5201.ZZG15	67,98	1	0,064	KG
SNR	5202.EEG15	75,18	1	0,07	KG
SNR	5202.NRZZG15	90,98	1	71	G
NTN	5202S	62,67	1	0,068	KG
NTN	5202SC3	62,67	1	0,068	KG
NTN	5202SCZZ/2AS	71,01	1	0,074	KG
SNR	5202.ZZG15	71,01	1	0,07	KG
SNR	5203.EEG15	73,10	1	0,1	KG
SNR	5203.NRZZG15	88,52	1	102	G
NTN	5203S	65,48	1	0,097	KG
NTN	5203SC3	65,48	1	0,1	KG
NTN	5203SCLLD/2AS	73,10	1	0,1	KG
NTN	5203SCZZ/2AS	69,12	1	0,1	KG
SNR	5203.ZZG15	69,12	1	0,102	KG
SNR	5204.EEG15	76,74	1	0,158	KG
SNR	5204.NRZZG15	94,06	1	162	G
NTN	5204S	67,09	1	0,164	KG
NTN	5204SC3	67,09	1	0,164	KG
NTN	5204SCLLD/2AS	76,74	1	0,12	KG
NTN	5204SCZZ/5K	73,80	1	0,158	KG
SNR	5204.ZZG15	73,80	1	0,16	KG
SNR	5205.EEG15	82,40	1	0,18	KG
SNR	5205.EEG15C3	82,40	1	0,182	KG
SNR	5205.NREEG15	103,65	1	0,186	KG
SNR	5205.NRZZG15	99,37	1	185	G
NTN	5205S	70,33	1	0,177	KG
NTN	5205SC3	70,33	1	0,19	KG
NTN	5205SCLLD/2AS	82,40	1	0,184	KG
SNR	5205.ZZG15	77,45	1	0,18	KG
NTN	5206CZZ/2AS	92,27	1	0,303	KG
SNR	5206.EEG15	100,63	1	0,29	KG
SNR	5206.EEG15C3	100,63	1	0,292	KG
SNR	5206.NRZZG15	118,36	1	0,299	KG
NTN	5206S	83,87	1	0,286	KG
NTN	5206SC3	83,87	1	0,298	KG
NTN	5206SNR	102,53	1	0,32	KG
SNR	5206.ZZG15	92,27	1	0,294	KG
SNR	5207.EEG15	124,27	1	0,452	KG
SNR	5207.NRZZG15	146,49	1	0,462	KG
NTN	5207S	99,45	1	0,451	KG
NTN	5207SC3	99,45	1	0,47	KG
NTN	5207SCLLD/2AS	124,27	1	0,457	KG
NTN	5207SCZZ/2AS	133,80	1	0,47	KG
NTN	5207SNR	126,56	1	0,483	KG
SNR	5207.ZZG15	133,80	1	0,46	KG
SNR	5208.EEG15	145,96	1	0,602	KG
NTN	5208NR	155,44	1	0,63	KG
SNR	5208.NRZZG15	179,37	1	0,614	KG

NTN	5208S	127,09	1	0,628	KG
NTN	5208SC3	127,09	1	0,63	KG
NTN	5208SCZZ/2AS	166,16	1	0,63	KG
SNR	5208.ZZG15	166,16	1	0,59	KG
NTN	5209ALLU/L417	215,65	1	0,663	KG
SNR	5209.EEG15	215,70	1	0,64	KG
SNR	5209.NRZZG15	206,03	1	670	G
NTN	5209S	146,02	1	0,636	KG
NTN	5209SCLLD/L417	215,70	1	0,69	KG
NTN	5209SCZZ/2AS	197,58	1	0,69	KG
SNR	5209.ZZG15	197,58	1	0,65	KG
SNR	5210.EEG15	190,18	1	0,698	KG
SNR	5210.EEG15C3	190,18	1	0,695	KG
SNR	5210.NRZZG15	233,40	1	0,716	KG
NTN	5210S	158,81	1	0,69	KG
NTN	5210SC3	158,81	1	0,73	KG
NTN	5210SCLLD/2AS	190,18	1	0,75	KG
NTN	5210SCZZ/2AS	202,43	1	0,75	KG
NTN	5210SNR	201,28	1	0,75	KG
SNR	5210.ZZG15	202,43	1	0,69	KG
SNR	5211.EEG15	267,64	1	0,95	KG
SNR	5211.NRZZG15	277,54	1	0,976	KG
NTN	5211S	222,85	1	0,936	KG
NTN	5211SC3	222,85	1	1,014	KG
NTN	5211SCLLD/2AS	267,64	1	1,03	KG
SNR	5211.ZZG15	260,90	1	0,94	KG
SNR	5212.EEG15	339,83	1	1,276	KG
SNR	5212.NRZZG15	343,54	1	1,29	KG
NTN	5212S	271,16	1	1,25	KG
NTN	5212SC3	271,16	1	1,25	KG
SNR	5212.ZZG15	323,43	1	1,274	KG
SNR	5213.EEG15	336,48	1	1640	G
SNR	5213.NRZZG15	414,08	1	1674	G
NTN	5213S	308,93	1	1,75	KG
SNR	5213.ZZG15	318,53	1	1634	G
SNR	5214.EEG15	400,71	1	1804	G
SNR	5214.NRZZG15	441,82	1	1841	G
NTN	5214S	359,63	1	1,79	KG
NTN	5214SC3	359,63	1	1,79	KG
SNR	5214.ZZG15	424,19	1	1802	G
NTN	5215S	403,14	1	1,93	KG
NTN	5216S	494,08	1	2,53	KG
NTN	5216SC3	513,69	1	2,455	KG
NTN	5217S	650,75	1	3,17	KG
NTN	5218S	738,01	1	3,88	KG
NTN	5219S	956,16	1	4,87	KG
NTN	5219SC3	992,42	1	5,58	KG
SNR	5302.EEG15	95,76	1	0,13	KG
NTN	5302S	79,92	1	0,13	KG
NTN	5302SC3	79,92	1	0,123	KG

SNR	5303.EEG15	100,17	1	0,186	KG
NTN	5303S	85,14	1	0,19	KG
NTN	5303SC3	85,14	1	0,185	KG
SNR	5303.ZZG15	97,78	1	0,186	KG
SNR	5304.EEG15	120,35	1	0,22	KG
SNR	5304.NRZZG15	129,65	1	0,23	KG
NTN	5304S	90,14	1	0,22	KG
NTN	5304SC3	90,14	1	0,22	KG
NTN	5304SCLLD/2AS	120,35	1	0,23	KG
SNR	5304.ZZG15	105,50	1	0,222	KG
SNR	5305.EEG15	137,61	1	0,35	KG
SNR	5305.NRZZG15	154,94	1	419	G
NTN	5305S	107,68	1	0,356	KG
NTN	5305SC3	107,68	1	0,353	KG
NTN	5305SCLLDC3/2AS	147,41	1	0,34	KG
NTN	5305SCZZ/L627	126,12	1	366	G
NTN	5305SNR	130,68	1	0,36	KG
SNR	5305.ZZG15	126,12	1	0,36	KG
SNR	5306.EEG15	154,76	1	0,557	KG
SNR	5306.NRZZG15	185,59	1	568	G
NTN	5306S	131,46	1	0,548	KG
NTN	5306SC3	131,46	1	0,58	KG
NTN	5306SCZZ/2AS	147,58	1	0,584	KG
NTN	5306SNR	156,95	1	0,59	KG
SNR	5306.ZZG15	147,58	1	0,559	KG
SNR	5307.EEG15	181,15	1	0,748	KG
SNR	5307.NRZZG15	216,38	1	0,842	KG
NTN	5307S	153,65	1	0,77	KG
NTN	5307SC3	153,65	1	0,762	KG
NTN	5307SCZZ/2AS	176,27	1	0,765	KG
NTN	5307SNR	183,64	1	0,78	KG
SNR	5307.ZZG15	176,27	1	741	G
SNR	5308.EEG15	179,51	1	1,004	KG
SNR	5308.NRZZG15	269,39	1	1,024	KG
NTN	5308S	192,93	1	0,992	KG
NTN	5308SC3	192,93	1	1,03	KG
NTN	5308SCZZC3/2AS	248,34	1	1,07	KG
NTN	5308SNR	230,55	1	0,992	KG
SNR	5308.ZZG15	248,34	1	1,006	KG
SNR	5309.EEG15	219,73	1	1,346	KG
SNR	5309.NRZZG15	309,89	1	1,34	KG
NTN	5309S	244,92	1	1,327	KG
NTN	5309SC3	244,92	1	1,378	KG
NTN	5309SCZZ/2AS	268,75	1	1,385	KG
NTN	5309SNR	263,14	1	1,41	KG
SNR	5309.ZZG15	268,75	1	1,341	KG
SNR	5310.EEG15	320,11	1	1,76	KG
SNR	5310.NRZZG15	405,95	1	1800	G
NTN	5310S	306,46	1	1,86	KG
NTN	5310SC3	306,46	1	1,85	KG

NTN	5310SNR	390,98	1	1,807	KG
SNR	5310.ZZG15	389,32	1	1,766	KG
SNR	5311.NRZZG15	498,48	1	2353	G
NTN	5311S	365,47	1	2,287	KG
NTN	5311SC3	365,47	1	2,42	KG
NTN	5311SNR	454,39	1	2,46	KG
SNR	5311.ZZG15	383,46	1	2311	G
NTN	5312S	475,78	1	3,15	KG
NTN	5312SC3	475,78	1	2,916	KG
SNR	5312.ZZG15	483,63	1	2870	G
SNR	5313.NRZZG15	749,96	1	3620	G
NTN	5313S	581,28	1	3,687	KG
NTN	5313SC3	581,28	1	3,72	KG
NTN	5313SNR	731,70	1	3,77	KG
SNR	5313.ZZG15	576,87	1	3582	G
NTN	5314S	697,67	1	4,58	KG
NTN	5314SC3	697,67	1	4,57	KG
NTN	5314SNR	823,74	1	4,575	KG
NTN	5315S	892,06	1	5,561	KG
NTN	5315SC3	904,69	1	5,561	KG
NTN	5316S	1.018,03	1	6,39	KG
NTN	5316SC3	1.018,03	1	6,42	KG
NTN	5318SC3	1.543,10	1	8,467	KG
NTN	7001	97,34	1	0,02	KG
NTN	7002	135,95	1	0,03	KG
NTN	7003	136,59	1	0,04	KG
NTN	7004	129,58	1	0,07	KG
NTN	7006	83,07	1	0,116	KG
NTN	7007	92,11	1	0,156	KG
NTN	7008	98,35	1	0,212	KG
NTN	7009	135,61	1	0,24	KG
NTN	7010	168,99	1	0,27	KG
NTN	7012	196,10	1	0,28	KG
NTN	7200	37,12	1	0,034	KG
NTN	7201	35,42	1	0,04	KG
NTN	7202	34,84	1	0,044	KG
NTN	7203	36,95	1	0,07	KG
NTN	7204	39,22	1	0,102	KG
NTN	7205	42,69	1	0,13	KG
NTN	7206	51,01	1	0,197	KG
NTN	7207	62,52	1	0,281	KG
NTN	7208	72,31	1	0,385	KG
NTN	7209	82,59	1	0,407	KG
NTN	7210	93,56	1	0,472	KG
NTN	7211	117,28	1	0,607	KG
NTN	7212	142,93	1	0,782	KG
NTN	7213	172,93	1	1,06	KG
NTN	7214	200,91	1	1,14	KG
NTN	7215	226,51	1	1,23	KG
NTN	7216	275,01	1	1,45	KG

NTN	7217	332,65	1	1,82	KG
NTN	7220	548,48	1	3,305	KG
NTN	7221	644,96	1	3,874	KG
NTN	7222	735,18	1	4,45	KG
NTN	7236	6.992,16	1	19145	G
NTN	7300	88,65	1	0,054	KG
NTN	7301	80,54	1	0,07	KG
NTN	7302	45,98	1	0,09	KG
NTN	7303	45,30	1	0,107	KG
NTN	7304	47,25	1	0,143	KG
NTN	7305	56,08	1	0,238	KG
NTN	7306	67,55	1	0,36	KG
NTN	7307	82,31	1	0,464	KG
NTN	7308	105,63	1	0,645	KG
NTN	7309	129,62	1	0,829	KG
NTN	7310	162,13	1	1,069	KG
NTN	7311	205,88	1	1,41	KG
NTN	7312	250,38	1	1,765	KG
NTN	7313	332,65	1	2,1	KG
NTN	7314	401,87	1	2,635	KG
NTN	7315	505,65	1	3,13	KG
NTN	7316	593,78	1	3,78	KG
NTN	7320	1.183,03	1	7,23	KG
NTN	7321	1.553,22	1	8,21	KG
NTN	7322	1.663,57	1	9,6	KG
NTN	7324	2.667,24	1	14,1	KG
NTN	7326	3.721,48	1	17,4	KG
NTN	7409	432,93	1	1,73	KG
NTN	7200B	36,33	1	0,04	KG
NTN	7200BG	66,92	1	0,038	KG
NTN	7201B	35,42	1	0,035	KG
NTN	7201BG	62,58	1	0,038	KG
NTN	7202B	34,77	1	0,064	KG
SNR	7202.BA	35,43	1	0,05	KG
NTN	7202BG	62,44	1	0,048	KG
NTN	7203B	36,90	1	0,065	KG
NTN	7203BG	84,31	1	0,07	KG
NTN	7203BL1G	164,68	1	0,08	KG
NTN	7204B	39,22	1	0,12	KG
NTN	7204BG	74,64	1	0,11	KG
SNR	7204.BGA	74,69	1	0,11	KG
NTN	7205B	42,69	1	0,138	KG
NTN	7205BG	80,87	1	0,129	KG
SNR	7205.BGA	69,81	1	0,13	KG
NTN	7205BL1G	138,70	1	0,16	KG
NTN	7206B	51,01	1	0,192	KG
NTN	7206BG	90,14	1	0,205	KG
SNR	7206.BGA	90,14	1	0,203	KG
NTN	7207B	62,54	1	0,287	KG
NTN	7207BG	100,30	1	0,3	KG

SNR	7207.BGA	100,35	1	292	G
NTN	7208B	72,31	1	0,375	KG
SNR	7208.BA	79,38	1	382	G
NTN	7208BG	114,89	1	0,355	KG
SNR	7208.BG.M	173,49	1	0,42	KG
NTN	7209B	82,59	1	0,407	KG
SNR	7209.BA	87,84	1	0,419	KG
NTN	7209BG	127,92	1	0,407	KG
SNR	7209.BGA	127,97	1	0,42	KG
SNR	7209.BG.M	198,56	1	467	G
NTN	7209BL1G	198,56	1	0,411	KG
NTN	7210B	93,56	1	0,458	KG
NTN	7210BG	139,64	1	0,457	KG
NTN	7210BL1G	210,61	1	0,551	KG
NTN	7211B	117,28	1	0,65	KG
SNR	7211.BA	144,61	1	0,61	KG
NTN	7211BG	165,66	1	0,616	KG
NTN	7212B	142,93	1	0,795	KG
SNR	7212.BA	155,25	1	0,806	KG
NTN	7212BG	194,63	1	0,795	KG
SNR	7212.BGA	201,63	1	0,78	KG
NTN	7213B	172,93	1	0,938	KG
NTN	7213BG	224,83	1	1,065	KG
SNR	7213.BGA	237,70	1	1,028	KG
SNR	7213.BG.M	379,28	1	1,14	KG
NTN	7214B	200,93	1	1,15	KG
SNR	7214.BA	200,93	1	1,111	KG
NTN	7214BG	256,41	1	1,15	KG
SNR	7214.BGA	273,32	1	1,108	KG
NTN	7215B	226,51	1	1,19	KG
SNR	7215.BA	226,59	1	1,193	KG
NTN	7215BG	280,86	1	1,2	KG
SNR	7215.BGA	280,86	1	1,188	KG
SNR	7215.BG.M	427,47	1	1,34	KG
NTN	7216B	275,01	1	1,53	KG
NTN	7216BG	329,38	1	1,49	KG
SNR	7216.BG.M	474,09	1	1639	G
NTN	7216BL1G	474,06	1	1,65	KG
NTN	7217B	332,65	1	1,906	KG
NTN	7217BG	395,17	1	1,854	KG
NTN	7218B	402,70	1	2,34	KG
NTN	7218BG	466,95	1	2,34	KG
NTN	7219B	480,42	1	2,74	KG
NTN	7219BG	545,60	1	2,82	KG
SNR	7219.BG.M	761,75	1	3,036	KG
NTN	7220B	548,48	1	3,325	KG
NTN	7220BG	616,04	1	3,338	KG
SNR	7220.BG.M	792,23	1	3669	G
NTN	7220BL1G	792,23	1	3,65	KG
NTN	7221B	644,96	1	3,96	KG

NTN	7221BL1G	917,50	1	4,47	KG
NTN	7222B	735,18	1	4,56	KG
NTN	7222BG	839,14	1	4,56	KG
NTN	7222BL1G	1.049,21	1	5,26	KG
NTN	7224B	1.281,46	1	6,21	KG
NTN	7224BG	1.264,20	1	6,21	KG
SNR	7224.BG.M	1.281,46	1	6098	G
NTN	7226B	1.604,24	1	6,95	KG
NTN	7226BG	1.582,64	1	7,09	KG
NTN	7228BG	2.013,21	1	9,11	KG
SNR	7230.BG.M	2.552,99	1	11150	G
SNR	7234.BG.M	3.723,23	1	17480	G
NTN	7301B	80,54	1	0,045	KG
NTN	7302B	45,98	1	0,09	KG
NTN	7302BG	84,78	1	0,09	KG
NTN	7303B	45,30	1	0,122	KG
NTN	7303BG	83,16	1	0,122	KG
NTN	7304B	47,25	1	0,141	KG
NTN	7304BG	93,36	1	0,16	KG
NTN	7305B	56,08	1	0,244	KG
NTN	7305BG	99,04	1	0,245	KG
NTN	7305BL1G	155,37	1	0,27	KG
NTN	7306B	67,55	1	0,37	KG
NTN	7306BG	109,42	1	0,37	KG
NTN	7306BL1G	179,51	1	0,402	KG
NTN	7307B	82,31	1	0,474	KG
NTN	7307BG	122,84	1	0,48	KG
SNR	7307.BGA	122,89	1	461	G
NTN	7308B	105,63	1	0,656	KG
SNR	7308.BA	111,81	1	0,631	KG
NTN	7308BG	147,85	1	0,64	KG
NTN	7308BL1G	248,05	1	0,74	KG
NTN	7309B	129,62	1	0,843	KG
NTN	7309BG	171,26	1	0,859	KG
SNR	7309.BGA	172,17	1	0,833	KG
NTN	7309BL1G	315,62	1	0,936	KG
NTN	7310B	162,13	1	1,11	KG
NTN	7310BG	217,10	1	1,13	KG
NTN	7310BGC3	217,10	1	1,125	KG
NTN	7310BL1	371,99	1	1,24	KG
NTN	7310BL1G	377,06	1	1,24	KG
NTN	7311B	205,88	1	1,4	KG
NTN	7311BG	250,35	1	1,42	KG
SNR	7311.BGA	250,44	1	1,412	KG
SNR	7311.BG.M	437,45	1	1,56	KG
NTN	7312B	250,38	1	1,77	KG
NTN	7312BG	314,91	1	1,77	KG
SNR	7312.BGA	314,97	1	1,749	KG
NTN	7312BL1G	546,42	1	2,02	KG
NTN	7313B	332,65	1	2,15	KG

NTN	7313BG	375,92	1	2,19	KG
SNR	7313.BGA	376,00	1	2,12	KG
NTN	7313BL1G	558,31	1	2,485	KG
NTN	7314B	401,87	1	2,68	KG
NTN	7314BG	445,50	1	2,68	KG
SNR	7314.BGA	445,65	1	2595	G
NTN	7314BL1G	651,15	1	2,97	KG
NTN	7315B	505,65	1	3,22	KG
NTN	7315BG	588,98	1	3,2	KG
SNR	7315.BG.M	823,84	1	3518	G
NTN	7315BL1G	823,84	1	3,6	KG
NTN	7316B	593,78	1	3,74	KG
NTN	7316BG	680,06	1	3,72	KG
SNR	7316.BG.M	925,89	1	4,152	KG
NTN	7316BL1G	925,89	1	4,23	KG
NTN	7317B	722,64	1	4,38	KG
NTN	7317BG	806,01	1	4,38	KG
SNR	7317.BG.M	1.010,06	1	4882	G
NTN	7317BL1G	1.010,06	1	5,06	KG
NTN	7318B	838,83	1	5,09	KG
NTN	7318BG	936,23	1	5,18	KG
SNR	7318.BG.M	1.076,63	1	5,678	KG
NTN	7318BL1G	1.076,63	1	5,9	KG
NTN	7319B	987,54	1	6,035	KG
NTN	7319BG	1.087,73	1	5,8	KG
SNR	7319.BG.M	1.390,72	1	6,24	KG
NTN	7319BL1G	1.372,00	1	6,91	KG
NTN	7320B	1.183,03	1	7,5	KG
NTN	7320BG	1.276,54	1	7,34	KG
SNR	7320.BG.M	1.503,85	1	8170	G
NTN	7320BL1G	1.503,83	1	8,43	KG
SNR	7321.BG.M	1.806,84	1	9342	G
NTN	7322B	1.663,57	1	9,95	KG
NTN	7322BG	1.773,97	1	9,95	KG
NTN	7322BL1G	2.130,95	1	11	KG
NTN	7324B	2.667,24	1	15	KG
NTN	7324BG	2.782,95	1	14,5	KG
SNR	7324.BG.M	2.782,95	1	14,201	KG
NTN	7326BG	3.261,23	1	17,7	KG
NTN	7328BG	4.254,53	1	21,6	KG
NTN	7334BG	7.180,97	1	36	KG
SNR	7334.BG.M	7.491,53	1	35800	G
NTN	7407BG	394,51	1	1,082	KG
NTN	7408BG	437,24	1	1,389	KG
NTN	7409BG	560,07	1	1,659	KG
NTN	7410BG	632,05	1	1,86	KG
NTN	7411BG	688,20	1	2,69	KG
NTN	7412BG	866,36	1	3,34	KG
NTN	7413BG	915,60	1	4,015	KG
NTN	7414BG	927,01	1	5,7	KG

NTN	7416BG	1.161,62	1	6,71	KG
SNR	51100	25,63	1	0,023	KG
NTN	51100	25,63	1	0,02	KG
SNR	51101	25,74	1	0,03	KG
NTN	51101	25,74	1	0,021	KG
SNR	51102	25,43	1	0,028	KG
NTN	51102	25,43	1	0,024	KG
SNR	51103	25,74	1	0,03	KG
NTN	51103	25,74	1	0,026	KG
SNR	51104	25,80	1	0,044	KG
NTN	51104	25,80	1	0,035	KG
SNR	51105	28,55	1	0,062	KG
NTN	51105	28,55	1	0,06	KG
SNR	51106	30,68	1	0,069	KG
NTN	51106	30,68	1	0,058	KG
SNR	51107	32,81	1	0,09	KG
NTN	51107	32,81	1	0,079	KG
SNR	51108	39,63	1	0,12	KG
NTN	51108	39,63	1	0,123	KG
SNR	51109	45,10	1	0,148	KG
NTN	51109	45,10	1	0,15	KG
SNR	51110	49,08	1	0,162	KG
NTN	51110	49,08	1	0,161	KG
SNR	51111	60,78	1	0,236	KG
NTN	51111	60,78	1	0,24	KG
SNR	51112	67,58	1	0,3	KG
NTN	51112	67,58	1	0,296	KG
NTN	51113	73,16	1	0,338	KG
SNR	51114	79,92	1	0,362	KG
NTN	51114	79,92	1	0,36	KG
SNR	51115	90,71	1	0,413	KG
NTN	51115	90,71	1	0,406	KG
SNR	51116	102,74	1	0,43	KG
NTN	51116	102,74	1	0,429	KG
SNR	51117	116,23	1	458	G
NTN	51117	116,23	1	0,45	KG
SNR	51118	140,48	1	0,67	KG
NTN	51118	140,48	1	0,668	KG
SNR	51120	218,59	1	0,99	KG
NTN	51120	218,59	1	1,01	KG
SNR	51122	242,58	1	1,07	KG
NTN	51122	242,58	1	1,085	KG
SNR	51124	303,05	1	1164	G
NTN	51124	303,05	1	1,11	KG
SNR	51126	403,35	1	1774	G
NTN	51126	403,35	1	1,64	KG
NTN	51128	507,26	1	1,775	KG
SNR	51130	681,15	1	2030	G
NTN	51130	681,15	1	2,035	KG
SNR	51132	896,74	1	2158	G

NTN	51132	896,74	1	2,05	KG
NTN	51134	1.039,88	1	2,67	KG
NTN	51136	1.140,00	1	2,72	KG
NTN	51138	1.161,30	1	3,52	KG
NTN	51140	1.356,72	1	3,91	KG
NTN	51144	1.664,18	1	4,265	KG
NTN	51148	2.094,79	1	6,66	KG
NTN	51156	3.389,47	1	11,1	KG
NTN	51160	6.233,96	1	17,605	KG
NTN	51200	31,96	1	0,03	KG
NTN	51201	32,00	1	0,03	KG
SNR	51202	31,22	1	0,05	KG
NTN	51202	31,22	1	0,046	KG
SNR	51203	32,77	1	0,056	KG
NTN	51203	32,77	1	0,05	KG
SNR	51204	34,32	1	0,08	KG
NTN	51204	34,32	1	0,081	KG
SNR	51205	38,21	1	0,12	KG
NTN	51205	38,21	1	0,111	KG
SNR	51206	43,17	1	0,14	KG
NTN	51206	43,17	1	0,139	KG
SNR	51207	53,26	1	0,22	KG
NTN	51207	53,26	1	0,215	KG
SNR	51208	59,77	1	271	G
NTN	51208	59,77	1	0,266	KG
SNR	51209	65,50	1	313	G
NTN	51209	65,50	1	0,317	KG
SNR	51210	73,03	1	0,38	KG
NTN	51210	73,03	1	0,369	KG
SNR	51211	100,48	1	0,612	KG
NTN	51211	100,48	1	0,588	KG
NTN	51212	109,97	1	0,676	KG
SNR	51213	125,86	1	0,769	KG
NTN	51213	125,86	1	0,767	KG
SNR	51214	139,40	1	0,76	KG
NTN	51214	139,40	1	0,81	KG
SNR	51215	154,19	1	0,85	KG
NTN	51215	154,19	1	0,855	KG
SNR	51216	172,93	1	0,95	KG
NTN	51216	172,93	1	0,916	KG
SNR	51217	223,41	1	1,26	KG
NTN	51217	223,41	1	1,275	KG
NTN	51218	265,99	1	1,74	KG
NTN	51220	353,83	1	2,29	KG
NTN	51222	440,76	1	2,415	KG
NTN	51224	546,95	1	2,71	KG
NTN	51226	874,89	1	4,22	KG
NTN	51228	1.209,51	1	4,545	KG
NTN	51230	1.408,47	1	5,82	KG
NTN	51232	1.633,61	1	6,71	KG

NTN	51234	1.862,50	1	7,81	KG
NTN	51236	1.984,76	1	8,22	KG
NTN	51238	2.401,29	1	10,98	KG
NTN	51240	2.656,46	1	12,23	KG
NTN	51244	3.059,57	1	13,42	KG
SNR	51305	52,75	1	0,176	KG
NTN	51305	52,75	1	0,17	KG
SNR	51306	60,20	1	0,268	KG
NTN	51306	60,20	1	0,269	KG
SNR	51307	73,10	1	390	G
NTN	51307	73,10	1	0,375	KG
SNR	51308	89,42	1	0,546	KG
NTN	51308	89,42	1	0,548	KG
SNR	51309	106,95	1	0,698	KG
NTN	51309	106,95	1	0,673	KG
NTN	51310	139,64	1	0,949	KG
SNR	51311	181,35	1	1,342	KG
NTN	51311	181,35	1	1,32	KG
SNR	51312	217,54	1	1,42	KG
NTN	51312	217,54	1	1,4	KG
SNR	51313	309,42	1	1583	G
NTN	51313	309,42	1	1,54	KG
NTN	51314	350,33	1	2,01	KG
NTN	51315	443,31	1	2,572	KG
NTN	51316	469,59	1	2,705	KG
NTN	51317	585,92	1	3,585	KG
NTN	51318	656,68	1	3,764	KG
NTN	51320	792,48	1	4,966	KG
NTN	51322	1.482,27	1	7,365	KG
NTN	51324	1.809,17	1	10,8	KG
NTN	51326	2.566,03	1	12,7	KG
NTN	51328	2.778,20	1	14,5	KG
NTN	51330	3.971,98	1	15,3	KG
NTN	51332	5.636,88	1	20,775	KG
NTN	51334	6.061,94	1	20,8	KG
NTN	51338	10.194,87	1	33,6	KG
SNR	51405	113,81	1	0,332	KG
NTN	51405	113,81	1	0,34	KG
SNR	51406	115,40	1	0,536	KG
NTN	51406	115,40	1	0,535	KG
SNR	51407	162,19	1	0,786	KG
NTN	51407	162,19	1	0,776	KG
NTN	51408	171,47	1	1,08	KG
SNR	51409	246,40	1	1,476	KG
NTN	51409	246,40	1	1,428	KG
NTN	51411	511,14	1	2,554	KG
NTN	51412	796,59	1	3,24	KG
NTN	51413	1.038,12	1	4,09	KG
NTN	51414	1.265,02	1	5,015	KG
NTN	51415	1.611,89	1	6,22	KG

SNR	51416	1.749,50	1	7320	G
NTN	51417	2.413,40	1	8,675	KG
NTN	51105J	28,55	1	0,06	KG
NTN	51106J	30,68	1	0,066	KG
NTN	51107J	33,34	1	0,082	KG
NTN	51130L1	885,49	1	2,035	KG
NTN	51132L1	1.165,78	1	2,155	KG
NTN	51140L1	1.763,74	1	3,91	KG
NTN	51148L1	2.723,24	1	6,66	KG
NTN	51234L1	1.862,58	1	7,705	KG
NTN	51410A	279,04	1	1,92	KG
SNR	10R71915CVQ21J92	3.653,70	1	1,4	KG
SNR	10R71915CVUJ74	716,41	1	350	G
SNR	10R71915CVUJ84	716,41	1	350	G
SNR	10R71915HVUJ74	716,41	1	350	G
SNR	10R71915HVUJ84	716,41	1	350	G
SNR	10R71916CVUJ74	850,87	1	370	G
SNR	10R71916CVUJ84	850,87	1	370	G
SNR	10R71916HVDUJ74	1.701,75	1	740	G
SNR	10R71916HVUJ74	850,87	1	370	G
SNR	10R71916HVUJ84	850,87	1	370	G
SNR	10R71916HVURJ74	850,87	1	370	G
SNR	10R71917CVUJ74	1.060,29	1	540	G
SNR	10R71917CVUJ84	1.060,29	1	540	G
SNR	10R71917HVUJ74	1.060,29	1	540	G
SNR	10R71917HVUJ84	1.060,29	1	540	G
SNR	10R71918CVDUJ74	2.131,60	1	1,12	KG
SNR	10R71918CVUJ74	1.065,80	1	560	G
SNR	10R71918CVUJ84	1.065,80	1	560	G
SNR	10R71918HVUJ74	1.065,80	1	560	G
SNR	10R71918HVUJ84	1.065,80	1	560	G
SNR	10R71919CVUJ74	1.140,75	1	590	G
SNR	10R71919CVUJ84	1.140,75	1	590	G
SNR	10R71919HVUJ74	1.140,75	1	590	G
SNR	10R71919HVUJ84	1.140,75	1	590	G
SNR	10R71920CVUJ74	1.271,91	1	800	G
SNR	10R71920CVUJ84	1.271,91	1	800	G
SNR	10R71920HVUJ74	1.271,91	1	800	G
SNR	10R71920HVUJ84	1.271,91	1	800	G
SNR	10R71920HVURJ74	1.271,91	1	800	G
SNR	10R71922CVDUJ74	3.707,70	1	1,72	KG
SNR	10R71922CVUJ74	1.853,85	1	860	G
SNR	10R71922CVUJ84	1.853,85	1	860	G
SNR	10R71922CVURJ74	1.853,85	1	860	G
SNR	10R71922HVDBJ94	4.078,48	1	1,72	KG
SNR	10R71922HVDUJ74	3.707,70	1	1,851	KG
SNR	10R71922HVQ21J84	7.786,18	1	3,48	KG
SNR	10R71922HVUJ74	1.853,85	1	860	G
SNR	10R71922HVUJ84	1.853,85	1	860	G
SNR	10R71922HVURJ74	1.853,85	1	860	G

SNR	10R71924CVUJ74	2.144,83	1	1,18	KG
SNR	10R71924CVUJ84	2.144,83	1	1,18	KG
SNR	10R71924HVDUJ74	4.289,65	1	2,36	KG
SNR	10R71924HVUJ74	2.144,83	1	1,18	KG
SNR	10R71924HVUJ84	2.144,83	1	1,18	KG
SNR	10R71924HVUJ94	2.359,30	1	1,19	KG
SNR	10RCH71918HVUJ74	1.939,02	1	555	G
SNR	10RCH71920CVURJ74	2.401,72	1	670	G
SNR	10RCH71922HVDTJ04	6.070,57	1	1,72	KG
SNR	10RCH71922HVUJ74	2.496,27	1	860	G
SNR	10RCH71922HVURJ74	2.995,53	1	860	G
NTN	2A-BST25X62-1BLXLP4/L588	488,59	1	0,235	KG
NTN	2LA-HSE014T2DB/G9UP-9	1.147,19	1	1,07	KG
NTN	2LA-HSE026ADT2G/GLP42/15KQ1U3G	1.957,90	1	3,4	KG
NTN	2LA-HSE032ADT2G/GLP42/15KQ1U3G	2.432,37	1	5,5	KG
NTN	562016M/GNP4	3.457,06	1	2,11	KG
NTN	7000ADLLBG/GMP42/L749	375,96	1	0,028	KG
NTN	7000ADLLBG/GNP42/L749	375,96	1	0,028	KG
NTN	7000CDLLBG/GNP42/L749	375,96	1	0,025	KG
SNR	7000CVDBJ74	563,95	1	52	G
SNR	7000.CV.DU.J74	537,08	1	44	G
SNR	7000.CV.DU.J84	537,08	1	44	G
SNR	7000.CV.U.J74	268,55	1	24	G
SNR	7000HVDBJ84	563,95	1	44	G
SNR	7000.HV.DF.J74	563,95	1	44	G
SNR	7000.HV.DU.J74	537,08	1	45	G
SNR	7000.HV.DU.J84	537,08	1	44	G
SNR	7000.HV.DU.J94	590,79	1	43	G
SNR	7000.HV.Q16J74	845,92	1	60	G
SNR	7000.HV.Q16J84	845,92	1	69	G
SNR	7000.HV.U.J74	268,55	1	23	G
SNR	7000.HV.U.J84	268,55	1	25	G
NTN	7000UADG/GLP42	268,55	1	0,019	KG
NTN	7000UCG/GNP42	268,55	1	0,019	KG
SNR	7001.CV.DB.J74	558,72	1	48	G
SNR	7001.CV.DB.J84	558,72	1	48	G
SNR	7001.CV.DB.J94	585,32	1	48	G
SNR	7001.CV.DU.J74	532,10	1	50	G
SNR	7001.CV.DU.J84	532,10	1	48	G
SNR	7001.CV.Q16J74	838,07	1	72	G
SNR	7001.CV.U.J74	266,06	1	25	G
SNR	7001.CV.U.J84	266,06	1	26	G
SNR	7001.HV.DB.J74	558,72	1	48	G
SNR	7001.HV.DB.J84	558,72	1	48	G
SNR	7001.HV.DB.J94	585,32	1	48	G
SNR	7001.HV.DF.J84	558,72	1	49	G
SNR	7001.HV.DU.J74	532,10	1	48	G
SNR	7001.HV.DU.J84	532,10	1	48	G
SNR	7001.HVQ16.J74	838,07	1	81	G
SNR	7001.HVQ16.J84	838,07	1	72	G

SNR	7001.HV.U.J74	266,06	1	30	G
SNR	7001.HV.U.J84	266,06	1	26	G
NTN	7001UADG/GLP42	266,06	1	0,021	KG
NTN	7001UCG/GNP42	266,06	1	25	G
NTN	7002ADLLBG/GNP42/L749	382,06	1	0,032	KG
NTN	7002CDLLBG/GNP42/L448	382,06	1	0,029	KG
SNR	7002.CV.DB.J74	573,09	1	74	G
SNR	7002.CV.DB.J84	573,09	1	68	G
SNR	7002.CV.DF.J84	573,09	1	64	G
SNR	7002.CV.DU.J74	545,80	1	66	G
SNR	7002.CV.DU.J84	545,80	1	68	G
SNR	7002.CV.Q16J74	859,63	1	102	G
SNR	7002CVQ16J84	859,63	1	104	G
SNR	7002.CV.U.J74	272,89	1	34	G
SNR	7002.CV.U.J84	272,89	1	34	G
SNR	7002..HV.DBJ74	573,09	1	68	G
SNR	7002.HV.DBJ94	600,37	1	74	G
SNR	7002.HV.DF.J74	573,09	1	68	G
SNR	7002.HV.DU.J74	545,80	1	67	G
SNR	7002.HV.DU.J84	545,80	1	66	G
SNR	7002.HV.Q16J74	859,63	1	102	G
SNR	7002.HV.Q16J84	859,63	1	66	G
SNR	7002.HV.Q16J94	886,92	1	106	G
SNR	7002HVQ21J74	1.146,17	1	132	G
SNR	7002.HV.U.J74	272,89	1	34	G
SNR	7002.HV.U.J84	272,89	1	38	G
NTN	7002UADG/GLP42	272,89	1	0,03	KG
NTN	7002UG/GNP4	272,89	1	40	G
NTN	7003CDLLBG/GNP42/L749	382,97	1	0,04	KG
SNR	7003.CV.DB.J74	574,45	1	86	G
SNR	7003.CV.DB.J84	574,45	1	84	G
SNR	7003.CV.DT.J04	629,16	1	90	G
SNR	7003.CV.DU.J74	547,10	1	86	G
SNR	7003.CV.DU.J84	547,10	1	84	G
SNR	7003.CV.DU.J94	601,81	1	86	G
SNR	7003.CV.Q16J74	861,68	1	131	G
SNR	7003.CV.Q16J84	861,68	1	132	G
SNR	7003.CV.U.J74	273,55	1	43	G
SNR	7003.CV.U.J84	273,55	1	46	G
SNR	7003.CV.U.J94	300,90	1	40	G
SNR	7003.HV.DB.J74	574,45	1	84	G
SNR	7003.HV.DB.J84	574,45	1	84	G
SNR	7003.HV.DB.J94	601,81	1	86	G
SNR	7003.HV.DF.J94	601,81	1	90	G
SNR	7003.HV.DU.J74	547,10	1	85	G
SNR	7003.HV.DU.J84	547,10	1	86	G
SNR	7003.HV.Q16J74	861,68	1	132	G
SNR	7003.HV.Q16J84	861,68	1	131	G
SNR	7003.HV.Q16J94	889,03	1	132	G
SNR	7003.HV.Q18J74	1.148,91	1	168	G

SNR	7003.HV.Q18J84	1.148,91	1	168	G
SNR	7003HVQ21J84	1.148,91	1	168	G
SNR	7003.HV.U.J74	273,55	1	47	G
SNR	7003.HV.U.J84	273,55	1	44	G
NTN	7003UADG/GNP42U3G	273,55	1	0,037	KG
NTN	7003UCG/GNP42U3G	273,55	1	0,05	KG
NTN	7004CDLLBG/GNP42/L749	367,57	1	0,07	KG
SNR	7004.CV.DB.J74	551,35	1	143	G
SNR	7004.CV.DB.J84	551,35	1	142	G
SNR	7004.CV.DB.J94	577,61	1	140	G
SNR	7004.CV.DF.J74	551,35	1	140	G
SNR	7004.CV.DF.J94	577,61	1	140	G
SNR	7004.CV.DU.J74	525,10	1	145	G
SNR	7004.CV.DU.J84	525,10	1	143	G
SNR	7004.CV.Q16J74	827,02	1	211	G
SNR	7004.CV.Q21J84	1.102,70	1	1,127	KG
SNR	7004.CV.Q21J94	1.128,96	1	280	G
SNR	7004.CV.U.J74	262,55	1	70	G
SNR	7004.CV.U.J84	262,55	1	73	G
SNR	7004.HV.DB.J74	551,35	1	145	G
SNR	7004.HV.DB.J84	551,35	1	140	G
SNR	7004.HV.DU.J74	525,10	1	144	G
SNR	7004.HV.DU.J84	525,10	1	142	G
SNR	7004.HV.DU.J94	577,61	1	140	G
SNR	7004.HV.Q16J74	827,02	1	212	G
SNR	7004.HV.Q16J84	827,02	1	214	G
SNR	7004.HV.Q18J74	1.102,70	1	300	G
SNR	7004.HV.Q18J84	1.102,70	1	280	G
SNR	7004.HV.Q21J74	1.102,70	1	300	G
SNR	7004.HV.Q21J84	1.102,70	1	288	G
SNR	7004.HV.Q21J94	1.128,96	1	280	G
SNR	7004.HV.U.J74	262,55	1	72	G
SNR	7004.HV.U.J84	262,55	1	71	G
NTN	7004UADG/GNP42U3G	262,55	1	0,067	KG
NTN	7004UCG/GNP42U3G	262,55	1	0,073	KG
SNR	7005.CV.DB.J74	551,35	1	169	G
SNR	7005.CV.DB.J84	551,35	1	170	G
SNR	7005.CV.DB.J94	577,61	1	169	G
SNR	7005.CV.DF.J74	551,35	1	175	G
SNR	7005.CV.DU.J74	525,10	1	169	G
SNR	7005.CV.DU.J84	525,10	1	169	G
SNR	7005.CV.Q16J74	827,02	1	257	G
SNR	7005.CV.Q16J84	827,02	1	257	G
SNR	7005CVQ21J84	1.102,70	1	348	G
SNR	7005.CV.U.J74	262,55	1	80	G
SNR	7005.CV.U.J84	262,55	1	85	G
SNR	7005.CV.U.J94	288,80	1	80	G
SNR	7005.HV.DB.J74	551,35	1	168	G
SNR	7005.HV.DB.J84	551,35	1	168	G
SNR	7005.HV.DB.J94	577,61	1	170	G

SNR	7005.HV.DF.J74	551,35	1	160	G
SNR	7005.HV.DF.J84	551,35	1	170	G
SNR	7005.HV.DU.J74	525,10	1	169	G
SNR	7005.HV.DU.J84	525,10	1	170	G
SNR	7005.HV.DU.J94	577,61	1	170	G
SNR	7005.HV.Q16J74	827,02	1	255	G
SNR	7005.HV.Q16J84	827,02	1	255	G
SNR	7005.HV.Q16J94	853,28	1	255	G
SNR	7005.HV.Q21J74	1.102,70	1	340	G
SNR	7005HVTUJ94	813,90	1	254	G
SNR	7005.HV.U.J74	262,55	1	86	G
SNR	7005.HV.U.J84	262,55	1	80	G
NTN	7005UADG/GNP42U3G	262,55	1	0,079	KG
NTN	7005UCG/GNP42U3G	262,55	1	0,085	KG
SNR	7006.CV.DB.J74	572,71	1	244	G
SNR	7006.CV.DB.J84	572,71	1	246	G
SNR	7006.CV.DB.J94	599,98	1	248	G
SNR	7006.CV.DBJ94D	618,62	1	248	G
SNR	7006.CV.DF.J74	572,71	1	243	G
SNR	7006.CV.DU.J74	545,45	1	246	G
SNR	7006.CV.DU.J84	545,45	1	240	G
SNR	7006.CV.DU.J94	599,98	1	120	G
SNR	7006.CV.Q16J74	859,07	1	372	G
SNR	7006.CV.Q16J84	859,07	1	369	G
SNR	7006.CV.Q21J74	1.145,43	1	494	G
SNR	7006.CV.U.J74	272,73	1	120	G
SNR	7006.CV.U.J84	272,73	1	116	G
SNR	7006.CV.U.J94	299,99	1	124	G
SNR	7006.HV.DB.J74	572,71	1	244	G
SNR	7006.HV.DB.J84	572,71	1	242	G
SNR	7006.HV.DB.J94	599,98	1	240	G
SNR	7006.HV.DF.J84	572,71	1	248	G
SNR	7006.HV.DU.J74	545,45	1	245	G
SNR	7006.HV.DU.J84	545,45	1	244	G
SNR	7006.HV.DU.J94	599,98	1	248	G
SNR	7006.HV.Q16J74	859,07	1	372	G
SNR	7006.HV.Q16J84	859,07	1	374	G
SNR	7006.HV.Q16J94	886,35	1	362	G
SNR	7006.HV.Q18J74	1.145,43	1	496	G
SNR	7006.HV.Q18J84	1.145,43	1	488	G
SNR	7006.HV.Q21J84	1.145,43	1	486	G
SNR	7006HVTUJ94	845,43	1	360	G
SNR	7006.HV.U.J74	272,73	1	120	G
SNR	7006.HV.U.J84	272,73	1	123	G
SNR	7006.HV.U.J94	299,99	1	124	G
NTN	7006UCG/GNP42U3G	272,73	1	0,11	KG
SNR	7007.CV.DB.J74	652,11	1	314	G
SNR	7007.CV.DB.J84	652,11	1	321	G
SNR	7007.CV.DB.J94	683,16	1	320	G
SNR	7007CVDFJ74	652,11	1	314	G

SNR	7007.CV.DF.J84	652,11	1	318	G
SNR	7007.CV.DU.J74	621,05	1	314	G
SNR	7007.CV.DU.J84	621,05	1	311	G
SNR	7007.CV.DU.J94	683,16	1	312	G
SNR	7007.CV.Q16J74	978,16	1	372	G
SNR	7007.CV.Q16J84	978,16	1	480	G
SNR	7007.CV.Q21J84	1.304,20	1	630	G
SNR	7007.CV.U.J74	310,53	1	162	G
SNR	7007.CV.U.J84	310,53	1	157	G
SNR	7007.CV.U.J94	341,58	1	159	G
SNR	7007.HV.DB.J74	652,11	1	312	G
SNR	7007.HV.DB.J84	652,11	1	290	G
SNR	7007.HV.DU.J74	621,05	1	298	G
SNR	7007.HV.DU.J84	621,05	1	314	G
SNR	7007.HV.DU.J94	683,16	1	320	G
SNR	7007.HV.Q16J74	978,16	1	478	G
SNR	7007.HV.Q16J84	978,16	1	472	G
SNR	7007.HV.Q16J94	1.009,22	1	474	G
SNR	7007.HV.Q21J84	1.304,20	1	636	G
SNR	7007.HV.Q21J94	1.335,26	1	636	G
SNR	7007HVTUJ84	931,58	1	477	G
SNR	7007.HV.U.J74	310,53	1	158	G
SNR	7007.HV.U.J84	310,53	1	182	G
SNR	7007.HV.U.J94	341,58	1	159	G
NTN	7007UADG/GNP42U3G	310,53	1	0,15	KG
NTN	7007UCG/GNP42U3G	310,53	1	0,148	KG
SNR	7008.CV.DB.J74	807,81	1	394	G
SNR	7008.CV.DB.J84	807,81	1	394	G
SNR	7008.CV.DF.J84	807,81	1	430	G
SNR	7008.CV.DU.J74	769,34	1	444	G
SNR	7008.CV.DU.J84	769,34	1	393	G
SNR	7008.CV.DU.J94	846,26	1	398	G
SNR	7008.CV.Q16J74	1.211,71	1	602	G
SNR	7008.CV.Q16J84	1.211,71	1	602	G
SNR	7008.CV.Q16J94	1.250,17	1	608	G
SNR	7008.CV.Q21J74	1.615,60	1	840	G
SNR	7008.CV.U.J74	384,67	1	202	G
SNR	7008.CV.U.J84	384,67	1	200	G
SNR	7008.CV.U.J94	423,14	1	210	G
SNR	7008.HV.DB.J74	807,81	1	400	G
SNR	7008.HV.DB.J84	807,81	1	394	G
SNR	7008.HV.DB.J94	846,26	1	430	G
SNR	7008.HV.DF.J84	807,81	1	442	G
SNR	7008.HV.DU.J74	769,34	1	393	G
SNR	7008.HV.DU.J84	769,34	1	393	G
SNR	7008.HV.Q16J74	1.211,71	1	602	G
SNR	7008.HV.Q16J84	1.211,71	1	603	G
SNR	7008.HV.Q16J94	1.250,17	1	597	G
SNR	7008.HV.Q18J84	1.615,60	1	786	G
SNR	7008.HV.Q21J74	1.615,60	1	786	G

SNR	7008.HV.Q21J84	1.615,60	1	796	G
SNR	7008.HV.Q21J94	1.654,07	1	840	G
SNR	7008.HV.U.J74	384,67	1	210	G
SNR	7008.HV.U.J84	384,67	1	200	G
SNR	7008.HV.U.J94	423,14	1	199	G
NTN	7008UADG/GNP42U3G	384,67	1	0,19	KG
NTN	7008UCG/GNP42U3G	384,67	1	0,184	KG
SNR	7009.CV.DB.J74	884,72	1	500	G
SNR	7009.CV.DB.J84	884,72	1	500	G
SNR	7009.CV.DB.J94	926,85	1	500	G
SNR	7009.CV.DF.J74	884,72	1	500	G
SNR	7009.CV.DF.J84	884,72	1	500	G
SNR	7009.CV.DU.J74	842,59	1	495	G
SNR	7009.CV.DU.J84	842,59	1	498	G
SNR	7009.CV.DU.J94	926,85	1	500	G
SNR	7009.CV.Q16J74	1.327,08	1	761	G
SNR	7009.CV.Q16J84	1.327,08	1	750	G
SNR	7009.CV.Q21J84	1.769,45	1	988	G
SNR	7009.CV.U.J74	421,29	1	250	G
SNR	7009.CV.U.J84	421,29	1	260	G
SNR	7009 CVUJ94	463,42	1	250	G
SNR	7009.HV.DB.J74	884,72	1	500	G
SNR	7009.HV.DB.J84	884,72	1	500	G
SNR	7009.HV.DU.J74	842,59	1	497	G
SNR	7009.HV.DU.J84	842,59	1	494	G
SNR	7009.HV.DU.J94	926,85	1	496	G
SNR	7009.HV.Q16J74	1.327,08	1	760	G
SNR	7009.HV.Q16J84	1.327,08	1	762	G
SNR	7009.HV.Q16J94	1.369,21	1	746	G
SNR	7009.HV.Q18J84	1.769,45	1	1	KG
SNR	7009.HV.Q21J74	1.769,45	1	1	KG
SNR	7009.HV.Q21J84	1.769,45	1	1,016	KG
SNR	7009HVTUJ84	1.263,88	1	750	G
SNR	7009.HV.U.J74	421,29	1	260	G
SNR	7009.HV.U.J84	421,29	1	249	G
SNR	7009.HV.U.J94	463,42	1	250	G
NTN	7009UADG/GNP42U3G	421,29	1	0,25	KG
NTN	7009UCG/GNP42U3G	421,29	1	0,24	KG
SNR	7010.CV.DB.J74	914,70	1	536	G
SNR	7010.CV.DB.J84	914,70	1	537	G
SNR	7010.CV.DB.J94	958,25	1	540	G
SNR	7010.CV.DU.J74	871,14	1	534	G
SNR	7010.CV.DU.J84	871,14	1	537	G
SNR	7010.CV.DU.J94	958,25	1	538	G
SNR	7010.CV.Q16J74	1.372,03	1	812	G
SNR	7010.CV.Q16J84	1.372,03	1	806	G
SNR	7010.CV.Q21J84	1.829,38	1	1,072	KG
SNR	7010.CV.U.J74	435,57	1	270	G
SNR	7010.CV.U.J84	435,57	1	274	G
SNR	7010.HV.DB.J74	914,70	1	530	G

SNR	7010.HV.DB.J84	914,70	1	536	G
SNR	7010.HV.DB.J94	958,25	1	536	G
SNR	7010HVDFJ74	914,70	1	538	G
SNR	7010.HV.DU.J74	871,14	1	537	G
SNR	7010.HV.DU.J84	871,14	1	534	G
SNR	7010.HV.DU.J94	958,25	1	538	G
SNR	7010.HV.Q16J74	1.372,03	1	810	G
SNR	7010.HV.Q16J84	1.372,03	1	815	G
SNR	7010.HV.Q16J94	1.415,59	1	802	G
SNR	7010.HV.Q18J84	1.829,38	1	1,074	KG
SNR	7010.HV.Q21J74	1.829,38	1	1,088	KG
SNR	7010.HV.Q21J94	1.872,93	1	1,08	KG
SNR	7010HVQUJ84	1.742,27	1	1,08	KG
SNR	7010.HV.U.J74	435,57	1	270	G
SNR	7010.HV.U.J84	435,57	1	280	G
NTN	7010UADG/GNP42U3G	435,57	1	0,41	KG
SNR	7011.CV.DB.J74	1.072,80	1	803	G
SNR	7011.CV.DB.J84	1.072,80	1	806	G
SNR	7011.CV.DU.J74	1.021,71	1	806	G
SNR	7011.CV.DU.J84	1.021,71	1	803	G
SNR	7011.CV.DU.J94	1.123,89	1	808	G
SNR	7011.CV.Q16J74	1.609,20	1	1,214	KG
SNR	7011.CV.Q16J84	1.609,20	1	1,204	KG
SNR	7011.CV.Q16J94	1.660,29	1	1,212	KG
SNR	7011.CV.Q21J84	2.145,60	1	1,616	KG
SNR	7011.CV.Q21J94	2.196,68	1	1,616	KG
SNR	7011CVUJ74	510,86	1	400	G
SNR	7011CVUJ84	510,86	1	408	G
SNR	7011.CV.U.J94	561,94	1	400	G
SNR	7011.HV.DB.J74	1.072,80	1	802	G
SNR	7011.HV.DB.J84	1.072,80	1	808	G
SNR	7011.HV.DB.J94	1.123,89	1	808	G
SNR	7011.HV.DF.J84	1.072,80	1	808	G
SNR	7011HVDFJ94	1.123,89	1	802	G
SNR	7011.HV.DU.J74	1.021,71	1	804	G
SNR	7011.HV.DU.J84	1.021,71	1	810	G
SNR	7011.HV.Q16J74	1.609,20	1	1,212	KG
SNR	7011.HV.Q16J84	1.609,20	1	1,212	KG
SNR	7011.HV.Q16J94	1.660,29	1	212	G
SNR	7011HVQ18J84	2.145,60	1	1,604	KG
SNR	7011HVQ21J74	2.145,60	1	1,602	KG
SNR	7011.HV.Q21J84	2.145,60	1	1,7	KG
SNR	7011HVTUJ74	1.532,57	1	1,202	KG
SNR	7011HVUJ74	510,86	1	430	G
SNR	7011HVUJ84	510,86	1	400	G
SNR	7011.HV.U.J94	561,94	1	400	G
NTN	7011UADG/GNP42U3G	510,86	1	0,38	KG
NTN	7011UCG/GNP42U3G	510,86	1	0,38	KG
SNR	7012.CV.DB.J74	1.179,59	1	869	G
SNR	7012.CV.DB.J84	1.179,59	1	872	G

SNR	7012.CV.DB.J94	1.235,77	1	884	G
SNR	7012CVDTJ02	1.741,30	1	850	G
SNR	7012.CV.DU.J74	1.123,42	1	890	G
SNR	7012.CV.DU.J84	1.123,42	1	878	G
SNR	7012.CV.DU.J94	1.235,77	1	868	G
SNR	7012.CV.Q16J74	1.769,38	1	1,326	KG
SNR	7012.CV.Q16J84	1.769,38	1	1,314	KG
SNR	7012CVQ21J74	2.359,19	1	1,738	KG
SNR	7012CVUJ74	561,71	1	434	G
SNR	7012CVUJ84	561,71	1	430	G
SNR	7012.HV.DB.J74	1.179,59	1	868	G
SNR	7012.HV.DB.J84	1.179,59	1	868	G
SNR	7012HVDBJ94	1.235,77	1	864	G
SNR	7012.HV.DF.J74	1.179,59	1	884	G
SNR	7012.HV.DU.J74	1.123,42	1	874	G
SNR	7012.HV.DU.J84	1.123,42	1	869	G
SNR	7012.HV.Q16J74	1.769,38	1	1,315	KG
SNR	7012.HV.Q16J84	1.769,38	1	1,301	KG
SNR	7012.HV.Q16J94	1.825,56	1	1,275	KG
SNR	7012HVUJ74	561,71	1	430	G
SNR	7012HVUJ84	561,71	1	430	G
NTN	7012UADG/GNP42U3G	561,71	1	0,41	KG
NTN	7012UCG/GNP42U3G	561,71	1	0,41	KG
SNR	7013.CV.DB.J74	1.261,92	1	918	G
SNR	7013.CV.DB.J84	1.261,92	1	920	G
SNR	7013.CV.DF.J74	1.261,92	1	936	G
SNR	7013.CV.DU.J74	1.201,84	1	923	G
SNR	7013.CV.DU.J84	1.201,84	1	924	G
SNR	7013.CV.Q16J74	1.892,89	1	1,382	KG
SNR	7013.CV.Q16J84	1.892,89	1	1,404	KG
SNR	7013.CV.Q21J74	2.523,85	1	1,76	KG
SNR	7013.CV.Q21J84	2.523,85	1	1,872	KG
SNR	7013CVUJ74	600,91	1	470	G
SNR	7013CVUJ84	600,91	1	456	G
SNR	7013.CV.U.J94	661,01	1	458	G
SNR	7013.HV.DB.J74	1.261,92	1	923	G
SNR	7013.HV.DB.J84	1.261,92	1	936	G
SNR	7013.HV.DF.J94	1.322,01	1	922	G
SNR	7013.HV.DU.J74	1.201,84	1	922	G
SNR	7013.HV.DU.J84	1.201,84	1	924	G
SNR	7013.HV.Q16J74	1.892,89	1	1,372	KG
SNR	7013.HV.Q16J84	1.892,89	1	1,381	KG
SNR	7013.HV.Q16J94	1.952,97	1	1,404	KG
SNR	7013.HV.Q21J74	2.523,85	1	1,872	KG
SNR	7013HVQ21J84	2.523,85	1	1,76	KG
SNR	7013.HV.Q21J94	2.583,94	1	1,844	KG
SNR	7013HVUJ74	600,91	1	456	G
SNR	7013HVUJ84	600,91	1	456	G
NTN	7013UADG/GNP42U3G	600,91	1	0,44	KG
NTN	7013UCG/GNP42U3G	600,91	1	0,423	KG

SNR	7014.CV.DB.J74	1.550,94	1	1,264	KG
SNR	7014.CV.DB.J84	1.550,94	1	1,266	KG
SNR	7014CVDBJ84M27	1.550,94	1	1,268	KG
SNR	7014.CV.DB.J94	1.624,80	1	1,264	KG
SNR	7014CVDUJ72	2.658,75	1	1,294	KG
SNR	7014.CV.DU.J74	1.477,09	1	1,3	KG
SNR	7014.CV.DU.J84	1.477,09	1	1,267	KG
SNR	7014.CV.DU.J94	1.624,80	1	1,268	KG
SNR	7014.CV.Q16J74	2.326,41	1	1,912	KG
SNR	7014.CV.Q16J84	2.326,41	1	1,88	KG
SNR	7014.CV.Q21J74	3.101,88	1	2,582	KG
SNR	7014.CV.Q21J84	3.101,88	1	2,536	KG
SNR	7014.CV.UJ74	738,54	1	647	G
SNR	7014CVUJ84	738,54	1	650	G
SNR	7014.HV.DB.J74	1.550,94	1	1,264	KG
SNR	7014.HV.DB.J84	1.550,94	1	1,268	KG
SNR	7014.HV.DB.J94	1.624,80	1	1,268	KG
SNR	7014.HV.DF.J84	1.550,94	1	1,268	KG
SNR	7014.HV.DU.J74	1.477,09	1	1,27	KG
SNR	7014.HV.DU.J84	1.477,09	1	1,257	KG
SNR	7014.HV.DU.J94	1.624,80	1	1,19	KG
SNR	7014.HV.Q16J74	2.326,41	1	1,899	KG
SNR	7014.HV.Q16J84	2.326,41	1	1,94	KG
SNR	7014.HV.Q16J94	2.400,26	1	1,896	KG
SNR	7014.HV.Q21J74	3.101,88	1	2,524	KG
SNR	7014.HV.Q21J84	3.101,88	1	2,4	KG
SNR	7014HVUJ74	738,54	1	660	G
SNR	7014HVUJ84	738,54	1	640	G
SNR	7014.HV.U.J94	812,40	1	632	G
NTN	7014UADDB/GNP42	1.550,94	1	1,264	KG
NTN	7014UADG/GNP42U3G	738,54	1	0,545	KG
NTN	7014UCDB/GNP4	1.550,94	1	1,225	KG
NTN	7014UCG/GNP42U3G	738,54	1	0,61	KG
SNR	7015.CV.DU.J84	1.679,04	1	1,344	KG
SNR	7015CVUJ74	839,52	1	680	G
SNR	7015CVUJ84	839,52	1	680	G
SNR	7015.HV.DU.J74	1.679,04	1	1,341	KG
SNR	7015.HV.DU.J84	1.679,04	1	1,381	KG
SNR	7015HVUJ74	839,52	1	680	G
SNR	7015HVUJ84	839,52	1	680	G
NTN	7015UADG/GNP42U3G	839,52	1	0,66	KG
NTN	7015UCG/GNP42U3G	839,52	1	0,619	KG
SNR	7016.CV.DU.J74	1.777,58	1	1,749	KG
SNR	7016.CV.Q16J84	2.799,70	1	2,622	KG
SNR	7016CVUJ74	888,80	1	840	G
SNR	7016CVUJ84	888,80	1	840	G
SNR	7016.HV.Q16J84	2.799,70	1	2,632	KG
SNR	7016HVUJ74	888,80	1	840	G
SNR	7016HVUJ84	888,80	1	840	G
NTN	7016UADG/GNP42U3G	888,80	1	0,86	KG

NTN	7016UCG/GNP42U3G	888,80	1	0,86	KG
SNR	7017.CV.DU.J74	1.827,65	1	1,911	KG
SNR	7017.CV.DU.J84	1.827,65	1	1,831	KG
SNR	7017CVUJ74	913,82	1	937	G
SNR	7017CVUJ84	913,82	1	937	G
SNR	7017.HV.DU.J74	1.827,65	1	1,846	KG
SNR	7017.HV.Q16J84	2.878,54	1	2,886	KG
SNR	7017HVUJ74	913,82	1	937	G
SNR	7017HVUJ84	913,82	1	937	G
NTN	7017UADG/GNP42U3G	913,82	1	0,9	KG
NTN	7017UCG/GNP42U3G	913,82	1	0,9	KG
SNR	7018.CV.DU.J74	2.165,48	1	2,459	KG
SNR	7018CVUJ74	1.082,73	1	1,191	KG
SNR	7018CVUJ84	1.082,73	1	1,191	KG
SNR	7018HVUJ74	1.082,73	1	1,191	KG
SNR	7018.HV.U.J84	1.082,73	1	1,231	KG
NTN	7018UADG/GNP42U3G	1.082,73	1	1,17	KG
NTN	7018UCG/GNP42U3G	1.082,73	1	1,17	KG
SNR	7019.CV.DU.J74	2.689,87	1	2,504	KG
SNR	7019CVUJ74	1.344,93	1	1,2	KG
SNR	7019CVUJ84	1.344,93	1	1,2	KG
SNR	7019.HV.DU.J74	2.689,87	1	2,495	KG
SNR	7019HVUJ74	1.344,93	1	1,2	KG
SNR	7019HVUJ84	1.344,93	1	1,2	KG
NTN	7019UADG/GNP42U3G	1.344,93	1	1,22	KG
NTN	7019UCG/GNP42U3G	1.344,93	1	1,22	KG
SNR	7020CVUJ74	1.345,20	1	1,25	KG
SNR	7020CVUJ84	1.345,20	1	1,25	KG
SNR	7020.HV.DU.J84	2.690,40	1	5	G
SNR	7020.HV.Q16J74	4.237,39	1	4,08	KG
SNR	7020.HV.Q16J84	4.237,39	1	4,079	KG
SNR	7020.HVQ21.J74	5.649,83	1	5,205	KG
SNR	7020.HV.U.J74	1.345,20	1	1,37	KG
SNR	7020HVUJ84	1.345,20	1	1,25	KG
NTN	7020UADG/GNP42U3G	1.345,20	1	1,27	KG
NTN	7020UCG/GNP42U3G	1.345,20	1	1,27	KG
SNR	7021.CV.DB.J84	3.714,87	1	5	KG
SNR	7021.CV.DU.J74	3.537,97	1	3,278	KG
SNR	7021CVUJ74	1.768,99	1	1,633	KG
SNR	7021CVUJ84	1.768,99	1	1,633	KG
SNR	7021HVUJ74	1.768,99	1	1,633	KG
SNR	7021HVUJ84	1.768,99	1	1,633	KG
NTN	7021UADG/GNP42U3G	1.768,99	1	1,58	KG
NTN	7021UCG/GNP42U3G	1.768,99	1	1,58	KG
SNR	7022.CV.DU.J74	3.548,99	1	4,066	KG
SNR	7022.CV.Q16J74	5.589,66	1	6,122	KG
SNR	7022CVUJ74	1.774,49	1	1,98	KG
SNR	7022CVUJ84	1.774,49	1	1,98	KG
SNR	7022.CV.U.J94	1.951,94	1	2,02	KG
SNR	7022.HV.Q21J94	7.630,33	1	8,146	KG

SNR	7022HVUJ74	1.774,49	1	1,98	KG
SNR	7022HVUJ84	1.774,49	1	1,98	KG
NTN	7022UADG/GNP42U3G	1.774,49	1	1,98	KG
NTN	7022UCDTBTT/G095P4	9.671,00	1	9,9	KG
NTN	7022UCG/GNP42U3G	1.774,49	1	1,98	KG
SNR	7024CVUJ74	1.873,69	1	2,2	KG
SNR	7024CVUJ84	1.873,69	1	2,2	KG
SNR	7024.CV.U.J94	2.061,06	1	2,2	KG
SNR	7024.HV.Q16J74	5.902,13	1	6,54	KG
SNR	7024HVUJ74	1.873,69	1	2,2	KG
SNR	7024HVUJ84	1.873,69	1	2,2	KG
NTN	7024UADG/GNP42U3G	1.873,69	1	2,11	KG
NTN	7024UCG/GNP42U3G	1.873,69	1	2,11	KG
NTN	7026UADG/GNP42U3G	2.204,34	1	3,25	KG
NTN	7026UCG/GNP42U3G	2.204,34	1	3,25	KG
SNR	7028.CV.DU.J74	7.494,77	1	7,045	KG
SNR	7028.HV.U.J74	3.747,38	1	3,44	KG
SNR	7028.HV.U.J84	3.747,38	1	3,49	KG
SNR	7030.HV.U.J74	3.951,29	1	4,232	KG
SNR	7034.CV.U.J74	5.510,86	1	7,088	KG
SNR	7034.CV.U.J84	5.510,86	1	7,09	KG
SNR	7034.HV.U.J74	5.510,86	1	7,179	KG
SNR	7036.HV.U.J74	7.329,43	1	9,024	KG
SNR	7036.HV.U.J84	7.329,43	1	9	KG
SNR	71900.CV.DBJ74	563,34	1	32	G
SNR	71900.CV.DFJ74	563,34	1	32	G
SNR	71900.CV.DUJ74	536,51	1	27	G
SNR	71900.CV.DUJ84	536,51	1	50	G
SNR	71900.CVQ16J74	845,02	1	47	G
SNR	71900.CV.U.J74	268,26	1	15	G
SNR	71900.CV.U.J84	268,26	1	19	G
SNR	71900HVD BJ94	590,17	1	36	G
SNR	71900.HV.DUJ74	536,51	1	28	G
SNR	71900.HV.DUJ84	536,51	1	40	G
SNR	71900HVQ16J74	845,02	1	47	G
SNR	71900.HVQ16J84	845,02	1	46	G
SNR	71900.HV.U.J84	268,26	1	16	G
SNR	71901.CV.DBJ84	581,88	1	56	G
SNR	71901.CV.DFJ84	581,88	1	56	G
SNR	71901.CV.DUJ74	554,17	1	40	G
SNR	71901.CV.DUJ84	554,17	1	52	G
SNR	71901.CV.U.J74	277,09	1	17	G
SNR	71901.CV.U.J84	277,09	1	28	G
SNR	71901.HV.DBJ74	581,88	1	40	G
SNR	71901.HV.DBJ94	609,58	1	56	G
SNR	71901.HV.DUJ74	554,17	1	290	G
SNR	71901.HV.DUJ84	554,17	1	40	G
SNR	71901HVDUJ94	609,58	1	35	G
SNR	71901.HVQ18J84	1.163,77	1	112	G
SNR	71901.HV.U.J74	277,09	1	28	G

SNR	71901.HV.U.J94	304,80	1	20	G
SNR	71902.CV.DBJ84	558,72	1	38	G
SNR	71902.CV.DUJ74	532,10	1	36	G
SNR	71902.CV.DUJ84	532,10	1	34	G
SNR	71902CVDUJ94	585,32	1	50	G
SNR	71902CVQ16J84	838,07	1	65	G
SNR	71902CVTUJ74	798,16	1	100	G
SNR	71902.CV.U.J74	266,06	1	22	G
SNR	71902.CV.U.J84	266,06	1	20	G
SNR	71902.HV.DBJ74	558,72	1	66	G
SNR	71902.HV.DBJ84	558,72	1	37	G
SNR	71902.HV.DBJ94	585,32	1	412	G
SNR	71902.HV.DUJ74	532,10	1	36	G
SNR	71902.HV.DUJ84	532,10	1	46	G
SNR	71902.HV.DUJ94	585,32	1	38	G
SNR	71902.HV.U.J74	266,06	1	20	G
SNR	71902.HV.U.J84	266,06	1	20	G
SNR	71902.HV.U.J94	292,66	1	20	G
SNR	71903.CV.DBJ84	597,00	1	40	G
SNR	71903.CV.DUJ74	568,56	1	40	G
SNR	71903.CV.DUJ84	568,56	1	40	G
SNR	71903.CVQ16J74	895,49	1	64	G
SNR	71903.CVQ16J84	895,49	1	63	G
SNR	71903.CVQ21J74	1.193,99	1	140	G
SNR	71903.CV.U.J74	284,28	1	21	G
SNR	71903.CV.U.J84	284,28	1	25	G
SNR	71903.CV.U.J94	312,71	1	21	G
SNR	71903.HV.DBJ74	597,00	1	48	G
SNR	71903.HV.DBJ84	597,00	1	40	G
SNR	71903.HV.DUJ74	568,56	1	40	G
SNR	71903.HV.DUJ84	568,56	1	40	G
SNR	71903.HVQ16J84	895,49	1	66	G
SNR	71903.HVQ18J84	1.193,99	1	140	G
SNR	71903HVQ21J94	1.222,41	1	86	G
SNR	71903.HV.U.J74	284,28	1	24	G
SNR	71903.HV.U.J84	284,28	1	21	G
SNR	71904.CV.DBJ74	625,65	1	40	G
SNR	71904.CV.DBJ84	625,65	1	79	G
SNR	71904.CV.DUJ74	595,85	1	80	G
SNR	71904.CV.DUJ84	595,85	1	78	G
SNR	71904.CVQ16J74	938,48	1	122	G
SNR	71904.CVQ16J84	938,48	1	126	G
SNR	71904.CV.U.J74	297,92	1	41	G
SNR	71904.CV.U.J84	297,92	1	43	G
SNR	71904.HV.DBJ74	625,65	1	80	G
SNR	71904.HV.DBJ84	625,65	1	80	G
SNR	71904.HV.DBJ94	655,44	1	83	G
SNR	71904.HV.DFJ84	625,65	1	80	G
SNR	71904.HV.DUJ74	595,85	1	79	G
SNR	71904.HV.DUJ84	595,85	1	78	G

SNR	71904.HV.DUJ94	655,44	1	84	G
SNR	71904.HVQ16J74	938,48	1	124	G
SNR	71904.HVQ16J84	938,48	1	124	G
SNR	71904HVQ16J94	968,27	1	122	G
SNR	71904.HVQ21J84	1.251,30	1	160	G
SNR	71904.HV.U.J74	297,92	1	40	G
SNR	71904.HV.U.J84	297,92	1	40	G
SNR	71905.CV.DBJ74	646,80	1	90	G
SNR	71905.CV.DBJ84	646,80	1	90	G
SNR	71905.CV.DFJ74	646,80	1	90	G
SNR	71905.CV.DFJ84	646,80	1	90	G
SNR	71905CVDFJ94	677,61	1	90	G
SNR	71905.CV.DUJ74	616,01	1	90	G
SNR	71905.CV.DUJ84	616,01	1	89	G
SNR	71905CVDUJ94	677,61	1	90	G
SNR	71905.CVQ16J74	970,20	1	135	G
SNR	71905.CVQ16J84	970,20	1	142	G
SNR	71905.CVQ16J94	1.001,01	1	135	G
SNR	71905.CVQ21J84	1.293,60	1	180	G
SNR	71905.CV.U.J74	308,00	1	49	G
SNR	71905.CV.U.J84	308,00	1	50	G
SNR	71905.HV.DBJ74	646,80	1	96	G
SNR	71905.HV.DBJ84	646,80	1	80	G
SNR	71905.HV.DBJ94	677,61	1	90	G
SNR	71905.HV.DUJ74	616,01	1	89	G
SNR	71905.HV.DUJ84	616,01	1	90	G
SNR	71905.HVQ16J74	970,20	1	140	G
SNR	71905.HVQ16J84	970,20	1	142	G
SNR	71905.HVQ16J94	1.001,01	1	135	G
SNR	71905.HVQ18J74	1.293,60	1	180	G
SNR	71905.HVQ18J84	1.293,60	1	180	G
SNR	71905.HVQ21J84	1.293,60	1	180	G
SNR	71905HVTUJ74	924,00	1	139	G
SNR	71905HVTUJ84	924,00	1	140	G
SNR	71905.HV.U.J74	308,00	1	48	G
SNR	71905.HV.U.J84	308,00	1	48	G
SNR	71905.HV.U.J94	338,81	1	43	G
SNR	71906.CV.DBJ74	658,79	1	106	G
SNR	71906.CV.DBJ84	658,79	1	106	G
SNR	71906.CV.DUJ74	627,42	1	104	G
SNR	71906.CV.DUJ84	627,42	1	106	G
SNR	71906.CV.DUJ94	690,17	1	106	G
SNR	71906.CVQ16J74	988,19	1	162	G
SNR	71906.CVQ16J84	988,19	1	159	G
SNR	71906.CVQ18J74	1.317,60	1	212	G
SNR	71906.CVQ21J74	1.317,60	1	212	G
SNR	71906.CVQ21J84	1.317,60	1	212	G
SNR	71906.CVQ21J94	1.348,96	1	212	G
SNR	71906.CV.U.J74	313,71	1	53	G
SNR	71906.CV.U.J84	313,71	1	54	G

SNR	71906.CV.U.J94	345,08	1	53	G
SNR	71906.HV.DBJ74	658,79	1	106	G
SNR	71906.HV.DBJ84	658,79	1	106	G
SNR	71906.HV.DBJ94	690,17	1	106	G
SNR	71906.HV.DUJ74	627,42	1	105	G
SNR	71906.HV.DUJ84	627,42	1	110	G
SNR	71906.HV.DUJ94	690,17	1	106	G
SNR	71906.HVQ16J74	988,19	1	162	G
SNR	71906.HVQ16J84	988,19	1	162	G
SNR	71906.HVQ16J94	1.019,56	1	159	G
SNR	71906.HVQ18J84	1.317,60	1	212	G
SNR	71906.HVQ21J74	1.317,60	1	212	G
SNR	71906.HV.U.J74	313,71	1	53	G
SNR	71906.HV.U.J84	313,71	1	53	G
SNR	71906.HV.U.J94	345,08	1	53	G
SNR	71907.CV.DBJ74	685,12	1	158	G
SNR	71907.CV.DBJ84	685,12	1	162	G
SNR	71907.CV.DFJ84	685,12	1	168	G
SNR	71907.CV.DUJ74	652,50	1	180	G
SNR	71907.CV.DUJ84	652,50	1	168	G
SNR	71907.CV.DUJ94	717,75	1	168	G
SNR	71907CVQ16J84	1.027,70	1	238	G
SNR	71907.CVQ21J74	1.370,27	1	318	G
SNR	71907.CVQ21J84	1.370,27	1	324	G
SNR	71907CVQUJ74	1.305,01	1	324	G
SNR	71907.CV.U.J74	326,26	1	83	G
SNR	71907.CV.U.J84	326,26	1	80	G
SNR	71907.HV.DBJ74	685,12	1	160	G
SNR	71907.HV.DBJ84	685,12	1	162	G
SNR	71907.HV.DBJ94	717,75	1	162	G
SNR	71907.HV.DFJ84	685,12	1	168	G
SNR	71907.HV.DUJ74	652,50	1	160	G
SNR	71907.HV.DUJ84	652,50	1	159	G
SNR	71907.HV.DUJ94	717,75	1	160	G
SNR	71907.HVQ16J74	1.027,70	1	240	G
SNR	71907.HVQ16J84	1.027,70	1	245	G
SNR	71907HVQ16J94	1.060,32	1	243	G
SNR	71907.HVQ18J84	1.370,27	1	321	G
SNR	71907.HVQ21J84	1.370,27	1	322	G
SNR	71907.HV.U.J74	326,26	1	79	G
SNR	71907.HV.U.J84	326,26	1	79	G
SNR	71908.CV.DBJ74	773,65	1	230	G
SNR	71908.CV.DBJ84	773,65	1	232	G
SNR	71908.CV.DFJ84	773,65	1	230	G
SNR	71908.CV.DUJ74	736,80	1	230	G
SNR	71908.CV.DUJ84	736,80	1	125	G
SNR	71908.CVQ16J74	1.160,47	1	350	G
SNR	71908.CVQ16J84	1.160,47	1	350	G
SNR	71908.CVQ16J94	1.197,30	1	352	G
SNR	71908.CVQ21J74	1.547,28	1	464	G

SNR	71908.CVQ21J94	1.584,13	1	462	G
SNR	71908.CV.U.J74	368,40	1	115	G
SNR	71908.CV.U.J84	368,40	1	115	G
SNR	71908.HV.DBJ74	773,65	1	230	G
SNR	71908.HV.DBJ84	773,65	1	240	G
SNR	71908.HV.DBJ94	810,48	1	232	G
SNR	71908.HV.DFJ74	773,65	1	230	G
SNR	71908.HV.DFJ84	773,65	1	168	G
SNR	71908.HV.DUJ74	736,80	1	228	G
SNR	71908.HV.DUJ84	736,80	1	244	G
SNR	71908.HV.DUJ94	810,48	1	245	G
SNR	71908.HVQ16J74	1.160,47	1	352	G
SNR	71908.HVQ16J84	1.160,47	1	350	G
SNR	71908HVQ16J94	1.197,30	1	348	G
SNR	71908.HVQ21J74	1.547,28	1	480	G
SNR	71908.HVQ21J84	1.547,28	1	494	G
SNR	71908.HV.U.J74	368,40	1	120	G
SNR	71908.HV.U.J84	368,40	1	230	G
SNR	71908.HV.U.J94	405,25	1	120	G
SNR	71909.CV.DBJ74	829,16	1	272	G
SNR	71909.CV.DBJ84	829,16	1	272	G
SNR	71909CVDFJ74	829,16	1	280	G
SNR	71909.CV.DUJ74	789,68	1	281	G
SNR	71909.CV.DUJ84	789,68	1	280	G
SNR	71909CVQ21J84	1.658,34	1	564	G
SNR	71909.CV.UJ74	394,84	1	139	G
SNR	71909.CV.UJ84	394,84	1	169	G
SNR	71909.HV.DBJ74	829,16	1	282	G
SNR	71909.HV.DBJ94	868,66	1	280	G
SNR	71909.HV.DUJ74	789,68	1	272	G
SNR	71909.HV.DUJ84	789,68	1	280	G
SNR	71909HVQ16J74	1.243,76	1	420	G
SNR	71909.HVQ16J84	1.243,76	1	423	G
SNR	71909.HVQ21J74	1.658,34	1	560	G
SNR	71909.HVQ21J84	1.658,34	1	566	G
SNR	71909.HV.UJ74	394,84	1	139	G
SNR	71909.HV.UJ84	394,84	1	198	G
SNR	71910.CV.DBJ74	859,13	1	274	G
SNR	71910.CV.DBJ84	859,13	1	274	G
SNR	71910.CV.DFJ74	859,13	1	284	G
SNR	71910.CV.DUJ74	818,20	1	275	G
SNR	71910.CV.DUJ84	818,20	1	272	G
SNR	71910.CVQ16J74	1.288,68	1	420	G
SNR	71910.CVQ16J84	1.288,68	1	424	G
SNR	71910.CV.UJ74	409,11	1	150	G
SNR	71910.CV.UJ84	409,11	1	144	G
SNR	71910.HV.DBJ74	859,13	1	273	G
SNR	71910.HV.DBJ84	859,13	1	286	G
SNR	71910.HV.DBJ94	900,03	1	286	G
SNR	71910.HV.DFJ84	859,13	1	340	G

SNR	71910.HV.DUJ74	818,20	1	287	G
SNR	71910.HV.DUJ84	818,20	1	270	G
SNR	71910.HV.DUJ94	900,03	1	286	G
SNR	71910.HVQ16J74	1.288,68	1	422	G
SNR	71910.HVQ16J84	1.288,68	1	424	G
SNR	71910.HVQ16J94	1.329,59	1	429	G
SNR	71910HVQ18J84	1.718,24	1	572	G
SNR	71910.HVQ21J94	1.759,14	1	548	G
SNR	71910.HV.UJ74	409,11	1	140	G
SNR	71910.HV.UJ84	409,11	1	140	G
SNR	71911.CV.DBJ84	1.018,26	1	378	G
SNR	71911.CV.DUJ74	969,79	1	372	G
SNR	71911.CV.DUJ84	969,79	1	430	G
SNR	71911.CV.DUJ94	1.066,76	1	430	G
SNR	71911.CVQ16J74	1.527,40	1	588	G
SNR	71911.CVQ16J84	1.527,40	1	600	G
SNR	71911.CV.U.J74	484,89	1	200	G
SNR	71911.CV.U.J84	484,89	1	196	G
SNR	71911.CV.U.J94	533,38	1	200	G
SNR	71911.HV.DBJ74	1.018,26	1	430	G
SNR	71911.HV.DBJ84	1.018,26	1	400	G
SNR	71911.HV.DBJ94	1.066,76	1	400	G
SNR	71911.HV.DFJ74	1.018,26	1	400	G
SNR	71911.HV.DUJ74	969,79	1	386	G
SNR	71911.HV.DUJ84	969,79	1	382	G
SNR	71911.HVQ16J84	1.527,40	1	587	G
SNR	71911.HVQ18J84	2.036,53	1	860	G
SNR	71911.HVQ21J74	2.036,53	1	860	G
SNR	71911HVTUJ74	1.454,66	1	600	G
SNR	71911.HV.U.J74	484,89	1	196	G
SNR	71911.HV.U.J84	484,89	1	200	G
SNR	71912.CV.DBJ74	1.106,99	1	424	G
SNR	71912.CV.DBJ84	1.106,99	1	440	G
SNR	71912.CV.DUJ74	1.054,27	1	427	G
SNR	71912.CV.DUJ84	1.054,27	1	422	G
SNR	71912 CVQ21J74	2.213,96	1	880	G
SNR	71912.CV.U.J74	527,14	1	214	G
SNR	71912.CV.U.J84	527,14	1	212	G
SNR	71912.HV.DBJ74	1.106,99	1	430	G
SNR	71912.HV.DBJ84	1.106,99	1	440	G
SNR	71912.HV.DBJ94	1.159,70	1	430	G
SNR	71912.HV.DUJ74	1.054,27	1	425	G
SNR	71912.HV.DUJ84	1.054,27	1	440	G
SNR	71912.HVQ16J74	1.660,48	1	660	G
SNR	71912.HVQ16J84	1.660,48	1	634	G
SNR	71912.HV.U.J74	527,14	1	210	G
SNR	71912.HV.U.J84	527,14	1	211	G
SNR	71913.CV.DBJ74	1.205,31	1	464	G
SNR	71913.CV.DBJ84	1.205,31	1	455	G
SNR	71913.CV.DUJ74	1.147,91	1	455	G

SNR	71913.CV.DUJ84	1.147,91	1	456	G
SNR	71913.CVQ21J74	2.410,62	1	948	G
SNR	71913CVUJ74	573,95	1	223	G
SNR	71913CVUJ84	573,95	1	220	G
SNR	71913.HV.DBJ74	1.205,31	1	470	G
SNR	71913.HV.DBJ84	1.205,31	1	444	G
SNR	71913.HV.DBJ94	1.262,71	1	470	G
SNR	71913.HV.DUJ74	1.147,91	1	456	G
SNR	71913.HV.DUJ84	1.147,91	1	440	G
SNR	71913.HVQ16J74	1.807,95	1	656	G
SNR	71913HVQ16J84	1.807,95	1	718	G
SNR	71913.HVQ21J84	2.410,62	1	908	G
SNR	71913HVQUJ74	2.295,83	1	913	G
SNR	71913HVUJ74	573,95	1	272	G
SNR	71913HVUJ84	573,95	1	218	G
SNR	71914.CV.DBJ74	1.431,85	1	720	G
SNR	71914.CV.DBJ84	1.431,85	1	10	G
SNR	71914.CV.DBJ94	1.500,04	1	730	G
SNR	71914.CV.DUJ74	1.363,67	1	722	G
SNR	71914.CV.DUJ84	1.363,67	1	700	G
SNR	71914.CVQ16J84	2.147,78	1	1,072	KG
SNR	71914.CVQ16J94	2.215,97	1	1,08	KG
SNR	71914CVQ21J74	2.863,72	1	1,436	KG
SNR	71914CVUJ74	681,84	1	444	G
SNR	71914CVUJ84	681,84	1	370	G
SNR	71914.HV.DBJ74	1.431,85	1	722	G
SNR	71914.HV.DBJ84	1.431,85	1	714	G
SNR	71914.HV.DBJ94	1.500,04	1	718	G
SNR	71914.HV.DUJ74	1.363,67	1	718	G
SNR	71914.HV.DUJ84	1.363,67	1	716	G
SNR	71914HVDUJ94	1.500,04	1	720	G
SNR	71914HVQ16J74	2.147,78	1	1,086	KG
SNR	71914.HVQ16J84	2.147,78	1	1,08	KG
SNR	71914.HVQ21J74	2.863,72	1	1,424	KG
SNR	71914.HVQ21J84	2.863,72	1	1,46	KG
SNR	71914.HVQ21J94	2.931,89	1	1,46	KG
SNR	71914HVTUJ74	2.045,52	1	1,095	KG
SNR	71914HVUJ74	681,84	1	358	G
SNR	71914HVUJ84	681,84	1	360	G
SNR	71914.HV.U.J94	750,02	1	360	G
SNR	71917.HV.U.J84	1.060,29	1	576	G
SNR	71918HVUJ84	1.065,80	1	60	G
SNR	71920.CV.U.J74	1.271,91	1	930	G
SNR	71928.CV.U.J74	2.742,20	1	1,724	KG
SNR	71928.HV.U.J74	2.742,20	1	1,752	KG
SNR	71928.HV.U.J94	3.016,42	1	1,9	KG
SNR	71930.CV.U.J74	3.306,51	1	2,666	KG
SNR	71932.HV.U.J74	3.802,49	1	2,803	KG
SNR	71934HVQ16J74	12.501,40	1	9,232	KG
SNR	71934.HV.U.J74	3.968,70	1	3,06	KG

SNR	71940.CV.U.J74	7.904,02	1	6,27	KG
SNR	71944.CV.U.J74	8.868,69	1	6,93	KG
SNR	71944.HV.U.J74	8.868,69	1	6,988	KG
SNR	71948.HV.U.J74	9.672,13	1	7,382	KG
SNR	7200.C.G1DBJ74	792,40	1	66	G
SNR	7200.C.G1DBJ84	792,40	1	70	G
SNR	7200.C.G1DUJ74	754,66	1	66	G
SNR	7200.C.G1DUJ84	754,66	1	70	G
SNR	7200.C.G1.UJ74	377,33	1	37	G
SNR	7200CG1UJ74M21	377,33	1	35	G
SNR	7200.C.G1.UJ84	377,33	1	36	G
SNR	7200HG1DBJ74	792,40	1	60	G
SNR	7200HG1DBJ84	792,40	1	60	G
SNR	7200.H.G1DUJ74	754,66	1	66	G
SNR	7200.H.G1DUJ84	754,66	1	65	G
SNR	7200.H.G1.UJ74	377,33	1	34	G
SNR	7200.H.G1.UJ84	377,33	1	36	G
SNR	7201.C.G1DBJ74	830,13	1	78	G
SNR	7201.C.G1DBJ84	830,13	1	78	G
SNR	7201.C.G1DUJ74	790,58	1	79	G
SNR	7201.C.G1DUJ84	790,58	1	78	G
SNR	7201.CG1.DUJ94	869,64	1	80	G
SNR	7201.CG1Q16J74	1.245,18	1	117	G
SNR	7201.CG1Q16J84	1.245,18	1	117	G
SNR	7201.CG1Q21J74	1.660,23	1	156	G
SNR	7201.C.G1.UJ74	395,30	1	40	G
SNR	7201.C.G1.UJ84	395,30	1	42	G
SNR	7201.H.G1DBJ74	830,13	1	78	G
SNR	7201.H.G1DBJ94	869,64	1	80	G
SNR	7201.H.G1DFJ84	830,13	1	78	G
SNR	7201.H.G1DUJ74	790,58	1	79	G
SNR	7201.H.G1DUJ84	790,58	1	78	G
SNR	7201.H.G1.UJ74	395,30	1	40	G
SNR	7201.H.G1.UJ84	395,30	1	42	G
NTN	7201T2DF/GMP5	632,46	1	0,072	KG
SNR	7202.C.G1DBJ74	790,54	1	102	G
SNR	7202.C.G1DUJ74	752,89	1	96	G
SNR	7202.C.G1DUJ84	752,89	1	102	G
SNR	7202.C.G1.UJ74	376,44	1	48	G
SNR	7202.C.G1.UJ84	376,44	1	50	G
SNR	7202.C.G1.UJ94	414,10	1	47	G
SNR	7202.H.G1DBJ74	790,54	1	95	G
SNR	7202.H.G1DBJ94	828,19	1	94	G
SNR	7202.H.G1DFJ84	790,54	1	88	G
SNR	7202.H.G1DFJ94	828,19	1	93	G
SNR	7202.H.G1DUJ74	752,89	1	95	G
SNR	7202.H.G1DUJ84	752,89	1	96	G
SNR	7202HG1DUJ94	828,19	1	100	G
SNR	7202.HG1Q18J94	1.618,73	1	372	G
SNR	7202.H.G1.UJ74	376,44	1	51	G

SNR	7202.H.G1.UJ84	376,44	1	50	G
SNR	7203.C.G1DBJ74	802,53	1	144	G
SNR	7203.C.G1DFJ74	802,53	1	137	G
SNR	7203.C.G1DUJ74	764,32	1	136	G
SNR	7203.C.G1DUJ84	764,32	1	140	G
SNR	7203.C.G1DUJ94	840,75	1	137	G
SNR	7203.C.G1.UJ74	382,15	1	68	G
SNR	7203.C.G1.UJ84	382,15	1	70	G
SNR	7203.CG1.U.J94	420,37	1	68	G
SNR	7203.H.G1DBJ74	802,53	1	135	G
SNR	7203.H.G1DBJ84	802,53	1	140	G
SNR	7203HG1DBJ94	840,75	1	140	G
SNR	7203.H.G1DFJ84	802,53	1	135	G
SNR	7203.H.G1DUJ74	764,32	1	135	G
SNR	7203.H.G1DUJ84	764,32	1	136	G
SNR	7203.H.G1DUJ94	840,75	1	137	G
SNR	7203.HG1Q16J84	1.203,79	1	196	G
SNR	7203.H.G1.UJ74	382,15	1	68	G
SNR	7203.H.G1.UJ84	382,15	1	69	G
SNR	7204.C.G1DBJ74	814,49	1	218	G
SNR	7204.C.G1DBJ84	814,49	1	218	G
SNR	7204.C.G1DFJ74	814,49	1	216	G
SNR	7204.C.G1DUJ74	775,71	1	217	G
SNR	7204.C.G1DUJ84	775,71	1	216	G
SNR	7204.C.G1DUJ94	853,28	1	220	G
SNR	7204.CG1Q16J74	1.221,75	1	328	G
SNR	7204.CG1Q21J84	1.628,99	1	440	G
SNR	7204.C.G1.UJ74	387,86	1	108	G
SNR	7204.C.G1.UJ84	387,86	1	205	G
SNR	7204.H.G1DBJ74	814,49	1	218	G
SNR	7204.H.G1DBJ84	814,49	1	218	G
SNR	7204.H.G1DBJ94	853,28	1	216	G
SNR	7204.H.G1DFJ74	814,49	1	220	G
SNR	7204.H.G1DUJ74	775,71	1	220	G
SNR	7204.H.G1DUJ84	775,71	1	221	G
SNR	7204.H.G1DUJ94	853,28	1	218	G
SNR	7204.HG1Q16J84	1.221,75	1	330	G
SNR	7204.H.G1.UJ74	387,86	1	110	G
SNR	7204.H.G1.UJ84	387,86	1	109	G
NTN	7204T2G/GMP42/L606QTM	426,64	1	0,108	KG
SNR	7205.C.G1DBJ74	828,86	1	266	G
SNR	7205.C.G1DBJ84	828,86	1	266	G
SNR	7205.CG1.DFJ74	828,86	1	256	G
SNR	7205.C.G1DUJ74	789,40	1	265	G
SNR	7205.C.G1DUJ84	789,40	1	264	G
SNR	7205.CG1.DUJ94	868,33	1	262	G
SNR	7205CG1.Q16J74	1.243,30	1	390	G
SNR	7205CG1.Q16J84	1.243,30	1	394	G
SNR	7205.CG1Q16J94	1.282,77	1	390	G
SNR	7205CG1Q18J84	1.657,72	1	525	G

SNR	7205.CG1Q21J74	1.657,72	1	524	G
SNR	7205.C.G1.UJ74	394,69	1	131	G
SNR	7205.C.G1.UJ84	394,69	1	131	G
SNR	7205.C.G1.UJ94	434,17	1	130	G
SNR	7205.HG1.DBJ74	828,86	1	266	G
SNR	7205.H.G1DBJ84	828,86	1	266	G
SNR	7205.H.G1DBJ94	868,33	1	264	G
SNR	7205.H.G1DFJ74	828,86	1	262	G
SNR	7205.HG1.DFJ84	828,86	1	266	G
SNR	7205.H.G1DUJ74	789,40	1	265	G
SNR	7205.H.G1DUJ84	789,40	1	264	G
SNR	7205HG1DUJ94	868,33	1	263	G
SNR	7205.HG1Q18J84	1.657,72	1	520	G
SNR	7205.HG1Q18J94	1.697,20	1	524	G
SNR	7205.HG1Q21J74	1.657,72	1	524	G
SNR	7205.H.G1.UJ74	394,69	1	132	G
SNR	7205.H.G1.UJ84	394,69	1	131	G
SNR	7206.C.G1DBJ74	833,67	1	410	G
SNR	7206.C.G1DBJ84	833,67	1	409	G
SNR	7206.C.G1DBJ94	873,36	1	408	G
SNR	7206.C.G1DFJ74	833,67	1	404	G
SNR	7206CG1DFJ84	833,67	1	424	G
SNR	7206.C.G1DUJ74	793,96	1	410	G
SNR	7206.C.G1DUJ84	793,96	1	409	G
SNR	7206.C.G1DUJ94	873,36	1	428	G
SNR	7206.CG1Q16J74	1.250,49	1	630	G
SNR	7206.CG1Q21J74	1.667,32	1	828	G
SNR	7206.CG1Q21J84	1.667,32	1	828	G
SNR	7206.CG1Q21J94	1.707,01	1	808	G
SNR	7206.C.G1.UJ74	396,98	1	209	G
SNR	7206.C.G1.UJ84	396,98	1	209	G
SNR	7206.H.G1DBJ74	833,67	1	410	G
SNR	7206.H.G1DBJ84	833,67	1	411	G
SNR	7206.H.G1DBJ94	873,36	1	404	G
SNR	7206.H.G1DFJ74	833,67	1	404	G
SNR	7206.H.G1DFJ84	833,67	1	416	G
SNR	7206.H.G1DUJ74	793,96	1	410	G
SNR	7206.H.G1DUJ84	793,96	1	406	G
SNR	7206.H.G1DUJ94	873,36	1	410	G
SNR	7206.HG1Q16J74	1.250,49	1	612	G
SNR	7206.HG1Q16J84	1.250,49	1	606	G
SNR	7206.HG1Q16J94	1.290,19	1	606	G
SNR	7206.HG1Q18J84	1.667,32	1	840	G
SNR	7206.HG1Q18J94	1.707,01	1	818	G
SNR	7206.HG1Q21J84	1.667,32	1	808	G
SNR	7206.HG1Q21J94	1.707,01	1	808	G
SNR	7206HG1TUIJ84	1.190,94	1	606	G
SNR	7206.H.G1.UJ74	396,98	1	203	G
SNR	7206.H.G1.UJ84	396,98	1	200	G
SNR	7206HG1UIJ94	436,68	1	210	G

SNR	7207.C.G1DBJ74	838,46	1	593	G
SNR	7207.C.G1DBJ84	838,46	1	592	G
SNR	7207CG1DBJ94	878,37	1	590	G
SNR	7207.C.G1DFJ74	838,46	1	590	G
SNR	7207.C.G1DFJ84	838,46	1	590	G
SNR	7207.C.G1DUJ74	798,53	1	591	G
SNR	7207.C.G1DUJ84	798,53	1	588	G
SNR	7207CG1DUJ94	878,37	1	520	G
SNR	7207.CG1Q16J74	1.257,67	1	298	G
SNR	7207.CG1Q16J84	1.257,67	1	892	G
SNR	7207.C.G1.UJ74	399,26	1	296	G
SNR	7207.C.G1.UJ84	399,26	1	302	G
SNR	7207.H.G1DBJ74	838,46	1	590	G
SNR	7207.H.G1DBJ84	838,46	1	590	G
SNR	7207.HG1.DBJ94	878,37	1	600	G
SNR	7207.H.G1DFJ74	838,46	1	588	G
SNR	7207.H.G1DUJ74	798,53	1	590	G
SNR	7207.H.G1DUJ84	798,53	1	596	G
SNR	7207.H.G1DUJ94	878,37	1	600	G
SNR	7207.HG1Q16J74	1.257,67	1	900	G
SNR	7207.HG1Q16J84	1.257,67	1	892	G
SNR	7207.HG1Q16J94	1.297,59	1	885	G
SNR	7207.HG1Q21J94	1.716,83	1	1,18	KG
SNR	7207.H.G1.UJ74	399,26	1	300	G
SNR	7207.H.G1.UJ84	399,26	1	294	G
SNR	7208.C.G1DBJ74	1.000,07	1	743	G
SNR	7208.C.G1DBJ84	1.000,07	1	742	G
SNR	7208.C.G1DFJ74	1.000,07	1	752	G
SNR	7208.C.G1DUJ74	952,46	1	743	G
SNR	7208.C.G1DUJ84	952,46	1	742	G
SNR	7208.CG1.DUJ94	1.047,70	1	740	G
SNR	7208.CG1Q16J74	1.500,10	1	1,112	KG
SNR	7208.CG1Q16J84	1.500,10	1	1,13	KG
SNR	7208.CG1Q16J94	1.547,74	1	1,11	KG
SNR	7208.CG1Q21J74	2.000,16	1	1,484	KG
SNR	7208.C.G1.UJ74	476,23	1	374	G
SNR	7208.C.G1.UJ84	476,23	1	370	G
SNR	7208.CG1.U.J94	523,85	1	376	G
SNR	7208.H.G1DBJ74	1.000,07	1	744	G
SNR	7208.H.G1DBJ84	1.000,07	1	752	G
SNR	7208.H.G1DBJ94	1.047,70	1	752	G
SNR	7208.H.G1DUJ74	952,46	1	744	G
SNR	7208.H.G1DUJ84	952,46	1	743	G
SNR	7208.H.G1DUJ94	1.047,70	1	752	G
SNR	7208.HG1Q16J74	1.500,10	1	1,13	KG
SNR	7208.HG1Q16J94	1.547,74	1	1,11	KG
SNR	7208.HG1Q18J94	2.047,77	1	1,504	KG
SNR	7208HG1TUJ84	1.428,68	1	1,128	KG
SNR	7208.H.G1.UJ74	476,23	1	377	G
SNR	7208.H.G1.UJ84	476,23	1	380	G

SNR	7208.H.G1.UJ94	523,85	1	372	G
SNR	7209.C.G1DBJ74	1.098,47	1	856	G
SNR	7209.C.G1DBJ84	1.098,47	1	855	G
SNR	7209.C.G1DBJ94	1.150,77	1	856	G
SNR	7209.C.G1DUJ74	1.046,16	1	852	G
SNR	7209.C.G1DUJ84	1.046,16	1	851	G
SNR	7209.CG1Q16J74	1.647,71	1	1,272	KG
SNR	7209.CG1Q16J84	1.647,71	1	1,282	KG
SNR	7209.C.G1UJ74	523,08	1	425	G
SNR	7209.C.G1UJ84	523,08	1	420	G
SNR	7209.H.G1DBJ74	1.098,47	1	625	G
SNR	7209.H.G1DBJ84	1.098,47	1	840	G
SNR	7209.H.G1DBJ94	1.150,77	1	1,35	KG
SNR	7209.H.G1DFJ84	1.098,47	1	856	G
SNR	7209.H.G1DFJ94	1.150,77	1	856	G
SNR	7209.H.G1DUJ74	1.046,16	1	841	G
SNR	7209.H.G1DUJ84	1.046,16	1	850	G
SNR	7209.H.G1DUJ94	1.150,77	1	844	G
SNR	7209.HG1Q16J74	1.647,71	1	1,278	KG
SNR	7209.HG1Q16J84	1.647,71	1	1,282	KG
SNR	7209.HG1Q16J94	1.700,01	1	1,776	KG
SNR	7209.H.G1UJ74	523,08	1	422	G
SNR	7209.H.G1UJ84	523,08	1	427	G
SNR	7210.C.G1DBJ74	1.179,59	1	957	G
SNR	7210.C.G1DBJ84	1.179,59	1	947	G
SNR	7210.C.G1DBJ94	1.235,77	1	940	G
SNR	7210.C.G1DFJ84	1.179,59	1	940	G
SNR	7210.C.G1DUJ74	1.123,42	1	954	G
SNR	7210.C.G1DUJ84	1.123,42	1	960	G
SNR	7210.C.G1DUJ94	1.235,77	1	958	G
SNR	7210.CG1Q16J74	1.769,38	1	1,413	KG
SNR	7210.CG1Q16J84	1.769,38	1	1,438	KG
SNR	7210.CG1Q21J74	2.359,19	1	1,892	KG
SNR	7210.C.G1UJ74	561,71	1	477	G
SNR	7210.C.G1UJ84	561,71	1	536	G
SNR	7210.H.G1DBJ74	1.179,59	1	962	G
SNR	7210.H.G1DBJ84	1.179,59	1	960	G
SNR	7210.H.G1DFJ84	1.179,59	1	962	G
SNR	7210.H.G1DUJ74	1.123,42	1	960	G
SNR	7210.H.G1DUJ84	1.123,42	1	950	G
SNR	7210.H.G1DUJ94	1.235,77	1	950	G
SNR	7210.HG1Q16J74	1.769,38	1	1,434	KG
SNR	7210.HG1Q16J84	1.769,38	1	1,44	KG
SNR	7210.HG1Q18J74	2.359,19	1	1,918	KG
SNR	7210.HG1Q18J84	2.359,19	1	1,908	KG
SNR	7210.H.G1UJ74	561,71	1	480	G
SNR	7210.H.G1UJ84	561,71	1	478	G
SNR	7210.H.G1.UJ94	617,88	1	479	G
SNR	7211.C.G1DBJ74	1.307,84	1	1,28	KG
SNR	7211.C.G1DBJ84	1.307,84	1	1,282	KG

SNR	7211.C.G1DBJ94	1.370,12	1	1,288	KG
SNR	7211.C.G1DUJ74	1.245,56	1	1,288	KG
SNR	7211.C.G1DUJ84	1.245,56	1	1,283	KG
SNR	7211.C.G1DUJ94	1.370,12	1	1,246	KG
SNR	7211.CG1Q16J74	1.961,77	1	1,866	KG
SNR	7211.CG1Q16J84	1.961,77	1	1,932	KG
SNR	7211CG1UJ74	622,78	1	630	G
SNR	7211CG1UJ84	622,78	1	640	G
SNR	7211.H.G1DBJ74	1.307,84	1	1,282	KG
SNR	7211.H.G1DBJ84	1.307,84	1	1,242	KG
SNR	7211HG1DFJX4D	1.370,12	1	1,292	KG
SNR	7211.H.G1DUJ74	1.245,56	1	1,24	KG
SNR	7211.H.G1DUJ84	1.245,56	1	1,283	KG
SNR	7211HG1DUJ94	1.370,12	1	1,26	KG
SNR	7211.HG1Q16J74	1.961,77	1	1,932	KG
SNR	7211.HG1Q16J84	1.961,77	1	1,932	KG
SNR	7211HG1Q16J94	2.024,04	1	1,914	KG
SNR	7211.HG1Q21J74	2.615,69	1	2,576	KG
SNR	7211.HG1Q21J84	2.615,69	1	2,576	KG
SNR	7211HG1UJ84	622,78	1	620	G
SNR	7212.C.G1DBJ74	1.487,35	1	1,65	KG
SNR	7212.C.G1DBJ84	1.487,35	1	1,646	KG
SNR	7212.C.G1DFJ74	1.487,35	1	1,649	KG
SNR	7212.C.G1DUJ74	1.416,54	1	1,643	KG
SNR	7212.C.G1DUJ84	1.416,54	1	1,647	KG
SNR	7212.C.G1DUJ94	1.558,18	1	1,62	KG
SNR	7212.CG1Q16J74	2.231,04	1	2,466	KG
SNR	7212.CG1Q16J84	2.231,04	1	2,456	KG
SNR	7212.CG1Q21J74	2.974,72	1	3,34	KG
SNR	7212CG1UJ74	708,26	1	822	G
SNR	7212CG1UJ84	708,26	1	826	G
SNR	7212.H.G1DBJ74	1.487,35	1	1,722	KG
SNR	7212.H.G1DBJ84	1.487,35	1	1,649	KG
SNR	7212.H.G1DBJ94	1.558,18	1	1,648	KG
SNR	7212.H.G1DFJ74	1.487,35	1	1,649	KG
SNR	7212.HG1DF.J84	1.487,35	1	1,649	KG
SNR	7212.H.G1DUJ74	1.416,54	1	1,647	KG
SNR	7212.H.G1DUJ84	1.416,54	1	1,632	KG
SNR	7212.H.G1DUJ94	1.558,18	1	1,62	KG
SNR	7212.HG1Q16J74	2.231,04	1	2,48	KG
SNR	7212.HG1Q16J84	2.231,04	1	2,466	KG
SNR	7212.HG1Q16J94	2.301,86	1	2,46	KG
SNR	7212.HG1Q18J94	3.045,55	1	3,24	KG
SNR	7212HG1Q21J94	3.045,55	1	3,24	KG
SNR	7212HG1UJ74	708,26	1	840	G
SNR	7212HG1UJ84	708,26	1	822	G
SNR	7212.H.G1.UJ94	779,09	1	824	G
SNR	7213.C.G1DBJ74	1.692,47	1	2,112	KG
SNR	7213.C.G1DBJ84	1.692,47	1	2,113	KG
SNR	7213.C.G1DFJ84	1.692,47	1	2,123	KG

SNR	7213.C.G1DUJ74	1.611,89	1	2,12	KG
SNR	7213.C.G1DUJ84	1.611,89	1	2,118	KG
SNR	7213.CG1.DUJ94	1.773,08	1	2,114	KG
SNR	7213.CG1Q16J74	2.538,70	1	3,185	KG
SNR	7213.CG1Q16J84	2.538,70	1	3,175	KG
SNR	7213.CG1Q21J84	3.384,96	1	4,2	KG
SNR	7213CG1UJ74	805,94	1	1,034	KG
SNR	7213CG1UJ84	805,94	1	1,02	KG
SNR	7213.C.G1.UJ94	886,52	1	1,05	KG
SNR	7213.H.G1DBJ74	1.692,47	1	2,123	KG
SNR	7213.H.G1DBJ84	1.692,47	1	2,117	KG
SNR	7213.HG1.DBJ94	1.773,08	1	2,123	KG
SNR	7213.H.G1DUJ74	1.611,89	1	2,12	KG
SNR	7213.H.G1DUJ84	1.611,89	1	2,122	KG
SNR	7213.H.G1DUJ94	1.773,08	1	2,104	KG
SNR	7213.HG1Q16J84	2.538,70	1	3,178	KG
SNR	7213.HG1Q16J94	2.619,31	1	3,185	KG
SNR	7213.HG1Q21J84	3.384,96	1	4,245	KG
SNR	7213HG1UAJ74	805,94	1	1,058	KG
SNR	7213HG1UJ74	805,94	1	1,032	KG
SNR	7213HG1UJ84	805,94	1	1,039	KG
SNR	7214.C.G1.UJ74	903,66	1	1,123	KG
SNR	7214.C.G1.UJ84	903,66	1	1,118	KG
SNR	7215.C.G1.UJ94	1.052,23	1	1,23	KG
NTN	7216CG/GNP4	1.038,00	1	1,405	KG
SNR	7216.C.G1.UJ74	1.038,00	1	1,532	KG
SNR	7217.C.G1DUJ74	3.826,45	1	3,657	KG
SNR	7217.C.G1.UJ74	1.913,22	1	1,832	KG
SNR	7217.HG1.DUJ84	3.826,45	1	3,658	KG
SNR	7217.H.G1.UJ74	1.913,22	1	1,83	KG
SNR	7218.C.G1.UJ74	1.738,06	1	2,3	KG
SNR	7218.H.G1.UJ74	1.738,06	1	2,31	KG
SNR	7222.C.G1.UJ74	2.645,80	1	4,562	KG
NTN	7306CDB/GNP4	1.077,57	1	0,678	KG
NTN	7814CDB/GNP4	1.733,72	1	0,285	KG
NTN	7816CG/GNP4	1.045,36	1	0,176	KG
NTN	7816CG/GNUP-1	1.005,67	1	0,146	KG
NTN	7820CG/GNP4	1.504,65	1	0,332	KG
NTN	7830CT1P4	2.627,91	1	1,129	KG
NTN	7900UADG/GLP42U3G	268,26	1	0,01	KG
NTN	7900UCG/GNP42U3G	268,26	1	0,01	KG
NTN	7901UADG/GLP42U3G	277,09	1	0,01	KG
NTN	7901UCG/GNP42U3G	277,09	1	0,01	KG
NTN	7902UADG/GLP42U3G	266,06	1	0,02	KG
NTN	7902UCG/GNP42U3G	266,06	1	0,02	KG
NTN	7903UADG/GLP42U3G	284,28	1	0,02	KG
NTN	7903UCG/GNP42U3G	284,28	1	0,02	KG
NTN	7904UADG/GLP42U3G	297,92	1	0,04	KG
NTN	7904UCG/GNP42U3G	297,92	1	0,04	KG
NTN	7905UCG/GNP42U3G	308,00	1	0,04	KG

NTN	7905UG/GMP42/L606Q1	338,81	1	0,05	KG
NTN	7906UADG/GLP42U3G	313,71	1	0,05	KG
NTN	7906UCG/GNP42U3G	313,71	1	0,048	KG
NTN	7907UADG/GLP42U3G	326,26	1	0,07	KG
NTN	7907UCG/GNP42U3G	326,26	1	0,07	KG
NTN	7908UADG/GNP42U3G	368,40	1	0,11	KG
NTN	7908UCG/GNP42U3G	368,40	1	0,11	KG
NTN	7909UADG/GNP42U3G	368,40	1	0,12	KG
NTN	7909UCG/GNP42U3G	368,40	1	0,12	KG
NTN	7910ADLLBG/GNP42/L749	572,75	1	0,14	KG
NTN	7910UADG/GNP42U3G	409,11	1	0,13	KG
NTN	7910UCG/GNP42U3G	409,11	1	0,13	KG
NTN	7911UADG/GNP42U3G	484,89	1	0,18	KG
NTN	7911UCG/GNP42U3G	484,89	1	0,18	KG
NTN	7912UADG/GNP42	527,14	1	210	G
NTN	7912UADG/GNP42U3G	527,14	1	0,19	KG
NTN	7912UCG/GNP42U3G	527,14	1	0,19	KG
NTN	7913UADG/GNP42U3G	573,95	1	0,21	KG
NTN	7913UCG/GNP42U3G	573,95	1	0,21	KG
NTN	7914UADG/GNP42U3G	681,84	1	0,34	KG
NTN	7914UCG/GNP42U3G	681,84	1	0,34	KG
NTN	7915UADG/GNP42U3G	716,41	1	0,36	KG
NTN	7915UCG/GNP42U3G	716,41	1	0,36	KG
NTN	7916UADG/GNP42U3G	850,87	1	0,371	KG
NTN	7916UCG/GNP42U3G	850,87	1	0,38	KG
NTN	7917UADG/GNP42U3G	1.060,29	1	0,556	KG
NTN	7917UCG/GNP42U3G	1.060,29	1	0,54	KG
NTN	7918UADDBT/G7P42/L559QTF	3.677,01	1	1,68	KG
NTN	7918UADG/GNP42U3G	1.065,80	1	0,56	KG
NTN	7918UCG/GNP42U3G	1.065,80	1	0,56	KG
NTN	7919UADG/GNP42U3G	1.140,75	1	0,59	KG
NTN	7919UCG/GNP42U3G	1.140,75	1	0,59	KG
NTN	7920UADG/GNP42U3G	1.271,91	1	0,81	KG
NTN	7920UCG/GNP42U3G	1.271,91	1	0,81	KG
NTN	7922UADG/GNP42U3G	1.853,85	1	0,87	KG
NTN	7922UCG/GNP42U3G	1.853,85	1	0,87	KG
NTN	7924UADG/GNP42U3G	2.144,83	1	1,19	KG
NTN	7924UCG/GNP42U3G	2.144,83	1	1,19	KG
NTN	7926UADG/GNP42U3G	2.651,83	1	0,69	KG
NTN	7926UCG/GNP42U3G	2.651,83	1	0,69	KG
NTN	BST20X47-1BDBP4	648,08	1	0,243	KG
NTN	BST20X47-1BDFP4	648,08	1	0,102	KG
NTN	BST20X47-1BP4	308,61	1	0,122	KG
NTN	BST20X47-1BP4/2AS	317,87	1	0,122	KG
NTN	BST25X62-1BDBP4	717,51	1	0,486	KG
NTN	BST25X62-1BDFP4	717,51	1	0,47	KG
NTN	BST25X62-1BP4	341,67	1	0,247	KG
NTN	BST30X62-1BDBP4	752,23	1	0,432	KG
NTN	BST30X62-1BDFP4	752,23	1	0,416	KG
NTN	BST30X62-1BDTFP4	1.504,46	1	0,832	KG

NTN	BST30X62-1BP4	358,20	1	0,221	KG
NTN	BST35X72-1BDTFP4	1.550,76	1	1,195	KG
NTN	BST40X72-1BDBP4	786,95	1	0,54	KG
NTN	BST40X90-20BP4	473,93	1	640	G
NTN	BST60X120-1BP4	1.047,06	1	1,13	KG
NTN	BSTU2068LLXD2/GNP4U/L588	1.644,48	1	1190	G
NTN	BSTU3080LLXD2/GNP4U/L588	1.918,06	1	1,515	KG
NTN	BSTU3590LLX/GNP42U/L588	1.094,14	1	1,18	KG
SNR	CH.7000.CV.DU.J74	839,14	1	40	G
SNR	CH.7000.CV.U.J74	419,58	1	24	G
SNR	CH7000HVDUJ74	829,17	1	40	G
SNR	CH.7000.HV.U.J74	414,33	1	20	G
SNR	CH.7001.CV.DB.J74	947,28	1	54	G
SNR	CH 7001CVDBJ84	947,28	1	54	G
SNR	CH.7001.CV.DU.J74	890,05	1	500	G
SNR	CH.7001.CV.DU.J84	890,05	1	54	G
SNR	CH.7001.CV.U.J74	444,76	1	28	G
SNR	CH.7001.CV.U.J84	445,06	1	36	G
SNR	CH.7001.HV.DB.J74	947,28	1	54	G
SNR	CH7001HVDUJ74	890,05	1	54	G
SNR	CH.7002.CV.DB.J74	992,07	1	64	G
SNR	CH.7002.CV.DU.J74	885,36	1	62	G
SNR	CH.7002.CV.DU.J84	936,34	1	64	G
SNR	CH.7002.CV.U.J74	467,90	1	32	G
SNR	CH.7002.CV.U.J84	467,90	1	32	G
SNR	CH7002HVDUJ74	885,36	1	64	G
SNR	CH.7002.HV.U.J74	467,90	1	30	G
SNR	CH.7003.CV.DU.J74	767,38	1	78	G
SNR	CH.7003.CVQ16J74	1.228,26	1	121	G
SNR	CH.7003.CV.U.J74	384,40	1	42	G
SNR	CH7003HVDBJ74	807,24	1	80	G
SNR	CH7003HVDUJ74	807,24	1	80	G
SNR	CH.7004.CV.DU.J74	968,09	1	140	G
SNR	CH7004CVUJ74	484,63	1	64	G
SNR	CH.7004C.VUJ84	495,73	1	75	G
SNR	CH.7004.HV.DB.J74	1.023,56	1	150	G
SNR	CH7004HVDUJ74	968,09	1	150	G
SNR	CH.7005.CV.DU.J74	979,47	1	152	G
SNR	CH 7005CVUJ74	490,29	1	78	G
SNR	CH.7005.HV.DU.J74	979,47	1	160	G
SNR	CH.7006.CV.DB.J74	1.209,01	1	214	G
SNR	CH.7006.CV.DU.J74	1.155,70	1	216	G
SNR	CH.7006.CV.U.J74	578,42	1	110	G
SNR	CH7006HVDUJ74	1.157,31	1	220	G
SNR	CH.7006.HV.U.J74	579,77	1	108	G
SNR	CH.7007.CV.DB.J74	1.353,84	1	280	G
SNR	CH.7007.CV.DU.J74	1.231,94	1	274	G
SNR	CH.7007.CVQ16J74	2.035,08	1	415	G
SNR	CH.7007.CV.U.J74	617,33	1	146	G
SNR	CH 7007HVDBJ74	1.286,15	1	290	G

SNR	CH7007HVDUJ74	1.231,94	1	334	G
SNR	CH.7008.CV.DB.J74	1.755,46	1	352	G
SNR	CH7008CVDBJ84	1.755,44	1	352	G
SNR	CH.7008.CV.DU.J74	1.420,53	1	349	G
SNR	CH 7008CVUJ74	795,44	1	180	G
SNR	CH7008HVDUJ74	1.420,53	1	352	G
SNR	CH7008HVUJ74	795,49	1	176	G
SNR	CH.7009.CV.DB.J74	1.967,67	1	442	G
SNR	CH7009CVDBJX2D	1.677,66	1	460	G
SNR	CH7009CVDBJX2D161	1.678,34	1	442	G
SNR	CH.7009.CV.DU.J74	1.788,85	1	438	G
SNR	CH7009CVQ16J94	2.367,94	1	690	G
SNR	CH 7009CVUJ74	894,87	1	224	G
SNR	CH.7009.HV.DU.J74	1.788,83	1	460	G
SNR	CH.7009.HV.U.J74	881,71	1	224	G
SNR	CH.7010.CV.DU.J74	1.720,56	1	472	G
SNR	CH.7010.CV.Q16J74	2.824,93	1	825	G
SNR	CH 7010CVUJ74	818,64	1	238	G
SNR	CH7010CVUJ84	818,64	1	242	G
SNR	CH7010HVDUJ74	1.719,44	1	480	G
SNR	CH7010HVUJ84	818,64	1	240	G
SNR	CH.7011.CV.DU.J74	1.828,25	1	726	G
SNR	CH 7011CVUJ74	914,13	1	362	G
SNR	CH.7011.HV.DU.J74	1.828,25	1	800	G
SNR	CH 7011HVUJ74	914,13	1	400	G
SNR	CH.7012.CV.DU.J74	2.272,86	1	782	G
SNR	CH7012CVUJ74	947,08	1	392	G
SNR	CH.7012.HV.DB.J74	2.345,64	1	795	G
SNR	CH7012HVDUJ74	2.272,86	1	774	G
SNR	CH.7013.CV.DB.J74	2.505,53	1	1,76	KG
SNR	CH.7013.CV.DU.J74	2.432,32	1	828	G
SNR	CH.7013.CV.Q16J74	3.757,09	1	1,32	KG
SNR	CH.7013.CV.U.J74	1.216,16	1	416	G
SNR	CH7013CVUJ84	1.216,16	1	416	G
SNR	CH7013HVDBJ74	2.505,53	1	830	G
SNR	CH.7013.HV.DU.J74	2.432,32	1	880	G
SNR	CH7013HVUJ84	1.057,54	1	880	G
SNR	CH.7014.CV.DB.J74	3.215,54	1	1,132	KG
SNR	CH7014CVDUJ74	3.140,21	1	1,2	KG
SNR	CH.7014.CV.Q16J74	4.821,94	1	1,8	KG
SNR	CH 7014CVUJ74	1.570,06	1	564	G
SNR	CH7014HVDBJ74	3.215,54	1	1,126	KG
SNR	CH.7014.HV.DU.J74	3.140,21	1	1,19	KG
SNR	CH.7014.HV.DU.J94	3.140,21	1	1,19	KG
SNR	CH.7014.HV.Q16J74	4.821,94	1	1,694	KG
SNR	CH.7014.HV.U.J74	1.570,06	1	564	G
SNR	CH.7016.CV.U.J74	2.031,90	1	754	G
SNR	CH7016HVUJ74	2.031,90	1	759	G
SNR	CH 7017CVUJ74	2.440,24	1	792	G
SNR	CH.7020.CV.DB.J74	6.760,97	1	2,236	KG

SNR	CH.7022.CV.Q16J74	11.641,38	1	5,316	KG
SNR	CH.7024.HV.Q16J74	12.538,19	1	5,906	KG
SNR	CH71900HVUJ74	448,34	1	16	G
SNR	CH71901CVDUJ74	763,62	1	28	G
SNR	CH71901CVUJ74	377,19	1	18	G
SNR	CH71901CVUJ84	377,19	1	26	G
SNR	CH.71902.CV.DBJ74	851,90	1	66	G
SNR	CH71902CVDUJ74	809,05	1	34	G
SNR	CH.71902.CV.U.J74	404,34	1	20	G
SNR	CH71902CVUJ84	404,38	1	20	G
SNR	CH.71903.CV.DBJ74	892,65	1	70	G
SNR	CH71903CVDUJ74	849,80	1	36	G
SNR	CH.71903.CV.U.J74	424,69	1	20	G
SNR	CH71903HVDUJ74	848,93	1	42	G
SNR	CH71903HVUJ74	424,69	1	35	G
SNR	CH71903HVUJ84	424,69	1	35	G
SNR	CH.71904.CV.U.J74	428,19	1	37	G
SNR	CH71904HVDUJ74	855,40	1	80	G
SNR	CH 71905CVUJ74	454,26	1	40	G
SNR	CH71905HVDUJ74	907,61	1	86	G
SNR	CH71906CVDUJ74	965,40	1	106	G
SNR	CH71906CVQ16J74	1.747,36	1	146	G
SNR	CH 71906HVDUJ74	965,40	1	98	G
SNR	CH71907CVDUJ74	1.292,37	1	148	G
SNR	CH71907CVUJ74	646,75	1	76	G
SNR	CH71907CVUJ84	646,75	1	81	G
SNR	CH71907HVDBJ74	1.347,89	1	162	G
SNR	CH.71908.CV.DBJ74	1.382,11	1	205	G
SNR	CH.71908.CV.U.J74	665,58	1	110	G
SNR	CH71908HVUJ74	665,58	1	116	G
SNR	CH 71909CVDUJ74	1.492,85	1	248	G
SNR	CH 71909CVUJ74	650,26	1	136	G
SNR	CH71909HVDUJ74	1.492,85	1	280	G
SNR	CH.71909.HV.U.J74	655,70	1	140	G
SNR	CH.71910.CV.DBJ74	1.408,23	1	340	G
SNR	CH 71910CVDUJ74	1.363,07	1	258	G
SNR	CH71910HVDUJ74	1.363,07	1	286	G
SNR	CH 71910HVUJ84	682,68	1	170	G
SNR	CH71911CVDUJ74	1.548,74	1	340	G
SNR	CH.71911.CV.U.J74	775,47	1	172	G
SNR	CH71911HVDUJ74	1.547,84	1	400	G
SNR	CH 71911HVUJ84	775,47	1	200	G
SNR	CH71912CVDUJ74	1.769,98	1	384	G
SNR	CH.71912.HV.DBJ74	1.818,16	1	440	G
SNR	CH.71912.HV.DUJ74	1.769,98	1	440	G
SNR	CH.71912.HV.U.J74	884,95	1	196	G
SNR	CH71914CVDUJ74	2.066,01	1	720	G
SNR	CH.71914.CV.U.J74	1.033,06	1	320	G
SNR	CH71914HVUJ74	1.033,06	1	360	G
SNR	CH 71914HVUJ84	1.033,06	1	360	G

SNR	CH.7200.C.G1DUJ74	955,91	1	60	G
SNR	CH7200HG1DUJ74	955,91	1	60	G
SNR	CH7200HG1UJ74	499,48	1	32	G
SNR	CH.7201.C.G1DUJ74	1.042,41	1	68	G
SNR	CH7201HG1DUJ74	1.042,41	1	90	G
SNR	CH.7202.C.G1DUJ74	1.001,56	1	88	G
SNR	CH7202CG1UJ74	501,43	1	45	G
SNR	CH7202HG1DUJ74	1.001,56	1	100	G
SNR	CH.7203.CG1.DUJ74	1.202,28	1	124	G
SNR	CH7203HG1DUJ74	1.202,28	1	134	G
SNR	CH7204CG1DBJ74	1.226,57	1	192	G
SNR	CH.7204.C.G1DUJ74	1.233,26	1	96	G
SNR	CH.7204.C.G1.UJ74	617,33	1	96	G
SNR	CH7204HG1DUJ74	1.233,26	1	230	G
SNR	CH.7204.H.G1.UJ74	617,33	1	96	G
SNR	CH.7205.CG1.DUJ74	1.273,62	1	234	G
SNR	CH.7205.C.G1.UJ74	637,48	1	130	G
SNR	CH 7205HG1DBJ84	1.336,98	1	234	G
SNR	CH.7206.CG1.DUJ74	1.535,15	1	356	G
SNR	CH.7206.C.G1.UJ74	769,20	1	207	G
SNR	CH7206HG1DUJ74	1.535,15	1	355	G
SNR	CH.7207.CG1.DUJ74	1.791,81	1	502	G
SNR	CH7207CG1UJ74	897,52	1	256	G
SNR	CH7207HG1DUJ74	1.510,17	1	505	G
SNR	CH7207HG1DUJ84	1.523,03	1	505	G
SNR	CH7207HG1UJ74	841,11	1	295	G
SNR	CH.7208.CG1.DUJ74	2.370,33	1	640	G
SNR	CH 7208CG1UJ74	1.186,88	1	320	G
SNR	CH7208HG1DUJ74	2.370,28	1	640	G
SNR	CH.7209.CG1.DUJ74	2.593,47	1	718	G
SNR	CH.7209.HG1.DUJ74	2.593,47	1	1,26	KG
SNR	CH7209HG1Q21J74	4.526,37	1	2,52	KG
SNR	CH.7210.CG1.DUJ74	2.513,83	1	788	G
SNR	CH7210HG1DUJ74	2.764,58	1	790	G
SNR	CH 7211HG1UJ74	1.577,19	1	630	G
SNR	CH.7212.C.G1DBJ74	4.192,41	1	1,372	KG
SNR	CH.7212.CG1.DUJ74	3.906,31	1	1,378	KG
SNR	CH.7212.H.G1DBJ74	4.192,41	1	1,62	KG
SNR	CH 7212HG1DBJ84	4.192,41	1	1,62	KG
SNR	CH7212HG1DUJ74	3.905,16	1	1,354	KG
SNR	CH.7213.C.G1DBJ74	4.528,44	1	2,1	KG
SNR	CH7213CG1DUJ74	4.223,75	1	2,1	KG
SNR	CH.7213.C.G1UJ74	2.111,93	1	1	KG
SNR	CH7213HG1DUJ74	4.223,75	1	2,1	KG
NTN	HSB020DB/G05P4	3.619,98	1	2,76	KG
NTN	HTA020UT2DB/GNP4L	1.506,10	1	2,63	KG
NTN	HTA022UT2DB/GMP4L	2.135,81	1	4,14	KG
NTN	HTA026UT2DB/GMP4L	3.083,92	1	6,705	KG
SNR	ML7000CVDUJ74S	590,79	1	40	G
SNR	ML7000CVDUJ84S	590,79	1	40	G

SNR	ML7000CVUJ74S	295,40	1	26	G
SNR	ML7000CVUJ84S	295,40	1	26	G
SNR	ML7000HVDUJ74S	590,79	1	40	G
SNR	ML7000HVDUJ84S	590,79	1	40	G
SNR	ML7000HVUJ74S	295,40	1	26	G
SNR	ML7000HVUJ84S	295,40	1	26	G
SNR	ML7001CVDUJ74S	585,32	1	51	G
SNR	ML7001CVDUJ84S	585,32	1	48	G
SNR	ML7001CVUJ74S	292,66	1	32	G
SNR	ML7001CVUJ84S	292,66	1	28	G
SNR	ML7001HVDUJ74S	585,32	1	48	G
SNR	ML7001HVDUJ84S	585,32	1	48	G
SNR	ML7001HVUJ74S	292,66	1	208	G
SNR	ML7001HVUJ84S	292,66	1	30	G
SNR	ML7002CVDUJ74S	600,37	1	66	G
SNR	ML7002CVDUJ84S	600,37	1	64	G
SNR	ML7002CVUJ74S	300,19	1	35	G
SNR	ML7002CVUJ84S	300,19	1	36	G
SNR	ML7002HVDUJ74S	600,37	1	64	G
SNR	ML7002HVDUJ84S	600,37	1	64	G
SNR	ML7002HVUJ74S	300,19	1	35	G
SNR	ML7002HVUJ84S	300,19	1	34	G
SNR	ML7003CVDUJ74S	601,81	1	84	G
SNR	ML7003CVDUJ84S	601,81	1	80	G
SNR	ML7003CVUJ74S	300,90	1	44	G
SNR	ML7003CVUJ84S	300,90	1	44	G
SNR	ML7003HVDUJ74S	601,81	1	80	G
SNR	ML7003HVDUJ84S	601,81	1	80	G
SNR	ML7003HVUJ74S	300,90	1	46	G
SNR	ML7003HVUJ84S	300,90	1	46	G
SNR	ML7004CVDUJ72	997,68	1	140	G
SNR	ML7004CVDUJ74S	577,61	1	138	G
SNR	ML7004CVDUJ84S	577,61	1	300	G
SNR	ML7004CVUJ74S	288,80	1	69	G
SNR	ML7004CVUJ84S	288,80	1	72	G
SNR	ML7004HVDUJ74S	577,61	1	140	G
SNR	ML7004HVDUJ84S	577,61	1	140	G
SNR	ML7004HVUJ74S	288,80	1	70	G
SNR	ML7004HVUJ84S	288,80	1	68	G
SNR	ML7005CVDBJ74S	577,61	1	160	G
SNR	ML7005CVDUJ74S	577,61	1	160	G
SNR	ML7005CVDUJ84S	577,61	1	160	G
SNR	ML7005CVUJ74S	288,80	1	82	G
SNR	ML7005CVUJ84S	288,80	1	82	G
SNR	ML7005HVDUJ74S	577,61	1	160	G
SNR	ML7005HVDUJ84S	577,61	1	160	G
SNR	ML7005HVUJ74S	288,80	1	82	G
SNR	ML7005HVUJ84S	288,80	1	82	G
SNR	ML7006CVDUJ74S	599,98	1	242	G
SNR	ML7006CVDUJ84S	599,98	1	262	G

SNR	ML7006CVUJ74S	299,99	1	124	G
SNR	ML7006CVUJ84S	299,99	1	124	G
SNR	ML7006HVDUJ74S	599,98	1	240	G
SNR	ML7006HVDUJ84S	599,98	1	242	G
SNR	ML7006HVUJ74S	299,99	1	124	G
SNR	ML7006HVUJ84S	299,99	1	122	G
SNR	ML7007CVDBJ74S	683,16	1	330	G
SNR	ML7007CVDUJ74S	683,16	1	316	G
SNR	ML7007CVDUJ84S	683,16	1	318	G
SNR	ML7007CVUJ74S	341,58	1	160	G
SNR	ML7007CVUJ84S	341,58	1	160	G
SNR	ML7007HVDUJ74S	683,16	1	318	G
SNR	ML7007HVDUJ84S	683,16	1	318	G
SNR	ML7007HVUJ74S	341,58	1	160	G
SNR	ML7007HVUJ84S	341,58	1	160	G
SNR	ML7008CVDUJ74S	846,26	1	387	G
SNR	ML7008CVDUJ84S	846,26	1	888	G
SNR	ML7008CVUJ74S	423,14	1	198	G
SNR	ML7008CVUJ84S	423,14	1	198	G
SNR	ML7008HVDUJ74S	846,26	1	398	G
SNR	ML7008HVDUJ84S	846,26	1	398	G
SNR	ML7008HVUJ74S	423,14	1	198	G
SNR	ML7008HVUJ84S	423,14	1	199	G
SNR	ML7009CVDUJ74S	926,85	1	502	G
SNR	ML7009CVDUJ84S	926,85	1	500	G
SNR	ML7009CVUJ74S	463,42	1	256	G
SNR	ML7009CVUJ84S	463,42	1	256	G
SNR	ML7009HVDUJ74S	926,85	1	500	G
SNR	ML7009HVDUJ84S	926,85	1	508	G
SNR	ML7009HVUJ74S	463,42	1	256	G
SNR	ML7009HVUJ84S	463,42	1	256	G
SNR	ML7010CVDBJ74S	958,25	1	550	G
SNR	ML7010CVDBJ84S	958,25	1	550	G
SNR	ML7010CVDUJ74S	958,25	1	542	G
SNR	ML7010CVDUJ84S	958,25	1	550	G
SNR	ML7010CVUJ74S	479,12	1	276	G
SNR	ML7010CVUJ84S	479,12	1	276	G
SNR	ML7010HVDUJ74S	958,25	1	550	G
SNR	ML7010HVDUJ84S	958,25	1	550	G
SNR	ML7010HVUJ74S	479,12	1	276	G
SNR	ML7010HVUJ84S	479,12	1	276	G
SNR	ML7011CVDBJ74S	1.174,97	1	790	G
SNR	ML7011CVDUJ74S	1.226,06	1	828	G
SNR	ML7011CVUJ74S	613,03	1	408	G
SNR	ML7011CVUJ84S	613,03	1	395	G
SNR	ML7011HVDUJ74S	1.226,06	1	790	G
SNR	ML7011HVUJ74S	613,03	1	395	G
SNR	ML.7011HVU.J84S	613,03	1	395	G
SNR	ML7012CVDUJ74S	1.348,11	1	894	G
SNR	ML7012CVUJ74S	674,06	1	450	G

SNR	ML7012CVUJ84S	674,06	1	436	G
SNR	ML7012HVDUJ74S	1.348,11	1	850	G
SNR	ML7012HVUJ84S	674,06	1	425	G
SNR	ML7013CVDUJ74S	1.470,32	1	938	G
SNR	ML7013CVUJ84S	735,15	1	460	G
SNR	ML7013HVDUJ74S	1.470,32	1	884	G
SNR	ML7013HVUJ74S	735,15	1	468	G
SNR	ML7013HVUJ84S	735,15	1	442	G
SNR	ML7014CVDUJ74S	1.738,91	1	666	G
SNR	ML7014CVQ21J74S	3.188,00	1	2,584	KG
SNR	ML7014CVUJ74S	869,46	1	700	G
SNR	ML7014CVUJ84S	869,46	1	629	G
SNR	ML7014HVDUJ74S	1.738,91	1	125	G
SNR	ML.7014HVU.J84S	869,46	1	629	G
SNR	ML7015CVUJ74S	1.322,60	1	689	G
SNR	ML7015HVDUJ74S	2.645,21	1	131	G
SNR	ML7015HVUJ74S	1.322,60	1	690	G
SNR	ML71900CVDUJ74S	552,13	1	26	G
SNR	ML71900CVDUJ84S	552,13	1	32	G
SNR	ML71900CVUJ74S	276,06	1	180	G
SNR	ML71900HVDUJ74S	552,13	1	32	G
SNR	ML71900HVDUJ84S	552,13	1	32	G
SNR	ML71900HVUJ84S	301,16	1	19	G
SNR	ML71901CVDBJ94S	596,21	1	35	G
SNR	ML71901CVDUJ74S	570,29	1	28	G
SNR	ML71901CVDUJ84S	570,29	1	52	G
SNR	ML71901CVUJ74S	285,14	1	16	G
SNR	ML71901HVDUJ74S	570,29	1	52	G
SNR	ML71901HVDUJ84S	570,29	1	52	G
SNR	ML71901HVUJ74S	285,14	1	26	G
SNR	ML71901HVUJ84S	285,14	1	26	G
SNR	ML71902CVDTJ04S	638,53	1	40	G
SNR	ML71902CVDUJ74S	585,32	1	38	G
SNR	ML71902CVDUJ84S	585,32	1	40	G
SNR	ML71902CVDUJ94S	638,53	1	38	G
SNR	ML71902CVUJ74S	292,66	1	22	G
SNR	ML71902CVUJ84S	292,66	1	22	G
SNR	ML71902HVDUJ74S	585,32	1	40	G
SNR	ML71902HVDUJ84S	585,32	1	40	G
SNR	ML71902HVUJ74S	292,66	1	20	G
SNR	ML71902HVUJ84S	292,66	1	22	G
SNR	ML71903CVDUJ74S	625,43	1	42	G
SNR	ML71903CVDUJ84S	625,43	1	42	G
SNR	ML71903CVUJ74S	312,71	1	22	G
SNR	ML71903HVDUJ74S	625,43	1	42	G
SNR	ML71903HVDUJ84S	625,43	1	42	G
SNR	ML71903HVQ16J84S	923,92	1	66	G
SNR	ML71903HVUJ84S	312,71	1	21	G
SNR	ML71904CVDUJ74S	655,44	1	80	G
SNR	ML71904CVDUJ84S	655,44	1	80	G

SNR	ML71904CVUJ74S	327,72	1	42	G
SNR	ML71904CVUJ84S	327,72	1	42	G
SNR	ML71904HVDUJ74S	655,44	1	80	G
SNR	ML71904HVDUJ84S	655,44	1	80	G
SNR	ML71904HVUJ74S	327,72	1	42	G
SNR	ML71904HVUJ84S	327,72	1	76	G
SNR	ML71905CVDUJ84S	677,61	1	86	G
SNR	ML71905HVDUJ74S	677,61	1	86	G
SNR	ML71905HVDUJ84S	677,61	1	86	G
SNR	ML71905HVUJ74S	338,81	1	40	G
SNR	ML71905HVUJ84S	338,81	1	43	G
SNR	ML71906CVDUJ74S	690,17	1	106	G
SNR	ML71906CVDUJ84S	690,17	1	106	G
SNR	ML71906CVUJ74S	345,08	1	56	G
SNR	ML71906HVDUJ74S	690,17	1	106	G
SNR	ML71906HVDUJ84S	690,17	1	106	G
SNR	ML71906HVUJ74S	345,08	1	56	G
SNR	ML71906HVUJ84S	345,08	1	53	G
SNR	ML71907CVDUJ74S	717,75	1	162	G
SNR	ML71907CVDUJ84S	717,75	1	166	G
SNR	ML71907CVUJ74S	358,88	1	82	G
SNR	ML71907HVDUJ74S	717,75	1	162	G
SNR	ML71907HVDUJ84S	717,75	1	162	G
SNR	ML71907HVQ16J74S	1.060,32	1	243	G
SNR	ML71907HVUJ74S	358,88	1	86	G
SNR	ML71907HVUJ84S	358,88	1	81	G
SNR	ML71908CVDUJ74S	810,48	1	236	G
SNR	ML71908CVDUJ84S	810,48	1	232	G
SNR	ML71908CVUJ74S	405,25	1	116	G
SNR	ML71908HVDUJ74S	810,48	1	232	G
SNR	ML71908HVDUJ84S	810,48	1	232	G
SNR	ML71908HVUJ74S	405,25	1	120	G
SNR	ML71908HVUJ84S	405,25	1	116	G
SNR	ML71909CVDUJ74S	868,66	1	280	G
SNR	ML71909CVDUJ84S	868,66	1	280	G
SNR	ML71909CVUJ74S	434,32	1	144	G
SNR	ML71909HVDUJ74S	868,66	1	280	G
SNR	ML71909HVDUJ84S	868,66	1	280	G
SNR	ML71909HVQ16J84S	1.283,23	1	436	G
SNR	ML71909HVUJ74S	434,32	1	146	G
SNR	ML71909HVUJ84S	434,32	1	140	G
SNR	ML71910CVDBJ74S	900,03	1	288	G
SNR	ML71910CVDUJ74S	900,03	1	282	G
SNR	ML71910CVDUJ84S	900,03	1	340	G
SNR	ML71910CVUJ74S	450,01	1	152	G
SNR	ML71910CVUJ84S	450,01	1	170	G
SNR	ML71910HVDUJ74S	900,03	1	340	G
SNR	ML71910HVDUJ84S	900,03	1	340	G
SNR	ML71910HVUJ74S	450,01	1	150	G
SNR	ML71910HVUJ84S	450,01	1	170	G

SNR	ML71911CVDUJ74S	1.163,74	1	876	G
SNR	ML71911CVUJ74S	581,87	1	204	G
SNR	ML71911CVUJ84S	581,87	1	182	G
SNR	ML71911HVDUJ74S	1.163,74	1	354	G
SNR	ML71911HVUJ74S	581,87	1	192	G
SNR	ML71911HVUJ84S	581,87	1	190	G
SNR	ML71912HVDUJ74S	1.534,22	1	380	G
SNR	ML71913CVDUJ74S	1.377,49	1	460	G
SNR	ML71913CVUJ74S	688,76	1	202	G
SNR	ML.71913CVU.J84S	688,76	1	202	G
SNR	ML71913HVDUJ74S	1.377,49	1	404	G
SNR	ML71913HVUJ74S	688,76	1	0,228	KG
SNR	ML.71913HVU.J84S	688,76	1	224	G
SNR	ML71914CVDUJ74S	1.636,41	1	660	G
SNR	ML71914CVUJ74S	818,20	1	344	G
SNR	ML71914CVUJ84S	818,20	1	330	G
SNR	ML71914HVDUJ74S	1.636,41	1	660	G
SNR	ML71914HVUJ74S	818,20	1	344	G
SNR	ML71914HVUJ84S	818,20	1	330	G
SNR	ML71916CVUJ74S	1.785,52	1	394	G
SNR	MLCH7000CVDUJ74S	752,29	1	64	G
SNR	MLCH7000HVDUJ74S	752,29	1	40	G
SNR	MLCH7001CVDUJ74S	772,36	1	48	G
SNR	MLCH7001CVUJ74S	544,92	1	24	G
SNR	MLCH7001HVDUJ74S	772,36	1	48	G
SNR	MLCH7002CVDUJ74S	819,34	1	62	G
SNR	MLCH7002HVDUJ74S	819,34	1	64	G
SNR	MLCH7003CVDUJ74S	874,91	1	80	G
SNR	MLCH7003HVDUJ74S	873,56	1	80	G
SNR	MLCH7004CVDUJ74S	957,12	1	130	G
SNR	MLCH7004HVDUJ74S	957,12	1	128	G
SNR	MLCH7005CVDTJ02	1.292,35	1	160	G
SNR	MLCH7005CVDUJ74S	991,55	1	148	G
SNR	MLCH7005CVUJ74S	500,93	1	84	G
SNR	MLCH7005HVDUJ74S	991,55	1	160	G
SNR	MLCH7006CVDUJ74S	1.074,53	1	228	G
SNR	MLCH7006CVUJ74S	537,02	1	116	G
SNR	MLCH7006HVDUJ74S	1.074,53	1	240	G
SNR	MLCH7007CVDUJ74S	1.074,45	1	294	G
SNR	MLCH7007CVUJ74S	538,38	1	148	G
SNR	MLCH7007HVDUJ74S	1.074,45	1	318	G
SNR	MLCH7008CVDUJ74S	1.398,41	1	362	G
SNR	MLCH7008CVUJ74S	700,64	1	186	G
SNR	MLCH7008HVDUJ74S	1.398,41	1	374	G
SNR	MLCH7009CVDUJ74S	1.507,31	1	476	G
SNR	MLCH7009CVUJ74S	754,97	1	242	G
SNR	MLCH7009HVDUJ74S	1.507,31	1	400	G
SNR	MLCH7010CVDUJ74S	1.421,40	1	516	G
SNR	MLCH7010CVUJ74S	682,36	1	266	G
SNR	MLCH7010HVDUJ74S	1.420,46	1	550	G

SNR	MLCH7011CVDUJ74S	1.728,00	1	770	G
SNR	MLCH7011CVUJ74S	905,93	1	390	G
SNR	MLCH7011HVDUJ74S	1.728,00	1	784	G
SNR	MLCH7012CVDUJ74S	1.838,43	1	838	G
SNR	MLCH7012HVDUJ74S	2.961,83	1	850	G
SNR	MLCH7012HVUJ84S	1.105,21	1	425	G
SNR	MLCH7013CVDUJ74S	1.983,92	1	876	G
SNR	MLCH7013HVDUJ74S	1.983,92	1	884	G
SNR	MLCH7013HVUJ74S	991,96	1	442	G
SNR	MLCH7014CVDUJ74S	2.371,10	1	1,198	KG
SNR	MLCH7014CVUJ74S	1.185,51	1	616	G
SNR	MLCH7014HVDUJ74S	2.371,10	1	1,254	KG
SNR	MLCH7014HVUJ74S	1.185,51	1	629	G
SNR	MLCH71900CVDUJ74S	847,91	1	30	G
SNR	MLCH71900HVDUJ74S	847,91	1	32	G
SNR	MLCH71901CVDUJ74S	858,12	1	52	G
SNR	MLCH71901HVDUJ74S	858,12	1	52	G
SNR	MLCH71902CVDUJ74S	921,66	1	40	G
SNR	MLCH71902HVDUJ74S	921,66	1	40	G
SNR	MLCH71903CVDUJ74S	981,74	1	42	G
SNR	MLCH71903HVDUJ74S	981,74	1	42	G
SNR	MLCH71904CVDUJ74S	975,70	1	76	G
SNR	MLCH71904HVDUJ74S	975,70	1	80	G
SNR	MLCH71905CVDUJ74S	1.047,32	1	584	G
SNR	MLCH71905HVDUJ74S	1.047,32	1	86	G
SNR	MLCH71906HVDUJ74S	1.091,70	1	106	G
SNR	MLCH71907HVDUJ74S	1.217,51	1	162	G
SNR	MLCH71908CVUJ74S	631,58	1	116	G
SNR	MLCH71908HVDUJ74S	1.513,06	1	236	G
SNR	MLCH71909CVDUJ74S	1.422,17	1	280	G
SNR	MLCH71909HVDUJ74S	1.422,17	1	274	G
SNR	MLCH71910CVDUJ74S	1.560,04	1	276	G
SNR	MLCH71910HVDUJ74S	1.560,04	1	340	G
SNR	MLCH71911CVDUJ74S	1.758,51	1	346	G
SNR	MLCH71911HVDUJ74S	1.758,51	1	354	G
SNR	MLCH71912CVUJ74S	1.596,94	1	195	G
SNR	MLCH71913CVDUJ74S	2.116,74	1	420	G
SNR	MLCH71913HVDUJ74S	2.116,74	1	404	G
SNR	MLCH71914CVDUJ74S	2.177,27	1	626	G
SNR	MLCH71914HVDUJ74S	2.177,27	1	626	G
SNR	MLE7000CVDUJ74S	768,03	1	46	G
SNR	MLE7000CVDUJ84S	768,03	1	40	G
SNR	MLE7000CVUJ74S	384,02	1	24	G
SNR	MLE7000HVDUJ74S	768,03	1	40	G
SNR	MLE7000HVDUJ84S	768,03	1	1,025	KG
SNR	MLE7000HVUJ74S	384,02	1	26	G
SNR	MLE7001CVDUJ74S	760,92	1	52	G
SNR	MLE7001CVDUJ84S	760,92	1	48	G
SNR	MLE7001CVUJ74S	380,46	1	20	G
SNR	MLE7001HVDUJ74S	760,92	1	48	G

SNR	MLE7001HVDUJ84S	760,92	1	48	G
SNR	MLE7001HVUJ74S	380,46	1	28	G
SNR	MLE7001HVUJ84S	380,46	1	30	G
SNR	MLE7002CVDUJ74S	780,49	1	68	G
SNR	MLE7002CVDUJ84S	780,49	1	78	G
SNR	MLE7002HVDUJ74S	780,49	1	64	G
SNR	MLE7002HVDUJ84S	780,49	1	64	G
SNR	MLE7002HVUJ74S	390,24	1	36	G
SNR	MLE7002HVUJ84S	390,24	1	36	G
SNR	MLE7003CVDUJ74S	782,34	1	88	G
SNR	MLE7003CVDUJ84S	782,34	1	88	G
SNR	MLE7003CVQ16J74S	979,30	1	136	G
SNR	MLE7003CVUJ74S	391,18	1	44	G
SNR	MLE7003HVDUJ74S	782,34	1	80	G
SNR	MLE7003HVDUJ84S	782,34	1	80	G
SNR	MLE7003HVUJ74S	391,18	1	48	G
SNR	MLE7003HVUJ84S	391,18	1	46	G
SNR	MLE7004CVDUJ74S	750,88	1	144	G
SNR	MLE7004CVDUJ84S	750,88	1	145	G
SNR	MLE7004CVUJ74S	375,45	1	74	G
SNR	MLE7004CVUJ84S	375,45	1	73	G
SNR	MLE7004HVDUJ74S	750,88	1	140	G
SNR	MLE7004HVDUJ84S	750,88	1	140	G
SNR	MLE7004HVQ21J74S	1.215,60	1	280	G
SNR	MLE7004HVUJ74S	375,45	1	74	G
SNR	MLE7004HVUJ84S	375,45	1	72	G
SNR	MLE7005CVDBJ74S	664,24	1	160	G
SNR	MLE7005CVDUJ74S	750,88	1	168	G
SNR	MLE7005CVDUJ84S	750,88	1	160	G
SNR	MLE7005CVUJ74S	375,45	1	84	G
SNR	MLE7005CVUJ84S	375,45	1	86	G
SNR	MLE7005HVDUJ74S	750,88	1	168	G
SNR	MLE7005HVDUJ84S	750,88	1	167	G
SNR	MLE7005HVQ16J84S	939,92	1	252	G
SNR	MLE7005HVUJ74S	375,45	1	85	G
SNR	MLE7005HVUJ84S	375,45	1	86	G
SNR	MLE7006CVDBJ74S	689,98	1	252	G
SNR	MLE7006CVDBJ84S	689,98	1	250	G
SNR	MLE7006CVDUJ74S	779,98	1	252	G
SNR	MLE7006CVDUJ84S	779,98	1	240	G
SNR	MLE7006CVUJ74S	389,99	1	125	G
SNR	MLE7006CVUJ84S	389,99	1	126	G
SNR	MLE7006HVDUJ74S	779,98	1	6,153	KG
SNR	MLE7006HVDUJ84S	779,98	1	240	G
SNR	MLE7006HVUJ74S	389,99	1	122	G
SNR	MLE7006HVUJ84S	389,99	1	130	G
SNR	MLE7007CVDBJ74S	785,62	1	340	G
SNR	MLE7007CVDBJ84S	785,62	1	344	G
SNR	MLE7007CVDUJ74S	888,10	1	326	G
SNR	MLE7007CVDUJ84S	888,10	1	318	G

SNR	MLE7007CVUJ74S	444,06	1	166	G
SNR	MLE7007CVUJ84S	444,06	1	456	G
SNR	MLE7007HVDUJ74S	888,10	1	318	G
SNR	MLE7007HVDUJ84S	888,10	1	318	G
SNR	MLE7007HVQ16J84S	1.111,69	1	494	G
SNR	MLE7007HVUJ74S	444,06	1	170	G
SNR	MLE7007HVUJ84S	444,06	1	166	G
SNR	MLE7008CVDBJ74S	973,21	1	398	G
SNR	MLE7008CVDUJ74S	1.100,16	1	404	G
SNR	MLE7008CVDUJ84S	1.100,16	1	398	G
SNR	MLE7008CVQ16J74S	1.377,12	1	628	G
SNR	MLE7008CVUJ74S	550,07	1	210	G
SNR	MLE7008CVUJ84S	550,07	1	207	G
SNR	MLE7008HVDUJ74S	1.100,16	1	398	G
SNR	MLE7008HVDUJ84S	1.100,16	1	404	G
SNR	MLE7008HVUJ74S	550,07	1	206	G
SNR	MLE7008HVUJ84S	550,07	1	206	G
SNR	MLE7009CVDBJ74S	1.065,87	1	500	G
SNR	MLE7009CVDBJ84S	1.065,87	1	524	G
SNR	MLE7009CVDUJ74S	1.204,91	1	522	G
SNR	MLE7009CVDUJ84S	1.204,91	1	500	G
SNR	MLE7009CVQ16J84S	1.508,23	1	798	G
SNR	MLE7009CVQ21J84S	1.950,59	1	140	G
SNR	MLE7009CVUJ74S	602,44	1	266	G
SNR	MLE7009CVUJ84S	602,44	1	262	G
SNR	MLE7009CVURJ84S	602,44	1	250	G
SNR	MLE7009HVDUJ74S	1.204,91	1	500	G
SNR	MLE7009HVDUJ84S	1.204,91	1	500	G
SNR	MLE7009HVUJ74S	602,44	1	260	G
SNR	MLE7009HVUJ84S	602,44	1	266	G
SNR	MLE7010CVDBJ74S	1.101,98	1	570	G
SNR	MLE7010CVDBJ94S	1.145,54	1	560	G
SNR	MLE7010CVDUJ74S	1.245,72	1	564	G
SNR	MLE7010CVDUJ84S	1.245,72	1	550	G
SNR	MLE7010CVUJ74S	622,85	1	288	G
SNR	MLE7010CVUJ84S	622,85	1	288	G
SNR	MLE7010HVDBJ74S	1.101,98	1	565	G
SNR	MLE7010HVDBJ84S	1.101,98	1	550	G
SNR	MLE7010HVDUJ74S	1.245,72	1	564	G
SNR	MLE7010HVDUJ84S	1.245,72	1	550	G
SNR	MLE7010HVQ16J84S	1.559,33	1	825	G
SNR	MLE7010HVUJ74S	622,85	1	286	G
SNR	MLE7010HVUJ84S	622,85	1	276	G
SNR	MLE7011CVDUJ84S	1.593,86	1	866	G
SNR	MLE7011CVUJ74S	796,94	1	420	G
SNR	MLE7011CVUJ84S	796,94	1	395	G
SNR	MLE7011HVUJ74S	796,94	1	418	G
SNR	MLE7011HVUJ84S	796,94	1	395	G
SNR	MLE7012CVDBJ74S	1.494,15	1	850	G
SNR	MLE7012CVUJ74S	876,27	1	452	G

SNR	MLE7012CVUJ84S	876,27	1	450	G
SNR	MLE7012HVDUJ74S	1.752,53	1	890	G
SNR	MLE7012HVUJ74S	876,27	1	446	G
SNR	MLE7012HVUJ84S	876,27	1	445	G
SNR	MLE7013CVUJ74S	955,70	1	474	G
SNR	MLE7013CVUJ84S	955,70	1	476	G
SNR	MLE7013HVDUJ74S	1.911,41	1	946	G
SNR	MLE7013HVUJ74S	955,70	1	476	G
SNR	MLE7013HVUJ84S	955,70	1	442	G
SNR	MLE7014CVUJ74S	1.130,28	1	684	G
SNR	MLE7014CVUJ84S	1.130,28	1	629	G
SNR	MLE7014HVDUJ74S	2.260,59	1	1,258	KG
SNR	MLE7014HVQ16J74S	2.688,07	1	1,887	KG
SNR	MLE7014HVUJ74S	1.130,28	1	686	G
SNR	MLE7014HVUJ84S	1.130,28	1	686	G
SNR	MLE71900CVDUJ74S	717,75	1	32	G
SNR	MLE71900CVDUJ84S	717,75	1	32	G
SNR	MLE71900CVUJ74S	358,88	1	16	G
SNR	MLE71900HVDUJ74S	717,75	1	32	G
SNR	MLE71900HVDUJ84S	717,75	1	32	G
SNR	MLE71900HVUJ84S	358,88	1	16	G
SNR	MLE71901CVDUJ74S	741,37	1	52	G
SNR	MLE71901CVDUJ84S	741,37	1	52	G
SNR	MLE71901CVUJ74S	370,68	1	21	G
SNR	MLE71901HVDUJ74S	741,37	1	52	G
SNR	MLE71901HVDUJ84S	741,37	1	32	G
SNR	MLE71901HVUJ74S	370,68	1	16	G
SNR	MLE71901HVUJ84S	370,68	1	17	G
SNR	MLE71901HVUJ94S	396,60	1	18	G
SNR	MLE71902CVDUJ74S	760,92	1	40	G
SNR	MLE71902CVDUJ84S	760,92	1	40	G
SNR	MLE71902CVUJ74S	380,46	1	22	G
SNR	MLE71902HVDBJ74S	673,12	1	40	G
SNR	MLE71902HVDUJ74S	760,92	1	40	G
SNR	MLE71902HVDUJ84S	760,92	1	40	G
SNR	MLE71902HVUJ74S	380,46	1	20	G
SNR	MLE71902HVUJ84S	380,46	1	22	G
SNR	MLE71903CVDUJ74S	813,05	1	42	G
SNR	MLE71903CVDUJ84S	813,05	1	42	G
SNR	MLE71903CVUJ74S	406,52	1	26	G
SNR	MLE71903CVUJ84S	406,52	1	21	G
SNR	MLE71903HVDUJ74S	813,05	1	42	G
SNR	MLE71903HVDUJ84S	813,05	1	50	G
SNR	MLE71903HVQ16J84S	1.017,74	1	84	G
SNR	MLE71903HVUJ74S	406,52	1	24	G
SNR	MLE71903HVUJ84S	406,52	1	24	G
SNR	MLE71904CVDUJ74S	852,08	1	80	G
SNR	MLE71904CVDUJ84S	852,08	1	82	G
SNR	MLE71904CVUJ74S	426,03	1	40	G
SNR	MLE71904CVUJ84S	426,03	1	42	G

SNR	MLE71904HVDUJ74S	852,08	1	90	G
SNR	MLE71904HVDUJ84S	852,08	1	80	G
SNR	MLE71904HVUJ74S	426,03	1	42	G
SNR	MLE71904HVUJ84S	426,03	1	50	G
SNR	MLE71905CVDBJ74S	779,25	1	96	G
SNR	MLE71905CVDUJ74S	880,89	1	96	G
SNR	MLE71905CVDUJ84S	880,89	1	86	G
SNR	MLE71905CVUJ74S	440,44	1	52	G
SNR	MLE71905CVUJ84S	440,44	1	50	G
SNR	MLE71905HVDUJ74S	880,89	1	104	G
SNR	MLE71905HVDUJ84S	880,89	1	86	G
SNR	MLE71905HVUJ74S	440,44	1	48	G
SNR	MLE71905HVUJ84S	440,44	1	50	G
SNR	MLE71906CVDBJ74S	793,68	1	112	G
SNR	MLE71906CVDUJ74S	897,21	1	112	G
SNR	MLE71906CVDUJ84S	897,21	1	112	G
SNR	MLE71906CVUJ74S	448,61	1	60	G
SNR	MLE71906CVUJ84S	448,61	1	58	G
SNR	MLE71906HVDUJ74S	897,21	1	112	G
SNR	MLE71906HVDUJ84S	897,21	1	112	G
SNR	MLE71906HVUJ74S	448,61	1	58	G
SNR	MLE71906HVUJ84S	448,61	1	60	G
SNR	MLE71907CVDBJ74S	825,44	1	178	G
SNR	MLE71907CVDUJ74S	933,09	1	174	G
SNR	MLE71907CVDUJ84S	933,09	1	170	G
SNR	MLE71907CVUJ74S	466,54	1	88	G
SNR	MLE71907CVUJ84S	466,54	1	89	G
SNR	MLE71907HVDUJ74S	933,09	1	162	G
SNR	MLE71907HVDUJ84S	933,09	1	162	G
SNR	MLE71907HVUJ74S	466,54	1	92	G
SNR	MLE71907HVUJ84S	466,54	1	90	G
SNR	MLE71908CVDUJ74S	1.053,63	1	232	G
SNR	MLE71908CVDUJ84S	1.053,63	1	232	G
SNR	MLE71908CVUJ74S	526,82	1	124	G
SNR	MLE71908CVUJ84S	526,82	1	124	G
SNR	MLE71908HVDUJ74S	1.053,63	1	264	G
SNR	MLE71908HVDUJ84S	1.053,63	1	232	G
SNR	MLE71908HVUJ74S	526,82	1	130	G
SNR	MLE71908HVUJ84S	526,82	1	125	G
SNR	MLE71909CVDUJ74S	1.129,25	1	340	G
SNR	MLE71909CVDUJ84S	1.129,25	1	280	G
SNR	MLE71909CVUJ74S	564,62	1	158	G
SNR	MLE71909CVUJ84S	564,62	1	156	G
SNR	MLE71909HVDUJ74S	1.129,25	1	280	G
SNR	MLE71909HVDUJ84S	1.129,25	1	30	G
SNR	MLE71909HVUJ74S	564,62	1	150	G
SNR	MLE71909HVUJ84S	564,62	1	150	G
SNR	MLE71910CVDBJ74S	1.035,03	1	310	G
SNR	MLE71910CVDUJ74S	1.170,03	1	340	G
SNR	MLE71910CVDUJ84S	1.170,03	1	300	G

SNR	MLE71910CVQ16J74S	1.464,59	1	510	G
SNR	MLE71910CVQ16J84S	1.464,59	1	464	G
SNR	MLE71910CVUJ74S	585,02	1	158	G
SNR	MLE71910CVUJ84S	585,02	1	157	G
SNR	MLE71910HVDUJ74S	1.170,03	1	340	G
SNR	MLE71910HVDUJ84S	1.170,03	1	340	G
SNR	MLE71910HVDUJ94S	1.251,86	1	296	G
SNR	MLE71910HVUJ74S	585,02	1	154	G
SNR	MLE71910HVUJ84S	585,02	1	154	G
SNR	MLE71911CVDUJ74S	1.512,84	1	398	G
SNR	MLE71911CVDUJ84S	1.512,84	1	177	G
SNR	MLE71911CVUJ74S	756,43	1	204	G
SNR	MLE71911CVUJ84S	756,43	1	204	G
SNR	MLE71911HVDUJ74S	1.512,84	1	396	G
SNR	MLE71911HVDUJ84S	1.512,84	1	177	G
SNR	MLE71911HVUJ74S	756,43	1	190	G
SNR	MLE71911HVUJ84S	756,43	1	210	G
SNR	MLE71912CVDUJ74S	1.994,49	1	380	G
SNR	MLE71912CVDUJ84S	1.994,49	1	448	G
SNR	MLE71912CVUJ74S	997,24	1	220	G
SNR	MLE71912CVUJ84S	997,24	1	225	G
SNR	MLE71912HVDUJ74S	1.994,49	1	380	G
SNR	MLE71912HVDUJ84S	1.994,49	1	448	G
SNR	MLE71912HVUJ74S	997,24	1	218	G
SNR	MLE71912HVUJ84S	997,24	1	220	G
SNR	MLE.71913.CVUJ74S	895,37	1	238	G
SNR	MLE.71913.HVUJ74S	895,37	1	242	G
SNR	MLE71914CVDUJ74S	2.127,34	1	660	G
SNR	MLE71914CVUJ74S	1.063,66	1	330	G
SNR	MLE71914CVUJ84S	1.063,66	1	356	G
SNR	MLE71914HVDUJ74S	2.127,34	1	660	G
SNR	MLE71914HVUJ74S	1.063,66	1	370	G
SNR	MLE71914HVUJ84S	1.063,66	1	330	G
SNR	MLECH7000CVDUJ74S	974,91	1	52	G
SNR	MLECH7000HVDUJ74S	976,53	1	40	G
SNR	MLECH7001CVDUJ74S	875,70	1	48	G
SNR	MLECH7001CVUJ74S	437,69	1	28	G
SNR	MLECH7001HVDUJ74S	875,70	1	50	G
SNR	MLECH7002CVDUJ74S	924,98	1	72	G
SNR	MLECH7002CVUJ74S	463,02	1	35	G
SNR	MLECH7002HVDUJ74S	924,98	1	64	G
SNR	MLECH7002HVUJ74S	463,02	1	36	G
SNR	MLECH7003CVDUJ74S	944,96	1	84	G
SNR	MLECH7003CVQ16J74S	1.499,61	1	128	G
SNR	MLECH7003HVDUJ74S	944,96	1	80	G
SNR	MLECH7004CVDBJ74S	1.091,07	1	140	G
SNR	MLECH7004CVDUJ74S	1.188,37	1	140	G
SNR	MLECH7004CVUJ74S	594,81	1	64	G
SNR	MLECH7004HVDUJ74S	1.188,37	1	128	G
SNR	MLECH7005CVDUJ74S	1.288,84	1	154	G

SNR	MLECH7005HVDUJ74S	1.288,84	1	160	G
SNR	MLECH7006CVDBJ74S	1.274,31	1	232	G
SNR	MLECH7006CVDUJ74S	1.399,54	1	240	G
SNR	MLECH7006CVUJ74S	582,98	1	120	G
SNR	MLECH7006HVDUJ74S	1.397,92	1	234	G
SNR	MLECH7007CVDBJ74S	1.469,96	1	360	G
SNR	MLECH7007CVDUJ74S	1.401,60	1	304	G
SNR	MLECH7007HVDUJ74S	1.401,60	1	318	G
SNR	MLECH7008CVDBJ74S	1.672,61	1	398	G
SNR	MLECH7008CVDUJ74S	1.599,21	1	378	G
SNR	MLECH7008HVDUJ74S	1.599,21	1	386	G
SNR	MLECH7008HVUJ74S	761,01	1	202	G
SNR	MLECH7009CVDUJ74S	1.632,86	1	252	G
SNR	MLECH7009HVDUJ74S	1.632,86	1	504	G
SNR	MLECH7009HVUJ74S	817,74	1	254	G
SNR	MLECH7010CVDUJ74S	1.772,89	1	306	G
SNR	MLECH7010CVUJ74S	772,48	1	275	G
SNR	MLECH7010HVDUJ74S	1.772,89	1	550	G
SNR	MLECH7010HVUJ74S	772,48	1	275	G
SNR	MLECH7011CVUJ74S	921,13	1	402	G
SNR	MLECH7012HVDUJ74S	1.965,50	1	850	G
SNR	MLECH7012HVUJ74S	982,80	1	422	G
SNR	MLECH7013HVDUJ74S	2.113,81	1	894	G
SNR	MLECH7014HVDUJ74S	3.007,10	1	1,258	KG
SNR	MLECH7014HVUJ74S	1.503,51	1	634	G
SNR	MLECH71900CVDUJ74S	916,93	1	32	G
SNR	MLECH71900HVDUJ74S	916,93	1	32	G
SNR	MLECH71901CVDUJ74S	929,77	1	52	G
SNR	MLECH71901HVDUJ74S	929,77	1	52	G
SNR	MLECH71902CVDUJ74S	996,20	1	40	G
SNR	MLECH71902HVDUJ74S	996,20	1	40	G
SNR	MLECH71903CVDUJ74S	1.061,57	1	42	G
SNR	MLECH71903HVDUJ74S	1.061,57	1	42	G
SNR	MLECH71903HVUJ74S	530,52	1	26	G
SNR	MLECH71904CVDUJ74S	1.052,73	1	80	G
SNR	MLECH71904HVDUJ74S	1.052,73	1	84	G
SNR	MLECH71904HVQ16J74S	1.661,24	1	120	G
SNR	MLECH71904HVUJ74S	632,19	1	40	G
SNR	MLECH71905CVDUJ74S	1.133,73	1	86	G
SNR	MLECH71905HVDUJ74S	1.133,73	1	86	G
SNR	MLECH71906CVDUJ74S	1.187,03	1	106	G
SNR	MLECH71906CVUJ74S	593,80	1	53	G
SNR	MLECH71906HVDUJ74S	1.186,57	1	108	G
SNR	MLECH71907CVDUJ74S	1.383,49	1	162	G
SNR	MLECH71907CVUJ74S	796,02	1	81	G
SNR	MLECH71907HVDBJ74S	1.381,31	1	166	G
SNR	MLECH71907HVDUJ74S	1.383,49	1	166	G
SNR	MLECH71908CVDUJ74S	1.640,56	1	232	G
SNR	MLECH71908HVDUJ74S	1.640,56	1	250	G
SNR	MLECH71909CVDUJ74S	1.538,34	1	280	G

SNR	MLECH71909CVUJ74S	770,26	1	140	G
SNR	MLECH71909HVDUJ74S	1.538,34	1	280	G
SNR	MLECH71909HVUJ74S	924,32	1	140	G
SNR	MLECH71910CVDUJ74S	1.686,77	1	288	G
SNR	MLECH71910HVDUJ74S	1.686,77	1	290	G
SNR	MLECH71911CVDUJ74S	1.888,66	1	366	G
SNR	MLECH71911HVDUJ74S	1.888,66	1	380	G
SNR	MLECH71912CVDUJ74S	2.069,59	1	380	G
SNR	MLECH71912HVDUJ74S	2.069,59	1	420	G
SNR	11204G15	107,11	1	194	G
SNR	11205G15	108,50	1	235	G
SNR	11206G15	111,74	1	365	G
SNR	11207G15	140,02	1	550	G
SNR	11208G15	163,31	1	725	G
SNR	11209G15	191,58	1	777	G
SNR	11210G15	208,39	1	870	G
SNR	11211G15	264,97	1	1140	G
SNR	11212G15	309,14	1	1520	G
SNR	11305G15	130,59	1	419	G
SNR	11306G15	180,27	1	615	G
SNR	11307G15	235,86	1	510	G
SNR	11308G15	275,33	1	1080	G
SNR	6000.FT150	41,28	1	0,01	KG
SNR	6000.FT150ZZ	17,61	1	20	G
SNR	6000.HVZZ	27,60	1	0,021	KG
SNR	6001.FT150	44,37	1	0,024	KG
SNR	6001.FT150ZZ	18,91	1	22	G
SNR	6001.HVZZ	29,71	1	23	G
SNR	6002.FT150	46,35	1	0,032	KG
SNR	6002.FT150ZZ	20,60	1	0,03	KG
SNR	6002.HV.ZZ	32,41	1	0,03	KG
SNR	6002.LT	27,52	1	0,034	KG
SNR	6003.FT150	47,18	1	0,04	KG
SNR	6003.FT150ZZ	21,72	1	0,038	KG
SNR	6003.HVZZ	34,14	1	44	G
SNR	6003.LTZZ	25,61	1	0,036	KG
SNR	6004.F600	41,66	1	0,073	KG
SNR	6004.F604	41,64	1	0,07	KG
SNR	6004.FT150	51,07	1	0,074	KG
SNR	6004.FT150.ZZ	24,09	1	0,072	KG
SNR	6004.HT200	91,94	1	0,074	KG
SNR	6004.HV.ZZ	37,86	1	0,072	KG
SNR	6004.LT.ZZ	28,45	1	0,074	KG
SNR	6005.FT150	53,03	1	0,084	KG
SNR	6005FT150ZZ	27,73	1	0,084	KG
SNR	6005.HV.ZZ	43,63	1	0,08	KG
SNR	6005LT	36,90	1	86	G
SNR	6005LTZZ	32,69	1	85	G
SNR	6006.FT150	66,41	1	0,122	KG
SNR	6006FT150ZZ	33,79	1	0,123	KG

SNR	6006HVZZ	53,03	1	0,119	KG
SNR	6006LT	45,00	1	0,121	KG
SNR	6006LTZZ	39,67	1	0,124	KG
SNR	6007.F600	51,71	1	157	G
SNR	6007.F604	74,14	1	0,16	KG
SNR	6007.FT150	75,05	1	0,158	KG
SNR	6007FT150ZZ	42,06	1	0,16	KG
SNR	6007.HV.ZZ	66,00	1	0,155	KG
SNR	6007LTZZ	51,91	1	0,159	KG
SNR	6008.FT150	88,01	1	0,196	KG
SNR	6008FT150ZZ	52,65	1	0,2	KG
SNR	6008.HT200	158,45	1	0,195	KG
SNR	6008.HVZZ	82,90	1	0,18	KG
SNR	6009.FT150	114,74	1	0,252	KG
SNR	6009.FT150ZZ	68,37	1	0,25	KG
SNR	6009.HVZZ	105,86	1	0,24	KG
SNR	6010.FT150	128,13	1	0,27	KG
SNR	6010.FT150ZZ	79,40	1	0,28	KG
SNR	6010.HVZZ	122,70	1	0,256	KG
SNR	6011.HVZZ	156,62	1	0,382	KG
SNR	6013.FT150	245,70	1	0,446	KG
SNR	6200FT150	35,62	1	0,031	KG
SNR	6200FT150ZZ	17,61	1	0,031	KG
SNR	6200LT	23,41	1	0,053	KG
SNR	6200LTZZ	20,69	1	0,035	KG
SNR	6201.FT150	44,81	1	0,04	KG
SNR	6201.FT150ZZ	18,30	1	40	G
SNR	6201.HT200.ZZ	35,32	1	0,042	KG
SNR	6201.HV.ZZ	28,82	1	0,04	KG
SNR	6202.FT150	45,58	1	0,05	KG
SNR	6202.FT150ZZ	19,79	1	0,046	KG
SNR	6202.HT200ZZ	38,12	1	0,044	KG
SNR	6202.HVZZ	31,04	1	0,042	KG
SNR	6202.LT.ZZ	23,31	1	48	G
SNR	6203.FT150	48,37	1	0,085	KG
SNR	6203.FT150ZZ	22,15	1	0,07	KG
SNR	6203.HT200ZZ	42,76	1	0,072	KG
SNR	6203.HV.ZZ	34,89	1	0,07	KG
SNR	6203.LT	29,66	1	0,07	KG
SNR	6203.LT.ZZ	26,14	1	72	G
SNR	6204.F600	46,31	1	0,1	KG
SNR	6204.F604	52,09	1	0,107	KG
SNR	6204.F605	34,51	1	101	G
SNR	6204.FT150	54,99	1	0,108	KG
SNR	6204.FT150.ZZ	25,85	1	0,108	KG
SNR	6204.HT200	99,01	1	0,11	KG
SNR	6204.HT200.ZZ	49,90	1	0,11	KG
SNR	6204.HV.ZZ	40,50	1	0,103	KG
SNR	6204.LT	34,76	1	0,11	KG
SNR	6204.LT.ZZ	30,48	1	0,106	KG

SNR	6205.F600	50,45	1	0,128	KG
SNR	6205.F604	55,69	1	0,14	KG
SNR	6205.F605	37,74	1	129	G
SNR	6205.FT150	60,90	1	0,136	KG
SNR	6205FT150ZZ	30,49	1	0,136	KG
SNR	6205.HT200	109,63	1	0,138	KG
SNR	6205.HT200.ZZ	58,98	1	0,135	KG
SNR	6205.HV.ZZ	47,95	1	0,132	KG
SNR	6205LT	40,44	1	0,138	KG
SNR	6205LTZZ	35,91	1	0,137	KG
SNR	6206.F600	52,95	1	0,19	KG
SNR	6206.F604	60,87	1	0,202	KG
SNR	6206.F605	45,45	1	194	G
SNR	6206.FT150	76,63	1	0,202	KG
SNR	6206FT150ZZ	40,50	1	0,205	KG
SNR	6206.HT200	137,54	1	0,205	KG
SNR	6206.HT200.ZZ	77,80	1	0,206	KG
SNR	6206.HV.ZZ	63,63	1	0,195	KG
SNR	6206LT	53,82	1	0,203	KG
SNR	6206LTZZ	47,71	1	205	G
SNR	6207.F600	64,93	1	280	G
SNR	6207.F604	76,94	1	296	G
SNR	6207.F605	41,66	1	0,288	KG
SNR	6207.FT150	90,80	1	0,3	KG
SNR	6207FT150ZZ	53,43	1	0,3	KG
SNR	6207.HT200	163,50	1	0,29	KG
SNR	6207.HT200ZZ	103,33	1	0,302	KG
SNR	6207HVZZ	84,08	1	0,28	KG
SNR	6208.F600	82,89	1	360	G
SNR	6208.F604	98,15	1	0,37	KG
SNR	6208.F605	107,96	1	0,36	KG
SNR	6208.FT150	119,05	1	0,376	KG
SNR	6208FT150ZZ	71,15	1	0,374	KG
SNR	6208.HT200	214,18	1	0,378	KG
SNR	6208.HT200.ZZ	136,36	1	0,378	KG
SNR	6208.HV.ZZ	111,59	1	0,36	KG
SNR	6209.F604	110,16	1	0,41	KG
SNR	6209.F605	90,30	1	396	G
SNR	6209.FT150	140,68	1	0,42	KG
SNR	6209.FT150ZZ	86,45	1	0,436	KG
SNR	6209.HT200	253,03	1	0,42	KG
SNR	6209.HT200ZZ	166,99	1	0,42	KG
SNR	6209.HVZZ	135,58	1	400	G
SNR	6210.F600	105,64	1	0,45	KG
SNR	6210.F604	130,21	1	0,47	KG
SNR	6210.FT150	150,12	1	0,48	KG
SNR	6210.FT150.ZZ	102,17	1	0,48	KG
SNR	6210.HT200	270,32	1	0,482	KG
SNR	6210.HT200ZZ	197,25	1	0,48	KG
SNR	6210.HVZZ	160,72	1	0,46	KG

SNR	6211.F600	135,33	1	0,59	KG
SNR	6211.F604	156,24	1	0,633	KG
SNR	6211.F605	126,13	1	600	G
SNR	6212.F600	158,29	1	0,751	KG
SNR	6212F604	218,23	1	780	G
SNR	6212.F605	156,86	1	752	G
SNR	6213F604	374,23	1	1000	G
SNR	6213.F605	191,40	1	976	G
SNR	6213.FT150	292,36	1	1,03	KG
SNR	6214.F600	265,52	1	1,058	KG
SNR	6214F604	318,61	1	1,081	KG
SNR	6214.F605	265,52	1	0,2	KG
SNR	6217.F600	389,93	1	1780	G
SNR	6300FT150ZZ	23,25	1	0,052	KG
SNR	6301FT150ZZ	23,86	1	0,064	KG
SNR	6302FT150ZZ	25,97	1	0,09	KG
SNR	6303FT150	57,79	1	0,118	KG
SNR	6303.FT150.ZZ	29,29	1	0,115	KG
SNR	6304.FT150	64,44	1	0,152	KG
SNR	6304.FT150.ZZ	33,84	1	150	G
SNR	6304.HT200	115,91	1	0,155	KG
SNR	6304.HT200.ZZ	65,22	1	152	G
SNR	6304.LT.ZZ	34,70	1	0,155	KG
SNR	6305.F600	72,92	1	0,228	KG
SNR	6305F604	81,17	1	235	G
SNR	6305.F605	44,37	1	224	G
SNR	6305.FT150	73,88	1	0,236	KG
SNR	6305FT150ZZ	42,44	1	0,237	KG
SNR	6305.HT200	132,82	1	0,24	KG
SNR	6305.HT200.ZZ	82,13	1	0,238	KG
SNR	6306.FT150	97,46	1	0,362	KG
SNR	6306FT150ZZ	57,38	1	0,36	KG
SNR	6306.HT200	175,25	1	0,365	KG
SNR	6306.HT200.ZZ	110,44	1	0,36	KG
SNR	6307.FT150	126,91	1	0,46	KG
SNR	6307FT150ZZ	76,63	1	459	G
SNR	6307.HT200ZZ	146,97	1	0,464	KG
SNR	6308.FT150	164,29	1	0,644	KG
SNR	6308FT150ZZ	108,86	1	0,647	KG
SNR	6308.HT200ZZ	210,23	1	0,648	KG
SNR	6308.HVZZ	167,90	1	0,618	KG
SNR	6309.F605	142,96	1	817	G
SNR	6309.FT150	195,30	1	0,862	KG
SNR	6309.FT150ZZ	137,16	1	0,86	KG
SNR	6309.HT200ZZ	264,45	1	0,84	KG
SNR	6310.FT150	219,27	1	1,104	KG
SNR	6310.HT200	392,97	1	1110	G
SNR	6311.F600	221,78	1	1,372	KG
SNR	6311F604	434,59	1	1,385	KG
SNR	6311.F605	238,07	1	1,35	KG

SNR	6312.F600	376,96	1	1,604	KG
SNR	6312.F605	342,70	1	1,64	KG
NTN	7MC3-6310L1BC3	1.527,50	1	1,28	KG
NTN	7MC3-6312L1BC3	1.626,58	1	2,04	KG
NTN	7MC3-6315L1BC3	2.001,15	1	3,66	KG
NTN	7MC3-6316L1BC3	2.314,56	1	4,43	KG
NTN	7MC3-6318L1BC3	2.535,00	1	5,96	KG
NTN	7MC3-6318L1BC4	2.892,11	1	5,96	KG
NTN	7MC3-6320L1BC3	3.015,04	1	8,42	KG
NTN	7MC3-6322L1BC3	4.595,94	1	8,42	KG
NTN	QJ224	1.646,10	1	6,56	KG
SNR	QJ.306.MA	166,91	1	410	G
SNR	QJ.307.MA	195,31	1	573	G
SNR	QJ.308.MA	226,29	1	759	G
SNR	QJ.309.MA	272,73	1	1,021	KG
SNR	QJ.310.MA	352,54	1	1,33	KG
SNR	QJ.311.MA	429,66	1	1,38	KG
SNR	QJ.312.MA	521,80	1	0,302	KG
SNR	QJ.313.MA	595,49	1	2,615	KG
SNR	QJ.314.MA	720,84	1	3,21	KG
SNR	QJ.315.N2.MA	839,15	1	3,84	KG
SNR	QJ.316.N2.MA	1.117,14	1	4521	G
SNR	QJ.317.N2.MA	1.322,60	1	5,32	KG
SNR	QJ.318.N2.MA	1.535,39	1	6,19	KG
SNR	S.6000.2RS	34,36	1	0,024	KG
SNR	S.6001.2RS	39,90	1	0,024	KG
SNR	S.6002.2RS	51,01	1	0,035	KG
SNR	S.6003.2RS	57,29	1	0,072	KG
SNR	S.6004.2RS	62,05	1	0,072	KG
SNR	S.6005.2RS	78,51	1	0,084	KG
SNR	S.6006.2RS	139,95	1	0,12	KG
SNR	S.6007.2RS	192,23	1	0,154	KG
SNR	S.6200.2RS	42,03	1	34	G
SNR	S.6201.2RS	49,10	1	0,04	KG
SNR	S.6202.2RS	55,00	1	0,05	KG
SNR	S.6203.2RS	53,84	1	0,064	KG
SNR	S.6204.2RS	87,19	1	0,103	KG
SNR	S.6205.2RS	98,74	1	0,069	KG
SNR	S.6206.2RS	132,96	1	0,198	KG
SNR	S.6207.2RS	219,27	1	0,288	KG
SNR	S.6300.2RS	53,88	1	0,058	KG
SNR	S.6301.2RS	70,33	1	0,064	KG
SNR	S.6304.2RS	144,38	1	0,152	KG
SNR	607	8,69	1	5	G
NTN	607	8,69	1	0,008	KG
SNR	608	7,56	1	12	G
NTN	608	7,56	1	0,014	KG
SNR	609	9,01	1	14	G
NTN	623	10,50	1	0,002	KG
SNR	623	10,50	1	0,01	KG

NTN	624	9,50	1	0,005	KG
SNR	624	9,50	1	0,007	KG
SNR	6000	8,26	1	18	G
NTN	6000	8,26	1	0,019	KG
SNR	6001	8,87	1	0,02	KG
NTN	6001	8,87	1	0,021	KG
SNR	6002	9,70	1	0,028	KG
NTN	6002	9,70	1	0,031	KG
SNR	6003	10,25	1	0,035	KG
NTN	6003	10,25	1	0,039	KG
SNR	6004	11,38	1	0,066	KG
NTN	6004	11,38	1	0,069	KG
SNR	6005	13,06	1	0,078	KG
NTN	6005	13,06	1	0,074	KG
SNR	6006	16,03	1	0,111	KG
NTN	6006	16,03	1	0,125	KG
SNR	6007	19,88	1	0,145	KG
SNR	6008	24,97	1	0,182	KG
SNR	6009	32,46	1	0,233	KG
SNR	6010	37,60	1	0,244	KG
SNR	6011	48,03	1	0,356	KG
SNR	6012	55,08	1	0,378	KG
SNR	6200	8,27	1	0,03	KG
NTN	6200	8,27	1	0,032	KG
SNR	6201	8,67	1	0,036	KG
NTN	6201	8,67	1	0,037	KG
SNR	6202	9,31	1	0,043	KG
NTN	6202	9,31	1	0,044	KG
SNR	6203	10,51	1	0,065	KG
NTN	6203	10,51	1	0,065	KG
SNR	6204	12,32	1	0,096	KG
NTN	6204	12,32	1	0,105	KG
SNR	6205	14,34	1	0,125	KG
NTN	6205	14,34	1	0,127	KG
SNR	6206	19,24	1	0,194	KG
NTN	6206	19,24	1	0,198	KG
SNR	6207	25,34	1	0,281	KG
SNR	6208	33,54	1	0,36	KG
SNR	6209	41,04	1	0,398	KG
SNR	6210	48,55	1	0,45	KG
SNR	6211	57,33	1	0,592	KG
SNR	6212	71,30	1	0,759	KG
SNR	6300	11,92	1	0,053	KG
NTN	6300	11,92	1	0,06	KG
SNR	6301	12,21	1	0,058	KG
SNR	6302	12,24	1	0,08	KG
SNR	6303	13,83	1	0,112	KG
SNR	6304	16,02	1	0,139	KG
SNR	6305	20,17	1	0,22	KG
NTN	6305	20,17	1	0,235	KG

SNR	6306	27,13	1	0,344	KG
NTN	6306	27,13	1	0,345	KG
SNR	6307	36,40	1	0,223	KG
SNR	6308	51,51	1	0,617	KG
SNR	6309	64,98	1	0,818	KG
SNR	6310	86,27	1	1,048	KG
SNR	6311	108,21	1	1,36	KG
NTN	6312	137,07	1	1,7	KG
SNR	6312	137,07	1	1,637	KG
NTN	6000C3	8,26	1	0,02	KG
SNR	6000.C3	8,26	1	19	G
NTN	6000CM	8,26	1	0,02	KG
SNR	6000EE	10,78	1	0,018	KG
SNR	6000EEC3	10,78	1	0,018	KG
NTN	6000LLB/5K	12,20	1	0,018	KG
NTN	6000LLBC3/5K	12,20	1	0,018	KG
NTN	6000LLU/5K	10,78	1	0,019	KG
NTN	6000LLUC3/5K	10,78	1	0,019	KG
SNR	6000ZZ	9,50	1	0,018	KG
NTN	6000ZZ/5K	9,50	1	0,02	KG
SNR	6000ZZC3	9,50	1	0,018	KG
NTN	6000ZZC3/5K	9,50	1	0,019	KG
NTN	6000ZZCM/5K	9,50	1	0,019	KG
NTN	6001C3	8,87	1	0,025	KG
SNR	6001.C3	8,87	1	24	G
SNR	6001EE	11,58	1	0,021	KG
SNR	6001EEC3	11,58	1	0,021	KG
NTN	6001JRX	8,87	1	0,021	KG
NTN	6001JRXCM	8,87	1	0,025	KG
NTN	6001JRXLLB/5K	12,88	1	0,021	KG
NTN	6001JRXLLBC3/5K	12,88	1	0,02	KG
NTN	6001JRXLLBCM/5K	12,88	1	0,022	KG
NTN	6001JRXLLU/5K	11,58	1	0,021	KG
NTN	6001JRXLLUC3/5K	11,58	1	0,021	KG
NTN	6001JRXLLUCM/5K	11,58	1	0,02	KG
NTN	6001JRXZZC3/5K	10,24	1	0,021	KG
NTN	6001JRXZZCM/5K	10,93	1	0,02	KG
NTN	6001LLU/5K	11,58	1	24	G
NTN	6001LLUC3/5K	11,58	1	0,023	KG
SNR	6001ZZ	10,24	1	0,021	KG
NTN	6001ZZ/5K	10,93	1	0,025	KG
SNR	6001ZZC3	10,24	1	0,021	KG
NTN	6002C3	9,70	1	0,03	KG
NTN	6002CM	9,70	1	0,033	KG
SNR	6002EE	12,70	1	0,029	KG
SNR	6002EEC3	12,70	1	0,029	KG
NTN	6002LLBC3/5K	14,40	1	0,03	KG
NTN	6002LLBCM/5K	14,40	1	0,03	KG
NTN	6002LLU/5K	12,70	1	0,03	KG
NTN	6002LLUC3/5K	12,70	1	0,03	KG

NTN	6002LLUCM/5K	12,70	1	0,035	KG
NTN	6002U1	7,00	1	34	G
SNR	6002ZZ	11,22	1	0,029	KG
NTN	6002ZZ/5K	11,22	1	0,03	KG
SNR	6002ZZC3	11,22	1	0,029	KG
NTN	6002ZZC3/5K	11,22	1	0,03	KG
NTN	6003C3	10,25	1	0,039	KG
NTN	6003CM	10,25	1	0,045	KG
SNR	6003EE	13,33	1	0,037	KG
SNR	6003EEC3	13,33	1	0,037	KG
NTN	6003LLB/5K	15,64	1	0,039	KG
NTN	6003LLBC3/5K	15,64	1	0,039	KG
NTN	6003LLU/5K	13,33	1	0,04	KG
NTN	6003LLUC3/5K	13,33	1	0,039	KG
NTN	6003LLUCM/5K	13,33	1	0,04	KG
NTN	6003U1	10,25	1	0,043	KG
SNR	6003ZZ	11,84	1	0,037	KG
NTN	6003ZZ/5K	11,84	1	0,039	KG
SNR	6003ZZC3	11,84	1	0,037	KG
NTN	6003ZZC3/5K	11,84	1	0,045	KG
NTN	6003ZZCM/5K	11,84	1	0,039	KG
NTN	6004C3	11,38	1	0,072	KG
SNR	6004.C3	11,38	1	0,07	KG
SNR	6004EE	14,80	1	0,068	KG
SNR	6004EEC3	14,80	1	0,068	KG
NTN	6004LLB/5K	19,57	1	0,068	KG
NTN	6004LLBC3/5K	19,57	1	0,068	KG
NTN	6004LLU/5K	14,80	1	0,073	KG
NTN	6004LLUC3/5K	14,80	1	0,069	KG
NTN	6004U1	11,38	1	0,07	KG
SNR	6004ZZ	13,10	1	0,068	KG
NTN	6004ZZ/5K	13,10	1	0,069	KG
SNR	6004ZZC3	13,10	1	0,068	KG
NTN	6004ZZC3/5K	13,10	1	0,07	KG
NTN	6005C3	13,06	1	0,084	KG
SNR	6005.C3	13,06	1	0,08	KG
NTN	6005CM	13,06	1	0,085	KG
SNR	6005EE	17,01	1	0,083	KG
SNR	6005EEC3	17,01	1	0,083	KG
NTN	6005LLB/5K	19,90	1	0,08	KG
NTN	6005LLBC3/5K	19,90	1	0,079	KG
NTN	6005LLU/5K	17,01	1	0,084	KG
NTN	6005LLUC3/5K	17,01	1	0,08	KG
SNR	6005ZZ	15,00	1	0,083	KG
NTN	6005ZZ/5K	15,00	1	0,08	KG
SNR	6005ZZC3	15,00	1	0,082	KG
NTN	6005ZZC3/5K	15,00	1	0,085	KG
NTN	6005ZZCM/5K	15,00	1	0,085	KG
NTN	6006C3	16,03	1	0,12	KG
SNR	6006.C3	16,03	1	0,119	KG

SNR	6006EE	20,85	1	0,116	KG
SNR	6006EEC3	20,85	1	0,116	KG
NTN	6006LLB/5K	23,48	1	0,116	KG
NTN	6006LLBC3/5K	23,48	1	0,116	KG
NTN	6006LLBCM/5K	23,48	1	0,12	KG
NTN	6006LLU/5K	20,85	1	0,116	KG
NTN	6006LLUC3/5K	20,85	1	0,062	KG
NTN	6006U1	16,03	1	0,109	KG
SNR	6006ZZ	18,46	1	0,116	KG
NTN	6006ZZ/5K	18,46	1	0,12	KG
SNR	6006ZZC3	18,46	1	0,116	KG
NTN	6006ZZC3/5K	18,46	1	0,12	KG
SNR	6007C3	19,88	1	0,143	KG
NTN	6007C3	19,88	1	0,151	KG
NTN	6007CM	19,88	1	0,155	KG
SNR	6007EE	25,84	1	0,15	KG
SNR	6007EEC3	25,84	1	0,146	KG
NTN	6007LLB/5K	25,84	1	0,15	KG
NTN	6007LLBC3/5K	25,84	1	0,16	KG
NTN	6007LLU/5K	25,84	1	0,157	KG
NTN	6007LLUC3/5K	25,84	1	0,15	KG
NTN	6007LLUCM/5K	25,84	1	0,157	KG
SNR	6007ZZ	22,89	1	0,15	KG
NTN	6007ZZ/5K	22,89	1	160	G
SNR	6007ZZC3	22,89	1	0,15	KG
NTN	6007ZZC3/5K	22,89	1	0,15	KG
NTN	6007ZZCM/5K	22,89	1	160	G
SNR	6008.C3	24,97	1	0,196	KG
NTN	6008C3	24,97	1	0,198	KG
NTN	6008CM	24,97	1	0,2	KG
SNR	6008.EE	32,49	1	0,192	KG
SNR	6008EEC3	32,49	1	0,185	KG
NTN	6008LLBC3/5K	32,49	1	0,19	KG
NTN	6008LLBCM/5K	32,49	1	0,196	KG
NTN	6008LLU/5K	32,49	1	0,194	KG
NTN	6008LLUC3/5K	32,49	1	0,196	KG
NTN	6008LLUCM/5K	32,49	1	0,186	KG
SNR	6008.ZZ	28,74	1	0,196	KG
SNR	6008ZZC3	28,74	1	0,185	KG
NTN	6008ZZC3/5K	28,74	1	0,196	KG
NTN	6008ZZCM/5K	28,74	1	0,186	KG
SNR	6009.C3	32,46	1	0,24	KG
NTN	6009C3	32,46	1	0,26	KG
NTN	6009CM	32,46	1	0,253	KG
SNR	6009.EE	42,19	1	0,245	KG
SNR	6009.EEC3	42,19	1	0,25	KG
NTN	6009LLBC3/5K	42,19	1	0,259	KG
NTN	6009LLBCM/5K	42,19	1	0,253	KG
NTN	6009LLUC3/5K	42,19	1	0,25	KG
NTN	6009LLUCM/5K	42,19	1	0,247	KG

SNR	6009.ZZ	37,30	1	0,242	KG
SNR	6009.ZZC3	37,30	1	0,25	KG
NTN	6009ZZC3/5K	37,30	1	0,26	KG
NTN	6009ZZCM/5K	37,30	1	0,25	KG
SNR	6010.C3	37,60	1	266	G
NTN	6010C3	37,60	1	0,268	KG
NTN	6010CM	37,60	1	0,28	KG
SNR	6010.EE	48,90	1	0,26	KG
SNR	6010.EEC3	48,90	1	0,26	KG
NTN	6010LLBC3/5K	48,90	1	0,262	KG
NTN	6010LLBCM/5K	48,90	1	0,27	KG
NTN	6010LLUC3/5K	48,90	1	0,276	KG
NTN	6010LLUCM/5K	48,90	1	0,262	KG
NTN	6010U1	37,60	1	0,261	KG
SNR	6010.ZZ	43,24	1	260	G
SNR	6010.ZZC3	43,24	1	0,27	KG
NTN	6010ZZC3/5K	43,24	1	0,276	KG
NTN	6010ZZCM/5K	43,24	1	0,261	KG
SNR	6011.C3	48,03	1	0,356	KG
NTN	6011C3	48,03	1	0,41	KG
NTN	6011CM	48,03	1	0,4	KG
SNR	6011.EE	62,49	1	0,378	KG
SNR	6011.EEC3	62,49	1	0,394	KG
NTN	6011LLBC3/5K	62,49	1	0,4	KG
NTN	6011LLBCM/5K	62,49	1	0,406	KG
NTN	6011LLU/5K	62,49	1	0,395	KG
NTN	6011LLUC3/5K	62,49	1	0,388	KG
NTN	6011LLUCM/5K	62,49	1	0,388	KG
SNR	6011.ZZ	55,25	1	0,372	KG
SNR	6011.ZZC3	55,25	1	0,395	KG
NTN	6011ZZC3/5K	55,25	1	0,387	KG
NTN	6011ZZCM/5K	55,25	1	0,387	KG
SNR	6012.C3	55,08	1	0,408	KG
NTN	6012C3	55,08	1	0,434	KG
NTN	6012CM	55,08	1	0,434	KG
SNR	6012.EE	71,52	1	0,399	KG
SNR	6012.EEC3	71,52	1	0,4	KG
NTN	6012LLBC3/5K	73,25	1	0,43	KG
NTN	6012LLBCM/5K	73,25	1	0,432	KG
NTN	6012LLUC3/5K	71,52	1	0,432	KG
NTN	6012LLUCM/5K	71,52	1	0,43	KG
SNR	6012.ZZ	63,39	1	0,42	KG
NTN	6012ZZ/5K	63,39	1	0,415	KG
SNR	6012.ZZC3	63,39	1	0,416	KG
NTN	6012ZZC3/5K	63,39	1	0,414	KG
NTN	6012ZZCM/5K	63,39	1	0,413	KG
SNR	607EE	9,90	1	0,007	KG
SNR	607EEC3	9,90	1	0,005	KG
NTN	607LLB/5K	9,90	1	0,008	KG
SNR	607ZZ	8,79	1	0,007	KG

NTN	607ZZ/5K	8,79	1	0,008	KG
SNR	607ZZC3	8,79	1	0,007	KG
SNR	608EE	10,08	1	0,012	KG
SNR	608EEC3	10,08	1	0,012	KG
NTN	608LLB/5K	11,18	1	0,012	KG
NTN	608LLBC3/5K	11,18	1	0,014	KG
NTN	608LLU/5K	10,08	1	0,014	KG
NTN	608LLUC3/5K	10,08	1	0,015	KG
SNR	608ZZ	8,94	1	0,012	KG
NTN	608ZZ/5K	8,94	1	0,015	KG
SNR	608ZZC3	8,94	1	0,012	KG
SNR	609EE	10,26	1	0,014	KG
SNR	609EEC3	10,26	1	0,014	KG
NTN	609JX2LLB/1K	13,11	1	0,014	KG
NTN	609JX2LLBC3/5K	13,11	1	0,014	KG
NTN	609JX2LLU/1K	10,38	1	0,002	KG
NTN	609JX2LLUC3/1K	10,26	1	0,014	KG
NTN	609JX2ZZ/1K	9,09	1	0,014	KG
NTN	609JX2ZZC3/5K	9,09	1	0,02	KG
SNR	609ZZ	9,09	1	0,014	KG
SNR	609ZZC3	9,09	1	0,014	KG
NTN	6200C3	8,27	1	0,038	KG
SNR	6200.C3	8,27	1	34	G
SNR	6200EE	10,79	1	0,031	KG
SNR	6200EEC3	10,79	1	0,031	KG
NTN	6200LLB/5K	12,21	1	0,031	KG
NTN	6200LLBC3/5K	12,21	1	0,035	KG
NTN	6200LLBCM/5K	12,21	1	0,034	KG
NTN	6200LLU/5K	10,79	1	0,032	KG
NTN	6200LLUC3/5K	10,79	1	0,032	KG
NTN	6200U1	6,00	1	0,035	KG
SNR	6200ZZ	9,55	1	0,031	KG
NTN	6200ZZ/5K	9,55	1	0,037	KG
SNR	6200ZZC3	9,55	1	0,031	KG
NTN	6200ZZC3/5K	9,55	1	0,035	KG
NTN	6201C3	8,67	1	0,04	KG
SNR	6201.C3	8,67	1	0,037	KG
NTN	6201CM	8,67	1	0,037	KG
SNR	6201EE	11,25	1	0,039	KG
SNR	6201EEC3	11,25	1	0,034	KG
NTN	6201LLBC3/5K	13,16	1	0,037	KG
NTN	6201LLBCM/5K	13,16	1	0,037	KG
NTN	6201LLU/5K	11,25	1	0,037	KG
NTN	6201LLUC3/5K	11,25	1	0,037	KG
NTN	6201LLUCM/5K	11,25	1	0,04	KG
SNR	6201ZZ	9,98	1	0,035	KG
NTN	6201ZZ/5K	9,98	1	0,036	KG
SNR	6201ZZC3	9,98	1	0,036	KG
NTN	6201ZZC3/5K	9,98	1	0,037	KG
NTN	6201ZZCM/5K	9,98	1	0,04	KG

SNR	6202C3	9,31	1	0,043	KG
NTN	6202C3	9,31	1	0,045	KG
NTN	6202CM	9,31	1	0,045	KG
SNR	6202EE	12,13	1	0,045	KG
SNR	6202EEC3	12,13	1	0,045	KG
NTN	6202LLB/5K	12,13	1	0,045	KG
NTN	6202LLBCM/5K	12,13	1	0,045	KG
NTN	6202LLU/5K	12,13	1	0,045	KG
NTN	6202LLUC3/5K	12,13	1	0,044	KG
NTN	6202LLUCM/5K	12,13	1	0,045	KG
SNR	6202ZZ	10,74	1	0,045	KG
NTN	6202ZZ/5K	10,74	1	0,045	KG
SNR	6202ZZC3	10,74	1	0,045	KG
NTN	6202ZZC3/5K	10,74	1	0,041	KG
NTN	6202ZZCM/5K	10,74	1	0,045	KG
SNR	6203C3	10,51	1	0,065	KG
NTN	6203C3	10,51	1	0,065	KG
NTN	6203CM	10,51	1	0,066	KG
SNR	6203EE	13,65	1	0,067	KG
SNR	6203EEC3	13,65	1	0,067	KG
NTN	6203LLB/5K	15,98	1	0,064	KG
NTN	6203LLBC3/5K	15,98	1	0,066	KG
NTN	6203LLU/5K	13,65	1	0,065	KG
NTN	6203LLUC3/5K	13,65	1	0,065	KG
SNR	6203ZZ	12,03	1	0,067	KG
NTN	6203ZZ/5K	12,03	1	0,066	KG
SNR	6203ZZC3	12,03	1	0,067	KG
NTN	6203ZZC3/5K	12,03	1	0,07	KG
SNR	6204C3	12,32	1	0,096	KG
NTN	6204C3	12,32	1	0,106	KG
NTN	6204CM	12,32	1	0,11	KG
SNR	6204EE	16,02	1	0,1	KG
SNR	6204EEC3	16,02	1	0,103	KG
NTN	6204LLB/5K	17,83	1	0,106	KG
NTN	6204LLBC3/5K	17,83	1	0,106	KG
NTN	6204LLBCM/5K	17,83	1	0,106	KG
NTN	6204LLU/5K	16,02	1	105	G
NTN	6204LLUC3/5K	16,02	1	107	G
NTN	6204LLUCM/5K	16,02	1	110	G
SNR	6204ZZ	14,07	1	0,104	KG
NTN	6204ZZ/5K	14,07	1	109	G
SNR	6204ZZC3	14,07	1	0,1	KG
NTN	6204ZZC3/5K	14,07	1	106	G
SNR	6205C3	14,34	1	0,125	KG
NTN	6205C3	14,34	1	0,128	KG
NTN	6205CM	14,34	1	0,13	KG
SNR	6205EE	18,73	1	0,129	KG
SNR	6205EEC3	18,73	1	0,114	KG
NTN	6205LLB/5K	21,19	1	0,13	KG
NTN	6205LLBC3/5K	21,19	1	0,127	KG

NTN	6205LLU/5K	18,73	1	0,129	KG
NTN	6205LLUC3/5K	18,73	1	0,131	KG
NTN	6205LLUCM/5K	18,73	1	0,135	KG
SNR	6205ZZ	16,53	1	0,129	KG
NTN	6205ZZ/5K	16,53	1	0,129	KG
SNR	6205ZZC3	16,53	1	0,129	KG
NTN	6205ZZC3/5K	16,53	1	0,133	KG
NTN	6205ZZCM/5K	16,53	1	0,127	KG
SNR	6206C3	19,24	1	0,194	KG
NTN	6206C3	19,24	1	0,21	KG
NTN	6206CM	19,24	1	0,21	KG
SNR	6206EE	22,99	1	0,199	KG
SNR	6206EEC3	22,99	1	0,199	KG
NTN	6206LLB/5K	22,99	1	208	G
NTN	6206LLBC3/5K	22,99	1	190	G
NTN	6206LLBCM/5K	22,99	1	210	G
NTN	6206LLU/5K	22,99	1	205	G
NTN	6206LLUC3/5K	22,99	1	200	G
SNR	6206ZZ	22,13	1	0,199	KG
NTN	6206ZZ/5K	22,13	1	208	G
SNR	6206ZZC3	22,13	1	0,199	KG
NTN	6206ZZC3/5K	22,13	1	209	G
NTN	6206ZZCM/5K	22,13	1	208	G
SNR	6207.C3	25,34	1	0,282	KG
NTN	6207C3	25,34	1	0,3	KG
NTN	6207CM	25,34	1	0,288	KG
SNR	6207.EE	32,95	1	0,29	KG
SNR	6207.EEC3	32,95	1	0,296	KG
NTN	6207LLBC3/5K	33,23	1	288	G
NTN	6207LLBCM/5K	33,23	1	0,285	KG
NTN	6207LLUC3/5K	32,95	1	299	G
NTN	6207LLUCM/5K	32,95	1	291	G
SNR	6207.ZZ	29,14	1	0,3	KG
SNR	6207.ZZC3	29,14	1	0,288	KG
NTN	6207ZZC3/5K	29,14	1	0,295	KG
NTN	6207ZZCM/5K	29,14	1	0,284	KG
SNR	6208.C3	33,54	1	376	G
NTN	6208C3	33,54	1	0,017	KG
NTN	6208CM	33,54	1	0,365	KG
SNR	6208.EE	43,63	1	0,38	KG
SNR	6208.EEC3	43,63	1	373	G
NTN	6208LLBC3/5K	43,63	1	0,368	KG
NTN	6208LLBCM/5K	43,63	1	0,368	KG
NTN	6208LLUC3/5K	43,63	1	0,38	KG
NTN	6208LLUCM/5K	43,63	1	0,368	KG
SNR	6208.ZZ	38,60	1	0,371	KG
SNR	6208.ZZC3	38,60	1	372	G
NTN	6208ZZC3/5K	38,60	1	0,38	KG
NTN	6208ZZCM/5K	38,60	1	0,38	KG
NTN	6209C3	41,04	1	0,419	KG

SNR	6209.C3	41,04	1	0,43	KG
NTN	6209CM	41,04	1	0,413	KG
SNR	6209.EE	53,26	1	0,412	KG
SNR	6209.EEC3	53,26	1	0,42	KG
NTN	6209LLBC3/5K	53,26	1	0,416	KG
NTN	6209LLBCM/5K	53,26	1	0,403	KG
NTN	6209LLUC3/5K	53,26	1	0,418	KG
NTN	6209LLUCM/5K	53,26	1	0,401	KG
SNR	6209.ZZ	47,15	1	0,424	KG
SNR	6209ZZC3	47,15	1	418	G
NTN	6209ZZC3/5K	47,15	1	0,42	KG
NTN	6209ZZCM/5K	47,15	1	0,398	KG
SNR	6210.C3	48,55	1	0,452	KG
NTN	6210C3	48,55	1	0,474	KG
NTN	6210CM	48,55	1	0,472	KG
SNR	6210.EE	63,63	1	0,47	KG
SNR	6210EEC3	63,63	1	468	G
NTN	6210LLBC3/5K	63,63	1	0,475	KG
NTN	6210LLBCM/5K	63,63	1	0,458	KG
NTN	6210LLUC3/5K	63,63	1	0,458	KG
NTN	6210LLUCM/5K	63,63	1	0,458	KG
SNR	6210.ZZ	55,78	1	0,474	KG
SNR	6210ZZC3	55,78	1	465	G
NTN	6210ZZC3/5K	55,78	1	0,454	KG
NTN	6210ZZCM/5K	55,78	1	0,455	KG
SNR	6211.C3	57,33	1	0,6	KG
NTN	6211C3	57,33	1	0,63	KG
NTN	6211CM	57,33	1	0,622	KG
SNR	6211.EE	74,49	1	0,618	KG
SNR	6211.EEC3	74,49	1	0,626	KG
NTN	6211LLBC3/5K	74,49	1	0,63	KG
NTN	6211LLBCM/5K	74,49	1	0,601	KG
NTN	6211LLUC3/5K	74,49	1	0,621	KG
NTN	6211LLUCM/5K	74,49	1	0,601	KG
SNR	6211.ZZ	65,97	1	0,614	KG
SNR	6211ZZC3	65,97	1	610	G
NTN	6211ZZC3/5K	65,97	1	0,626	KG
NTN	6211ZZCM/5K	65,97	1	0,62	KG
SNR	6212.C3	71,30	1	0,8	KG
NTN	6212C3	71,30	1	0,79	KG
NTN	6212CM	71,30	1	0,765	KG
SNR	6212.EE	92,68	1	0,788	KG
SNR	6212EEC3	92,68	1	785	G
NTN	6212LLBC3/5K	92,68	1	0,783	KG
NTN	6212LLBCM/5K	92,68	1	0,775	KG
NTN	6212LLUC3/5K	92,68	1	0,783	KG
NTN	6212LLUCM/5K	92,68	1	0,79	KG
SNR	6212.ZZ	81,92	1	0,401	KG
SNR	6212ZZC3	81,92	1	780	G
NTN	6212ZZC3/5K	81,92	1	0,783	KG

NTN	6212ZZCM/5K	81,92	1	0,8	KG
SNR	623EE	13,06	1	0,003	KG
SNR	623EEC3	13,06	1	0,003	KG
SNR	623ZZ	11,46	1	0,003	KG
SNR	623ZZC3	11,46	1	0,003	KG
SNR	624EE	13,35	1	0,003	KG
SNR	624EEC3	13,35	1	0,003	KG
SNR	624ZZ	9,93	1	0,001	KG
SNR	624ZZC3	9,93	1	0,003	KG
SNR	625EE	9,99	1	0,005	KG
SNR	625EEC3	9,99	1	0,005	KG
NTN	625LLB/1K	12,75	1	0,005	KG
SNR	625ZZ	8,87	1	0,005	KG
SNR	625ZZC3	8,87	1	0,005	KG
SNR	626EE	9,83	1	0,008	KG
SNR	626EEC3	9,83	1	0,008	KG
NTN	626LLB/5K	11,51	1	0,01	KG
NTN	626LLU/5K	9,83	1	0,01	KG
NTN	626LLUC3/5K	9,83	1	0,01	KG
SNR	626ZZ	8,67	1	0,005	KG
NTN	626ZZ/5K	8,67	1	0,008	KG
SNR	626ZZC3	8,67	1	0,008	KG
NTN	626ZZC3/5K	8,67	1	0,007	KG
SNR	627EE	9,90	1	0,013	KG
SNR	627EEC3	9,90	1	0,013	KG
NTN	627LLB/1K	11,32	1	0,013	KG
NTN	627LLU/5K	9,90	1	0,012	KG
NTN	627LLUC3/1K	9,90	1	0,013	KG
NTN	627ZZ/5K	8,58	1	0,014	KG
SNR	627ZZC3	8,58	1	0,013	KG
NTN	627ZZC3/5K	8,58	1	0,014	KG
NTN	628LLB/1K	11,40	1	0,016	KG
NTN	628LLBC3/1K	11,40	1	0,019	KG
NTN	628LLU/2AS	11,40	1	0,025	KG
NTN	628ZZ/5K	12,40	1	0,016	KG
SNR	629EE	10,42	1	0,019	KG
SNR	629EEC3	10,42	1	0,019	KG
NTN	629X50LLBC3/1K	10,42	1	0,02	KG
NTN	629X50LLU/5K	10,42	1	0,025	KG
NTN	629X50LLUC3/1K	10,42	1	19	G
NTN	629X50LLUC3/5K	10,42	1	0,019	KG
NTN	629X50ZZ/5K	9,22	1	0,019	KG
NTN	629X50ZZC3/5K	9,22	1	0,019	KG
SNR	629ZZ	9,22	1	0,019	KG
SNR	629ZZC3	9,22	1	0,019	KG
NTN	6300C3	11,92	1	0,053	KG
SNR	6300.C3	11,92	1	0,056	KG
NTN	6300CM	11,92	1	0,06	KG
SNR	6300EE	14,30	1	0,055	KG
SNR	6300EEC3	14,30	1	0,055	KG

NTN	6300LLB/5K	14,30	1	0,06	KG
NTN	6300LLBC3/5K	14,30	1	0,06	KG
NTN	6300LLBCM/5K	14,30	1	0,06	KG
NTN	6300LLU/5K	14,30	1	0,053	KG
NTN	6300LLUC3/5K	14,30	1	0,053	KG
NTN	6300LLUCM/5K	14,30	1	0,053	KG
SNR	6300ZZ	12,61	1	0,055	KG
NTN	6300ZZ/5K	12,61	1	0,053	KG
SNR	6300ZZC3	12,61	1	0,055	KG
NTN	6300ZZC3/5K	12,61	1	0,06	KG
NTN	6300ZZCM/5K	12,61	1	0,053	KG
NTN	6301C3	12,21	1	0,064	KG
SNR	6301.C3	12,21	1	0,062	KG
NTN	6301CM	12,21	1	0,06	KG
SNR	6301EE	14,68	1	0,06	KG
SNR	6301EEC3	14,68	1	0,06	KG
NTN	6301LLBC3/5K	14,68	1	0,06	KG
NTN	6301LLU/5K	14,68	1	0,06	KG
NTN	6301LLUC3/5K	14,68	1	0,06	KG
NTN	6301LLUCM/5K	14,68	1	0,06	KG
NTN	6301U1	12,21	1	0,065	KG
SNR	6301ZZ	12,95	1	0,06	KG
NTN	6301ZZ/5K	12,95	1	0,06	KG
SNR	6301ZZC3	12,95	1	0,06	KG
NTN	6301ZZC3/5K	12,95	1	0,065	KG
NTN	6301ZZCM/5K	12,95	1	0,064	KG
NTN	6302C3	12,24	1	0,082	KG
SNR	6302.C3	12,24	1	0,086	KG
NTN	6302CM	12,24	1	0,09	KG
SNR	6302EE	15,87	1	0,088	KG
SNR	6302EEC3	15,87	1	0,084	KG
NTN	6302LLBC3/5K	15,87	1	0,085	KG
NTN	6302LLBCM/5K	15,87	1	0,083	KG
NTN	6302LLU/5K	15,87	1	0,082	KG
NTN	6302LLUC3/5K	15,87	1	0,085	KG
NTN	6302LLUCM/5K	15,87	1	0,085	KG
NTN	6302U1	8,00	1	0,082	KG
SNR	6302ZZ	14,09	1	0,084	KG
NTN	6302ZZ/5K	14,09	1	0,082	KG
SNR	6302ZZC3	14,09	1	0,084	KG
NTN	6302ZZC3/5K	14,09	1	0,09	KG
NTN	6302ZZCM/5K	14,09	1	0,083	KG
NTN	6303C3	13,83	1	0,115	KG
SNR	6303.C3	13,83	1	0,11	KG
NTN	6303CM	13,83	1	0,116	KG
SNR	6303EE	17,98	1	0,116	KG
SNR	6303EEC3	17,98	1	0,116	KG
NTN	6303LLB/5K	17,98	1	0,115	KG
NTN	6303LLU/5K	17,98	1	0,11	KG
NTN	6303LLUC3/5K	17,98	1	0,095	KG

NTN	6303LLUCM/5K	17,98	1	0,12	KG
NTN	6303U1	13,83	1	0,12	KG
SNR	6303ZZ	15,91	1	0,116	KG
NTN	6303ZZ/5K	15,91	1	0,118	KG
SNR	6303ZZC3	15,91	1	0,116	KG
NTN	6303ZZC3/5K	15,91	1	0,121	KG
NTN	6303ZZCM/5K	15,91	1	0,118	KG
NTN	6304C3	16,02	1	0,15	KG
SNR	6304.C3	16,02	1	0,142	KG
NTN	6304CM	16,02	1	0,15	KG
SNR	6304EE	20,84	1	0,14	KG
SNR	6304EEC3	20,84	1	0,14	KG
NTN	6304LLB/5K	20,84	1	0,145	KG
NTN	6304LLBC3/5K	20,84	1	0,145	KG
NTN	6304LLBCM/5K	20,84	1	0,149	KG
NTN	6304LLU/5K	20,84	1	0,152	KG
NTN	6304LLUC3/5K	20,84	1	0,151	KG
NTN	6304LLUCM/5K	20,84	1	0,152	KG
NTN	6304U1	16,02	1	0,15	KG
SNR	6304ZZ	18,44	1	0,138	KG
NTN	6304ZZ/5K	18,44	1	0,147	KG
SNR	6304ZZC3	18,44	1	0,14	KG
NTN	6304ZZC3/5K	18,44	1	0,15	KG
NTN	6304ZZCM/5K	18,44	1	0,147	KG
SNR	6305C3	20,17	1	0,214	KG
NTN	6305C3	20,17	1	0,235	KG
SNR	6305EE	26,23	1	0,23	KG
SNR	6305EEC3	26,23	1	0,226	KG
NTN	6305LLB/5K	26,23	1	0,23	KG
NTN	6305LLBC3/5K	26,23	1	0,23	KG
NTN	6305LLBCM/5K	26,23	1	0,23	KG
NTN	6305LLU/5K	26,23	1	0,232	KG
NTN	6305LLUC3/5K	26,23	1	0,237	KG
SNR	6305ZZ	23,18	1	0,225	KG
NTN	6305ZZ/5K	23,18	1	0,232	KG
SNR	6305ZZC3	23,18	1	0,228	KG
NTN	6305ZZC3/5K	23,18	1	0,24	KG
NTN	6306C3	27,13	1	0,36	KG
SNR	6306.C3	27,13	1	0,34	KG
SNR	6306.EE	35,18	1	0,358	KG
SNR	6306.EEC3	35,18	1	0,36	KG
NTN	6306LLB/5K	35,18	1	0,36	KG
NTN	6306LLBC3/5K	35,18	1	0,362	KG
NTN	6306LLBCM/5K	35,18	1	0,36	KG
NTN	6306LLU/5K	35,18	1	0,355	KG
NTN	6306LLUC3/5K	35,18	1	0,361	KG
SNR	6306.ZZ	31,20	1	0,352	KG
NTN	6306ZZ/5K	31,20	1	0,36	KG
SNR	6306.ZZC3	31,20	1	0,354	KG
SNR	6307.C3	36,40	1	457	G

NTN	6307C3	36,40	1	0,456	KG
NTN	6307CM	36,40	1	0,456	KG
SNR	6307.EE	47,37	1	438	G
SNR	6307.EEC3	47,37	1	0,46	KG
NTN	6307LLBC3/5K	47,37	1	0,463	KG
NTN	6307LLBCM/5K	47,37	1	0,457	KG
NTN	6307LLUC3/5K	47,37	1	0,463	KG
NTN	6307LLUCM/5K	47,37	1	0,462	KG
SNR	6307.ZZ	41,85	1	0,46	KG
SNR	6307ZZC3	41,85	1	0,454	KG
NTN	6307ZZC3/5K	41,85	1	0,461	KG
NTN	6307ZZCM/5K	41,85	1	480	G
SNR	6308.C3	51,51	1	0,616	KG
NTN	6308C3	51,51	1	0,65	KG
NTN	6308CM	51,51	1	0,64	KG
SNR	6308.EE	66,97	1	0,64	KG
SNR	6308.EEC3	66,97	1	0,64	KG
NTN	6308LLBC3/5K	66,97	1	0,63	KG
NTN	6308LLBCM/5K	66,97	1	0,64	KG
NTN	6308LLUC3/5K	66,97	1	0,66	KG
NTN	6308LLUCM/5K	66,97	1	0,637	KG
SNR	6308.ZZ	59,19	1	0,635	KG
NTN	6308ZZ/5K	59,19	1	0,655	KG
SNR	6308.ZZC3	59,19	1	0,634	KG
NTN	6308ZZC3/5K	59,19	1	0,64	KG
NTN	6308ZZCM/5K	59,19	1	0,65	KG
SNR	6309.C3	64,98	1	0,82	KG
NTN	6309C3	64,98	1	0,814	KG
NTN	6309CM	64,98	1	0,838	KG
SNR	6309.EE	84,48	1	0,845	KG
SNR	6309.EEC3	84,48	1	0,85	KG
NTN	6309LLBC3/5K	84,48	1	0,83	KG
NTN	6309LLBCM/5K	84,48	1	0,83	KG
NTN	6309LLUC3/5K	84,48	1	0,85	KG
NTN	6309LLUCM/5K	84,48	1	0,853	KG
SNR	6309.ZZ	74,73	1	0,838	KG
SNR	6309.ZZC3	74,73	1	0,836	KG
NTN	6309ZZC3/5K	74,73	1	0,85	KG
NTN	6309ZZCM/5K	74,73	1	0,707	KG
SNR	6310.C3	86,27	1	1,06	KG
NTN	6310C3	86,27	1	1,086	KG
NTN	6310CM	86,27	1	1,08	KG
SNR	6310.EE	112,16	1	1,09	KG
SNR	6310.EEC3	112,16	1	1,095	KG
NTN	6310LLBC3/5K	112,16	1	1,07	KG
NTN	6310LLBCM/5K	112,16	1	1,08	KG
NTN	6310LLUC3/5K	112,16	1	1,1	KG
NTN	6310LLUCM/5K	112,16	1	1,1	KG
SNR	6310.ZZ	99,20	1	1,09	KG
SNR	6310.ZZC3	99,20	1	1,08	KG

NTN	6310ZZC3/5K	99,20	1	1,11	KG
NTN	6310ZZCM/5K	99,20	1	1,1	KG
SNR	6311.C3	108,21	1	1,366	KG
NTN	6311C3	108,21	1	1,37	KG
NTN	6311CM	108,21	1	1,37	KG
SNR	6311.EE	140,33	1	1,386	KG
SNR	6311.EEC3	140,33	1	1,4	KG
NTN	6311LLBC3/5K	140,33	1	1,397	KG
NTN	6311LLBCM/5K	140,33	1	1,348	KG
NTN	6311LLUC3/5K	140,33	1	1,37	KG
NTN	6311LLUCM/5K	140,33	1	1,346	KG
SNR	6311.ZZ	124,17	1	1,366	KG
NTN	6311ZZC3/5K	124,17	1	1,37	KG
NTN	6311ZZCM/5K	124,17	1	1,37	KG
NTN	6312C3	137,07	1	1,7	KG
SNR	6312.C3	137,07	1	1,64	KG
NTN	6312CM	137,07	1	1,7	KG
SNR	6312.EE	178,11	1	1,746	KG
SNR	6312.EEC3	178,11	1	1,736	KG
NTN	6312LLBC3/5K	178,11	1	1,73	KG
NTN	6312LLBCM/5K	178,11	1	1,73	KG
NTN	6312LLUC3/5K	178,11	1	1,672	KG
NTN	6312LLUCM/5K	178,11	1	1,71	KG
SNR	6312.ZZ	157,89	1	1,71	KG
NTN	6312ZZ/5K	157,89	1	1,71	KG
SNR	6312ZZC3	157,89	1	1,72	KG
NTN	6312ZZC3/5K	157,89	1	1,73	KG
NTN	6312ZZCM/5K	157,89	1	1,736	KG
SNR	634EE	23,91	1	0,005	KG
SNR	634ZZ	12,00	1	5	G
SNR	635ZZ	9,96	1	8	G
NTN	638ZZ/2AS	38,76	1	0,028	KG
NTN	AC-6204ZZCM/L448	28,13	1	0,099	KG
NTN	R8JRXLLBC3/5K	52,15	1	0,021	KG
NTN	6013	72,99	1	0,421	KG
SNR	6014	92,64	1	0,587	KG
SNR	6015	106,19	1	0,637	KG
SNR	6016	129,17	1	0,821	KG
SNR	6017	144,88	1	0,888	KG
NTN	6019	199,80	1	1,27	KG
SNR	6019	199,80	1	1,165	KG
SNR	6020	219,66	1	1,211	KG
SNR	6021	271,41	1	1,56	KG
SNR	6022	325,56	1	1930	G
SNR	6024	357,60	1	2,06	KG
SNR	6026	472,21	1	3,24	KG
NTN	6028	580,68	1	3,355	KG
SNR	6028	580,68	1	3,36	KG
SNR	6213	95,70	1	0,93	KG
SNR	6214	120,69	1	1,01	KG

SNR	6215	142,68	1	1,116	KG
SNR	6216	166,92	1	1,368	KG
NTN	6217	209,61	1	1,79	KG
SNR	6217	209,61	1	0,73	KG
SNR	6218	258,63	1	2,12	KG
NTN	6219	312,19	1	2,62	KG
SNR	6219	312,19	1	2,554	KG
NTN	6220	358,93	1	3,14	KG
SNR	6220	358,93	1	3,01	KG
SNR	6221	455,40	1	3,858	KG
SNR	6222	520,72	1	4,26	KG
SNR	6224	667,92	1	5,6	KG
NTN	6226	806,91	1	5,98	KG
SNR	6226	806,91	1	5,926	KG
NTN	6228	1.090,32	1	7,52	KG
SNR	6313	192,24	1	1,95	KG
NTN	6313	192,24	1	2,08	KG
SNR	6314	220,43	1	2,41	KG
SNR	6315	273,69	1	2,96	KG
SNR	6316	316,60	1	3,31	KG
SNR	6317	390,19	1	4,09	KG
SNR	6318	473,81	1	4,792	KG
SNR	6319	585,31	1	5,47	KG
SNR	6320	704,65	1	7,517	KG
SNR	6322	1.076,84	1	9,11	KG
NTN	6403	55,49	1	0,275	KG
NTN	6404	71,81	1	0,4	KG
NTN	6405	82,64	1	0,54	KG
NTN	6406	103,96	1	0,735	KG
NTN	6407	125,48	1	0,966	KG
NTN	6408	155,34	1	1,26	KG
NTN	6409	189,85	1	1,55	KG
NTN	6410	222,89	1	1,955	KG
NTN	6411	265,95	1	2,405	KG
NTN	6412	331,92	1	2,83	KG
NTN	6413	406,30	1	3,36	KG
NTN	6414	577,26	1	5,02	KG
NTN	6415	853,90	1	6	KG
NTN	6416	1.004,36	1	6,8	KG
NTN	16002	16,59	1	0,03	KG
SNR	16002	16,59	1	0,034	KG
SNR	16003	17,14	1	0,04	KG
NTN	16004	17,89	1	0,05	KG
NTN	16006	26,09	1	0,092	KG
SNR	16007	26,56	1	0,111	G
NTN	16008	30,95	1	0,138	KG
SNR	16008	30,95	1	0,13	G
NTN	16009	42,51	1	0,18	KG
NTN	16010	45,44	1	0,195	KG
NTN	16011	61,79	1	0,269	KG

SNR	16011	61,79	1	0,265	G
NTN	16012	70,27	1	0,29	KG
NTN	16013	81,89	1	0,318	KG
NTN	16014	100,07	1	0,456	KG
NTN	16015	111,32	1	0,484	KG
NTN	16016	130,46	1	0,597	KG
NTN	16017	142,35	1	0,69	KG
NTN	16018	163,19	1	0,848	KG
NTN	16019	215,37	1	0,918	KG
NTN	16020	201,87	1	1,005	KG
NTN	16021	300,46	1	1,2	KG
NTN	16022	282,73	1	1,555	KG
NTN	16024	330,27	1	1,65	KG
NTN	16026	453,06	1	2,415	KG
NTN	16028	522,46	1	2,48	KG
NTN	16030	633,23	1	3,07	KG
NTN	16032	729,14	1	3,845	KG
NTN	16034	901,53	1	4,93	KG
NTN	16036	1.132,12	1	6,87	KG
NTN	16038	1.322,13	1	7,32	KG
NTN	16040	1.464,57	1	9,25	KG
NTN	16044	1.946,54	1	11,3	KG
NTN	16048	3.615,23	1	12,5	KG
NTN	16001JRX	18,74	1	0,018	KG
NTN	16001JRXC3	18,74	1	0,019	KG
SNR	16002.C3	16,59	1	0,034	KG
SNR	16003C3	17,14	1	0,032	G
NTN	16004C3	17,89	1	0,055	KG
NTN	16005C3	19,61	1	0,057	KG
NTN	16009C3	42,51	1	0,18	KG
NTN	16010C3	45,44	1	0,18	KG
NTN	16011C3	61,79	1	0,27	KG
NTN	16012C3	70,27	1	0,278	KG
NTN	16013C3	81,89	1	0,307	KG
NTN	16014C3	100,07	1	0,452	KG
NTN	16015C3	111,32	1	0,49	KG
NTN	16016C3	130,46	1	0,597	KG
NTN	16018C3	163,19	1	0,877	KG
NTN	16019C3	215,37	1	0,885	KG
NTN	16020C3	201,87	1	1,005	KG
NTN	16021C3	300,46	1	1,265	KG
NTN	16022C3	282,73	1	1,5	KG
NTN	16024C3	330,27	1	1,58	KG
NTN	16026C3	453,06	1	2,31	KG
NTN	16028C3	522,46	1	2,58	KG
NTN	16030C3	633,23	1	3,07	KG
NTN	16032C3	729,14	1	3,64	KG
NTN	16034C3	901,53	1	5,25	KG
NTN	16036C3	1.132,12	1	6,87	KG
NTN	16040C3	1.464,57	1	9,26	KG

NTN	16044C3	1.946,54	1	11,75	KG
NTN	6013C3	72,99	1	0,421	KG
NTN	6013CM	72,99	1	0,465	KG
NTN	6013LLBC3/5K	88,39	1	0,47	KG
NTN	6013LLBCM/5K	88,39	1	0,441	KG
NTN	6013LLUC3/5K	88,39	1	0,441	KG
NTN	6013LLUCM/5K	88,39	1	0,441	KG
NTN	6013ZZ/5K	83,99	1	0,421	KG
NTN	6013ZZC3/5K	83,99	1	0,456	KG
NTN	6013ZZCM/5K	83,99	1	0,46	KG
NTN	6014C3	92,64	1	0,611	KG
SNR	6014.C3	92,64	1	0,593	KG
NTN	6014CM	92,64	1	0,611	KG
SNR	6014EE	112,23	1	0,552	KG
SNR	6014.EEC3	112,23	1	0,623	KG
NTN	6014LLBC3/5K	114,95	1	0,635	KG
NTN	6014LLBCM/5K	114,95	1	0,616	KG
NTN	6014LLU/5K	112,23	1	0,626	KG
NTN	6014LLUC3/5K	112,23	1	0,614	KG
NTN	6014LLUCM/5K	112,23	1	0,614	KG
SNR	6014.ZZ	106,63	1	0,618	KG
SNR	6014.ZZC3	106,63	1	0,621	KG
NTN	6014ZZC3/5K	106,63	1	0,602	KG
NTN	6014ZZCM/5K	106,63	1	0,611	KG
NTN	6015C3	106,19	1	0,638	KG
SNR	6015.C3	106,19	1	0,634	KG
NTN	6015CM	106,19	1	0,673	KG
SNR	6015.EE	128,68	1	0,667	KG
SNR	6015.EEC3	128,68	1	0,668	KG
NTN	6015LLBC3/2AS	131,77	1	0,649	KG
NTN	6015LLUC3/5K	128,68	1	0,649	KG
NTN	6015LLUCM/5K	128,68	1	0,647	KG
SNR	6015.ZZ	122,06	1	0,66	KG
SNR	6015.ZZC3	122,06	1	0,664	KG
NTN	6015ZZC3/5K	122,06	1	0,668	KG
NTN	6015ZZCM/5K	122,06	1	0,649	KG
NTN	6016C3	129,17	1	0,854	KG
SNR	6016.C3	129,17	1	0,822	KG
NTN	6016CM	129,17	1	0,854	KG
SNR	6016.EE	156,23	1	0,856	KG
SNR	6016.EEC3	156,23	1	0,86	KG
NTN	6016LLB/2AS	159,98	1	0,89	KG
NTN	6016LLUC3/5K	156,28	1	0,854	KG
NTN	6016LLUCM/5K	156,28	1	0,856	KG
SNR	6016.ZZ	148,80	1	0,863	KG
SNR	6016.ZZC3	148,80	1	0,864	KG
NTN	6016ZZC3/5K	148,80	1	0,854	KG
NTN	6016ZZCM/5K	148,80	1	0,856	KG
NTN	6017C3	144,88	1	0,9	KG
SNR	6017.C3	144,88	1	0,89	KG

NTN	6017CM	144,88	1	0,93	KG
SNR	6017.EE	181,48	1	0,924	KG
SNR	6017.EEC3	181,48	1	0,928	KG
NTN	6017LLU/5K	181,48	1	0,932	KG
NTN	6017LLUC3/5K	181,48	1	0,905	KG
NTN	6017LLUCM/5K	181,48	1	0,905	KG
SNR	6017.ZZ	166,32	1	0,928	KG
SNR	6017.ZZC3	166,32	1	0,926	KG
NTN	6017ZZC3/5K	166,32	1	0,935	KG
NTN	6017ZZCM/5K	166,32	1	0,906	KG
NTN	6018C3	172,08	1	1,168	KG
SNR	6018.C3	172,08	1	1,11	KG
NTN	6018CM	172,08	1	1,198	KG
SNR	6018EE	215,62	1	1,056	KG
SNR	6018.EEC3	215,62	1	1,162	KG
NTN	6018LLUC3/5K	215,62	1	1,165	KG
NTN	6018LLUCM/5K	215,62	1	1,165	KG
SNR	6018.ZZ	197,91	1	1,161	KG
NTN	6018ZZ/5K	197,91	1	1,02	KG
SNR	6018.ZZC3	197,91	1	1,158	KG
NTN	6018ZZC3/5K	197,91	1	1,215	KG
NTN	6018ZZCM/5K	197,91	1	1,02	KG
NTN	6019C3	199,80	1	1,222	KG
SNR	6019.C3	199,80	1	1,28	KG
NTN	6019CM	199,80	1	1,08	KG
SNR	6019.EE	256,18	1	1,224	KG
SNR	6019.EEC3	256,18	1	1,225	KG
NTN	6019LLB/5K	256,18	1	1,267	KG
NTN	6019LLUC3/5K	256,18	1	1,27	KG
NTN	6019LLUCM/5K	256,18	1	1,247	KG
SNR	6019.ZZ	235,39	1	1,22	KG
NTN	6019ZZ/5K	235,39	1	1,22	KG
SNR	6019.ZZC3	235,39	1	1,232	KG
NTN	6019ZZC3/5K	235,39	1	1,26	KG
NTN	6019ZZCM/5K	235,39	1	1,255	KG
NTN	6020C3	219,66	1	1,315	KG
SNR	6020.C3	219,66	1	1,2	KG
NTN	6020CM	219,66	1	1,32	KG
SNR	6020.EE	268,53	1	1,262	KG
SNR	6020.EEC3	268,53	1	1,24	KG
NTN	6020LLB/5K	268,53	1	1,15	KG
NTN	6020LLUC3/5K	268,53	1	1,15	KG
NTN	6020LLUCM/5K	268,53	1	1,31	KG
SNR	6020.ZZ	252,64	1	1,278	KG
SNR	6020.ZZC3	252,64	1	1,275	KG
NTN	6020ZZC3/5K	252,64	1	1,305	KG
NTN	6020ZZCM/5K	252,64	1	1,315	KG
NTN	6021C3	271,41	1	1,59	KG
SNR	6021.C3	271,41	1	1,544	KG
NTN	6021CM	271,41	1	1,6	KG

SNR	6021.EE	362,25	1	1,605	KG
SNR	6021.EEC3	362,25	1	1,585	KG
NTN	6021LLUC3/5K	362,25	1	1,59	KG
NTN	6021LLUCM/5K	362,25	1	1,6	KG
NTN	6021ZZC3/5K	324,97	1	1,6	KG
NTN	6021ZZCM/5K	324,97	1	1,65	KG
NTN	6022C3	325,56	1	1,96	KG
SNR	6022.C3	325,56	1	1,92	KG
NTN	6022CM	325,56	1	2,03	KG
SNR	6022.EE	425,47	1	2,023	KG
SNR	6022.EEC3	425,47	1	2038	G
NTN	6022LLUC3/5K	425,47	1	1,98	KG
NTN	6022LLUCM/5K	425,47	1	2,04	KG
NTN	6022ZZC3/5K	390,06	1	1,98	KG
NTN	6022ZZCM/5K	390,06	1	2,03	KG
NTN	6024C3	357,60	1	2,18	KG
NTN	6024CM	357,60	1	2,14	KG
SNR	6024.EE	465,14	1	2,1	KG
SNR	6024.EEC3(J30)	465,14	1	2208	G
NTN	6024LLUC3/5K	465,14	1	2,2	KG
NTN	6024LLUCM/5K	465,14	1	2,186	KG
NTN	6024ZZC3/5K	454,52	1	2,145	KG
NTN	6024ZZCM/5K	454,52	1	2,173	KG
NTN	6026C3	472,21	1	3,16	KG
SNR	6026.C3	472,21	1	3,244	KG
NTN	6026CM	472,21	1	3,16	KG
NTN	6026LLBC3/2AS	717,13	1	3,345	KG
NTN	6026LLUC3/2AS	717,13	1	3,555	KG
NTN	6026ZZC3/2AS	630,27	1	3,27	KG
NTN	6028C3	580,68	1	3,57	KG
SNR	6028.C3	580,68	1	3,36	KG
NTN	6028CM	580,68	1	3,355	KG
SNR	6028.EE	821,76	1	3,5	KG
NTN	6028LLU/2AS	821,76	1	3,6	KG
NTN	6028LLUC3/5K	821,76	1	3,49	KG
NTN	6028ZZ/2AS	723,17	1	1,159	KG
NTN	6028ZZC3/5K	723,17	1	3,48	KG
SNR	6213C3	95,70	1	0,93	KG
NTN	6213C3	95,70	1	0,99	KG
NTN	6213CM	95,70	1	0,978	KG
SNR	6213EE	132,99	1	0,96	KG
SNR	6213EEEC3	132,99	1	0,96	KG
NTN	6213LLBC3/5K	132,99	1	0,983	KG
NTN	6213LLU/5K	132,99	1	0,12	KG
NTN	6213LLUC3/5K	132,99	1	1,016	KG
NTN	6213LLUCM/5K	132,99	1	1,016	KG
SNR	6213ZZ	124,75	1	0,96	KG
SNR	6213ZZC3	124,75	1	0,96	KG
NTN	6213ZZC3/5K	124,75	1	0,982	KG
NTN	6213ZZCM/5K	124,75	1	1,01	KG

SNR	6214C3	120,69	1	1,01	KG
NTN	6214C3	120,69	1	1,07	KG
NTN	6214CM	120,69	1	1,07	KG
SNR	6214EE	147,41	1	1,04	KG
SNR	6214EEC3	147,41	1	1,04	KG
NTN	6214LLBC3/5K	147,41	1	1,09	KG
NTN	6214LLUC3/5K	147,41	1	1,094	KG
NTN	6214LLUCM/5K	147,41	1	1,07	KG
SNR	6214ZZ	142,93	1	1,04	KG
SNR	6214ZZC3	142,93	1	1,04	KG
NTN	6214ZZC3/5K	142,93	1	1,07	KG
NTN	6214ZZCM/5K	142,93	1	1,064	KG
NTN	6215C3	142,68	1	1,18	KG
SNR	6215.C3	142,68	1	1,113	KG
NTN	6215CM	142,68	1	1,18	KG
SNR	6215.EE	174,39	1	1,172	KG
SNR	6215.EEC3	174,39	1	1,18	KG
NTN	6215LLBC3/5K	174,39	1	1,18	KG
NTN	6215LLUC3/5K	174,39	1	1,18	KG
NTN	6215LLUCM/5K	174,39	1	1,16	KG
SNR	6215.ZZ	169,13	1	1,174	KG
SNR	6215.ZZC3	169,13	1	1,16	KG
NTN	6215ZZC3/5K	169,13	1	1,185	KG
NTN	6215ZZCM/5K	169,13	1	1,18	KG
NTN	6216C3	166,92	1	1,43	KG
SNR	6216.C3	166,92	1	1,366	KG
NTN	6216CM	166,92	1	1,386	KG
SNR	6216.EE	202,25	1	1,36	KG
SNR	6216.EEC3	202,25	1	1,44	KG
NTN	6216LLUC3/5K	202,25	1	1,44	KG
NTN	6216LLUCM/5K	202,25	1	1,4	KG
SNR	6216.ZZ	197,92	1	1,436	KG
SNR	6216.ZZC3	197,92	1	1,442	KG
NTN	6216ZZC3/5K	197,92	1	1,4	KG
NTN	6216ZZCM/5K	197,92	1	1,432	KG
NTN	6217C3	209,61	1	1,79	KG
SNR	6217.C3	209,61	1	1,71	KG
SNR	6217.EE	272,38	1	1,79	KG
SNR	6217.EEC3	272,38	1	1,785	KG
NTN	6217LLUC3/5K	272,38	1	1,79	KG
SNR	6217.ZZ	241,32	1	1,789	KG
SNR	6217.ZZC3	241,32	1	1,791	KG
NTN	6217ZZC3/5K	241,32	1	1,853	KG
NTN	6218C3	258,63	1	2,19	KG
SNR	6218.C3	258,63	1	2,13	KG
SNR	6218.EE	335,87	1	2,22	KG
SNR	6218.EEC3	335,87	1	2,215	KG
NTN	6218LLUC3/5K	335,87	1	2,15	KG
SNR	6218.ZZ	297,76	1	2246	G
SNR	6218.ZZC3	297,76	1	2,239	KG

NTN	6218ZZC3/5K	297,76	1	2,21	KG
NTN	6219C3	312,19	1	2,62	KG
SNR	6219.C3	312,19	1	2,548	KG
SNR	6219.EE	443,90	1	2,656	KG
SNR	6219.EEC3	443,90	1	2,674	KG
NTN	6219LLB/2AS	443,90	1	2,61	KG
NTN	6219LLUC3/5K	443,90	1	2,65	KG
SNR	6219.ZZ	367,85	1	2,668	KG
SNR	6219.ZZC3	367,85	1	2,664	KG
NTN	6219ZZC3/5K	367,85	1	2,62	KG
NTN	6220CM	358,93	1	3,09	KG
NTN	6220LLUC3/5K	466,32	1	3,18	KG
NTN	6220LLUCM/5K	466,32	1	3,13	KG
NTN	6220ZZC3/5K	412,57	1	3,21	KG
NTN	6221C3	455,40	1	3,825	KG
SNR	6221.C3	455,40	1	3,87	KG
NTN	6221L1C3	813,22	1	3,76	KG
NTN	6221LLUC3/2AS	615,49	1	3,76	KG
NTN	6221ZZ/5K	559,99	1	3,7	KG
NTN	6221ZZC3/5K	559,99	1	3,74	KG
NTN	6222C3	520,72	1	4,36	KG
SNR	6222.C3	520,72	1	4,263	KG
NTN	6222LLU/5K	789,31	1	4,36	KG
NTN	6222LLUC3/5K	789,31	1	4,516	KG
NTN	6222ZZ/5K	658,82	1	4,5	KG
NTN	6222ZZC3/5K	658,82	1	4,42	KG
SNR	6224.C3	667,92	1	5,18	KG
NTN	6224L1	1.135,55	1	6,48	KG
NTN	6224LLU/2AS	928,89	1	5,15	KG
NTN	6224ZZ/2AS	821,98	1	5,35	KG
NTN	6224ZZC3/5K	821,98	1	5,42	KG
NTN	6226C3	806,91	1	6,01	KG
SNR	6226.C3	806,91	1	5,92	KG
NTN	6226L1C3	1.227,01	1	7,29	KG
NTN	6226LLU/2AS	1.108,36	1	6,085	KG
NTN	6226ZZ/2AS	1.076,95	1	6,1	KG
NTN	6226ZZC3/5K	1.076,95	1	5,97	KG
NTN	6228C3	1.090,32	1	7,73	KG
NTN	6228L1C3	1.682,98	1	9,275	KG
NTN	6228LLU/2AS	1.501,31	1	7,57	KG
NTN	6228ZZC3/5K	1.290,76	1	7,62	KG
SNR	6313C3	192,24	1	1,95	KG
NTN	6313C3	192,24	1	2,08	KG
NTN	6313CM	192,24	1	2,08	KG
SNR	6313EE	240,49	1	2,01	KG
SNR	6313EEC3	240,49	1	2,01	KG
NTN	6313LLBC3/5K	240,49	1	2,16	KG
NTN	6313LLBCM/5K	240,49	1	2,108	KG
NTN	6313LLUC3/5K	240,49	1	2,09	KG
NTN	6313LLUCM/5K	240,49	1	2,09	KG

SNR	6313ZZ	218,45	1	2,01	KG
SNR	6313ZZC3	218,45	1	2,01	KG
NTN	6313ZZC3/5K	218,45	1	2,155	KG
NTN	6313ZZCM/5K	218,45	1	2,08	KG
SNR	6314C3	220,43	1	2,41	KG
NTN	6314C3	220,43	1	2,52	KG
NTN	6314CM	220,43	1	2,6	KG
SNR	6314EE	289,21	1	2,47	KG
SNR	6314EEC3	289,21	1	2,47	KG
NTN	6314LLBC3/5K	289,21	1	3,419	KG
NTN	6314LLUC3/5K	289,21	1	2,49	KG
NTN	6314LLUCM/5K	289,21	1	2,49	KG
SNR	6314ZZ	262,37	1	2,47	KG
NTN	6314ZZ/2AS	262,37	1	2,57	KG
SNR	6314ZZC3	262,37	1	2,47	KG
NTN	6314ZZC3/5K	262,37	1	2,642	KG
NTN	6314ZZCM/5K	262,37	1	2,57	KG
NTN	6315C3	273,69	1	3,02	KG
SNR	6315.C3	273,69	1	2,993	KG
NTN	6315CM	273,69	1	3,1	KG
SNR	6315.EE	364,69	1	3,138	KG
SNR	6315.EEC3	364,69	1	3,1	KG
NTN	6315LLBC3/5K	364,69	1	3,135	KG
NTN	6315LLBCM/5K	364,69	1	3,125	KG
NTN	6315LLUC3/5K	364,69	1	3,054	KG
NTN	6315LLUCM/5K	364,69	1	3,054	KG
SNR	6315.ZZ	320,29	1	3,09	KG
SNR	6315.ZZC3	320,29	1	3,07	KG
NTN	6315ZZC3/5K	320,29	1	3,07	KG
NTN	6315ZZCM/5K	320,29	1	3,07	KG
SNR	6316C3	316,60	1	3,31	KG
NTN	6316C3	316,60	1	3,533	KG
NTN	6316CM	316,60	1	3,7	KG
SNR	6316EE	454,64	1	3,35	KG
SNR	6316EEC3	454,64	1	3,35	KG
NTN	6316LLBC3/5K	454,64	1	3,75	KG
NTN	6316LLUC3/5K	454,64	1	3,67	KG
NTN	6316LLUCM/5K	454,64	1	3,67	KG
SNR	6316ZZ	376,72	1	3,35	KG
SNR	6316ZZC3	376,72	1	3,35	KG
NTN	6316ZZC3/5K	376,72	1	3,735	KG
NTN	6316ZZCM/5K	376,72	1	3,736	KG
NTN	6317C3	390,19	1	4,23	KG
SNR	6317.C3	390,19	1	4,082	KG
NTN	6317CM	390,19	1	4,23	KG
SNR	6317.EE	585,69	1	4,32	KG
SNR	6317.EEC3	585,69	1	4,29	KG
NTN	6317LLUC3/5K	585,69	1	4,25	KG
NTN	6317LLUCM/5K	585,69	1	4,25	KG
SNR	6317.ZZ	473,28	1	4,24	KG

NTN	6317ZZ/5K	473,28	1	4,26	KG
SNR	6317.ZZC3	473,28	1	4,278	KG
NTN	6317ZZC3/5K	473,28	1	4,26	KG
NTN	6317ZZCM/5K	473,28	1	4,28	KG
NTN	6318C3	473,81	1	4,98	KG
SNR	6318.C3	473,81	1	4,743	KG
NTN	6318CM	473,81	1	5	KG
SNR	6318.EE	665,78	1	4,97	KG
SNR	6318.EEC3	665,78	1	5,009	KG
NTN	6318LLBC3/5K	665,78	1	5,055	KG
NTN	6318LLU/5K	665,78	1	4,96	KG
NTN	6318LLUC3/5K	665,78	1	4,955	KG
NTN	6318LLUCM/5K	665,78	1	4,98	KG
SNR	6318.ZZ	589,18	1	4,975	KG
SNR	6318.ZZC3	589,18	1	4,942	KG
NTN	6318ZZC3/5K	589,18	1	4,91	KG
NTN	6318ZZCM/5K	589,18	1	4,95	KG
SNR	6319C3	585,31	1	5,469	KG
NTN	6319C3	585,31	1	5,86	KG
NTN	6319CM	585,31	1	5,74	KG
NTN	6319LLB/2AS	822,34	1	5,85	KG
NTN	6319LLU/5K	822,34	1	5,834	KG
NTN	6319LLUC3/5K	822,34	1	5,67	KG
SNR	6319.ZZ	777,09	1	6,2	KG
NTN	6319ZZ/5K	777,09	1	5,67	KG
SNR	6319.ZZC3	777,09	1	5,695	KG
NTN	6319ZZC3/5K	777,09	1	5,67	KG
NTN	6320C3	704,65	1	7	KG
SNR	6320.C3	704,65	1	6,794	KG
NTN	6320CM	704,65	1	7	KG
NTN	6320LLU/2AS	962,92	1	7,19	KG
SNR	6320.ZZ	935,96	1	7,05	KG
SNR	6320.ZZC3	935,96	1	7,048	KG
NTN	6320ZZC3/5K	935,96	1	7,32	KG
NTN	6321C3	956,26	1	8,192	KG
NTN	6321L1C3	1.675,56	1	9,69	KG
NTN	6321LLU/2AS	1.424,06	1	8,34	KG
NTN	6321LLUC3/5K	1.424,06	1	8,19	KG
NTN	6321ZZC3/5K	1.225,09	1	8,19	KG
NTN	6322C3	1.076,84	1	9,2	KG
SNR	6322.C3	1.076,84	1	9,11	KG
NTN	6322LLU/2AS	1.778,99	1	9,845	KG
NTN	6322ZZ/2AS	1.542,17	1	9,86	KG
NTN	6322ZZC3/5K	1.542,17	1	9,64	KG
NTN	6403C3	55,49	1	0,28	KG
NTN	6403ZZ/5K	62,05	1	0,27	KG
NTN	6403ZZC3/5K	62,05	1	0,27	KG
NTN	6404C3	71,81	1	0,4	KG
NTN	6404ZZ/5K	80,36	1	0,408	KG
NTN	6405C3	82,64	1	0,53	KG

NTN	6405ZZ/5K	96,55	1	0,533	KG
NTN	6405ZZC3/5K	96,55	1	0,53	KG
NTN	6406C3	103,96	1	0,745	KG
NTN	6406ZZ/5K	121,37	1	0,737	KG
NTN	6406ZZC3/5K	121,37	1	0,76	KG
NTN	6407C3	125,48	1	0,952	KG
NTN	6407ZZ/5K	133,88	1	0,957	KG
NTN	6407ZZC3/2AS	133,88	1	0,957	KG
NTN	6408C3	155,34	1	1,25	KG
NTN	6408ZZ/5K	183,22	1	1,23	KG
NTN	6408ZZC3/5K	183,22	1	1,275	KG
NTN	6409C3	189,85	1	1,57	KG
NTN	6409ZZ/5K	217,59	1	1,53	KG
NTN	6410C3	222,89	1	1,88	KG
NTN	6410ZZ/5K	255,45	1	1,53	KG
NTN	6411ZZ/5K	304,78	1	2,35	KG
NTN	6412C3	319,80	1	2,83	KG
NTN	6412ZZ/5K	435,80	1	2,84	KG
NTN	6413C3	406,30	1	3,43	KG
NTN	6414C3	577,26	1	5,155	KG
NTN	6416C3	970,06	1	6,78	KG
NTN	1AC08-1.3/16C3	145,74	1	0,61	KG
NTN	1AH05-7/8LLMV9	70,20	1	0,16	KG
NTN	1AH06-1/L738	94,10	1	0,24	KG
NTN	1AH06-1LLSV10	154,95	1	240	G
NTN	1AS08-1.1/8	140,92	1	620	G
NTN	2AH05-7/8LLMV8	68,68	1	0,16	KG
NTN	2AH06-1LLXV6	91,57	1	0,24	KG
NTN	2AH07-1.1/4V1	116,13	1	0,46	KG
NTN	2AH07-1.1/8	191,62	1	0,456	KG
NTN	2AH07-1.1/8D1	121,78	1	0,456	KG
NTN	2AH09-1.1/2	231,42	1	0,554	KG
NTN	2AH09-1.1/2D1PX2	170,77	1	0,54	KG
NTN	2AS09-1.1/4D1	228,78	1	0,76	KG
NTN	3AC09C3PX1	157,34	1	0,59	KG
NTN	3AC09LLJC3PX1	152,28	1	590	G
NTN	3AS11-1.1/2CN	260,34	1	1,1	KG
NTN	5AS08-1.1/8C3	144,22	1	610	G
NTN	6AS08-1.1/8C3	206,02	1	0,73	KG
NTN	7AS10-1.1/8D1	166,49	1	0,932	KG
SNR	AB12160.S01	50,15	1	0,142	KG
SNR	AB.40320	230,17	1	0,175	KG
SNR	AB 41275 S01	113,17	1	398	G
SNR	AB.41700	65,81	1	462	G
NTN	A-JL205-100D1C3/L738	62,57	1	0,13	KG
NTN	A-JL206-104D1C3/L738	73,26	1	0,24	KG
NTN	A-JL207-104D1C3/L738	109,87	1	0,35	KG
NTN	A-JL207-106D1C3/L738	91,57	1	0,32	KG
NTN	A-JL208-108D1C3/L738	132,77	1	0,48	KG
NTN	A-RL207-104D1LLS#04	117,50	1	0,45	KG

NTN	A-RL207-106D1C3/L738	102,24	1	0,4	KG
NTN	A-RL208-108D1C3/L738	94,17	1	0,62	KG
NTN	A-UL308-108D1C3PX16/L738	161,67	1	0,87	KG
NTN	CS213D1V2	274,39	1	760	G
SNR	D-UCF210A10AGR	253,13	1	2,47	KG
SNR	D-UCF212A10AGR	397,27	1	4,46	KG
SNR	EX207AGR	121,00	1	0,6	KG
SNR	EX208AGR	142,73	1	0,74	KG
SNR	EX209AGR	169,67	1	0,87	KG
SNR	EX210AGR	180,87	1	0,985	KG
SNR	EX211AGR	186,47	1	1,35	KG
SNR	EX212AGR	297,73	1	1,67	KG
SNR	EX308AGR	244,73	1	0,64	KG
SNR	EXFE212AGR	427,13	1	5	KG
SNR	FC.10789	729,56	1	2808	G
SNR	FC.41345	164,36	1	354	G
SNR	GB 40385 S03	3.551,78	1	12,85	KG
SNR	GB.40878	138,24	1	0,582	KG
SNR	GB 44386 S01	138,41	1	570	G
SNR	GGF25A07XUC205B186	189,72	1	1,59	KG
SNR	HUA11-4M12-S01	507,14	1	2,6	KG
SNR	HUA11-5M12-S01	532,59	1	2,6	KG
SNR	HUA11-6M12-S01	548,32	1	2,6	KG
SNR	HUA14-4M12-S01	507,14	1	2,6	KG
SNR	HUA14-5M12-S01	532,59	1	2,6	KG
SNR	HUA14-6M12-S01	548,32	1	2,6	KG
NTN	JL204-012C3/L738	53,42	1	0,14	KG
NTN	JL206-102C3/L738	80,97	1	0,21	KG
NTN	JL206-103C3/L738	80,97	1	0,21	KG
NTN	JL206-104C3/L738	59,52	1	0,21	KG
NTN	JL210-114C3/L738	117,66	1	0,642	KG
NTN	RL205-100LLSC3/L738	73,26	1	0,198	KG
NTN	RL207-104C3/L738	91,72	1	0,46	KG
NTN	RL207C3/L738	132,35	1	0,431	KG
NTN	RLS205-014C3/L738	82,56	1	0,24	KG
NTN	SBX0340Q1	44,26	1	80	G
NTN	SBX07A02LLSC4/L738Q1	137,34	1	0,46	KG
NTN	SBX07A38LLMC3/L103Q1	127,22	1	0,37	KG
NTN	SBX08A31LLMC3Q1	143,28	1	0,57	KG
NTN	SBX08A54LLSC3Q1	130,48	1	0,67	KG
NTN	SBX08A65LLMQ1	91,40	1	0,42	KG
NTN	SBX09A47LLSC3/8AQ1	227,39	1	0,76	KG
NTN	SBX10A05LLSC3/L103Q1	208,93	1	0,75	KG
NTN	SBX1173LLSQ1	347,94	1	1,22	KG
NTN	SBX1435LLSQ1	528,48	1	1,95	KG
NTN	SBX1706LLX4C4/L738Q1	473,40	1	0,895	KG
NTN	TMB209X14	145,55	1	393	G
NTN	UC205-100D1LLJ	79,36	1	0,2	KG
SNR	UC206AGR	73,33	1	0,32	KG
SNR	UC207AGR	92,73	1	0,5	KG

SNR	UC208AGR	111,13	1	0,63	KG
SNR	UC209AGR	131,13	1	0,66	KG
SNR	UC210AGR	141,33	1	0,8	KG
SNR	UC211AGR	182,53	1	1,1	KG
SNR	UC212AGR	232,13	1	1,53	KG
SNR	UC215AGR	210,80	1	2,16	KG
SNR	UC308AGR	194,47	1	1,1	KG
SNR	UC309AGR	220,80	1	1,26	KG
SNR	UC310AGR	235,73	1	1,85	KG
SNR	UCF207NAGR	121,93	1	1,48	KG
SNR	UCF210NAGR	194,07	1	2,44	KG
SNR	UCF212AGR	331,33	1	4,27	KG
SNR	UCF212NAGR	421,03	1	2374	G
SNR	UCFL207NAGR	121,93	1	1,21	KG
SNR	UCFL208NAGR	140,67	1	1,52	KG
SNR	UCP212NAGR	298,53	1	4,76	KG
SNR	UCT212NAGR	325,80	1	4,51	KG
NTN	UCX12-207D1	265,30	1	2,04	KG
NTN	UELS308-108D1W3C3/L738	221,14	1	1,17	KG
NTN	ULF311-200D1LJV5	730,73	1	5,645	KG
SNR	XUCFE308A05B168	164,00	1	2,57	KG
SNR	XUCFE308B01B169	121,80	1	2,62	KG
NTN	4R4610C3	12.362,17	1	58,1	KG
NTN	MR101812	54,64	1	0,05	KG
NTN	MR122012	49,08	1	0,06	KG
NTN	MR142216	90,21	1	0,086	KG
NTN	MR263516	88,88	1	0,16	KG
NTN	N1016G1C4	506,32	1	0,913	KG
NTN	N1017AKP4V2	1.693,29	1	0,982	KG
NTN	N1018	724,37	1	2,94	KG
NTN	N203	102,78	1	0,075	KG
SNR	N.204.E.G15	111,99	1	115	G
NTN	N204ET2X	111,99	1	0,11	KG
NTN	N205	98,47	1	0,14	KG
SNR	N.205.E.G15	98,47	1	0,136	KG
NTN	N205ET2X	98,47	1	0,14	KG
NTN	N205ET2XC3	98,47	1	0,131	KG
NTN	N206	115,60	1	0,203	KG
NTN	N206C3	87,22	1	0,203	KG
SNR	N.206.E.G15	115,60	1	206	G
NTN	N206ET2X	115,60	1	0,203	KG
NTN	N207	141,57	1	0,289	KG
SNR	N.207	141,57	1	303	G
SNR	N.207.E.G15	141,57	1	1	G
NTN	N207ET2X	141,57	1	0,299	KG
NTN	N207ET2XC3	141,57	1	0,291	KG
NTN	N208	171,65	1	0,395	KG
SNR	N.208.EG15	171,65	1	0,378	KG
NTN	N208ET2X	171,65	1	0,385	KG
NTN	N209	181,36	1	0,423	KG

SNR	N.209.EG15	181,36	1	440	G
SNR	N.209.EG15J30	181,36	1	438	G
NTN	N210	163,34	1	0,476	KG
NTN	N210C3	163,34	1	0,495	KG
SNR	N.210.EG15	163,34	1	0,488	KG
NTN	N210ET2X	163,34	1	0,485	KG
NTN	N211	355,61	1	0,65	KG
NTN	N211C4	313,75	1	0,646	KG
SNR	N.211.EG15	355,61	1	666	G
NTN	N211ET2X	355,61	1	0,655	KG
NTN	N212	319,50	1	0,84	KG
NTN	N212C3	319,50	1	0,84	KG
SNR	N.212.EG15	319,50	1	826	G
NTN	N212ET2X	319,50	1	0,825	KG
NTN	N213	375,08	1	1,07	KG
NTN	N213C3	375,08	1	1,07	KG
SNR	N.213.E.G15	375,08	1	1050	G
NTN	N214	443,73	1	1,127	KG
NTN	N214C3	443,73	1	1,155	KG
SNR	N.214.E.G15	443,73	1	1155	G
NTN	N215	480,82	1	1,209	KG
NTN	N215C3	480,82	1	1,245	KG
SNR	N.215.EG15	480,82	1	1267	G
SNR	N.215.EG15J30	480,82	1	1,274	KG
NTN	N215ET2X	480,82	1	1,21	KG
NTN	N216	575,03	1	1,52	KG
NTN	N216C3	575,03	1	0,774	KG
SNR	N.216.E.G15	575,03	1	1538	G
SNR	N.216.E.G15.C3	575,03	1	1540	G
NTN	N217	631,77	1	1,91	KG
NTN	N217C3	631,77	1	1,91	KG
SNR	N.217.E.G15	631,77	1	1895	G
SNR	N.217.E.G15.C3	631,77	1	1,89	KG
NTN	N218	891,96	1	2,405	KG
NTN	N218C3	891,96	1	2,405	KG
SNR	N.218.E.G15	891,96	1	2340	G
SNR	N.218.E.G15.J30	891,96	1	2350	G
NTN	N218G1C3	1.092,73	1	2,408	KG
NTN	N219	994,71	1	2,9	KG
NTN	N219C3	994,71	1	2,895	KG
SNR	N.219.E.G15	994,71	1	2860	G
SNR	N.219.E.G15.C3	994,71	1	2,825	KG
SNR	N.219.E.G15.J30	994,71	1	2854	G
NTN	N219G1C3	1.037,23	1	2,72	KG
NTN	N220	849,39	1	3,475	KG
NTN	N220C3	849,39	1	3,32	KG
SNR	N.220.E.G15	849,39	1	3,44	KG
SNR	N.220.E.G15.C3	849,39	1	3,45	KG
NTN	N221	1.126,17	1	4,14	KG
NTN	N2215G1C4	356,38	1	1,626	KG

NTN	N2217C3	629,67	1	2,51	KG
NTN	N222	1.071,34	1	4,65	KG
NTN	N222C3	1.071,34	1	4,64	KG
NTN	N222EG1	1.799,22	1	5,49	KG
NTN	N222EG1C3	1.799,22	1	5,19	KG
SNR	N.222.E.M	1.799,22	1	5490	G
NTN	N222G1C3	1.799,22	1	5,115	KG
NTN	N224	1.111,04	1	5,835	KG
NTN	N224G1C3	1.776,33	1	5,95	KG
NTN	N226	1.837,42	1	6,42	KG
NTN	N226C3	1.837,42	1	6,42	KG
NTN	N226G1	2.120,70	1	7,475	KG
NTN	N228EG1XC3	2.698,78	1	8	KG
NTN	N230	2.617,20	1	10,3	KG
NTN	N238	6.396,07	1	22,76	KG
SNR	N.304.E.G15	131,24	1	130	G
NTN	N304ET2X	131,24	1	0,155	KG
NTN	N304ET2XC2	152,11	1	0,152	KG
NTN	N305	120,57	1	0,24	KG
SNR	N.305.E.G15	120,57	1	0,24	G
SNR	N.305.E.G15.J30	120,57	1	241	G
NTN	N305ET2X	120,57	1	0,135	KG
NTN	N306	142,71	1	0,36	KG
NTN	N306EG1	183,01	1	0,39	KG
SNR	N.306.E.G15	142,71	1	365	G
NTN	N306ET2X	142,71	1	0,5	KG
NTN	N306ET2XC3	142,71	1	0,365	KG
NTN	N307C3	146,04	1	0,49	KG
SNR	N.307.E.G15	146,04	1	475	G
SNR	N.307.E.G15.C3	146,04	1	475	G
NTN	N307ET2X	146,04	1	0,5	KG
NTN	N307ET2XC2	138,14	1	0,505	KG
NTN	N307ET2XC3	146,04	1	0,5	KG
NTN	N308	188,68	1	0,643	KG
NTN	N308C3	188,68	1	0,66	KG
SNR	N.308.E.G15	188,68	1	646	G
SNR	N.308.E.G15.C3	188,68	1	650	G
NTN	N309	237,35	1	0,89	KG
SNR	N.309.E.G15	237,35	1	0,89	G
NTN	N310	296,20	1	1,11	KG
NTN	N310C3	296,20	1	1,14	KG
SNR	N.310.E.G15	296,20	1	1	G
NTN	N310ET2XC3	296,20	1	1,14	KG
SNR	N.310.J30	296,20	1	1148	G
NTN	N311	325,01	1	1,419	KG
NTN	N311EG1	362,29	1	1,56	KG
SNR	N.311.E.G15	325,01	1	1450	G
NTN	N311ET2X	325,01	1	1,46	KG
NTN	N311ET2XC3	325,01	1	1,465	KG
NTN	N311G1C3	362,29	1	1,52	KG

NTN	N312	412,18	1	1,79	KG
NTN	N312C3	412,18	1	1,795	KG
SNR	N.312.E.G15	412,18	1	1,795	KG
NTN	N312G1C3	484,60	1	1,915	KG
NTN	N313	476,67	1	2,235	KG
NTN	N313C3	476,67	1	2,245	KG
SNR	N.313.E.G15	476,67	1	2225	G
SNR	N.313.E.G15.C3	476,67	1	2220	G
NTN	N313EG1C3	564,86	1	2,435	KG
NTN	N313ET2XC3	476,67	1	2,24	KG
NTN	N313G1	564,86	1	2,37	KG
NTN	N314	581,02	1	2,65	KG
NTN	N314C3	581,02	1	2,76	KG
SNR	N.314.E.G15	581,02	1	2735	G
SNR	N.314.E.G15.J30	581,02	1	2742	G
NTN	N315	798,81	1	3,34	KG
NTN	N315C3	798,81	1	3,34	KG
SNR	N.315.E.G15	798,81	1	3265	G
SNR	N.315.E.G15.C3	798,81	1	3260	G
NTN	N315G1	939,12	1	3,54	KG
NTN	N316	766,36	1	3,95	KG
NTN	N316C3	766,36	1	3,95	KG
SNR	N.316.E.G15	766,36	1	3880	G
SNR	N.316.E.G15.C3	766,36	1	3,89	KG
SNR	N.316.E.G15.J30	766,36	1	3915	G
NTN	N316G1	1.160,31	1	4,25	KG
NTN	N316G1C3	1.160,31	1	4,265	KG
NTN	N317	745,40	1	4,66	KG
NTN	N317C3	745,40	1	4,665	KG
SNR	N.317.E.M	1.449,44	1	5212	G
SNR	N.317.E.M.J30	1.449,44	1	5220	G
NTN	N317G1C3	1.449,44	1	4,76	KG
NTN	N318	925,35	1	5,42	KG
NTN	N318C3	925,35	1	5,42	KG
NTN	N318EG1C3	1.926,13	1	5,8	KG
SNR	N.318.E.M.J30	1.753,49	1	6266	G
NTN	N318G1	1.753,49	1	5,75	KG
NTN	N319	1.156,51	1	6,26	KG
NTN	N319C3	1.156,51	1	6,25	KG
NTN	N319EG1	2.096,23	1	6,52	KG
SNR	N.319.E.M.J30	2.096,23	1	6970	G
NTN	N320	1.248,37	1	7,8	KG
NTN	N320EG1	2.625,96	1	8,135	KG
NTN	N320G1C3	2.625,96	1	8,27	KG
NTN	N321	1.920,02	1	8,86	KG
NTN	N321C3	1.920,02	1	8,84	KG
NTN	N321G1C3	1.940,06	1	9,415	KG
NTN	N322	1.824,47	1	10,58	KG
NTN	N322C3	1.824,47	1	11,3	KG
NTN	N322EG1	3.083,38	1	11,86	KG

NTN	N322EG1C3	3.083,38	1	11,75	KG
NTN	N322G1	3.125,93	1	11,917	KG
NTN	N324	2.187,35	1	15,525	KG
NTN	N324C3	2.187,35	1	14,22	KG
NTN	N324G1C3	3.351,45	1	1,755	KG
NTN	N326	3.019,63	1	16,9	KG
SNR	N330EMJ30	5.773,13	1	27565	G
SNR	N.334.E.M.J30	7.912,12	1	45240	G
SNR	N.338.E.M.J30	11.157,36	1	50500	G
SNR	N.340.E.M.J30	12.686,92	1	57000	G
NTN	N406	141,31	1	0,754	KG
NTN	N408	255,07	1	1,259	KG
NTN	NF205	98,56	1	0,15	KG
NTN	NF205ET2X	98,56	1	0,134	KG
NTN	NF207	125,97	1	0,306	KG
NTN	NF208	151,64	1	0,402	KG
NTN	NF209	163,06	1	0,46	KG
NTN	NF210	127,39	1	0,5	KG
NTN	NF211	166,14	1	0,67	KG
NTN	NF211EG1C4	237,58	1	0,693	KG
NTN	NF217C3	470,08	1	1,85	KG
NTN	NF305	134,21	1	0,24	KG
NTN	NF306ET2X	149,92	1	374	G
NTN	NF308	175,04	1	0,685	KG
NTN	NF309	332,69	1	0,89	KG
NTN	NF310	435,92	1	1,18	KG
NTN	NFV307C3	255,35	1	0,545	KG
NTN	NJ1006G1	203,79	1	0,131	KG
NTN	NJ1009G1	243,06	1	0,273	KG
NTN	NJ1010G1	262,21	1	0,315	KG
NTN	NJ1012	370,89	1	0,49	KG
NTN	NJ1012G1	370,89	1	0,49	KG
NTN	NJ1016	789,36	1	0,47	KG
NTN	NJ1016C3	789,36	1	1,02	KG
NTN	NJ1020G1	889,63	1	1,437	KG
NTN	NJ203	70,50	1	0,074	KG
NTN	NJ203C3	70,50	1	0,071	KG
SNR	NJ.203.E.G15	70,50	1	0,07	KG
NTN	NJ204C3	74,79	1	0,118	KG
SNR	NJ.204.E.G15	74,79	1	0,118	KG
NTN	NJ204ET2X	74,79	1	0,122	KG
NTN	NJ204ET2XC3	74,79	1	0,115	KG
NTN	NJ205	73,42	1	0,14	KG
NTN	NJ205C3	73,42	1	0,15	KG
SNR	NJ.205.E.G15	73,42	1	0,142	KG
SNR	NJ.205.EG15J30	73,42	1	140	G
NTN	NJ205ET2X	73,42	1	0,145	KG
NTN	NJ205ET2XC3	73,42	1	0,142	KG
NTN	NJ206	92,46	1	0,23	KG
NTN	NJ206EAT2X	92,46	1	0,208	KG

NTN	NJ206EAT2XC3	92,46	1	0,218	KG
SNR	NJ.206.E.G15	92,46	1	0,214	KG
SNR	NJ.206.EG15J30	92,46	1	0,2	KG
NTN	NJ206EG1C3	123,06	1	0,23	KG
NTN	NJ206ET2X	92,46	1	0,218	KG
NTN	NJ206ET2XC3	92,46	1	0,218	KG
NTN	NJ207	107,81	1	0,32	KG
NTN	NJ207C3	95,63	1	0,304	KG
NTN	NJ207EG1	124,29	1	0,32	KG
SNR	NJ.207.E.G15	107,81	1	0,31	KG
SNR	NJ207.EG15C4	150,85	1	0,315	KG
SNR	NJ.207.EG15J30	107,81	1	0,31	KG
NTN	NJ207ET2X	107,81	1	0,312	KG
NTN	NJ207ET2XC3	107,81	1	0,32	KG
NTN	NJ208	124,78	1	0,41	KG
NTN	NJ208C3	124,78	1	0,386	KG
NTN	NJ208EAT2X	124,78	1	0,398	KG
SNR	NJ.208.E.G15	124,78	1	390	G
SNR	NJ208.EG15C4	134,59	1	0,385	KG
SNR	NJ.208.E.G15.J30	124,78	1	0,38	KG
NTN	NJ208EG1C3	143,85	1	0,424	KG
NTN	NJ208ET2X	124,78	1	0,398	KG
NTN	NJ208ET2XC3	124,78	1	0,396	KG
NTN	NJ209	131,21	1	0,47	KG
NTN	NJ209C3	131,21	1	0,46	KG
SNR	NJ.209.E.G15	131,21	1	448	G
SNR	NJ.209.E.G15.J30	131,21	1	0,446	KG
NTN	NJ209ET2X	131,21	1	0,452	KG
NTN	NJ209ET2XC3	131,21	1	0,455	KG
NTN	NJ209G1C3	158,61	1	0,486	KG
NTN	NJ210	147,08	1	0,52	KG
NTN	NJ210C3	147,08	1	0,502	KG
SNR	NJ.210.E.G15	147,08	1	0,502	KG
SNR	NJ210.EG15C4	143,49	1	500	G
SNR	NJ.210.E.G15.J30	147,08	1	558	G
NTN	NJ210ET2X	147,08	1	0,505	KG
NTN	NJ210ET2XC3	147,08	1	0,51	KG
NTN	NJ211	172,01	1	0,674	KG
NTN	NJ211C3	172,01	1	0,68	KG
SNR	NJ.211.E.G15	172,01	1	0,68	KG
NTN	NJ211EG1C3	201,72	1	0,725	KG
NTN	NJ211ET2X	172,01	1	0,718	KG
NTN	NJ211ET2XC3	172,01	1	0,67	KG
NTN	NJ212	207,61	1	0,87	KG
NTN	NJ212C3	207,61	1	0,87	KG
NTN	NJ212EG1	239,38	1	0,91	KG
SNR	NJ.212.E.G15	207,61	1	836	G
SNR	NJ212.EG15C4	202,55	1	850	G
SNR	NJ.212.E.G15.J30	207,61	1	844	G
NTN	NJ212ET2X	207,61	1	0,94	KG

NTN	NJ212ET2XC3	207,61	1	0,82	KG
NTN	NJ212G1C3	239,38	1	0,925	KG
NTN	NJ213	241,64	1	1,083	KG
NTN	NJ213C3	241,64	1	1,11	KG
SNR	NJ.213.E.G15	241,64	1	1,042	KG
NTN	NJ213EG1C3	278,59	1	1,21	KG
NTN	NJ213ET2X	241,64	1	1,074	KG
NTN	NJ213ET2XC3	241,64	1	1,043	KG
NTN	NJ213G1C3	278,59	1	0,463	KG
NTN	NJ214	263,68	1	1,176	KG
NTN	NJ214C3	263,68	1	1,2	KG
NTN	NJ214EG1	334,45	1	1,17	KG
SNR	NJ.214.E.G15	263,68	1	1,188	KG
SNR	NJ214.EG15C4	257,25	1	1180	G
NTN	NJ214ET2X	263,68	1	1,19	KG
NTN	NJ214ET2XC3	263,68	1	1,195	KG
NTN	NJ214G1	377,05	1	1,242	KG
NTN	NJ214G1C3	377,05	1	1,28	KG
NTN	NJ215	298,64	1	1,295	KG
NTN	NJ215C3	298,64	1	1,3	KG
SNR	NJ.215.E.G15	298,64	1	1,28	KG
SNR	NJ.215.E.G15.J30	298,64	1	1310	G
NTN	NJ215EG1C3	344,35	1	1,39	KG
NTN	NJ215ET2X	298,64	1	1,309	KG
NTN	NJ215ET2XC3	298,64	1	1,305	KG
NTN	NJ216	338,04	1	1,575	KG
NTN	NJ216C3	338,04	1	1,56	KG
NTN	NJ216EG1	389,77	1	1,575	KG
SNR	NJ216 EG15	338,04	1	1575	G
NTN	NJ216EG1C3	389,77	1	1,69	KG
NTN	NJ216ET2	338,04	1	1,67	KG
NTN	NJ217	390,47	1	1,981	KG
NTN	NJ217C3	390,47	1	1,97	KG
SNR	NJ.217.EG15	390,47	1	1935	G
NTN	NJ217EJXC3	346,32	1	1,955	KG
NTN	NJ217ET2X	390,47	1	1,917	KG
NTN	NJ218	411,33	1	2,376	KG
SNR	NJ.218.EG15	411,33	1	2410	G
NTN	NJ218ET2X	411,33	1	2,435	KG
NTN	NJ218G1	594,77	1	2,59	KG
NTN	NJ218G1C3	594,77	1	2,603	KG
NTN	NJ219	506,32	1	2,973	KG
SNR	NJ.219.E.G15	506,32	1	2940	G
SNR	NJ219.EG15C3	506,32	1	2950	G
NTN	NJ220	618,65	1	3,3	KG
SNR	NJ.2204.E.G15	98,61	1	0,151	KG
SNR	NJ2204.EG15J30	98,61	1	150	G
NTN	NJ2204ET2X	98,61	1	0,148	KG
NTN	NJ2204ET2XC3	98,61	1	0,148	KG
NTN	NJ2205	87,70	1	0,175	KG

SNR	NJ.2205.E.G15	87,70	1	169	G
NTN	NJ2205EG1C3	114,20	1	0,185	KG
NTN	NJ2205ET2X	87,70	1	0,158	KG
NTN	NJ2205ET2XC3	87,70	1	0,18	KG
NTN	NJ2205ET2XC4	118,66	1	0,175	KG
NTN	NJ2206	102,44	1	0,268	KG
NTN	NJ2206C3	102,44	1	0,28	KG
NTN	NJ2206EAT2X	102,44	1	0,262	KG
NTN	NJ2206EG1	133,70	1	0,29	KG
SNR	NJ.2206.E.G15	102,44	1	0,267	KG
NTN	NJ2206EG1C4	183,37	1	0,278	KG
NTN	NJ2206ET2X	102,44	1	0,292	KG
NTN	NJ2206ET2XC3	102,44	1	0,27	KG
NTN	NJ2206ET2XC4	119,53	1	0,272	KG
NTN	NJ2207	115,56	1	0,426	KG
NTN	NJ2207EG1	150,14	1	0,451	KG
SNR	NJ.2207.E.G15	115,56	1	416	G
NTN	NJ2207EG1C3	150,14	1	0,448	KG
NTN	NJ2207ET2X	115,56	1	0,455	KG
NTN	NJ2207ET2XC3	115,56	1	0,42	KG
NTN	NJ2208	139,21	1	0,51	KG
NTN	NJ2208C3	139,21	1	0,501	KG
NTN	NJ2208C4	162,52	1	0,52	KG
SNR	NJ.2208.E.G15	139,21	1	502	G
NTN	NJ2208EG1C3	213,84	1	0,54	KG
NTN	NJ2208EG1C4	219,78	1	0,49	KG
NTN	NJ2208ET2X	139,21	1	0,499	KG
NTN	NJ2208ET2XC3	139,21	1	0,5	KG
NTN	NJ2208ET2XC5	222,56	1	0,552	KG
NTN	NJ2209	152,39	1	0,57	KG
NTN	NJ2209C3	152,39	1	0,564	KG
SNR	NJ.2209.E.G15	152,39	1	0,547	KG
NTN	NJ2209ET2X	152,39	1	0,55	KG
NTN	NJ2209ET2XC3	152,39	1	0,53	KG
SNR	NJ.220.E.G15	618,65	1	3,54	KG
NTN	NJ220EG1C3	905,71	1	3,66	KG
NTN	NJ220ET2	618,65	1	3,3	KG
NTN	NJ220G1C3	905,71	1	3,765	KG
NTN	NJ221	661,25	1	4,27	KG
NTN	NJ2210	164,51	1	0,6	KG
SNR	NJ.2210.E.G15	164,51	1	0,584	KG
NTN	NJ2210EG1C4	232,06	1	0,57	KG
NTN	NJ2210ET2X	164,51	1	0,652	KG
NTN	NJ2210ET2XC3	164,51	1	0,573	KG
NTN	NJ2210ET2XC4	201,80	1	0,652	KG
NTN	NJ2210ET2XC5	210,95	1	0,57	KG
NTN	NJ2210G1C3	210,95	1	0,64	KG
NTN	NJ2211	217,28	1	0,791	KG
NTN	NJ2211C3	217,28	1	0,789	KG
SNR	NJ.2211.EG15	217,28	1	0,812	KG

NTN	NJ2211EG1C3	282,48	1	0,86	KG
NTN	NJ2211ET2X	217,28	1	0,804	KG
NTN	NJ2211ET2XC3	217,28	1	0,8	KG
NTN	NJ2212	259,97	1	1,12	KG
NTN	NJ2212C3	259,97	1	1,123	KG
NTN	NJ2212EG1	337,99	1	0,255	KG
SNR	NJ.2212.E.G15	259,97	1	1,102	KG
NTN	NJ2212EG1C3	337,99	1	1,17	KG
NTN	NJ2212ET2X	259,97	1	1,084	KG
NTN	NJ2212ET2XC3	259,97	1	1,1	KG
NTN	NJ2212V1	290,98	1	1,18	KG
NTN	NJ2213	296,70	1	1,513	KG
NTN	NJ2213C3	296,70	1	1,51	KG
SNR	NJ.2213.E.G15	296,70	1	1464	G
NTN	NJ2213EG1WC3	409,88	1	1,56	KG
NTN	NJ2213ET2X	296,70	1	1,435	KG
NTN	NJ2213ET2XC3	296,70	1	1,465	KG
NTN	NJ2214	292,39	1	1,542	KG
NTN	NJ2214C3	292,39	1	1,57	KG
NTN	NJ2214EG1	444,02	1	1,61	KG
SNR	NJ.2214.EG15	292,39	1	1,545	KG
NTN	NJ2214ET2X	292,39	1	1,521	KG
NTN	NJ2214ET2XC3	292,39	1	1,56	KG
NTN	NJ2215	362,64	1	1,63	KG
NTN	NJ2215C3	362,64	1	1,594	KG
SNR	NJ.2215.E.G15	362,64	1	1,637	KG
NTN	NJ2215EG1C3	414,20	1	1,742	KG
NTN	NJ2215ET2X	362,64	1	1,602	KG
NTN	NJ2215ET2XC3	362,64	1	1,645	KG
NTN	NJ2216	379,95	1	2,03	KG
NTN	NJ2216EG1	487,26	1	2,16	KG
SNR	NJ.2216.E.G15	379,95	1	2038	G
NTN	NJ2216ET2X	379,95	1	2,01	KG
NTN	NJ2217	444,36	1	2,533	KG
SNR	NJ.2217.E.G15	444,36	1	2525	G
NTN	NJ2217ET2X	444,36	1	2,555	KG
NTN	NJ2218	536,05	1	3,275	KG
NTN	NJ2218EG1	775,07	1	3,384	KG
SNR	NJ.2218.E.G15	536,05	1	3209	G
NTN	NJ2218ET2X	536,05	1	3,184	KG
SNR	NJ.2219.E.G15	702,86	1	3940	G
SNR	NJ221.EG15	661,25	1	4155	G
NTN	NJ221G1C3	1.019,75	1	4,495	KG
NTN	NJ222	740,23	1	4,8	KG
NTN	NJ2220	848,79	1	4,74	KG
NTN	NJ2220C3	848,79	1	4,74	KG
SNR	NJ.2220.E.G15	848,79	1	4815	G
NTN	NJ2222	1.055,54	1	6,895	KG
NTN	NJ2222C3	1.039,20	1	6,7	KG
NTN	NJ2224	1.690,12	1	8,43	KG

NTN	NJ2224C3	1.690,12	1	8,43	KG
NTN	NJ2224EG1	2.618,54	1	8,96	KG
NTN	NJ2226	2.038,34	1	10,94	KG
NTN	NJ2228	3.036,19	1	13,6	KG
SNR	NJ.222.E.G15	740,23	1	4895	G
SNR	NJ.222.E.G15.C3	740,23	1	4855	G
NTN	NJ2230G1	2.956,83	1	17,9	KG
NTN	NJ224	994,98	1	6,015	KG
NTN	NJ224C3	994,98	1	5,8	KG
NTN	NJ224EG1	1.448,27	1	7,5	KG
SNR	NJ.224.E.G15	994,98	1	5890	G
NTN	NJ226	1.249,96	1	6,895	KG
NTN	NJ226C3	1.249,96	1	6,885	KG
NTN	NJ226EG1	1.656,92	1	7,095	KG
SNR	NJ.226.E.G15	1.249,96	1	6605	G
NTN	NJ226G1	1.643,17	1	8	KG
NTN	NJ228	1.642,26	1	8,665	KG
NTN	NJ228C3	1.642,26	1	8,68	KG
NTN	NJ228EG1C3	2.142,24	1	9,307	KG
NTN	NJ230	1.975,81	1	9,92	KG
NTN	NJ2304EG1	131,77	1	0,239	KG
SNR	NJ.2304.E.G15	103,44	1	0,218	KG
NTN	NJ2304ET2X	103,44	1	0,23	KG
NTN	NJ2305	124,78	1	0,343	KG
SNR	NJ.2305.E.G15	124,78	1	0,35	KG
NTN	NJ2305EG1C3	145,98	1	0,38	KG
NTN	NJ2305ET2X	124,78	1	0,386	KG
NTN	NJ2305ET2XC3	124,78	1	0,345	KG
NTN	NJ2305ET2XC4	140,28	1	0,36	KG
NTN	NJ2306EG1	178,38	1	0,572	KG
SNR	NJ.2306.E.G15	139,72	1	0,544	KG
SNR	NJ.2306.EG15J30	139,72	1	0,54	KG
NTN	NJ2306EG1C3	178,38	1	0,53	KG
NTN	NJ2306ET2X	139,72	1	0,58	KG
NTN	NJ2306ET2XC3	139,72	1	0,54	KG
NTN	NJ2307	172,17	1	0,056	KG
NTN	NJ2307EG1	209,98	1	0,8	KG
SNR	NJ.2307.E.G15	172,17	1	730	G
SNR	NJ.2307.E.G15.J30	172,17	1	734	G
NTN	NJ2307ET2X	172,17	1	0,78	KG
NTN	NJ2307ET2XC3	172,17	1	0,756	KG
NTN	NJ2308	218,14	1	0,972	KG
NTN	NJ2308C3	218,14	1	0,986	KG
NTN	NJ2308EG1	255,18	1	1,04	KG
SNR	NJ.2308.E.G15	218,14	1	0,968	KG
SNR	NJ.2308.E.G15.J30	218,14	1	0,976	KG
NTN	NJ2308EG1C3	255,18	1	1,06	KG
NTN	NJ2308ET2X	218,14	1	0,978	KG
NTN	NJ2308ET2XC3	218,14	1	0,96	KG
NTN	NJ2308ET2XC4	228,74	1	0,98	KG

NTN	NJ2309	238,26	1	1,3	KG
NTN	NJ2309C3	238,26	1	1,275	KG
NTN	NJ2309EG1	380,93	1	1,42	KG
SNR	NJ.2309.EG15	238,26	1	1,33	KG
NTN	NJ2309EG1C3	380,93	1	1,428	KG
NTN	NJ2309EG1C4	329,04	1	1,435	KG
NTN	NJ2309ET2X	238,26	1	1,34	KG
NTN	NJ2309ET2XC3	238,26	1	1,35	KG
NTN	NJ2309ET2XC4	277,72	1	1,33	KG
NTN	NJ230EG1C3	2.662,13	1	11,5	KG
SNR	NJ.230.E.M.J30	2.662,13	1	11833	G
NTN	NJ230G1	2.662,13	1	11,43	KG
NTN	NJ230G1C3	2.662,13	1	11,43	KG
NTN	NJ2310	296,50	1	1,76	KG
NTN	NJ2310C3	296,50	1	1,76	KG
NTN	NJ2310EG1	380,26	1	1,866	KG
SNR	NJ.2310.EG15	296,50	1	1,77	KG
NTN	NJ2310EG1C3	380,26	1	1,748	KG
NTN	NJ2310ET2X	296,50	1	1,747	KG
NTN	NJ2310ET2XC3	296,50	1	1,9	KG
NTN	NJ2311	351,07	1	2,23	KG
NTN	NJ2311C3	351,07	1	2,22	KG
NTN	NJ2311C4	431,30	1	2,225	KG
SNR	NJ.2311.EG15	351,07	1	2268	G
SNR	NJ.2311.EG15J30	351,07	1	2252	G
NTN	NJ2311EG1C3	450,24	1	2,381	KG
NTN	NJ2311EG1C4	484,87	1	2,42	KG
NTN	NJ2311ET2X	351,07	1	2,23	KG
NTN	NJ2311ET2XC3	351,07	1	2,246	KG
NTN	NJ2311EV3	484,87	1	2,364	KG
NTN	NJ2312	472,22	1	2,79	KG
NTN	NJ2312C3	472,22	1	2,734	KG
SNR	NJ.2312.E.G15	472,22	1	2798	G
NTN	NJ2312EG1C3	649,28	1	3,015	KG
NTN	NJ2312EG1C4	714,21	1	3,015	KG
NTN	NJ2312ET2X	472,22	1	2,825	KG
NTN	NJ2312ET2XC3	472,22	1	2,835	KG
NTN	NJ2312ET2XC4	485,82	1	2,84	KG
NTN	NJ2312G1C3	649,28	1	2,916	KG
NTN	NJ2313	573,29	1	3,302	KG
SNR	NJ.2313.E.G15	573,29	1	3356	G
NTN	NJ2313ET2X	573,29	1	3,41	KG
NTN	NJ2313ET2XC3	573,29	1	3,43	KG
NTN	NJ2314	618,25	1	4,18	KG
NTN	NJ2314C3	618,25	1	4,098	KG
NTN	NJ2314C4	699,96	1	4,19	KG
NTN	NJ2314EG1	783,09	1	4,318	KG
SNR	NJ.2314.E.G15	618,25	1	4069	G
NTN	NJ2314EG1C3	783,09	1	4,44	KG
NTN	NJ2314EG1C4	861,40	1	4,43	KG

NTN	NJ2314ET2XC3	618,25	1	4,14	KG
NTN	NJ2314EV7	1.695,55	1	4,25	KG
NTN	NJ2315	799,33	1	4,87	KG
NTN	NJ2315C3	799,33	1	5,05	KG
NTN	NJ2315C4	948,09	1	5,08	KG
SNR	NJ.2315.E.G15	799,33	1	5,012	KG
NTN	NJ2315EG1C3	1.025,11	1	5,38	KG
NTN	NJ2316	886,24	1	6,13	KG
NTN	NJ2316C3	886,24	1	6	KG
NTN	NJ2316C4	1.057,95	1	6,12	KG
NTN	NJ2316EG1C3	1.217,39	1	6,43	KG
NTN	NJ2316EG1C4	1.669,50	1	6,435	KG
NTN	NJ2317	1.002,68	1	6,86	KG
NTN	NJ2317C3	1.002,68	1	6,86	KG
NTN	NJ2317C4	1.226,73	1	6,86	KG
NTN	NJ2317EG1C3	1.319,66	1	7,456	KG
NTN	NJ2318	1.275,14	1	8,16	KG
NTN	NJ2318EG1C3	2.003,07	1	8,74	KG
NTN	NJ2319	1.581,37	1	9,2	KG
NTN	NJ2319C3	1.581,37	1	9,2	KG
NTN	NJ2319C4	1.696,42	1	4,87	KG
NTN	NJ2319EG1	2.260,37	1	10,145	KG
NTN	NJ2319EG1C3	2.260,37	1	9,2	KG
NTN	NJ232	2.915,28	1	14,845	KG
NTN	NJ2320	1.867,83	1	11,7	KG
NTN	NJ2320BG1C4	3.076,24	1	12,96	KG
NTN	NJ2320EG1C3	2.556,22	1	11,7	KG
NTN	NJ2320EG1C4	2.908,44	1	13,005	KG
NTN	NJ2322	3.559,57	1	17,1	KG
NTN	NJ2322C3	3.559,57	1	18	KG
NTN	NJ2322C4	3.718,93	1	19,275	KG
NTN	NJ2322EG1C3	3.840,90	1	18,15	KG
NTN	NJ2322EG1C4	3.718,93	1	17,8	KG
NTN	NJ2324	4.698,70	1	23,615	KG
NTN	NJ2324EG1C3	5.211,09	1	23,345	KG
NTN	NJ2326C5	7.300,54	1	30	KG
NTN	NJ2326EG1C3	6.919,62	1	29,3	KG
NTN	NJ2328	5.403,24	1	34,9	KG
NTN	NJ2328C4	5.943,57	1	34,9	KG
NTN	NJ2330	6.629,33	1	42300	G
NTN	NJ234	3.195,73	1	17,3	KG
NTN	NJ236EG1C4	3.699,56	1	19,28	KG
NTN	NJ252	16.636,58	1	77,5	KG
NTN	NJ304	80,90	1	0,153	KG
NTN	NJ304EAT2X	80,90	1	0,15	KG
SNR	NJ.304.E.G15	80,90	1	0,156	KG
SNR	NJ.304.E.G15.J30	80,90	1	0,16	KG
NTN	NJ304ET2X	80,90	1	0,156	KG
NTN	NJ304ET2XC3	80,90	1	0,149	KG
NTN	NJ305	87,72	1	0,241	KG

NTN	NJ305C3	87,72	1	0,241	KG
NTN	NJ305EAT2X	87,72	1	0,026	KG
SNR	NJ.305.E.G15	87,72	1	0,25	KG
NTN	NJ305ET2X	87,72	1	0,255	KG
NTN	NJ305ET2XC3	87,72	1	0,275	KG
NTN	NJ305ET2XC4	100,49	1	0,241	KG
NTN	NJ306	107,96	1	0,375	KG
NTN	NJ306C3	107,96	1	0,38	KG
NTN	NJ306EAT2X	107,96	1	0,375	KG
NTN	NJ306EAT2XC3	107,96	1	0,364	KG
NTN	NJ306EG1	140,92	1	0,402	KG
SNR	NJ.306.E.G15	107,96	1	0,38	KG
SNR	NJ.306.E.G15.J30	107,96	1	378	G
NTN	NJ306EG1C3	140,92	1	0,405	KG
NTN	NJ306ET2X	107,96	1	0,375	KG
NTN	NJ306ET2XC3	107,96	1	0,38	KG
NTN	NJ306ET2XC4	143,28	1	0,376	KG
NTN	NJ307	132,82	1	0,51	KG
NTN	NJ307C3	132,82	1	0,494	KG
SNR	NJ.307.E.G15	132,82	1	500	G
SNR	NJ.307.E.G15.J30	132,82	1	494	G
NTN	NJ307EG1C3	155,49	1	0,519	KG
NTN	NJ307ET2X	132,82	1	0,493	KG
NTN	NJ307ET2XC3	132,82	1	0,51	KG
NTN	NJ307ET2XC4	129,58	1	0,496	KG
NTN	NJ308	159,79	1	0,671	KG
NTN	NJ308C3	159,79	1	0,69	KG
NTN	NJ308EG1	211,06	1	0,706	KG
SNR	NJ.308.E.G15	159,79	1	0,667	KG
NTN	NJ308EG1C3	211,06	1	0,728	KG
NTN	NJ308ET2X	159,79	1	0,674	KG
NTN	NJ308ET2XC3	159,79	1	0,68	KG
NTN	NJ308ET2XC4	167,69	1	0,7	KG
NTN	NJ309	187,56	1	0,9	KG
NTN	NJ309C3	187,56	1	0,9	KG
NTN	NJ309EG1	218,51	1	0,98	KG
SNR	NJ.309.E.G15	187,56	1	0,9	KG
NTN	NJ309EG1C3	218,51	1	0,957	KG
NTN	NJ309ET2X	187,56	1	0,91	KG
NTN	NJ309ET2XC3	187,56	1	0,89	KG
NTN	NJ310	226,00	1	1,19	KG
SNR	NJ.310	226,00	1	1,194	KG
NTN	NJ310C3	226,00	1	1,16	KG
SNR	NJ.310.E.G15	226,00	1	1,182	KG
NTN	NJ310EG1C3	259,34	1	1,265	KG
NTN	NJ310EG1C4	349,87	1	1,24	KG
NTN	NJ310ET2X	226,00	1	1,161	KG
NTN	NJ310ET2XC3	226,00	1	1,18	KG
NTN	NJ310ET2XC4	274,91	1	1,18	KG
NTN	NJ310G1C3	259,34	1	1,2	KG

NTN	NJ311	270,08	1	1,515	KG
NTN	NJ311C3	270,08	1	1,51	KG
NTN	NJ311EAT2X	270,08	1	1,49	KG
NTN	NJ311EG1	310,22	1	1,62	KG
SNR	NJ.311.EG15	270,08	1	1,5	KG
NTN	NJ311EG1C3	310,22	1	1,615	KG
NTN	NJ311ET2X	270,08	1	1,52	KG
NTN	NJ311ET2XC3	270,08	1	1,518	KG
NTN	NJ311ET2XC4	277,72	1	1,45	KG
NTN	NJ311G1C3	310,22	1	1,418	KG
NTN	NJ312	316,92	1	1,833	KG
NTN	NJ312C3	316,92	1	2,205	KG
SNR	NJ.312.EG15	316,92	1	1,856	KG
NTN	NJ312EG1C3	378,36	1	1,972	KG
NTN	NJ312EG1C4	435,16	1	1,97	KG
NTN	NJ312ET2X	316,92	1	1,88	KG
NTN	NJ312ET2XC3	316,92	1	1,833	KG
NTN	NJ312G1C3	378,36	1	2,015	KG
NTN	NJ313	382,15	1	2,325	KG
NTN	NJ313C3	382,15	1	2,32	KG
NTN	NJ313C4	464,28	1	2,31	KG
NTN	NJ313EG1	458,40	1	2,503	KG
SNR	NJ.313.EG15	382,15	1	2284	G
NTN	NJ313EG1C3	458,40	1	2,498	KG
NTN	NJ313EG1C4	503,12	1	3,435	KG
NTN	NJ313ET2X	382,15	1	2,23	KG
NTN	NJ313ET2XC3	382,15	1	2,34	KG
NTN	NJ314	452,06	1	2,786	KG
NTN	NJ314C3	452,06	1	2,84	KG
NTN	NJ314C4	497,62	1	2,84	KG
SNR	NJ.314.EG15	452,06	1	2809	G
NTN	NJ314EG1C4	636,58	1	3,04	KG
NTN	NJ314ET2X	452,06	1	2,855	KG
NTN	NJ314ET2XC3	452,06	1	2,71	KG
NTN	NJ314G1C3	652,47	1	2,98	KG
NTN	NJ315	524,56	1	3,352	KG
NTN	NJ315C3	524,56	1	3,435	KG
NTN	NJ315C4	511,79	1	3,344	KG
SNR	NJ.315.EG15	524,56	1	3372	G
NTN	NJ315EG1C4	720,26	1	3,635	KG
NTN	NJ315ET2X	524,56	1	3,425	KG
NTN	NJ315ET2XC3	524,56	1	3,43	KG
NTN	NJ316	611,87	1	3,86	KG
NTN	NJ316C3	611,87	1	3,86	KG
SNR	NJ316.EG15	611,87	1	3,976	KG
NTN	NJ316EG1C4	840,11	1	4,32	KG
NTN	NJ316ET2XC3	611,87	1	3,96	KG
NTN	NJ317	645,88	1	4,54	KG
NTN	NJ317C3	645,88	1	4,76	KG
SNR	NJ.317.E.G15	645,88	1	4635	G

NTN	NJ318	895,46	1	5,3	KG
NTN	NJ318C3	895,46	1	5,62	KG
SNR	NJ318.EG15	895,46	1	5430	G
NTN	NJ318G1	1.093,86	1	5,95	KG
NTN	NJ318G1C3	1.093,86	1	5,8	KG
NTN	NJ318G1C4	1.257,94	1	5,985	KG
NTN	NJ319	933,05	1	6,515	KG
SNR	NJ319.EG15	933,05	1	6405	G
NTN	NJ319EG1C4	1.405,54	1	6,895	KG
NTN	NJ319G1	1.182,58	1	6,96	KG
NTN	NJ320	1.292,83	1	7,49	KG
NTN	NJ320C3	1.292,83	1	8,06	KG
NTN	NJ320C4	1.381,59	1	8,04	KG
SNR	NJ320.EG15	1.292,83	1	7,745	KG
NTN	NJ320EG1C3	1.515,09	1	8,33	KG
NTN	NJ320G1	1.515,09	1	8,29	KG
NTN	NJ320G1C4	2.090,49	1	8,504	KG
NTN	NJ321C3	1.812,44	1	9,014	KG
NTN	NJ322	1.740,38	1	10,4	KG
NTN	NJ322EG1	3.137,82	1	11,46	KG
SNR	NJ.322.E.G15	1.740,38	1	10352	G
NTN	NJ322EG1C3	3.137,82	1	11,39	KG
NTN	NJ324	2.294,57	1	14,435	KG
NTN	NJ324EG1	3.025,43	1	14,8	KG
NTN	NJ324EG1C3	3.025,43	1	14,8	KG
NTN	NJ324G1C3	3.025,43	1	14,4	KG
NTN	NJ326	2.820,35	1	17,6	KG
NTN	NJ326C3	2.820,35	1	18,71	KG
NTN	NJ326C4	3.197,63	1	18,57	KG
NTN	NJ326EG1C3	3.948,06	1	17,4	KG
NTN	NJ328	4.152,17	1	21,4	KG
NTN	NJ328EG1C3	5.157,06	1	22,35	KG
NTN	NJ332	7.964,34	1	31,4	KG
NTN	NJ405	176,79	1	0,59	KG
NTN	NJ406	296,79	1	0,763	KG
NTN	NJ406C3	296,79	1	0,78	KG
NTN	NJ407	379,63	1	1,012	KG
NTN	NJ407C3	379,63	1	1,037	KG
NTN	NJ407G1C3	395,88	1	1,093	KG
NTN	NJ408	413,75	1	1,32	KG
SNR	NJ.408	413,75	1	1,3	KG
NTN	NJ408C3	413,75	1	1,297	KG
NTN	NJ408G1C3	537,87	1	1,4	KG
NTN	NJ408G1C4	524,78	1	1,365	KG
NTN	NJ409	479,13	1	1,66	KG
SNR	NJ.409	479,13	1	1,682	KG
NTN	NJ409G1C3	563,32	1	1,78	KG
NTN	NJ410	523,63	1	0,2	KG
NTN	NJ411	1.343,37	1	2,57	KG
NTN	NJ412	807,84	1	3,063	KG

NTN	NJ413	932,95	1	3,75	KG
NTN	NJ413C3	932,95	1	3,642	KG
NTN	NJ414	934,61	1	5,33	KG
NTN	NJ414G1C3	2.090,31	1	5,81	KG
NTN	NJ415C4	1.614,18	1	6,51	KG
NTN	NJ416	1.502,46	1	7,44	KG
NTN	NJ417	2.078,88	1	9,44	KG
NTN	NJ418C3	2.032,29	1	12,11	KG
NTN	NJ420	2.350,25	1	16,28	KG
NTN	NJV2311C4	888,81	1	2,415	KG
NTN	NU1005G1	164,66	1	0,094	KG
NTN	NU1006G1	201,92	1	0,135	KG
NTN	NU1007G1	254,34	1	0,175	KG
NTN	NU1008G1	221,07	1	0,218	KG
NTN	NU1009G1	265,97	1	0,278	KG
NTN	NU1010G1	257,24	1	0,287	KG
NTN	NU1011	300,32	1	0,45	KG
NTN	NU1012G1	400,47	1	0,475	KG
NTN	NU1012G1C3	400,47	1	0,485	KG
NTN	NU1013	423,74	1	0,508	KG
NTN	NU1013C3	423,74	1	0,51	KG
NTN	NU1014	428,69	1	0,73	KG
NTN	NU1014G1	428,69	1	0,662	KG
NTN	NU1015G1	486,67	1	0,695	KG
NTN	NU1015G1C3	486,67	1	0,716	KG
NTN	NU1016	510,98	1	0,996	KG
NTN	NU1016C3	510,98	1	1,04	KG
NTN	NU1017	719,69	1	0,803	KG
NTN	NU1018C3	725,59	1	1,33	KG
NTN	NU1018G1	725,59	1	1,281	KG
NTN	NU1019	993,53	1	1,48	KG
NTN	NU1020G1	684,33	1	1,397	KG
NTN	NU1021C3	1.055,37	1	1,84	KG
NTN	NU1022	994,90	1	2,28	KG
NTN	NU1022G1	989,00	1	2,14	KG
NTN	NU1022G1C3	989,00	1	2,285	KG
NTN	NU1024	880,45	1	2,44	KG
NTN	NU1024C3	982,37	1	2,575	KG
NTN	NU1026	1.132,12	1	3,53	KG
NTN	NU1026C3	1.132,12	1	3,865	KG
NTN	NU1028	1.348,61	1	4,07	KG
NTN	NU1028C3	1.348,61	1	4,08	KG
NTN	NU1030	1.605,75	1	4,73	KG
NTN	NU1030C3	1.605,75	1	4,73	KG
NTN	NU1032	1.755,51	1	6,07	KG
NTN	NU1032C3	1.755,51	1	6,06	KG
NTN	NU1034C3	2.488,37	1	8,875	KG
NTN	NU1036	2.701,11	1	10,3	KG
NTN	NU1036C3	2.701,11	1	11,26	KG
NTN	NU1038	3.142,92	1	11,615	KG

NTN	NU1040	3.268,76	1	13,9	KG
NTN	NU1040C3	3.268,76	1	13,9	KG
NTN	NU1048	5.590,20	1	19,6	KG
NTN	NU1048C3	5.590,20	1	19,7	KG
NTN	NU1052	10.766,01	1	29,3	KG
NTN	NU203	62,07	1	0,068	KG
NTN	NU203C3	57,71	1	0,068	KG
SNR	NU.203.E.G15	62,07	1	0,07	KG
SNR	NU.203E.G15.J30	62,07	1	74	G
NTN	NU204	61,09	1	0,107	KG
SNR	NU.204.E.G15	61,09	1	0,114	KG
SNR	NU.204E.G15.J30	61,09	1	0,114	KG
NTN	NU204ET2X	61,09	1	0,144	KG
NTN	NU204ET2XC3	61,09	1	0,115	KG
NTN	NU205	67,41	1	0,15	KG
NTN	NU205C3	67,41	1	0,143	KG
SNR	NU205EG15	67,41	1	0,14	KG
SNR	NU.205.EG15J30	67,41	1	138	G
NTN	NU205EG1C3	85,18	1	0,142	KG
NTN	NU205ET2X	67,41	1	0,14	KG
NTN	NU205ET2XC3	67,41	1	0,142	KG
NTN	NU206	83,66	1	0,22	KG
NTN	NU206C3	83,66	1	0,205	KG
NTN	NU206EAT2X	83,66	1	0,207	KG
NTN	NU206EAT2XC3	83,66	1	0,207	KG
NTN	NU206EG1	99,81	1	0,215	KG
SNR	NU.206.E.G15	83,66	1	0,206	KG
SNR	NU.206.EG15J30	83,66	1	0,21	KG
NTN	NU206EG1C3	99,81	1	0,216	KG
NTN	NU206ET2X	83,66	1	0,207	KG
NTN	NU206ET2XC3	83,66	1	0,207	KG
NTN	NU207	98,26	1	0,31	KG
NTN	NU207C3	98,26	1	0,31	KG
NTN	NU207EAT2X	98,26	1	0,31	KG
NTN	NU207EG1	207,58	1	0,325	KG
SNR	NU.207.E.G15	98,26	1	304	G
SNR	NU.207.E.G15.J30	98,26	1	305	G
NTN	NU207EG1C3	207,58	1	0,314	KG
SNR	NU.207.E.M.J30	207,58	1	342	G
NTN	NU207ET2X	98,26	1	0,31	KG
NTN	NU207ET2XC3	98,26	1	0,305	KG
NTN	NU207ET2XC4	96,27	1	0,295	KG
NTN	NU208	110,69	1	0,392	KG
NTN	NU208C3	110,69	1	0,4	KG
NTN	NU208EAT2X	110,69	1	0,38	KG
SNR	NU.208.E.G15	110,69	1	379	G
SNR	NU.208.E.G15.J30	110,69	1	380	G
SNR	NU.208.E.G15.J40	104,41	1	377	G
NTN	NU208EG1C3	268,46	1	0,42	KG
SNR	NU.208.E.M.J30	268,46	1	425	G

NTN	NU208ET2X	110,69	1	0,386	KG
NTN	NU208ET2XC3	110,69	1	0,39	KG
NTN	NU208G1C3	268,46	1	0,422	KG
NTN	NU209	122,94	1	0,45	KG
NTN	NU209C3	122,94	1	0,45	KG
SNR	NU.209.E.G15	122,94	1	0,44	KG
SNR	NU.209.E.G15.J30	122,94	1	0,438	KG
NTN	NU209EG1C3	225,51	1	0,456	KG
SNR	NU.209.E.M.J30	262,62	1	493	G
NTN	NU209ET2X	122,94	1	0,45	KG
NTN	NU209ET2XC3	122,94	1	0,428	KG
NTN	NU209G1C3	225,51	1	0,474	KG
NTN	NU210	133,08	1	0,505	KG
NTN	NU210C3	133,08	1	0,505	KG
NTN	NU210EAT2X	133,08	1	0,495	KG
SNR	NU.210.E.G15	133,08	1	0,488	KG
SNR	NU.210.E.G15.J30	133,08	1	490	G
NTN	NU210EG1C3	244,22	1	0,535	KG
SNR	NU.210.E.M.J30	244,22	1	0,56	KG
NTN	NU210ET2X	133,08	1	0,495	KG
NTN	NU210ET2XC3	133,08	1	0,49	KG
NTN	NU210G1	244,22	1	0,536	KG
NTN	NU210G1C3	244,22	1	0,516	KG
NTN	NU211	146,71	1	0,655	KG
NTN	NU211C3	146,71	1	0,638	KG
SNR	NU.211.E.G15	146,71	1	0,662	KG
SNR	NU.211.E.G15.J30	146,71	1	0,66	KG
SNR	NU.211.EG15J40	156,21	1	0,668	KG
NTN	NU211EG1C3	285,33	1	0,706	KG
NTN	NU211ET2X	146,71	1	0,66	KG
NTN	NU211ET2XC3	146,71	1	1	KG
NTN	NU211G1C3	285,33	1	0,7	KG
NTN	NU211G1C4	313,86	1	0,7	KG
NTN	NU212	188,24	1	0,821	KG
NTN	NU212C3	188,24	1	0,845	KG
NTN	NU212C4	183,64	1	0,821	KG
SNR	NU.212.E.G15	188,24	1	0,8	KG
SNR	NU.212.E.G15.J30	188,24	1	825	G
NTN	NU212EG1C3	422,58	1	0,867	KG
NTN	NU212ET2X	188,24	1	0,825	KG
NTN	NU212ET2XC3	188,24	1	0,818	KG
NTN	NU212G1C3	422,58	1	0,9	KG
NTN	NU213	206,50	1	1,02	KG
NTN	NU213C3	206,50	1	1	KG
SNR	NU.213.E.G15	206,50	1	1,045	KG
SNR	NU.213.E.G15.J30	206,50	1	1,04	KG
NTN	NU213EG1C3	485,06	1	1,125	KG
NTN	NU213ET2X	206,50	1	1,055	KG
NTN	NU213ET2XC3	206,50	1	1,045	KG
NTN	NU213G1	485,06	1	1,14	KG

NTN	NU213G1C3	485,06	1	1,155	KG
NTN	NU214	216,41	1	1,143	KG
NTN	NU214C3	216,41	1	1,12	KG
SNR	NU.214.E.G15	216,41	1	1,154	KG
SNR	NU.214.EG15J30	216,41	1	1,152	KG
NTN	NU214EG1C3	755,63	1	1,24	KG
SNR	NU.214.E.M.J30	755,63	1	1,308	KG
NTN	NU214ET2X	216,41	1	1,16	KG
NTN	NU214ET2XC3	216,41	1	1,129	KG
NTN	NU214G1	755,63	1	1,245	KG
NTN	NU214G1C3	755,63	1	1,245	KG
NTN	NU215	264,58	1	1,255	KG
NTN	NU215C3	264,58	1	1,26	KG
SNR	NU.215.E.G15	264,58	1	1,278	KG
SNR	NU.215.E.G15.J30	264,58	1	0,67	KG
NTN	NU215EG1C3	487,03	1	1,36	KG
NTN	NU215EG1C4	525,44	1	1,4	KG
SNR	NU.215.E.M.J30	487,03	1	1,426	KG
NTN	NU215ET2X	264,58	1	1,3	KG
NTN	NU215ET2XC3	264,58	1	1,28	KG
NTN	NU215G1C3	487,03	1	1,308	KG
NTN	NU216	300,60	1	1,56	KG
NTN	NU216C3	300,60	1	1,55	KG
SNR	NU.216.EG15	300,60	1	1540	G
SNR	NU.216.EG15J30	300,60	1	1550	G
NTN	NU216EG1C3	537,68	1	1,622	KG
NTN	NU216ET2	300,60	1	1,67	KG
NTN	NU216ET2C3	300,60	1	1,499	KG
NTN	NU216G1C3	537,68	1	1,667	KG
NTN	NU217	318,84	1	1,95	KG
NTN	NU217C3	318,84	1	1,95	KG
SNR	NU.217.EG15	318,84	1	1868	G
SNR	NU.217.EG15J30	318,84	1	1914	G
NTN	NU217EG1C3	661,41	1	2,073	KG
NTN	NU217ET2X	318,84	1	1,95	KG
NTN	NU217ET2XC3	318,84	1	1,945	KG
NTN	NU217G1	661,41	1	2,085	KG
NTN	NU218	421,68	1	2,415	KG
NTN	NU218C3	421,68	1	2,3	KG
NTN	NU218EG1	792,77	1	2565	G
SNR	NU.218.EG15	421,68	1	2356	G
SNR	NU.218.EG15J30	421,68	1	2,19	KG
NTN	NU218EG1C3	792,77	1	2,565	KG
NTN	NU218ET2X	421,68	1	2,44	KG
NTN	NU218ET2XC3	421,68	1	2,4	KG
NTN	NU218ET2XC4	411,43	1	2,3	KG
NTN	NU218G1C3	792,77	1	2,539	KG
NTN	NU218G1C4	872,06	1	2,539	KG
NTN	NU219	488,14	1	2,79	KG
NTN	NU219C3	488,14	1	2,89	KG

SNR	NU.219.E.G15	488,14	1	2,855	KG
SNR	NU.219.E.G15.C3	488,14	1	2875	G
NTN	NU219EG1C3	879,97	1	3,08	KG
NTN	NU219G1C3	879,97	1	3	KG
NTN	NU220	576,93	1	3,35	KG
SNR	NU.2203.E.G15	72,43	1	0,096	KG
SNR	NU.2204.E.G15	75,76	1	0,14	KG
NTN	NU2204ET2X	75,76	1	0,1	KG
NTN	NU2205	85,74	1	0,17	KG
SNR	NU.2205.E.G15	85,74	1	166	G
SNR	NU.2205.E.G15.J30	85,74	1	0,166	KG
NTN	NU2205ET2X	85,74	1	0,166	KG
NTN	NU2205ET2XC3	85,74	1	0,17	KG
NTN	NU2206	99,08	1	0,273	KG
NTN	NU2206EAT2X	99,08	1	0,297	KG
SNR	NU.2206.E.G15	99,08	1	0,26	KG
SNR	NU.2206.EG15J30	99,08	1	0,26	KG
NTN	NU2206EG1C3	191,84	1	0,274	KG
SNR	NU.2206.EMJ40	235,54	1	295	G
NTN	NU2206ET2X	99,08	1	0,264	KG
NTN	NU2206ET2XC3	99,08	1	0,266	KG
NTN	NU2207	117,74	1	0,42	KG
NTN	NU2207EAT2X	117,74	1	0,41	KG
SNR	NU.2207.E.G15	117,74	1	406	G
NTN	NU2207EG1C3	211,54	1	0,429	KG
NTN	NU2207ET2X	117,74	1	0,41	KG
NTN	NU2207ET2XC3	117,74	1	0,41	KG
NTN	NU2208	125,89	1	0,506	KG
NTN	NU2208C3	125,89	1	0,51	KG
NTN	NU2208EAT2X	125,89	1	0,45	KG
SNR	NU.2208.E.G15	125,89	1	494	G
NTN	NU2208EG1C3	237,58	1	0,535	KG
NTN	NU2208ET2X	125,89	1	0,51	KG
NTN	NU2208ET2XC3	125,89	1	0,496	KG
NTN	NU2209	146,34	1	0,534	KG
NTN	NU2209C3	146,34	1	0,55	KG
NTN	NU2209EAT2X	146,34	1	0,54	KG
NTN	NU2209EG1	240,54	1	0,575	KG
SNR	NU.2209.E.G15	146,34	1	0,533	KG
NTN	NU2209ET2C3	146,34	1	0,54	KG
NTN	NU2209ET2X	146,34	1	0,54	KG
NTN	NU2209ET2XC3	146,34	1	0,6	KG
NTN	NU220C3	576,93	1	3,465	KG
NTN	NU220EG1	1.002,55	1	3,66	KG
SNR	NU.220.E.G15	576,93	1	3462	G
SNR	NU220.EG15J30	576,93	1	3,464	KG
NTN	NU220EG1C3	1.002,55	1	3,725	KG
NTN	NU221	638,49	1	4,155	KG
NTN	NU2210	157,78	1	0,59	KG
NTN	NU2210C3	157,78	1	0,573	KG

NTN	NU2210EG1	198,90	1	0,62	KG
SNR	NU.2210.E.G15	150,37	1	0,576	KG
NTN	NU2210EG1C3	198,90	1	0,612	KG
NTN	NU2210ET2X	157,78	1	0,57	KG
NTN	NU2210ET2XC3	157,78	1	0,575	KG
NTN	NU2211	180,89	1	0,773	KG
NTN	NU2211C3	180,89	1	0,8	KG
NTN	NU2211EAT2X	180,89	1	0,788	KG
SNR	NU.2211.EG15	180,89	1	0,798	KG
NTN	NU2211EG1C3	257,83	1	0,821	KG
NTN	NU2211ET2X	180,89	1	0,788	KG
NTN	NU2211ET2XC3	180,89	1	0,795	KG
NTN	NU2211G1	257,83	1	0,86	KG
NTN	NU2212	231,10	1	1,073	KG
NTN	NU2212C3	231,10	1	1,1	KG
NTN	NU2212EAT2XC3	231,10	1	1,08	KG
SNR	NU.2212.E.G15	231,10	1	1,076	KG
SNR	NU.2212.E.G15.J30	231,10	1	1,08	KG
NTN	NU2212EG1C3	307,48	1	1,118	KG
NTN	NU2212ET2X	231,10	1	1,088	KG
NTN	NU2212ET2XC3	231,10	1	1,06	KG
NTN	NU2212G1	307,48	1	1,2	KG
NTN	NU2213	245,32	1	0,8	KG
NTN	NU2213C3	245,32	1	1,4	KG
SNR	NU.2213.E.G15	245,32	1	1,432	KG
NTN	NU2213EG1C3	308,82	1	1,6	KG
NTN	NU2213ET2X	245,32	1	1,327	KG
NTN	NU2213ET2XC3	245,32	1	1,408	KG
NTN	NU2214	274,22	1	1,55	KG
NTN	NU2214C3	274,22	1	1,545	KG
SNR	NU.2214.EG15	274,22	1	1,514	KG
NTN	NU2214EG1C3	351,93	1	1,645	KG
NTN	NU2214ET2X	274,22	1	1,54	KG
NTN	NU2214ET2XC3	274,22	1	1,536	KG
NTN	NU2215	296,50	1	1,6	KG
SNR	NU.2215.E.G15	296,50	1	1,602	KG
NTN	NU2215EG1C3	406,78	1	1,67	KG
NTN	NU2215ET2X	296,50	1	1,575	KG
NTN	NU2215ET2XC3	296,50	1	1,615	KG
NTN	NU2216	389,84	1	1,945	KG
NTN	NU2216C3	389,84	1	2,015	KG
SNR	NU.2216.E.G15	389,84	1	1989	G
SNR	NU.2216E.G15J30	389,84	1	2008	G
NTN	NU2216EG1C3	610,40	1	2,155	KG
NTN	NU2216ET2X	389,84	1	2,04	KG
NTN	NU2216ET2XC3	389,84	1	2,045	KG
NTN	NU2216G1C3	610,40	1	2,13	KG
NTN	NU2217	456,76	1	2,56	KG
NTN	NU2217C3	456,76	1	2,56	KG
SNR	NU.2217.E.G15	456,76	1	2,484	KG

NTN	NU2217ET2X	456,76	1	2,54	KG
NTN	NU2217ET2XC3	456,76	1	2,535	KG
NTN	NU2218	535,16	1	3,2	KG
NTN	NU2218C3	535,16	1	3,21	KG
SNR	NU.2218.E.G15	535,16	1	3154	G
NTN	NU2218G1	677,94	1	3,425	KG
NTN	NU2218G1C3	677,94	1	3,42	KG
NTN	NU2219	574,88	1	3,935	KG
NTN	NU2219EG1	1.099,42	1	4,15	KG
SNR	NU2219.EG15	574,88	1	3,86	KG
NTN	NU2219G1C3	943,71	1	4,15	KG
NTN	NU221C3	638,49	1	3,99	KG
SNR	NU221.EG15	638,49	1	4,06	KG
SNR	NU.221.E.G15.C3	638,49	1	3,67	KG
NTN	NU221G1C3	916,05	1	4,38	KG
NTN	NU222	722,73	1	4,69	KG
NTN	NU2220	767,96	1	4,8	KG
NTN	NU2220C3	767,96	1	4,74	KG
SNR	NU.2220.E.G15	767,96	1	4,751	KG
NTN	NU2220EG1C3	1.471,68	1	4,57	KG
NTN	NU2220G1	1.355,09	1	5	KG
NTN	NU2220G1C3	1.355,09	1	5,08	KG
NTN	NU2222	1.029,15	1	6,76	KG
NTN	NU2222C3	1.029,15	1	6,55	KG
SNR	NU.2222.E.G15	1.134,14	1	6,67	KG
NTN	NU2222G1C3	1.695,26	1	7,125	KG
NTN	NU2224	1.358,03	1	8,19	KG
NTN	NU2224C3	1.358,03	1	8,505	KG
SNR	NU.2224.E.G15	1.358,03	1	8392	G
NTN	NU2226	1.332,33	1	10,655	KG
NTN	NU2226C3	1.332,33	1	10,635	KG
NTN	NU2226G1	2.192,60	1	11,73	KG
NTN	NU2226G1C3	2.192,60	1	11,715	KG
NTN	NU2228G1	2.731,25	1	13,87	KG
NTN	NU222C3	722,73	1	4,855	KG
SNR	NU.222.E.G15	722,73	1	4,79	KG
SNR	NU.222.E.G15.C3	722,73	1	4815	G
NTN	NU222ET2C3	722,73	1	4,27	KG
NTN	NU222G1	1.131,14	1	4,97	KG
NTN	NU222G1C3	1.131,14	1	5,115	KG
NTN	NU2230	3.299,00	1	17,045	KG
NTN	NU2230G1C3	3.463,54	1	16,3	KG
NTN	NU2232C3	4.246,81	1	23,14	KG
NTN	NU2232EG1C3	4.246,81	1	22,6	KG
NTN	NU2238EG1C3	8.401,90	1	35,5	KG
NTN	NU224	839,17	1	5,351	KG
NTN	NU224C3	839,17	1	5,72	KG
SNR	NU.224.E.G15	839,17	1	5795	G
SNR	NU.224.E.G15.C3	839,17	1	5800	G
NTN	NU224EG1C3	1.286,23	1	6,18	KG

NTN	NU224G1C3	1.173,34	1	5,64	KG
NTN	NU2252C3	23.589,24	1	109,88	KG
NTN	NU226	1.037,35	1	6,3	KG
NTN	NU226C3	1.037,35	1	6,71	KG
NTN	NU226EG1	1.715,64	1	6,955	KG
SNR	NU.226.E.G15	1.037,35	1	6,335	KG
SNR	NU.226.E.G15.C3	1.037,35	1	6390	G
NTN	NU226EG1C3	1.715,64	1	6,972	KG
NTN	NU226G1C3	1.715,64	1	6,85	KG
NTN	NU228	1.469,47	1	8,2	KG
NTN	NU228C3	1.469,47	1	8,2	KG
NTN	NU228EG1C3	2.068,14	1	8,64	KG
NTN	NU228G1C3	2.068,14	1	8,89	KG
NTN	NU230	1.709,73	1	10,6	KG
SNR	NU.2304.E.G15	103,44	1	0,214	KG
NTN	NU2304ET2X	103,44	1	0,215	KG
NTN	NU2305	116,55	1	0,342	KG
NTN	NU2305EAG1C3	256,00	1	0,358	KG
NTN	NU2305EG1	256,00	1	0,37	KG
SNR	NU.2305.E.G15	116,55	1	0,346	KG
NTN	NU2305EG1C3	256,00	1	0,358	KG
NTN	NU2305ET2X	116,55	1	0,337	KG
NTN	NU2305ET2XC3	116,55	1	0,35	KG
NTN	NU2306EG1	232,16	1	0,564	KG
SNR	NU.2306.E.G15	145,15	1	0,528	KG
SNR	NU.2306.EG15J30	145,15	1	0,528	KG
NTN	NU2306EG1C3	232,16	1	0,554	KG
NTN	NU2306ET2X	145,15	1	0,53	KG
NTN	NU2306ET2XC3	145,15	1	0,53	KG
NTN	NU2306G1C3	232,16	1	0,55	KG
NTN	NU2307	166,18	1	0,688	KG
NTN	NU2307EG1	221,53	1	0,787	KG
SNR	NU.2307.E.G15	166,18	1	0,714	KG
NTN	NU2307EG1C3	221,53	1	0,761	KG
NTN	NU2307ET2X	166,18	1	0,745	KG
NTN	NU2307ET2XC3	166,18	1	0,746	KG
NTN	NU2308	191,24	1	0,964	KG
NTN	NU2308C3	198,51	1	0,942	KG
NTN	NU2308EG1	300,73	1	1,002	KG
SNR	NU.2308.E.G15	191,24	1	0,94	KG
NTN	NU2308EG1C3	300,73	1	1,001	KG
NTN	NU2308ET2X	191,24	1	1,06	KG
NTN	NU2308ET2XC3	191,24	1	0,955	KG
NTN	NU2308G1C3	300,73	1	1,008	KG
NTN	NU2309	245,28	1	1,25	KG
NTN	NU2309C3	245,28	1	1,048	KG
NTN	NU2309EG1	312,10	1	1,395	KG
SNR	NU.2309.EG15	245,28	1	1,3	KG
SNR	NU.2309.EG15J30	245,28	1	1,296	KG
NTN	NU2309EG1C3	312,10	1	1,373	KG

NTN	NU2309ET2	245,28	1	1,279	KG
NTN	NU2309ET2X	245,28	1	1,279	KG
NTN	NU2309ET2XC3	245,28	1	1,31	KG
NTN	NU230C3	1.709,73	1	10,58	KG
SNR	NU.230.E.M.J30	2.287,24	1	11998	G
NTN	NU230G1C3	2.287,24	1	11,205	KG
NTN	NU2310	282,94	1	1,72	KG
NTN	NU2310C3	282,94	1	1,71	KG
SNR	NU.2310.EG15	282,94	1	1,732	KG
SNR	NU.2310.EG15J30	282,94	1	1,74	KG
NTN	NU2310EG1C3	367,83	1	1,829	KG
NTN	NU2310ET2X	282,94	1	1,745	KG
NTN	NU2310ET2XC3	282,94	1	1,745	KG
NTN	NU2310G1C3	434,51	1	1,815	KG
NTN	NU2311	374,78	1	2,5	KG
NTN	NU2311C3	374,78	1	2,16	KG
SNR	NU.2311.EG15	374,78	1	2208	G
NTN	NU2311EG1C4	475,35	1	2,375	KG
NTN	NU2311ET2X	374,78	1	2,2	KG
NTN	NU2311ET2XC3	374,78	1	2,235	KG
NTN	NU2311G1C3	487,22	1	2,31	KG
NTN	NU2312	451,04	1	2,7	KG
NTN	NU2312C3	451,04	1	2,705	KG
SNR	NU.2312.EG15	451,04	1	2738	G
NTN	NU2312ET2X	451,04	1	2,79	KG
NTN	NU2312G1C3	520,05	1	2,96	KG
NTN	NU2313	553,70	1	3,3	KG
NTN	NU2313C3	553,70	1	3,214	KG
NTN	NU2313EG1	857,17	1	3,56	KG
SNR	NU.2313.E.G15	553,70	1	3266	G
NTN	NU2313EG1C3	857,17	1	3,464	KG
NTN	NU2313ET2XC3	553,70	1	3,266	KG
NTN	NU2313G1	857,17	1	3,53	KG
NTN	NU2314	643,13	1	4,07	KG
NTN	NU2314C3	643,13	1	4,07	KG
SNR	NU.2314.E.G15	643,13	1	3980	G
NTN	NU2314EG1C3	995,59	1	4,25	KG
NTN	NU2315	794,68	1	4,829	KG
NTN	NU2315C3	794,68	1	4,96	KG
NTN	NU2315EG1	1.152,35	1	5,305	KG
SNR	NU.2315.E.G15	794,68	1	4903	G
NTN	NU2316	882,34	1	5,97	KG
NTN	NU2316C3	882,34	1	5,99	KG
SNR	NU2316.EG15	882,34	1	5,872	KG
NTN	NU2316EG1C3	1.438,67	1	6,25	KG
NTN	NU2316G1C3	1.438,67	1	6,36	KG
NTN	NU2317	1.043,30	1	6,84	KG
NTN	NU2317C3	1.043,30	1	6,84	KG
SNR	NU.2317.E.G15	1.043,30	1	6645	G
NTN	NU2317EG1C3	2.025,96	1	7,12	KG

NTN	NU2318	1.222,29	1	8,1	KG
SNR	NU.2318.E.G15	1.222,29	1	7915	G
NTN	NU2318EG1C3	1.744,65	1	8,52	KG
NTN	NU2319	1.401,94	1	9,48	KG
SNR	NU2319.EG15	1.401,94	1	9,345	KG
NTN	NU2319EG1C3	2.279,43	1	9,8	KG
SNR	NU.2319.E.M.J30	2.279,43	1	10,2	KG
NTN	NU2320	1.880,33	1	12,03	KG
NTN	NU2320C3	1.880,33	1	12,03	KG
NTN	NU2320EG1	2.819,81	1	12,8	KG
SNR	NU.2320.E.G15	1.880,33	1	11900	G
NTN	NU2320EG1C3	2.819,81	1	12,5	KG
NTN	NU2320G1	2.819,81	1	12,765	KG
NTN	NU2320G1C3	2.819,81	1	12,755	KG
NTN	NU2322	2.593,93	1	17,1	KG
NTN	NU2322EG1C3	3.129,03	1	17,3	KG
NTN	NU2324	4.085,73	1	21,5	KG
NTN	NU2324EG1	4.475,20	1	23,1	KG
NTN	NU2324EG1C3	4.475,20	1	21,9	KG
NTN	NU2326	5.263,75	1	28,73	KG
NTN	NU2326C3	5.263,75	1	28,73	KG
NTN	NU2326EG1	5.504,60	1	28,87	KG
NTN	NU2326EG1C3	5.504,60	1	27,4	KG
NTN	NU2328C3	7.091,26	1	35,37	KG
NTN	NU2328EG1C3	7.941,47	1	36,05	KG
NTN	NU232C3	2.416,28	1	14,565	KG
NTN	NU232EG1	2.416,28	1	13,7	KG
NTN	NU232EG1C3	2.416,28	1	10,418	KG
NTN	NU232EG1C4	3.015,15	1	14,85	KG
NTN	NU2330EG1C3	9.666,68	1	41,6	KG
NTN	NU2332EG1C3	11.497,87	1	50,58	KG
SNR	NU.2332.E.M.J30	11.497,87	1	62500	G
NTN	NU234EG1C3	2.951,88	1	18,05	KG
NTN	NU236	3.498,90	1	17,7	KG
NTN	NU236C3	3.498,90	1	19,025	KG
NTN	NU236EG1C3	4.247,40	1	20,4	KG
SNR	NU.236.E.M.J30	4.247,40	1	19380	G
NTN	NU238C3	3.763,55	1	21,3	KG
NTN	NU238EG1C3	4.637,70	1	22,7	KG
NTN	NU240EG1	5.318,85	1	25,3	KG
NTN	NU240EG1C3	5.318,85	1	26,27	KG
NTN	NU244	8.280,80	1	37,7	KG
SNR	NU.303.E.G15	64,92	1	0,122	KG
SNR	NU.303.EG15J30	64,92	1	0,122	KG
NTN	NU304	77,06	1	0,15	KG
NTN	NU304C3	77,06	1	0,156	KG
SNR	NU.304.E.G15	77,06	1	0,16	KG
NTN	NU304ET2X	77,06	1	0,155	KG
NTN	NU304ET2XC3	77,06	1	0,155	KG
NTN	NU305	88,35	1	0,236	KG

NTN	NU305EG1	175,97	1	0,265	KG
SNR	NU.305.E.G15	88,35	1	244	G
SNR	NU305.EG15J30	88,35	1	0,244	KG
NTN	NU305EG1C3	175,97	1	0,26	KG
NTN	NU305ET2X	88,35	1	0,248	KG
NTN	NU305ET2XC3	88,35	1	0,25	KG
NTN	NU306	99,68	1	0,364	KG
NTN	NU306C3	99,68	1	0,365	KG
NTN	NU306EG1	191,21	1	0,395	KG
SNR	NU.306.E.G15	99,68	1	370	G
SNR	NU.306.E.G15.J30	99,68	1	370	G
NTN	NU306EG1C3	191,21	1	0,395	KG
NTN	NU306ET2X	99,68	1	0,37	KG
NTN	NU306ET2XC3	99,68	1	0,37	KG
NTN	NU307	116,21	1	0,461	KG
NTN	NU307C3	116,21	1	0,496	KG
NTN	NU307EAT2X	116,21	1	0,5	KG
NTN	NU307EAT2XC3	116,21	1	0,505	KG
NTN	NU307EG1	209,17	1	0,53	KG
SNR	NU.307.E.G15	116,21	1	484	G
SNR	NU.307.E.G15.J30	116,21	1	484	G
NTN	NU307EG1C3	209,17	1	0,53	KG
NTN	NU307ET2X	116,21	1	0,5	KG
NTN	NU307ET2XC3	116,21	1	0,505	KG
NTN	NU308	138,11	1	0,658	KG
NTN	NU308C3	138,11	1	0,67	KG
NTN	NU308EG1	207,15	1	0,71	KG
SNR	NU.308.E.G15	138,11	1	0,656	KG
SNR	NU.308.E.G15.J30	138,11	1	0,656	KG
NTN	NU308EG1C3	207,15	1	0,712	KG
NTN	NU308ET2X	138,11	1	0,658	KG
NTN	NU308ET2XC3	138,11	1	0,665	KG
NTN	NU308G1	207,15	1	0,715	KG
NTN	NU308G1C3	207,15	1	0,71	KG
NTN	NU309	154,64	1	0,89	KG
NTN	NU309C3	154,64	1	0,88	KG
NTN	NU309EAT2XC3	154,64	1	0,877	KG
NTN	NU309EG1	343,09	1	0,96	KG
SNR	NU.309.E.G15	154,64	1	0,885	KG
NTN	NU309EG1C3	343,09	1	0,93	KG
SNR	NU.309.E.M.J30	343,09	1	930	G
NTN	NU309ET2X	154,64	1	0,996	KG
NTN	NU309ET2XC3	154,64	1	0,895	KG
NTN	NU309G1C3	343,09	1	0,945	KG
NTN	NU309N	182,56	1	0,847	KG
NTN	NU310	204,26	1	1,155	KG
NTN	NU310C3	204,26	1	1,14	KG
NTN	NU310C4	199,28	1	1,129	KG
NTN	NU310EG1	396,17	1	1,25	KG
SNR	NU.310.E.G15	204,26	1	1,152	KG

NTN	NU310EG1C3	396,17	1	1,24	KG
NTN	NU310ET2X	204,26	1	1,14	KG
NTN	NU310ET2XC3	204,26	1	1,154	KG
NTN	NU310G1	396,17	1	1,23	KG
NTN	NU310G1C3	396,17	1	1,25	KG
NTN	NU311	238,84	1	1,446	KG
NTN	NU311C3	238,84	1	1,465	KG
NTN	NU311EG1	425,34	1	1,58	KG
SNR	NU.311.E.G15	238,84	1	1,471	KG
NTN	NU311EG1C3	425,34	1	1,65	KG
SNR	NU.311.E.M.J30	425,34	1	1,638	KG
NTN	NU311ET2X	238,84	1	0,996	KG
NTN	NU311ET2XC3	238,84	1	1,5	KG
NTN	NU311G1	425,34	1	1,57	KG
NTN	NU311G1C3	425,34	1	1,555	KG
NTN	NU311G1C4	469,58	1	1,57	KG
NTN	NU312	283,90	1	1,778	KG
NTN	NU312C3	283,90	1	1,826	KG
NTN	NU312EG1	431,46	1	1,974	KG
SNR	NU.312.EG15	283,90	1	1,82	KG
SNR	NU 312 EG15 J30	283,90	1	1,801	KG
NTN	NU312EG1C3	431,46	1	1,928	KG
NTN	NU312EG1C4	466,78	1	1,97	KG
NTN	NU312ET2X	283,90	1	1,835	KG
NTN	NU312ET2XC3	283,90	1	1,835	KG
NTN	NU313	331,50	1	2,197	KG
NTN	NU313C3	331,50	1	2,23	KG
NTN	NU313EG1	565,64	1	2,445	KG
SNR	NU.313.EG15	331,50	1	2,22	KG
SNR	NU.313E.G15J30	331,50	1	2,231	KG
NTN	NU313EG1C3	565,64	1	2,39	KG
NTN	NU313ET2X	331,50	1	2,3	KG
NTN	NU313ET2XC3	331,50	1	1,95	KG
NTN	NU313G1	565,64	1	0,476	KG
NTN	NU313G1C3	565,64	1	2,423	KG
NTN	NU314	399,85	1	2,713	KG
NTN	NU314C3	399,85	1	2,79	KG
SNR	NU.314.EG15	399,85	1	2742	G
SNR	NU.314.EG15J30	399,85	1	2750	G
NTN	NU314EG1C3	591,37	1	2,91	KG
NTN	NU314ET2X	399,85	1	2,795	KG
NTN	NU314ET2XC3	399,85	1	2,79	KG
NTN	NU314G1	591,37	1	2,97	KG
NTN	NU314G1C3	591,37	1	2,899	KG
NTN	NU315	458,69	1	3,27	KG
NTN	NU315C3	458,69	1	3,35	KG
SNR	NU.315.EG15	458,69	1	3310	G
SNR	NU.315.EG15J30	458,69	1	3310	G
NTN	NU315EG1C3	672,34	1	3,56	KG
SNR	NU.315.E.M.J30	672,34	1	3734	G

NTN	NU315ET2X	458,69	1	3,4	KG
NTN	NU315ET2XC3	458,69	1	3,355	KG
NTN	NU315G1	672,34	1	3,58	KG
NTN	NU315G1C3	672,34	1	3,58	KG
NTN	NU316	546,13	1	4	KG
NTN	NU316C3	546,13	1	3,86	KG
SNR	NU.316.EG15	546,13	1	3920	G
SNR	NU.316.EG15J30	546,13	1	3922	G
NTN	NU316EG1C3	774,68	1	4,22	KG
NTN	NU316ET2X	546,13	1	4	KG
NTN	NU316ET2XC3	546,13	1	3,89	KG
NTN	NU316G1	774,68	1	3,86	KG
NTN	NU316G1C3	774,68	1	4,26	KG
NTN	NU317	622,30	1	4,655	KG
NTN	NU317C3	622,30	1	4,66	KG
NTN	NU317EG1	899,73	1	4,9	KG
SNR	NU.317.EG15	622,30	1	4566	G
SNR	NU.317.EG15J30	622,30	1	4566	G
NTN	NU317EG1C3	899,73	1	5,025	KG
NTN	NU317ET2	622,30	1	4,54	KG
NTN	NU317ET2C3	622,30	1	4,76	KG
NTN	NU317G1	899,73	1	4,84	KG
NTN	NU317G1C3	899,73	1	4,995	KG
NTN	NU318	719,47	1	5,48	KG
NTN	NU318C3	719,47	1	5,46	KG
SNR	NU.318.EG15	719,47	1	5370	G
SNR	NU.318.EG15J30	719,47	1	5,32	KG
NTN	NU318EG1C3	1.013,89	1	5,64	KG
NTN	NU318ET2	719,47	1	5,46	KG
NTN	NU318ET2C3	719,47	1	5,3	KG
NTN	NU318G1	1.013,89	1	5,82	KG
NTN	NU318G1C3	1.013,89	1	5,81	KG
NTN	NU319	792,35	1	6,325	KG
NTN	NU319C3	792,35	1	6,315	KG
SNR	NU319.EG15	792,35	1	6,27	KG
NTN	NU319EG1C3	1.106,24	1	6,58	KG
NTN	NU319ET2	792,35	1	6,13	KG
NTN	NU319ET2C3	792,35	1	6,2	KG
NTN	NU319G1	1.106,24	1	6,78	KG
NTN	NU319G1C3	1.106,24	1	6,77	KG
NTN	NU320	1.000,52	1	7,875	KG
NTN	NU320C3	1.000,52	1	7,89	KG
SNR	NU320.EG15	1.000,52	1	7,55	KG
SNR	NU320EG15C3	1.000,52	1	7,59	KG
NTN	NU320EG1C3	1.399,99	1	8,57	KG
NTN	NU320ET2	1.000,52	1	0,8	KG
NTN	NU320ET2C3	1.000,52	1	7,71	KG
NTN	NU320G1	1.399,99	1	8,29	KG
NTN	NU320G1C3	1.399,99	1	8,315	KG
NTN	NU321	1.155,31	1	8,56	KG

NTN	NU321C3	1.155,31	1	8,53	KG
SNR	NU.321.E.M.J30	1.707,37	1	9700	G
NTN	NU321G1C3	1.702,65	1	9,53	KG
NTN	NU322	1.336,33	1	10,2	KG
NTN	NU322C3	1.336,33	1	10,2	KG
NTN	NU322C4	1.472,57	1	10,47	KG
SNR	NU.322.E.G15	1.336,33	1	10,175	KG
SNR	NU.322.E.G15.C3	1.336,33	1	10250	G
NTN	NU322EG1C3	1.798,39	1	11	KG
NTN	NU322EG1C4	2.172,77	1	11,2	KG
NTN	NU322ET2C3	1.336,33	1	10,646	KG
NTN	NU322G1	1.798,39	1	11,27	KG
NTN	NU322G1C3	1.798,39	1	9	KG
NTN	NU322G1C4	2.172,77	1	11,265	KG
NTN	NU324	1.719,29	1	14,135	KG
NTN	NU324C3	1.719,29	1	13,1	KG
NTN	NU324EG1C3	2.525,17	1	14,205	KG
SNR	NU.324.E.M.J30	2.525,17	1	15750	G
NTN	NU324G1C3	2.525,17	1	15,4	KG
NTN	NU326	2.119,01	1	17,4	KG
NTN	NU326C3	2.119,01	1	17,4	KG
NTN	NU326EG1C3	2.687,01	1	3,856	KG
NTN	NU326EG1C4	3.152,17	1	17,1	KG
SNR	NU.326.E.M.J30	2.687,01	1	18715	G
NTN	NU328C3	3.266,36	1	21,983	KG
NTN	NU328C4	3.797,91	1	21	KG
NTN	NU328EG1C3	3.452,93	1	21,3	KG
NTN	NU330	4.158,97	1	26,39	KG
NTN	NU330C3	4.158,97	1	25,475	KG
NTN	NU330C4	4.622,73	1	26,635	KG
NTN	NU330EG1C3	4.258,47	1	2,645	KG
SNR	NU.330.E.M.J30	4.258,47	1	35650	G
NTN	NU332	4.707,78	1	28,5	KG
NTN	NU332C3	4.707,78	1	30,8	KG
NTN	NU332EG1C3	6.419,32	1	31,005	KG
NTN	NU334C3	5.749,19	1	36,6	KG
NTN	NU336C3	8.803,03	1	42,3	KG
NTN	NU405	163,62	1	0,578	KG
NTN	NU406	386,05	1	0,766	KG
NTN	NU406C3	386,05	1	0,766	KG
NTN	NU407	376,50	1	1,02	KG
SNR	NU.407	376,50	1	1,006	KG
NTN	NU408	543,57	1	1,3	KG
SNR	NU.408	543,57	1	1,308	KG
NTN	NU408C3	543,57	1	1,369	KG
NTN	NU408G1C3	649,22	1	1,38	KG
NTN	NU409	430,72	1	1,635	KG
SNR	NU.409	430,72	1	1,638	KG
NTN	NU409C3	430,72	1	1,635	KG
NTN	NU409G1C3	597,12	1	1,755	KG

NTN	NU409G1C4	647,94	1	1,757	KG
SNR	NU.409.J40	647,94	1	1,638	KG
NTN	NU410	510,61	1	2,005	KG
SNR	NU.410	510,61	1	2005	G
NTN	NU410G1	624,44	1	2,16	KG
NTN	NU410G1C3	624,44	1	2,15	KG
NTN	NU411	603,78	1	2,446	KG
NTN	NU411G1C3	729,27	1	2,64	KG
NTN	NU412	720,56	1	3,065	KG
NTN	NU412G1C3	809,18	1	3,215	KG
SNR	NU412.M	835,42	1	3,424	KG
NTN	NU413	932,07	1	3,66	KG
NTN	NU413C3	932,07	1	3,665	KG
NTN	NU414	1.145,53	1	5,23	KG
NTN	NU415	1.510,38	1	6,355	KG
NTN	NU416	1.979,94	1	7,49	KG
NTN	NU417	2.510,23	1	9,24	KG
NTN	NU418	2.758,46	1	11,43	KG
NTN	NU419	2.822,13	1	13,985	KG
NTN	NU421	2.798,96	1	17,819	KG
NTN	NU421C3	2.798,96	1	17,99	KG
NTN	NU424	4.881,51	1	29,3	KG
NTN	NUP1009G1U	398,94	1	0,28	KG
NTN	NUP203U	89,77	1	0,072	KG
SNR	NUP.204.E.G15	77,68	1	121	G
NTN	NUP204ET2XC3U	77,68	1	0,112	KG
NTN	NUP204ET2XU	77,68	1	0,12	KG
SNR	NUP.205.E.G15	85,71	1	0,14	KG
NTN	NUP205ET2XC3U	85,71	1	0,148	KG
NTN	NUP205ET2XU	85,71	1	0,137	KG
NTN	NUP206EAT2XU	107,57	1	0,22	KG
SNR	NUP.206.E.G15	107,57	1	219	G
SNR	NUP206.EG15J40	104,95	1	0,218	KG
NTN	NUP206ET2XC3U	107,57	1	0,211	KG
NTN	NUP206ET2XU	107,57	1	0,22	KG
SNR	NUP.207.E.G15	108,65	1	319	G
NTN	NUP207ET2XC3U	108,65	1	0,32	KG
NTN	NUP207ET2XU	108,65	1	0,32	KG
NTN	NUP208	122,93	1	0,415	KG
NTN	NUP208C3U	135,10	1	0,415	KG
SNR	NUP.208.E.G15	122,93	1	401	G
NTN	NUP208ET2XC3U	122,93	1	0,41	KG
NTN	NUP208ET2XU	122,93	1	0,405	KG
NTN	NUP208U	122,93	1	0,415	KG
NTN	NUP209C3U	137,81	1	0,476	KG
SNR	NUP.209.E.G15	137,81	1	463	G
SNR	NUP.209.EG15J40	151,60	1	0,46	KG
SNR	NUP.209.ENR.G15.J30	179,14	1	0,473	KG
NTN	NUP209ET2XC3U	137,81	1	0,46	KG
NTN	NUP209ET2XU	137,81	1	0,46	KG

NTN	NUP209G1C3	174,80	1	0,479	KG
NTN	NUP209U	137,81	1	0,475	KG
NTN	NUP210C3U	170,71	1	0,535	KG
SNR	NUP.210.E.G15	170,71	1	0,516	KG
SNR	NUP.210.EG15J30	170,71	1	520	G
NTN	NUP210ET2XC3U	170,71	1	0,52	KG
NTN	NUP210ET2XU	170,71	1	0,518	KG
NTN	NUP210U	170,71	1	0,537	KG
SNR	NUP.211.E.G15	187,74	1	0,69	KG
NTN	NUP211ET2XC3U	187,74	1	0,687	KG
NTN	NUP211ET2XU	187,74	1	0,664	KG
NTN	NUP211U	187,74	1	0,695	KG
SNR	NUP.212.E.G15	221,80	1	862	G
NTN	NUP212ET2XC3U	221,80	1	0,841	KG
NTN	NUP212ET2XU	221,80	1	0,865	KG
NTN	NUP212U	221,80	1	0,84	KG
SNR	NUP.213.E.G15	263,30	1	1085	G
NTN	NUP213ET2XC3U	263,30	1	1,066	KG
NTN	NUP213ET2XU	263,30	1	1,09	KG
NTN	NUP213U	263,30	1	1,135	KG
SNR	NUP.214.E.G15	289,52	1	1210	G
NTN	NUP214EG1U	399,87	1	1,287	KG
NTN	NUP214ET2XU	289,52	1	1,3	KG
NTN	NUP214U	289,52	1	1,23	KG
SNR	NUP.215.E.G15	329,70	1	1338	G
NTN	NUP215ET2XU	329,70	1	1,335	KG
NTN	NUP215U	329,70	1	1,34	KG
NTN	NUP216ET2U	372,51	1	1,63	KG
NTN	NUP217EG1C4U	599,77	1	2,11	KG
NTN	NUP217U	428,42	1	2,025	KG
NTN	NUP218ET2U	476,94	1	2,47	KG
NTN	NUP220	710,33	1	3,668	KG
NTN	NUP2204ET2XU	126,93	1	0,15	KG
SNR	NUP.2205.E.G15	98,06	1	0,17	KG
NTN	NUP2205ET2XC3U	98,06	1	0,175	KG
NTN	NUP2205ET2XU	98,06	1	0,175	KG
NTN	NUP2206EAT2XU	115,70	1	0,278	KG
SNR	NUP.2206.EG15	115,70	1	0,274	KG
NTN	NUP2206EG1U	171,28	1	0,295	KG
NTN	NUP2206ET2XC3U	115,70	1	0,275	KG
NTN	NUP2206ET2XU	115,70	1	0,278	KG
NTN	NUP2207EAT2XU	132,13	1	0,418	KG
SNR	NUP.2207.E.G15	132,13	1	600	G
NTN	NUP2207ET2XC3U	132,13	1	0,43	KG
NTN	NUP2207ET2XU	132,13	1	0,418	KG
NTN	NUP2208C3	180,19	1	0,532	KG
NTN	NUP2208EAT2XU	180,19	1	0,5	KG
SNR	NUP.2208.E.G15	180,19	1	520	G
NTN	NUP2208ET2XC3U	180,19	1	0,52	KG
NTN	NUP2208ET2XU	180,19	1	0,5	KG

NTN	NUP2208U	180,19	1	0,532	KG
SNR	NUP.2209.E.G15	168,64	1	562	G
NTN	NUP2209ET2XC3U	168,64	1	0,565	KG
NTN	NUP2209ET2XU	168,64	1	0,56	KG
NTN	NUP2209U	168,64	1	0,575	KG
NTN	NUP2210C3U	207,08	1	0,62	KG
SNR	NUP.2210.E.G15	207,08	1	0,602	KG
NTN	NUP2210ET2C3	207,08	1	0,7	KG
NTN	NUP2210ET2XC3U	207,08	1	0,584	KG
NTN	NUP2210ET2XU	207,08	1	0,605	KG
SNR	NUP.2211.E.G15	237,86	1	832	G
NTN	NUP2211ET2XU	237,86	1	0,797	KG
NTN	NUP2212EG1	387,92	1	1,495	KG
SNR	NUP.2212.E.G15	257,37	1	1,125	KG
NTN	NUP2212EG1U	387,92	1	1,19	KG
NTN	NUP2212ET2XU	257,37	1	1,124	KG
NTN	NUP2212U	285,38	1	1,145	KG
NTN	NUP2213ET2XU	306,55	1	1,466	KG
NTN	NUP2214C3U	342,87	1	1,565	KG
NTN	NUP2214ET2XU	342,87	1	1,589	KG
NTN	NUP2214U	342,87	1	1,565	KG
NTN	NUP2215EG1C3U	479,88	1	1,769	KG
NTN	NUP2215ET2XU	374,20	1	1,67	KG
NTN	NUP2215U	374,20	1	1,655	KG
NTN	NUP2216C3	436,83	1	1,93	KG
NTN	NUP2216EG1U	574,38	1	2,195	KG
NTN	NUP2216ET2XU	436,83	1	2,036	KG
NTN	NUP2217ET2	757,91	1	2,605	KG
NTN	NUP2218U	661,52	1	3,223	KG
NTN	NUP222	866,49	1	5,095	KG
NTN	NUP2220	1.822,23	1	4,84	KG
NTN	NUP2222	2.337,52	1	7,072	KG
NTN	NUP2224	2.290,85	1	8,925	KG
NTN	NUP226	1.257,94	1	7,025	KG
NTN	NUP228	2.033,93	1	8,88	KG
NTN	NUP2305ET2XU	175,48	1	0,353	KG
NTN	NUP2306ET2XU	207,53	1	0,55	KG
NTN	NUP2307ET2XU	182,69	1	0,775	KG
NTN	NUP2308ET2	225,15	1	1	KG
NTN	NUP2308ET2U	225,15	1	1	KG
NTN	NUP2309ET2XU	280,91	1	1,365	KG
NTN	NUP2310ET2XC3U	339,47	1	1,825	KG
NTN	NUP2310ET2XU	339,47	1	1,83	KG
NTN	NUP2310G1C3U	468,85	1	1,877	KG
NTN	NUP2311EG1C3U	523,49	1	2,47	KG
NTN	NUP2311EG1C4U	575,91	1	2,3	KG
NTN	NUP2311ET2XU	420,90	1	2,33	KG
NTN	NUP2312EG1C3U	589,25	1	3,06	KG
NTN	NUP2312ET2XU	551,42	1	2,9	KG
NTN	NUP2314U	755,44	1	4,275	KG

NTN	NUP2315G1C3U	1.446,06	1	5,51	KG
NTN	NUP234	3.688,80	1	17,5	KG
NTN	NUP304ET2XC3	92,06	1	0,158	KG
NTN	NUP304ET2XC3U	94,82	1	0,098	KG
NTN	NUP304ET2XU	94,82	1	0,153	KG
SNR	NUP.305.E.G15	102,82	1	255	G
NTN	NUP305ET2XC3U	102,82	1	0,248	KG
NTN	NUP305ET2XU	102,82	1	0,26	KG
SNR	NUP.306.E.G15	119,42	1	388	G
NTN	NUP306ET2XC3U	119,42	1	0,385	KG
NTN	NUP306ET2XU	119,42	1	0,374	KG
NTN	NUP306U	119,42	1	0,384	KG
NTN	NUP307EAT2XU	138,37	1	0,05	KG
SNR	NUP.307.E.G15	138,37	1	506	G
NTN	NUP307ET2XC3U	138,37	1	0,505	KG
NTN	NUP307ET2XU	138,37	1	0,53	KG
SNR	NUP.308.E.G15	163,98	1	0,684	KG
NTN	NUP308EG1U	291,21	1	0,646	KG
NTN	NUP308ET2X	163,98	1	0,677	KG
NTN	NUP308ET2XU	163,98	1	0,672	KG
NTN	NUP308U	163,98	1	0,692	KG
NTN	NUP309C3U	196,91	1	0,22	KG
SNR	NUP.309.EG15	196,91	1	0,92	KG
NTN	NUP309ET2XC3U	196,91	1	0,912	KG
NTN	NUP309ET2XU	196,91	1	0,916	KG
NTN	NUP309NRU	243,94	1	0,92	KG
NTN	NUP309U	196,91	1	0,93	KG
SNR	NUP.310.E.G15	237,89	1	1,208	KG
NTN	NUP310EG1U	414,80	1	1,291	KG
NTN	NUP310ET2XU	237,89	1	1,21	KG
NTN	NUP310U	237,89	1	1,22	KG
SNR	NUP.311.EG15	273,48	1	1,53	KG
NTN	NUP311EG1C3U	475,80	1	1,65	KG
NTN	NUP311ET2XC3U	273,48	1	1,545	KG
NTN	NUP311ET2XU	273,48	1	1,55	KG
NTN	NUP312C3U	365,57	1	1,92	KG
SNR	NUP.312.E.G15	365,57	1	1,885	KG
NTN	NUP312EG1U	457,85	1	2045	G
NTN	NUP312ET2XC3U	365,57	1	1,92	KG
NTN	NUP312ET2XU	365,57	1	1,915	KG
NTN	NUP312U	365,57	1	1,915	KG
NTN	NUP313ET2XU	383,49	1	1,863	KG
NTN	NUP313U	383,49	1	2,303	KG
NTN	NUP315ET2XU	604,98	1	3,445	KG
NTN	NUP315U	604,98	1	3,495	KG
SNR	NUP.316.E.G15	700,21	1	4067	G
NTN	NUP316U	846,39	1	4,082	KG
NTN	NUP317	915,82	1	4,915	KG
SNR	NUP.317.E.G15	734,77	1	4,762	KG
NTN	NUP318	1.184,60	1	6,5	KG

NTN	NUP320	1.325,60	1	0,895	KG
NTN	NUP332EG1C3	9.020,72	1	27	KG
NTN	NUP408G1	290,40	1	1,425	KG
NTN	NUP409	309,56	1	1,7	KG
NTN	NUP409G1C4	448,16	1	1,795	KG
NTN	NV2205	190,20	1	0,177	KG
NTN	R1040	254,54	1	0,41	KG
NTN	RNF2206PX1V1	4.380,45	1	26900	G
NTN	RUS2313ET2XD2	1.013,26	1	5,27	KG
NTN	RUS2314ET2XD2	1.220,10	1	6,315	KG
NTN	RUS309ET2X	157,89	1	0,69	KG
NTN	N1011G1C4	447,82	1	0,43	KG
NTN	30244	8.909,13	1	34,4	KG
NTN	32011	76,57	1	0,53	KG
NTN	32244	10.535,57	1	59,2	KG
NTN	32326	3.863,03	1	27,77	KG
NTN	32330	9.876,01	1	39,3	KG
NTN	32336	14.007,50	1	75	KG
NTN	32910	77,19	1	0,2	KG
NTN	32911	84,12	1	0,265	KG
NTN	32915	296,48	1	0,51	KG
NTN	32920	379,33	1	1,11	KG
NTN	32924	501,13	1	1,71	KG
NTN	32926	674,09	1	2,2	KG
NTN	329440	2.662,48	1	9,55	KG
NTN	329480	4.534,69	1	10,865	KG
NTN	302/32	57,16	1	0,184	KG
NTN	30201C	76,41	1	0,048	KG
SNR	30203.A	28,63	1	80	G
SNR	30205A	33,78	1	0,14	KG
SNR	30206A	37,14	1	0,22	KG
SNR	30208.A	53,42	1	0,422	KG
SNR	30209.A	59,47	1	0,47	KG
NTN	30209U	59,47	1	0,495	KG
SNR	30211.A	83,80	1	736	G
NTN	30211U	83,80	1	0,744	KG
SNR	30212.A	99,97	1	932	G
NTN	30212U	99,97	1	0,935	KG
NTN	30213U	123,26	1	1,18	KG
NTN	30224U	757,00	1	6,36	KG
NTN	30226U	1.014,03	1	7150	G
NTN	30228U	1.391,66	1	8,966	KG
NTN	30230U	1.861,95	1	11040	G
NTN	30232U	2.421,02	1	13,2	KG
NTN	30234U	4.261,34	1	17	KG
NTN	30236U	4.703,60	1	17600	G
NTN	30238U	4.462,15	1	22,27	KG
NTN	30240UUTG	7.738,79	1	25,4	KG
SNR	30304A	37,84	1	0,16	KG
SNR	30305A	42,62	1	260	G

NTN	30305D	71,15	1	0,257	KG
SNR	30306A	52,63	1	0,38	KG
SNR	30307.A	60,18	1	533	G
NTN	30307U	60,18	1	0,526	KG
SNR	30309.A	94,21	1	0,998	KG
NTN	30309U	94,21	1	1,01	KG
SNR	30310.A	114,17	1	1,278	KG
NTN	30311U	150,74	1	1660	G
NTN	30315DU	464,29	1	3,47	KG
NTN	30315U	369,65	1	3640	G
NTN	30316DU	595,05	1	4110	KG
NTN	30316U	438,76	1	4060	G
NTN	30317DU	866,94	1	4,8	KG
NTN	30318DU	1.010,69	1	5250	G
NTN	30318U	655,96	1	5490	G
NTN	30319DU	1.204,31	1	6585	G
NTN	30319U	835,72	1	6,75	KG
NTN	30320U	1.031,19	1	8331	G
NTN	30321U	1.992,09	1	9,261	KG
NTN	30322U	1.687,00	1	11,098	KG
NTN	30324U	2.519,46	1	14,2	KG
NTN	30326U	3.652,48	1	18,21	KG
NTN	30330U	6.863,50	1	25,5	KG
SNR	31305.V	92,88	1	0,265	KG
SNR	31306A	83,72	1	380	G
SNR	31307.A	95,53	1	0,525	KG
SNR	31308A	114,77	1	720	G
SNR	31312.A	254,19	1	2,022	KG
NTN	31320XU	2.143,83	1	8,67	KG
NTN	31322XU	4.856,04	1	11,9	KG
NTN	31324XU	3.372,09	1	15,9	KG
SNR	32005A	34,82	1	0,114	KG
SNR	32007A	42,96	1	0,225	KG
SNR	32008.C	95,15	1	0,268	KG
SNR	32011.A	76,57	1	572	G
SNR	32012.A	93,19	1	616	G
NTN	32030XU	1.154,23	1	6550	G
NTN	32032XU	1.383,27	1	7930	G
SNR	32034A	1.853,69	1	10595	G
NTN	32034XU	1.853,69	1	10,5	KG
SNR	32038.A	2.817,86	1	15100	G
NTN	32038XUE1	2.817,83	1	14,8	KG
NTN	32040XUE1	3.332,64	1	17,3	KG
SNR	32048A	5.739,56	1	25,8	KG
NTN	32052XU	6.567,23	1	38,4	KG
NTN	32056XU	10.568,93	1	41500	G
SNR	32205.BA	87,17	1	0,186	KG
SNR	32206.C	73,57	1	0,292	KG
SNR	32207.B	104,52	1	0,46	KG
SNR	32209.A	66,29	1	602	G

SNR	32209.BA	142,18	1	0,608	KG
NTN	32210U	74,31	1	0,652	KG
SNR	32211.A	105,09	1	867	G
NTN	32211U	105,09	1	0,882	KG
SNR	32212.A	120,44	1	1,206	KG
SNR	32213.A	150,74	1	1,58	KG
SNR	32214A	164,83	1	1,64	KG
NTN	32220U	492,17	1	5190	G
NTN	32226U	1.808,50	1	11250	G
NTN	32228U	2.250,89	1	14,315	KG
NTN	32230U	2.931,58	1	17,8	KG
NTN	32232UUTG	4.035,43	1	23,9	KG
NTN	32234U	4.796,77	1	28,7	KG
NTN	32234UUTG	4.796,77	1	29,18	KG
NTN	32236UUTG	5.653,32	1	30,92	KG
SNR	32306.A	74,66	1	0,58	KG
SNR	32307.A	86,45	1	769	G
SNR	32307.B.C12	213,64	1	795	G
NTN	32308U	100,75	1	1,08	KG
NTN	32309CU	274,18	1	1480	G
SNR	32311.BA	396,13	1	2507	G
NTN	32311CU	396,13	1	2490	G
NTN	32312C	448,00	1	3,035	KG
SNR	32313.BA	507,04	1	3763	G
NTN	32314CU	897,25	1	4,18	KG
NTN	32314U	397,73	1	4460	G
NTN	32315CU	876,32	1	5,695	KG
SNR	32316.B.C12	964,89	1	6266	G
NTN	32316CU	862,38	1	6410	G
NTN	32317U	808,27	1	7150	G
NTN	32318U	1.007,81	1	8570	G
NTN	32319U	1.461,04	1	10110	G
NTN	32320U	1.858,34	1	12,965	KG
NTN	32321U	2.305,74	1	15,17	KG
NTN	32322U	2.618,93	1	18,505	KG
NTN	32324U	3.459,33	1	22,235	KG
NTN	32907XU	84,96	1	0,13	KG
NTN	32908XU	77,09	1	0,159	KG
NTN	32909XU	153,43	1	0,194	KG
NTN	32911XU	84,12	1	0,274	KG
NTN	32912XA	127,23	1	0,304	KG
NTN	32913XA	115,91	1	0,345	KG
NTN	32914XU	166,73	1	0,51	KG
NTN	32916XU	297,59	1	0,54	KG
NTN	32917XU	299,50	1	0,794	KG
NTN	32918XU	304,58	1	0,835	KG
NTN	32919XU	333,12	1	0,868	KG
NTN	32921XA	394,39	1	1,189	KG
NTN	32922XA	419,03	1	1,28	KG
NTN	32928XU	756,26	1	2,565	KG

NTN	32930XU	947,04	1	4,01	KG
NTN	32932XU	1.144,01	1	4,15	KG
NTN	32934XU	1.203,84	1	4,5	KG
NTN	32936XU	1.476,91	1	6,54	KG
NTN	32938XU	1.741,85	1	6,95	KG
NTN	32940XUE1	2.201,88	1	9,35	KG
NTN	32960XUE1	13.790,36	1	31,4	KG
NTN	32972XUE1	14.328,18	1	35,8	KG
SNR	33011.A	133,47	1	0,668	KG
NTN	33013A	172,26	1	0,764	KG
SNR	33013.A	172,26	1	735	G
NTN	33014U	168,41	1	1102	G
NTN	33015U	184,45	1	1140	G
NTN	33016U	217,28	1	1635	G
NTN	33017U	241,33	1	1715	G
NTN	33018U	294,76	1	2020	G
NTN	33020U	398,43	1	2,14	KG
SNR	33021.A	520,35	1	3,054	KG
NTN	33021U	433,62	1	3000	G
NTN	33022U	488,73	1	3900	G
SNR	33024.A	598,18	1	4,281	KG
NTN	33024U	611,70	1	4,21	KG
NTN	33028U	1.554,06	1	6,03	KG
SNR	33108A	98,71	1	0,496	KG
SNR	33109A	103,02	1	0,538	KG
SNR	33110A	116,29	1	0,574	KG
NTN	33112U	158,89	1	912	G
NTN	33114U	223,55	1	1585	G
SNR	33116A	313,29	1	1,93	KG
NTN	33116U	313,29	1	1885	G
NTN	33117U	344,79	1	2440	G
NTN	33118U	452,68	1	3140	G
NTN	33122UE1	2.714,45	1	5,56	KG
SNR	33217.A	440,03	1	3,678	KG
NTN	33217U	440,10	1	3650	G
NTN	33218U	636,23	1	4,62	KG
NTN	33220U	1.126,69	1	6790	G
NTN	430244CS115PX1+S0K	30.039,67	1	81,7	KG
NTN	4T-302/28	47,35	1	0,02	KG
NTN	4T-302/28STPX1	165,58	1	0,21	KG
NTN	4T-30203	28,63	1	0,08	KG
NTN	4T-30205	33,78	1	0,158	KG
NTN	4T-30216	170,87	1	1,68	KG
NTN	4T-30304	37,82	1	175	G
NTN	4T-30304A	37,84	1	0,165	KG
NTN	4T-30305	42,59	1	272	G
NTN	4T-30305D	71,15	1	270	G
NTN	4T-30306D	83,69	1	0,398	KG
NTN	4T-30307D	95,50	1	0,53	KG
NTN	4T-30308D	114,73	1	0,738	KG

NTN	4T-30308DDFCS135	267,33	1	1,492	KG
NTN	4T-30309	94,19	1	1	KG
NTN	4T-30309D	149,12	1	0,62	KG
NTN	4T-30310D	170,75	1	1250	G
NTN	4T-30311D	206,90	1	1590	G
NTN	4T-30312	187,25	1	2,07	KG
NTN	4T-30312D	254,15	1	1970	G
NTN	4T-30313	243,79	1	2500	G
NTN	4T-30313D	354,00	1	2420	G
NTN	4T-30314D	380,86	1	2960	G
NTN	4T-30315D	464,29	1	3540	G
NTN	4T-30318D	1.010,69	1	5660	G
NTN	4T-320/22X	45,86	1	0,103	KG
NTN	4T-320/28X	47,32	1	146	G
NTN	4T-320/32X	57,14	1	181	G
NTN	4T-320/32XX1	57,16	1	0,185	KG
NTN	4T-32006XT2LX3	93,25	1	0,165	KG
NTN	4T-32012X	93,19	1	0,586	KG
NTN	4T-32014X	124,70	1	0,857	KG
NTN	4T-32016X	162,76	1	1,28	KG
NTN	4T-32018X	233,19	1	1,795	KG
NTN	4T-32020X	231,56	1	1,9	KG
NTN	4T-32024X	448,65	1	3,25	KG
NTN	4T-32030X	1.154,26	1	6,54	KG
NTN	4T-32036XE1	2.311,71	1	14,5	KG
NTN	4T-32040XE1	3.363,55	1	19,1	KG
NTN	4T-32044X	4.710,24	1	25,592	KG
NTN	4T-32048X	5.963,02	1	26,3	KG
NTN	4T-32203R	37,11	1	0,11	KG
NTN	4T-32204	46,94	1	0,166	KG
NTN	4T-32205	57,41	1	0,188	KG
NTN	4T-32205CR	67,29	1	0,2	KG
NTN	4T-32205R	57,41	1	0,19	KG
NTN	4T-32206C	99,88	1	0,301	KG
NTN	4T-32207C	95,41	1	0,457	KG
NTN	4T-32215	169,66	1	1,72	KG
NTN	4T-32216	192,51	1	2180	G
NTN	4T-32217	250,81	1	2,775	KG
NTN	4T-32218	329,01	1	3490	G
NTN	4T-32219	414,36	1	4,22	KG
NTN	4T-32220	492,21	1	3,48	KG
NTN	4T-32224	1.398,83	1	9,078	KG
NTN	4T-32226	1.808,56	1	10,7	KG
NTN	4T-32232	3.950,54	1	23,7	KG
NTN	4T-32306	74,64	1	583	G
NTN	4T-32307C	161,90	1	820	G
NTN	4T-32308C	159,82	1	1,11	KG
NTN	4T-32309	121,04	1	1460	G
NTN	4T-32310C	350,15	1	1,954	KG
NTN	4T-32312	234,21	1	3010	G

NTN	4T-32952XE1	5.094,59	1	18,5	KG
NTN	4T-33005	58,77	1	135	G
NTN	4T-33006	47,89	1	0,2	KG
NTN	4T-33008	98,46	1	0,312	KG
NTN	4T-33010	113,14	1	0,45	KG
NTN	4T-33011	133,44	1	0,649	KG
NTN	4T-33012	161,03	1	684	G
NTN	4T-33013	167,31	1	760	G
NTN	4T-33019	303,98	1	2340	G
NTN	4T-33030	1.564,01	1	8070	G
NTN	4T-33108X1	98,71	1	510	G
NTN	4T-33109	103,00	1	554	G
NTN	4T-33110	116,26	1	0,592	KG
NTN	4T-33110X2	116,29	1	0,57	KG
NTN	4T-33111	135,04	1	846	G
NTN	4T-33113	180,43	1	1,302	KG
NTN	4T-33115	235,83	1	1765	G
NTN	4T-33212	196,48	1	1,55	KG
NTN	4T-CR1-0760LLX5CS250/L417	162,01	1	0,503	KG
NTN	4T-LM67048	22,10	1	0,118	KG
NTN	4T-T4CB100	373,67	1	1,107	KG
NTN	4T-T4CB120	716,41	1	1,735	KG
NTN	4T-T7FC045	171,11	1	0,898	KG
NTN	4T-T7FC050EWPX2	176,24	1	1,235	KG
SNR	EC.10699	921,63	1	4011	G
NTN	E-CR0-9113CS500PX1	57.189,46	1	203	KG
NTN	ET-33011	133,47	1	0,643	KG
NTN	ET-33013	172,26	1	0,736	KG
NTN	ETA-30310D	170,75	1	1,25	KG
NTN	ETA-33211	140,33	1	1,153	KG
NTN	ETA-CR-08A72STPX1	87,50	1	0,294	KG
NTN	HH249949/HH249910	22.799,78	1	42,8	KG
SNR	T4CB140.P6X	748,40	1	2488	G
NTN	4T-02420	27,76	1	0,162	KG
NTN	4T-02473	58,38	1	0,279	KG
NTN	4T-02473/02420	86,15	1	0,441	KG
NTN	4T-02474	58,41	1	0,266	KG
NTN	4T-02475	55,70	1	0,226	KG
NTN	4T-02475/02420	83,20	1	0,376	KG
NTN	4T-02476/02420	105,34	1	0,38	KG
NTN	4T-02820	17,72	1	0,155	KG
NTN	4T-02872	57,67	1	0,332	KG
NTN	4T-02875	49,71	1	0,303	KG
NTN	4T-02877	48,57	1	0,274	KG
NTN	4T-02877/02820	66,30	1	0,393	KG
NTN	4T-02878/02820	69,21	1	0,423	KG
NTN	4T-03062	59,84	1	0,064	KG
NTN	4T-03162	30,95	1	0,04	KG
NTN	4T-05062	66,51	1	0,084	KG
NTN	4T-05062/05185	85,62	1	0,13	KG

NTN	4T-05075	44,74	1	0,081	KG
NTN	4T-05079	58,41	1	0,076	KG
NTN	4T-05079/05185	77,50	1	0,123	KG
NTN	4T-05079/05185S	83,59	1	0,117	KG
NTN	4T-05185	19,09	1	0,052	KG
NTN	4T-05185S	24,79	1	0,046	KG
NTN	4T-07079/07196	68,80	1	0,138	KG
NTN	4T-07087	52,14	1	0,102	KG
NTN	4T-07087/07210X	70,07	1	0,147	KG
NTN	4T-07087X	51,58	1	0,101	KG
NTN	4T-07093	82,78	1	0,094	KG
NTN	4T-07097	37,38	1	0,09	KG
NTN	4T-07098	51,01	1	0,09	KG
NTN	4T-07098/07204	74,46	1	0,151	KG
NTN	4T-07100	36,16	1	0,089	KG
NTN	4T-07100S	43,30	1	0,088	KG
NTN	4T-07100S/07204	66,76	1	0,142	KG
NTN	4T-07100SA	57,63	1	0,085	KG
NTN	4T-07100SA/07210X	76,09	1	0,137	KG
NTN	4T-07196	15,93	1	0,04	KG
NTN	4T-07204	23,45	1	0,067	KG
NTN	4T-07205	64,32	1	0,053	KG
NTN	4T-07210X	18,09	1	0,056	KG
NTN	4T-08125/08231	80,41	1	0,164	KG
NTN	4T-09062	85,98	1	0,143	KG
NTN	4T-09062/09195	103,91	1	0,203	KG
NTN	4T-09067	44,68	1	0,114	KG
NTN	4T-09074	38,51	1	0,132	KG
NTN	4T-09074/09194	56,32	1	0,212	KG
NTN	4T-09078	58,31	1	0,132	KG
NTN	4T-09081	59,44	1	0,125	KG
NTN	4T-09081/09196	79,32	1	0,194	KG
NTN	4T-09194	17,84	1	0,108	KG
NTN	4T-09195	17,47	1	0,071	KG
NTN	4T-09196	19,88	1	0,092	KG
NTN	4T-11162	117,64	1	0,218	KG
NTN	4T-11300	64,46	1	0,143	KG
NTN	4T-11520	21,50	1	0,046	KG
NTN	4T-11590	46,26	1	0,068	KG
NTN	4T-12175	74,28	1	0,219	KG
NTN	4T-12175/12303	80,51	1	0,306	KG
NTN	4T-1220	40,88	1	0,114	KG
NTN	4T-12303	39,73	1	0,114	KG
NTN	4T-12520	19,56	1	0,067	KG
NTN	4T-12580	42,36	1	0,112	KG
NTN	4T-12580/12520	61,63	1	0,185	KG
NTN	4T-1280	69,41	1	0,19	KG
NTN	4T-1280/1220	110,30	1	0,294	KG
NTN	4T-1328	39,80	1	0,066	KG
NTN	4T-13620	27,53	1	0,114	KG

NTN	4T-13621	24,49	1	0,11	KG
NTN	4T-13685	63,19	1	0,189	KG
NTN	4T-13685/13621	87,68	1	0,299	KG
NTN	4T-13685L	215,62	1	0,189	KG
NTN	4T-13687	38,20	1	0,203	KG
NTN	4T-13687/13621	62,68	1	0,303	KG
NTN	4T-1380	49,95	1	0,14	KG
NTN	4T-13830	69,05	1	0,054	KG
NTN	4T-13836	34,43	1	0,068	KG
NTN	4T-13889	82,40	1	0,111	KG
NTN	4T-13889/13830	151,45	1	0,146	KG
NTN	4T-14116/14276	59,08	1	0,369	KG
NTN	4T-14118	66,15	1	0,244	KG
NTN	4T-14118/14283	112,79	1	0,452	KG
NTN	4T-14124	41,45	1	0,798	KG
NTN	4T-14124/14276	58,01	1	0,368	KG
NTN	4T-14125A	40,39	1	0,232	KG
NTN	4T-14125A/14274	63,59	1	0,349	KG
NTN	4T-14125A/14276	56,95	1	0,354	KG
NTN	4T-14130	42,04	1	0,218	KG
NTN	4T-14130/14276	58,60	1	0,352	KG
NTN	4T-14131	39,21	1	0,223	KG
NTN	4T-14136A	63,80	1	0,253	KG
NTN	4T-14137A	40,56	1	0,208	KG
NTN	4T-14138A	38,11	1	0,206	KG
NTN	4T-14138A/14274	57,55	1	0,334	KG
NTN	4T-14138A/14276	54,66	1	0,339	KG
NTN	4T-14139	41,01	1	0,208	KG
NTN	4T-14274	19,44	1	0,138	KG
NTN	4T-14276	16,55	1	0,144	KG
NTN	4T-14282	72,17	1	0,173	KG
NTN	4T-14283	46,64	1	0,22	KG
NTN	4T-15100	41,41	1	0,228	KG
NTN	4T-15100/15245	52,22	1	0,308	KG
NTN	4T-15100/15250X	73,06	1	0,332	KG
NTN	4T-15100S	337,10	1	0,212	KG
NTN	4T-15100S/15245	347,90	1	0,311	KG
NTN	4T-15100S/15250X	352,94	1	0,328	KG
NTN	4T-15101	36,70	1	0,23	KG
NTN	4T-15102	39,32	1	0,231	KG
NTN	4T-15103S	58,98	1	0,211	KG
NTN	4T-15106	40,18	1	0,221	KG
NTN	4T-15106/15250	62,15	1	0,323	KG
NTN	4T-15112	40,59	1	0,206	KG
NTN	4T-15112/15250	62,56	1	0,317	KG
NTN	4T-15113	33,34	1	0,209	KG
NTN	4T-15113/15245	44,14	1	0,29	KG
NTN	4T-15116	37,14	1	0,198	KG
NTN	4T-15117	36,31	1	0,198	KG
NTN	4T-15117/15244	82,51	1	0,268	KG

NTN	4T-15117/15245	47,10	1	0,279	KG
NTN	4T-15118	34,20	1	0,194	KG
NTN	4T-15118/15250X	58,22	1	0,295	KG
NTN	4T-15120	36,26	1	0,197	KG
NTN	4T-15123	35,61	1	0,162	KG
NTN	4T-15125	41,10	1	0,181	KG
NTN	4T-15125/15245	51,90	1	0,252	KG
NTN	4T-15126	46,56	1	0,173	KG
NTN	4T-15244	46,21	1	0,105	KG
NTN	4T-15245	10,80	1	0,081	KG
NTN	4T-15250	21,97	1	0,122	KG
NTN	4T-15250X	24,72	1	0,122	KG
NTN	4T-15520	24,79	1	0,079	KG
NTN	4T-15523	30,28	1	0,131	KG
NTN	4T-15578	46,31	1	0,154	KG
NTN	4T-15578/15520	71,10	1	0,227	KG
NTN	4T-15578/15523	76,60	1	0,278	KG
NTN	4T-15579X	129,39	1	0,148	KG
NTN	4T-15580	39,78	1	0,143	KG
NTN	4T-15580/15520	64,58	1	0,214	KG
NTN	4T-15590	40,18	1	0,132	KG
NTN	4T-15590/15520	64,96	1	0,206	KG
NTN	4T-15590/15523	70,46	1	0,259	KG
NTN	4T-16137	70,38	1	0,245	KG
NTN	4T-16150	60,96	1	0,116	KG
NTN	4T-16150/16282	131,04	1	0,338	KG
NTN	4T-16282	70,07	1	0,132	KG
NTN	4T-16283	70,08	1	0,193	KG
NTN	4T-16284	33,76	1	0,015	KG
NTN	4T-17098/17244	105,70	1	0,256	KG
NTN	4T-17118	51,16	1	0,146	KG
NTN	4T-17118/17244	82,84	1	0,235	KG
NTN	4T-17119/17244	116,78	1	0,227	KG
NTN	4T-17244	31,68	1	0,1	KG
NTN	4T-1729	22,98	1	0,11	KG
NTN	4T-1729X	34,32	1	0,796	KG
NTN	4T-1730	39,95	1	0,069	KG
NTN	4T-17520	29,52	1	0,054	KG
NTN	4T-1755	67,46	1	0,162	KG
NTN	4T-1755/1729	90,44	1	0,264	KG
NTN	4T-17580	62,01	1	0,08	KG
NTN	4T-17580/17520	91,52	1	0,128	KG
NTN	4T-1775	90,31	1	0,18	KG
NTN	4T-1779	51,70	1	0,11	KG
NTN	4T-1779/1729	74,68	1	0,258	KG
NTN	4T-1780	78,47	1	0,138	KG
NTN	4T-1780/1729	101,44	1	0,216	KG
NTN	4T-1780/1730	129,08	1	0,207	KG
NTN	4T-17831	52,97	1	0,133	KG
NTN	4T-17887	102,97	1	0,268	KG

NTN	4T-17887/17831	155,94	1	0,416	KG
NTN	4T-18520	27,22	1	0,094	KG
NTN	4T-18590	61,75	1	0,14	KG
NTN	4T-18620	28,14	1	0,124	KG
NTN	4T-18685	56,81	1	0,23	KG
NTN	4T-18685/18620	84,96	1	0,344	KG
NTN	4T-18690	51,20	1	0,216	KG
NTN	4T-18720	29,69	1	0,15	KG
NTN	4T-18790	50,70	1	0,254	KG
NTN	4T-19150	65,61	1	0,178	KG
NTN	4T-19150/19268	103,88	1	0,249	KG
NTN	4T-19150/19268X	150,21	1	0,28	KG
NTN	4T-19150/19283X	132,62	1	0,308	KG
NTN	4T-1922	25,42	1	0,086	KG
NTN	4T-19268	38,27	1	0,072	KG
NTN	4T-19283X	67,01	1	0,142	KG
NTN	4T-1931	36,87	1	0,113	KG
NTN	4T-1932	32,26	1	0,089	KG
NTN	4T-1975	69,38	1	0,185	KG
NTN	4T-1985	50,12	1	0,146	KG
NTN	4T-1985/1932	82,09	1	0,231	KG
NTN	4T-1986	108,68	1	0,167	KG
NTN	4T-1986/1922	134,11	1	0,237	KG
NTN	4T-1986/1931	145,10	1	0,26	KG
NTN	4T-1988	71,02	1	0,144	KG
NTN	4T-21075	48,43	1	0,149	KG
NTN	4T-21212	31,99	1	0,105	KG
NTN	4T-22720	94,20	1	0,236	KG
NTN	4T-22780	89,44	1	0,404	KG
NTN	4T-23100	54,34	1	0,228	KG
NTN	4T-23100/23256	85,11	1	0,369	KG
NTN	4T-23256	30,77	1	0,152	KG
NTN	4T-2420	62,86	1	0,14	KG
NTN	4T-24720	31,83	1	0,164	KG
NTN	4T-24721	48,69	1	0,185	KG
NTN	4T-2475	97,90	1	0,236	KG
NTN	4T-24780	62,07	1	0,275	KG
NTN	4T-24780/24721	110,77	1	0,48	KG
NTN	4T-2520	50,10	1	0,132	KG
NTN	4T-2523	34,90	1	0,178	KG
NTN	4T-2523S	281,55	1	0,18	KG
NTN	4T-25520	21,40	1	0,218	KG
NTN	4T-25521	37,14	1	0,212	KG
NTN	4T-25522	33,70	1	0,219	KG
NTN	4T-25523	31,80	1	0,26	KG
NTN	4T-25526	89,36	1	0,254	KG
NTN	4T-25572	70,38	1	0,456	KG
NTN	4T-25577	54,29	1	0,392	KG
NTN	4T-25578	56,74	1	0,379	KG
NTN	4T-2558	75,81	1	0,322	KG

NTN	4T-2558/2523S	357,36	1	0,463	KG
NTN	4T-25580	53,44	1	0,354	KG
NTN	4T-25581	51,19	1	0,358	KG
NTN	4T-25581/25520	72,58	1	0,576	KG
NTN	4T-25584	46,05	1	0,366	KG
NTN	4T-25584/25520	67,45	1	0,569	KG
NTN	4T-25584/25521	83,19	1	0,546	KG
NTN	4T-25584A	75,89	1	0,363	KG
NTN	4T-25590	53,14	1	0,337	KG
NTN	4T-2578	80,78	1	0,32	KG
NTN	4T-2580	70,65	1	0,293	KG
NTN	4T-2580/2523	105,55	1	0,449	KG
NTN	4T-2580/2523S	103,27	1	0,45	KG
NTN	4T-25820	25,81	1	0,175	KG
NTN	4T-25821	22,81	1	0,17	KG
NTN	4T-2585	67,87	1	0,274	KG
NTN	4T-25877	45,14	1	0,314	KG
NTN	4T-25878	64,30	1	0,313	KG
NTN	4T-25880	59,07	1	0,296	KG
NTN	4T-2631	32,92	1	0,162	KG
NTN	4T-26822	30,56	1	0,2	KG
NTN	4T-26823	47,39	1	0,158	KG
NTN	4T-26824	46,25	1	0,212	KG
NTN	4T-26830	109,13	1	0,221	KG
NTN	4T-2687/2620	140,65	1	0,385	KG
NTN	4T-2687/2631	115,29	1	0,45	KG
NTN	4T-26878	58,38	1	0,4	KG
NTN	4T-26878/26822	88,94	1	0,59	KG
NTN	4T-2688	74,94	1	0,28	KG
NTN	4T-26880	79,54	1	0,38	KG
NTN	4T-26881	56,74	1	0,378	KG
NTN	4T-26882	58,74	1	0,357	KG
NTN	4T-26882/26820	106,49	1	0,576	KG
NTN	4T-26882/26822	89,31	1	0,532	KG
NTN	4T-26884	65,85	1	0,339	KG
NTN	4T-26886	63,13	1	0,34	KG
NTN	4T-2689	69,83	1	0,26	KG
NTN	4T-2689/2631	102,75	1	0,413	KG
NTN	4T-2690	70,57	1	0,336	KG
NTN	4T-2720	21,01	1	0,199	KG
NTN	4T-2729	34,41	1	0,206	KG
NTN	4T-2735X	33,32	1	0,152	KG
NTN	4T-27620	75,96	1	0,374	KG
NTN	4T-27687	157,34	1	0,699	KG
NTN	4T-27690	116,67	1	0,678	KG
NTN	4T-27690/27620	192,63	1	1,062	KG
NTN	4T-27695	199,72	1	0,627	KG
NTN	4T-27695/27620	275,66	1	1,008	KG
NTN	4T-2776	47,76	1	0,305	KG
NTN	4T-2780	61,70	1	0,328	KG

NTN	4T-27820	41,89	1	0,224	KG
NTN	4T-2788	48,21	1	0,317	KG
NTN	4T-2788/2735X	81,53	1	0,444	KG
NTN	4T-27880	73,94	1	0,357	KG
NTN	4T-2788A	55,38	1	0,32	KG
NTN	4T-2789	57,35	1	0,297	KG
NTN	4T-2790	52,03	1	0,362	KG
NTN	4T-2790/2720	73,05	1	0,545	KG
NTN	4T-2793	62,01	1	0,358	KG
NTN	4T-2793/2720	83,03	1	0,546	KG
NTN	4T-2794	53,19	1	0,324	KG
NTN	4T-2796	48,40	1	0,354	KG
NTN	4T-2796/2729	72,83	1	0,532	KG
NTN	4T-28137	346,02	1	0,303	KG
NTN	4T-28137/28317	397,71	1	0,508	KG
NTN	4T-28158	90,65	1	0,255	KG
NTN	4T-28158/28300	138,18	1	0,384	KG
NTN	4T-28300	41,03	1	0,153	KG
NTN	4T-28317	51,68	1	0,22	KG
NTN	4T-28520	57,90	1	0,218	KG
NTN	4T-28521	38,30	1	0,264	KG
NTN	4T-28580	79,52	1	0,468	KG
NTN	4T-28580/28521	117,82	1	0,718	KG
NTN	4T-28584	80,54	1	0,442	KG
NTN	4T-28584/28521	118,84	1	0,674	KG
NTN	4T-28622	42,71	1	0,287	KG
NTN	4T-28680	89,35	1	0,518	KG
NTN	4T-28680/28622	132,06	1	0,7	KG
NTN	4T-28682	61,35	1	0,488	KG
NTN	4T-28682/28622	104,06	1	0,74	KG
NTN	4T-2878	97,93	1	0,3	KG
NTN	4T-2878/2820	141,43	1	0,442	KG
NTN	4T-28919	116,33	1	0,219	KG
NTN	4T-28920	49,55	1	0,292	KG
NTN	4T-28921	55,88	1	0,252	KG
NTN	4T-28985	88,69	1	0,552	KG
NTN	4T-28985/28920	138,25	1	0,822	KG
NTN	4T-28985/28921	144,56	1	0,757	KG
NTN	4T-28990	125,59	1	0,518	KG
NTN	4T-28995	117,12	1	0,504	KG
NTN	4T-28995/28921	172,99	1	0,738	KG
NTN	4T-2924	83,32	1	0,236	KG
NTN	4T-29520	63,21	1	0,295	KG
NTN	4T-29521	129,82	1	0,362	KG
NTN	4T-29522	70,97	1	0,283	KG
NTN	4T-29585	107,00	1	0,67	KG
NTN	4T-29586	121,39	1	0,67	KG
NTN	4T-29586/29522	188,58	1	0,957	KG
NTN	4T-29590	134,83	1	0,606	KG
NTN	4T-29590/29521	264,65	1	0,94	KG

NTN	4T-29620	43,47	1	0,3	KG
NTN	4T-29675	90,99	1	0,674	KG
NTN	4T-29685	106,02	1	0,597	KG
NTN	4T-29688	143,12	1	0,612	KG
NTN	4T-29688/29620	186,59	1	0,868	KG
NTN	4T-2984	84,70	1	0,404	KG
NTN	4T-2984/2924	168,02	1	0,624	KG
NTN	4T-3120	46,75	1	0,22	KG
NTN	4T-31520	26,88	1	0,248	KG
NTN	4T-31593	70,43	1	0,4	KG
NTN	4T-31594	49,28	1	0,389	KG
NTN	4T-31594/31520	76,14	1	0,619	KG
NTN	4T-31597	53,03	1	0,366	KG
NTN	4T-31597/31520	79,91	1	0,597	KG
NTN	4T-3188	83,04	1	0,4	KG
NTN	4T-3188/3120	129,78	1	0,62	KG
NTN	4T-3188S/3120	677,14	1	618	G
NTN	4T-332	33,80	1	0,143	KG
NTN	4T-3320	42,19	1	230	G
NTN	4T-3320PX2	42,60	1	0,09	KG
NTN	4T-33262/33462	232,49	1	1,333	KG
NTN	4T-33275	108,31	1	0,852	KG
NTN	4T-33275/33462	173,62	1	1292	G
NTN	4T-33281	130,32	1	810	G
NTN	4T-33281/33472	194,82	1	1,338	KG
NTN	4T-33287	100,04	1	770	G
NTN	4T-332A	63,00	1	193	G
NTN	4T-332PX2	29,70	1	162	G
NTN	4T-33462	65,31	1	0,463	KG
NTN	4T-33472	64,50	1	554	G
NTN	4T-336	82,57	1	0,337	KG
NTN	4T-3379	80,61	1	0,534	KG
NTN	4T-3379/3320	122,80	1	0,727	KG
NTN	4T-3381	82,41	1	0,49	KG
NTN	4T-33821	52,03	1	282	G
NTN	4T-33822	52,98	1	288	G
NTN	4T-3383	78,00	1	0,444	KG
NTN	4T-3384	202,90	1	0,445	KG
NTN	4T-3384/3320	132,99	1	0,639	KG
NTN	4T-3386	78,99	1	472	G
NTN	4T-3386/3320	121,18	1	684	G
NTN	4T-3386/3325	138,33	1	0,67	KG
NTN	4T-33880	168,28	1	0,824	KG
NTN	4T-33885	103,30	1	736	G
NTN	4T-33885/33822	156,27	1	1010	G
NTN	4T-33889	87,89	1	0,624	KG
NTN	4T-33889/33822	140,87	1	900	G
NTN	4T-33891	81,68	1	594	G
NTN	4T-33891/33821	133,71	1	0,576	KG
NTN	4T-33895	91,37	1	570	G

NTN	4T-339	77,83	1	0,39	KG
NTN	4T-342	75,27	1	334	G
NTN	4T-3420	38,82	1	270	G
NTN	4T-342A	66,50	1	0,416	KG
NTN	4T-342S	72,28	1	0,312	KG
NTN	4T-34300	106,14	1	0,685	KG
NTN	4T-34300/34478	159,26	1	1,004	KG
NTN	4T-34301	115,37	1	0,685	KG
NTN	4T-34301/34478	168,48	1	997	G
NTN	4T-34306	100,25	1	0,616	KG
NTN	4T-34306/34478	153,37	1	968	G
NTN	4T-34306/34500	190,42	1	1180	G
NTN	4T-34478	53,13	1	340	G
NTN	4T-344A	74,79	1	0,338	KG
NTN	4T-344A/332	106,47	1	0,481	KG
NTN	4T-34500	90,18	1	0,533	KG
NTN	4T-3476	90,31	1	0,467	KG
NTN	4T-3478	82,26	1	0,486	KG
NTN	4T-3478/3420	121,07	1	0,74	KG
NTN	4T-3479	95,63	1	470	G
NTN	4T-3490	84,42	1	0,442	KG
NTN	4T-352	49,94	1	335	G
NTN	4T-3520	96,28	1	235	G
NTN	4T-3525	37,66	1	0,314	KG
NTN	4T-354A	30,07	1	0,176	KG
NTN	4T-354X	197,60	1	0,176	KG
NTN	4T-355	93,63	1	0,346	KG
NTN	4T-355A	88,11	1	0,343	KG
NTN	4T-355X	93,63	1	0,361	KG
NTN	4T-355X/352	143,55	1	0,661	KG
NTN	4T-355X/354X	289,21	1	0,504	KG
NTN	4T-3577	89,53	1	0,544	KG
NTN	4T-3578	77,60	1	0,492	KG
NTN	4T-3578/3525	120,91	1	0,762	KG
NTN	4T-3579	102,98	1	0,499	KG
NTN	4T-3579/3525	140,62	1	0,796	KG
NTN	4T-3585	89,20	1	0,55	KG
NTN	4T-3586	98,36	1	0,478	KG
NTN	4T-358X	348,41	1	0,36	KG
NTN	4T-359A	165,38	1	0,313	KG
NTN	4T-359S	64,46	1	0,327	KG
NTN	4T-362	41,00	1	0,19	KG
NTN	4T-3620	62,18	1	0,148	KG
NTN	4T-362A	23,82	1	0,18	KG
NTN	4T-363	42,84	1	0,222	KG
NTN	4T-365	73,93	1	0,38	KG
NTN	4T-365/362	114,93	1	0,554	KG
NTN	4T-365/362A	102,60	1	0,527	KG
NTN	4T-36620	153,88	1	0,724	KG
NTN	4T-36690	380,95	1	1,71	KG

NTN	4T-36690/36620	534,83	1	2,354	KG
NTN	4T-367	68,86	1	0,445	KG
NTN	4T-368	58,51	1	0,37	KG
NTN	4T-368/362	100,83	1	0,516	KG
NTN	4T-368A	56,92	1	0,35	KG
NTN	4T-368A/362	97,60	1	0,54	KG
NTN	4T-368A/363	99,76	1	0,553	KG
NTN	4T-36990/36920	1.292,03	1	2,9	KG
NTN	4T-369A	71,56	1	0,391	KG
NTN	4T-369S	65,16	1	0,412	KG
NTN	4T-3720	33,15	1	0,285	KG
NTN	4T-3730	51,67	1	0,314	KG
NTN	4T-37425	278,75	1	0,919	KG
NTN	4T-37431	222,43	1	0,872	KG
NTN	4T-37431/37625	330,83	1	1,362	KG
NTN	4T-37431A	217,05	1	0,865	KG
NTN	4T-37625	108,40	1	0,53	KG
NTN	4T-3767	78,74	1	0,542	KG
NTN	4T-3767/3720	109,70	1	0,805	KG
NTN	4T-3775	77,25	1	0,554	KG
NTN	4T-3776	84,55	1	0,653	KG
NTN	4T-3776/3720	115,39	1	0,938	KG
NTN	4T-3778	80,93	1	0,615	KG
NTN	4T-3779	84,55	1	0,608	KG
NTN	4T-3779/3720	117,70	1	0,892	KG
NTN	4T-3780	68,19	1	0,568	KG
NTN	4T-3781	91,18	1	0,599	KG
NTN	4T-3782	61,33	1	0,682	KG
NTN	4T-3795	89,44	1	0,564	KG
NTN	4T-382	41,51	1	0,244	KG
NTN	4T-3820	32,40	1	0,296	KG
NTN	4T-382A	29,15	1	0,178	KG
NTN	4T-382S	44,99	1	0,242	KG
NTN	4T-383A	44,77	1	0,255	KG
NTN	4T-385	75,20	1	0,432	KG
NTN	4T-385A	74,86	1	0,508	KG
NTN	4T-386A	61,16	1	0,556	KG
NTN	4T-386A/382A	90,31	1	0,73	KG
NTN	4T-387	60,57	1	0,416	KG
NTN	4T-3872	82,15	1	0,64	KG
NTN	4T-3872/3820	114,56	1	0,91	KG
NTN	4T-3875	87,75	1	0,596	KG
NTN	4T-3876/3820	102,28	1	0,852	KG
NTN	4T-3877	75,81	1	0,538	KG
NTN	4T-387A	47,55	1	0,404	KG
NTN	4T-387A/383A	92,32	1	0,651	KG
NTN	4T-387AS	53,60	1	0,407	KG
NTN	4T-387S	71,42	1	0,402	KG
NTN	4T-3880	69,45	1	0,544	KG
NTN	4T-388A	66,85	1	0,409	KG

NTN	4T-388A/382	113,68	1	0,612	KG
NTN	4T-389A	75,97	1	0,47	KG
NTN	4T-390	83,58	1	0,72	KG
NTN	4T-390/394A	126,39	1	0,506	KG
NTN	4T-390A	65,34	1	0,618	KG
NTN	4T-390A/394A	108,16	1	0,874	KG
NTN	4T-392	70,76	1	0,644	KG
NTN	4T-3920	37,57	1	0,478	KG
NTN	4T-3925	56,84	1	0,446	KG
NTN	4T-39250	95,76	1	0,508	KG
NTN	4T-39250/39412	152,85	1	0,702	KG
NTN	4T-394	82,51	1	0,308	KG
NTN	4T-39412	57,09	1	0,212	KG
NTN	4T-394A	42,81	1	0,259	KG
NTN	4T-394AB	100,07	1	0,32	KG
NTN	4T-394AS	48,49	1	0,278	KG
NTN	4T-395	64,28	1	0,61	KG
NTN	4T-39520	47,37	1	0,382	KG
NTN	4T-39573/39520	232,61	1	1,568	KG
NTN	4T-39580	119,63	1	1,044	KG
NTN	4T-39581	92,15	1	1,025	KG
NTN	4T-39585	112,80	1	0,936	KG
NTN	4T-39590	87,58	1	0,86	KG
NTN	4T-395A	72,92	1	0,564	KG
NTN	4T-395A/394	155,43	1	0,793	KG
NTN	4T-395S	71,98	1	0,552	KG
NTN	4T-396	128,30	1	0,826	KG
NTN	4T-397	80,00	1	0,647	KG
NTN	4T-3979	80,19	1	0,972	KG
NTN	4T-3980	106,01	1	0,9	KG
NTN	4T-3980/3920	143,58	1	1,35	KG
NTN	4T-3982	81,18	1	0,824	KG
NTN	4T-3984	84,27	1	0,752	KG
NTN	4T-3994	97,05	1	0,74	KG
NTN	4T-399A	65,28	1	0,53	KG
NTN	4T-399AS	67,30	1	0,513	KG
NTN	4T-399AS/394A	110,11	1	0,772	KG
NTN	4T-41125	88,29	1	0,305	KG
NTN	4T-41125/41286	125,43	1	0,48	KG
NTN	4T-41286	37,14	1	0,186	KG
NTN	4T-414	42,47	1	0,343	KG
NTN	4T-418	97,72	1	0,51	KG
NTN	4T-420	103,35	1	0,5	KG
NTN	4T-420/414	145,36	1	0,809	KG
NTN	4T-42350	176,62	1	1,424	KG
NTN	4T-42350/42584	260,08	1	1,988	KG
NTN	4T-42362	210,61	1	0,329	KG
NTN	4T-42368	187,39	1	1,278	KG
NTN	4T-42375	194,58	1	1,226	KG
NTN	4T-42375/42584	278,03	1	1,737	KG

NTN	4T-42381	184,89	1	1,172	KG
NTN	4T-42584	83,46	1	0,592	KG
NTN	4T-42587	106,08	1	0,754	KG
NTN	4T-42620	77,65	1	0,464	KG
NTN	4T-42687	146,09	1	1,044	KG
NTN	4T-42688	134,27	1	1,025	KG
NTN	4T-42688/42620	211,93	1	1,42	KG
NTN	4T-42690	168,54	1	1	KG
NTN	4T-42690/42620	246,19	1	1,388	KG
NTN	4T-43125	81,72	1	0,375	KG
NTN	4T-43125/43312	117,82	1	0,598	KG
NTN	4T-43131	82,72	1	0,36	KG
NTN	4T-432	62,08	1	0,406	KG
NTN	4T-43312	36,10	1	0,234	KG
NTN	4T-4335	68,77	1	0,477	KG
NTN	4T-4370/4320	335,12	1	1,132	KG
NTN	4T-438	85,34	1	0,584	KG
NTN	4T-438/432	162,45	1	0,944	KG
NTN	4T-4388	173,86	1	0,818	KG
NTN	4T-44143	81,21	1	0,495	KG
NTN	4T-44150	86,92	1	0,48	KG
NTN	4T-44150/44348	130,15	1	0,722	KG
NTN	4T-44162/44348	127,64	1	0,674	KG
NTN	4T-44348	43,23	1	0,258	KG
NTN	4T-45220	46,78	1	0,366	KG
NTN	4T-45221	52,32	1	1,284	KG
NTN	4T-45280	105,50	1	1,014	KG
NTN	4T-45284	111,32	1	0,862	KG
NTN	4T-45284/45220	158,10	1	1,23	KG
NTN	4T-45285	97,39	1	0,899	KG
NTN	4T-45285/45220	144,18	1	1,244	KG
NTN	4T-45287	100,59	1	0,82	KG
NTN	4T-45287/45220	147,12	1	1,16	KG
NTN	4T-45289/45220	139,63	1	1,085	KG
NTN	4T-45290	97,35	1	0,77	KG
NTN	4T-45291	114,07	1	0,752	KG
NTN	4T-453	81,96	1	0,505	KG
NTN	4T-453A	78,46	1	0,448	KG
NTN	4T-453X	67,70	1	0,396	KG
NTN	4T-455	103,01	1	0,83	KG
NTN	4T-460	138,57	1	0,915	KG
NTN	4T-46162	142,66	1	0,704	KG
NTN	4T-462	97,49	1	0,678	KG
NTN	4T-462A	124,86	1	0,706	KG
NTN	4T-46368	63,17	1	0,398	KG
NTN	4T-467	102,97	1	0,892	KG
NTN	4T-46720	318,98	1	1,8	KG
NTN	4T-46780	788,96	1	3,642	KG
NTN	4T-46790	575,61	1	3,041	KG
NTN	4T-469	93,00	1	0,702	KG

NTN	4T-469/453X	160,69	1	1,074	KG
NTN	4T-472	97,71	1	0,52	KG
NTN	4T-472A	72,29	1	0,145	KG
NTN	4T-472X	106,23	1	0,627	KG
NTN	4T-47420	96,62	1	0,506	KG
NTN	4T-47487	168,14	1	1,01	KG
NTN	4T-47490	182,81	1	0,964	KG
NTN	4T-47620	74,23	1	0,605	KG
NTN	4T-47678	220,63	1	1360	G
NTN	4T-47679	143,57	1	1,38	KG
NTN	4T-47679/47620	217,79	1	1,953	KG
NTN	4T-47680	171,11	1	1,351	KG
NTN	4T-47681	194,26	1	1,226	KG
NTN	4T-47681/47620	269,39	1	1,741	KG
NTN	4T-47686	138,79	1	1,14	KG
NTN	4T-47687	158,98	1	1,12	KG
NTN	4T-47820	102,51	1	0,71	KG
NTN	4T-47890	165,11	1	1,454	KG
NTN	4T-47890/47820	267,62	1	2,07	KG
NTN	4T-47896	181,77	1	1,326	KG
NTN	4T-47896/47820	284,28	1	1,94	KG
NTN	4T-480	163,43	1	0,89	KG
NTN	4T-48120	149,36	1	0,828	KG
NTN	4T-48190	247,37	1	1,594	KG
NTN	4T-48190/48120	396,73	1	2,414	KG
NTN	4T-482	153,11	1	0,86	KG
NTN	4T-482/472X	272,12	1	1,5	KG
NTN	4T-48220	209,03	1	1,2	KG
NTN	4T-48286	319,89	1	2,434	KG
NTN	4T-48286/48220	528,92	1	3,516	KG
NTN	4T-48290	404,88	1	2,1	KG
NTN	4T-483	171,35	1	1,012	KG
NTN	4T-48385/48320	585,14	1	3,706	KG
NTN	4T-484	165,16	1	0,86	KG
NTN	4T-484/472	275,79	1	1,313	KG
NTN	4T-48620	224,52	1	1,466	KG
NTN	4T-48684	510,65	1	2,52	KG
NTN	4T-48684/48620	735,18	1	3,846	KG
NTN	4T-48685	436,19	1	2,497	KG
NTN	4T-48685/48620	660,72	1	3,976	KG
NTN	4T-48685/48620DC+AC3	5.235,31	1	8,18	KG
NTN	4T-49162	483,59	1	0,706	KG
NTN	4T-49175	123,22	1	0,43	KG
NTN	4T-492A	65,67	1	0,459	KG
NTN	4T-493	68,17	1	0,574	KG
NTN	4T-49368	194,30	1	0,384	KG
NTN	4T-495	131,17	1	1,106	KG
NTN	4T-495/492A	196,83	1	1,536	KG
NTN	4T-49520	58,59	1	0,382	KG
NTN	4T-49585	104,07	1	0,738	KG

NTN	4T-49585/49520	176,12	1	1,122	KG
NTN	4T-495A	136,06	1	1,294	KG
NTN	4T-496	156,43	1	1,156	KG
NTN	4T-497	102,42	1	1,006	KG
NTN	4T-498	131,79	1	1,056	KG
NTN	4T-522	57,11	1	0,434	KG
NTN	4T-52387/52618	349,22	1	2,624	KG
NTN	4T-52393	260,89	1	1,885	KG
NTN	4T-52393/52618	378,26	1	2,554	KG
NTN	4T-52400	222,80	1	1,782	KG
NTN	4T-52400/52618	340,17	1	2,528	KG
NTN	4T-52401	240,60	1	1,784	KG
NTN	4T-52401/52618	357,97	1	2,453	KG
NTN	4T-526	125,34	1	1,009	KG
NTN	4T-52618	117,37	1	0,7	KG
NTN	4T-527	126,91	1	0,974	KG
NTN	4T-528	97,38	1	0,91	KG
NTN	4T-528/522	154,51	1	1,292	KG
NTN	4T-529	102,10	1	0,848	KG
NTN	4T-529/522	159,21	1	1,262	KG
NTN	4T-529X	116,83	1	0,84	KG
NTN	4T-529X/522	173,94	1	1,256	KG
NTN	4T-53176	85,34	1	0,56	KG
NTN	4T-53177	126,95	1	0,574	KG
NTN	4T-53177/53375	182,72	1	0,922	KG
NTN	4T-53178	105,78	1	0,578	KG
NTN	4T-53178/53375	153,28	1	0,926	KG
NTN	4T-532A	93,48	1	0,768	KG
NTN	4T-532X	74,01	1	0,594	KG
NTN	4T-53375	47,49	1	0,365	KG
NTN	4T-535	236,15	1	1,104	KG
NTN	4T-535/532A	329,63	1	1,878	KG
NTN	4T-536	148,35	1	1,04	KG
NTN	4T-536/532X	221,64	1	1,605	KG
NTN	4T-537	140,29	1	0,994	KG
NTN	4T-537/532A	233,05	1	1,704	KG
NTN	4T-539	117,76	1	0,913	KG
NTN	4T-5395/5335	285,78	1	1,753	KG
NTN	4T-543/532X	247,92	1	1,757	KG
NTN	4T-55175C/55437	158,44	1	1,466	KG
NTN	4T-55175CPX2	96,25	1	0,952	KG
NTN	4T-55176	263,33	1	0,882	KG
NTN	4T-55176/55437	326,11	1	1,388	KG
NTN	4T-55187	555,66	1	0,826	KG
NTN	4T-55187/55443	661,48	1	1,348	KG
NTN	4T-55187C	111,38	1	0,906	KG
NTN	4T-55187C/55437	195,00	1	1,382	KG
NTN	4T-55187C/55443	219,34	1	1,428	KG
NTN	4T-552	133,59	1	0,801	KG
NTN	4T-55200C	95,55	1	0,842	KG

NTN	4T-55200CPX1	103,58	1	0,85	KG
NTN	4T-552A	80,19	1	0,795	KG
NTN	4T-5535	122,83	1	0,842	KG
NTN	4T-553X	108,10	1	0,72	KG
NTN	4T-55437	62,78	1	0,53	KG
NTN	4T-55443	107,96	1	0,562	KG
NTN	4T-555S	140,61	1	1,438	KG
NTN	4T-555S/552A	237,46	1	2,16	KG
NTN	4T-5578	267,24	1	1,806	KG
NTN	4T-5583	216,14	1	1,656	KG
NTN	4T-5584/5535	317,68	1	2,354	KG
NTN	4T-560	113,01	1	1,174	KG
NTN	4T-560/552A	212,84	1	1,9	KG
NTN	4T-563	69,51	1	0,68	KG
NTN	4T-56418	259,28	1	1,95	KG
NTN	4T-56425	226,87	1	1,882	KG
NTN	4T-56426	366,37	1	1,842	KG
NTN	4T-56426/56650	476,69	1	2,6	KG
NTN	4T-565	194,50	1	1,478	KG
NTN	4T-565/563	290,87	1	2,084	KG
NTN	4T-566	151,00	1	1,24	KG
NTN	4T-56650	110,31	1	1	KG
NTN	4T-56662	167,97	1	1,03	KG
NTN	4T-567	125,42	1	1,188	KG
NTN	4T-567A	157,81	1	1,24	KG
NTN	4T-567A/563	227,33	1	1,84	KG
NTN	4T-568	144,11	1	1,178	KG
NTN	4T-568/563	234,94	1	1,775	KG
NTN	4T-572	73,88	1	0,824	KG
NTN	4T-572X	108,04	1	0,802	KG
NTN	4T-575	164,17	1	1,598	KG
NTN	4T-580	129,49	1	1,446	KG
NTN	4T-581	192,76	1	1,507	KG
NTN	4T-581/572	266,64	1	2,177	KG
NTN	4T-582	138,55	1	1,39	KG
NTN	4T-59162/59412	347,62	1	1,616	KG
NTN	4T-592	178,74	1	1,162	KG
NTN	4T-59200	119,01	1	0,976	KG
NTN	4T-59200/59412	207,80	1	1,416	KG
NTN	4T-592A	82,68	1	1,04	KG
NTN	4T-593	150,11	1	1,756	KG
NTN	4T-593A	183,32	1	1,736	KG
NTN	4T-593X	129,14	1	0,17	KG
NTN	4T-594	175,15	1	1,496	KG
NTN	4T-594/593X	304,29	1	2,2	KG
NTN	4T-59412	79,02	1	0,498	KG
NTN	4T-594A	160,37	1	1,44	KG
NTN	4T-595	219,69	1	2	KG
NTN	4T-596	183,16	1	1,884	KG
NTN	4T-598	177,53	1	1,628	KG

NTN	4T-598A	183,96	1	1,54	KG
NTN	4T-612	84,07	1	0,886	KG
NTN	4T-615	255,74	1	1,58	KG
NTN	4T-615/612	339,82	1	2,44	KG
NTN	4T-619PX1	176,75	1	1,415	KG
NTN	4T-623	136,31	1	1,28	KG
NTN	4T-623/612	220,38	1	2,1	KG
NTN	4T-6277/6220	553,92	1	3,395	KG
NTN	4T-6280/6220	476,21	1	3,292	KG
NTN	4T-632	110,84	1	1,072	KG
NTN	4T-6320	150,83	1	1,426	KG
NTN	4T-633	127,83	1	0,709	KG
NTN	4T-635	459,14	1	2,01	KG
NTN	4T-6379	272,38	1	2,366	KG
NTN	4T-6386	272,91	1	2,29	KG
NTN	4T-639	183,47	1	1,83	KG
NTN	4T-639/632	294,31	1	2,82	KG
NTN	4T-641	195,59	1	1,68	KG
NTN	4T-6420	136,48	1	1,676	KG
NTN	4T-643	162,79	1	1,614	KG
NTN	4T-643/632	273,64	1	2,604	KG
NTN	4T-644	179,01	1	1,558	KG
NTN	4T-64450	282,52	1	2,368	KG
NTN	4T-645	171,02	1	1,544	KG
NTN	4T-645/632	281,87	1	2,575	KG
NTN	4T-6460	437,22	1	2,81	KG
NTN	4T-6460/6420	573,70	1	4,421	KG
NTN	4T-6461	371,08	1	2,677	KG
NTN	4T-6461/6420	507,55	1	4,262	KG
NTN	4T-6461A	274,64	1	2,62	KG
NTN	4T-652	132,69	1	1,3	KG
NTN	4T-65200/65500	362,98	1	2,896	KG
NTN	4T-65212/65500	336,51	1	2,731	KG
NTN	4T-65237	227,52	1	1,54	KG
NTN	4T-65237/65500	332,22	1	2,602	KG
NTN	4T-653	87,87	1	0,936	KG
NTN	4T-65320	117,75	1	0,869	KG
NTN	4T-6535	180,53	1	1,6	KG
NTN	4T-65385	378,53	1	1,485	KG
NTN	4T-65385/65320	496,28	1	2,36	KG
NTN	4T-65390	249,09	1	1,33	KG
NTN	4T-655	270,45	1	2,436	KG
NTN	4T-655/653	358,33	1	3,28	KG
NTN	4T-65500	104,69	1	1,062	KG
NTN	4T-6559/6535	654,96	1	5,061	KG
NTN	4T-6576	417,98	1	3,836	KG
NTN	4T-6576/6535	598,52	1	5,441	KG
NTN	4T-6580	294,29	1	3,07	KG
NTN	4T-6580/6535	474,82	1	4,729	KG
NTN	4T-6581X	842,64	1	3,06	KG

NTN	4T-659	255,52	1	2,198	KG
NTN	4T-66200	160,37	1	1,14	KG
NTN	4T-66200/66462	226,02	1	1,655	KG
NTN	4T-66225	127,52	1	0,976	KG
NTN	4T-66225/66462	193,17	1	1,55	KG
NTN	4T-663	180,91	1	1,935	KG
NTN	4T-66462	65,65	1	0,57	KG
NTN	4T-665	234,20	1	1,798	KG
NTN	4T-66520	86,41	1	0,581	KG
NTN	4T-66584	226,19	1	1,27	KG
NTN	4T-66584/66520	312,59	1	1,828	KG
NTN	4T-672	116,54	1	1,284	KG
NTN	4T-67320	489,76	1	2,144	KG
NTN	4T-67322	209,08	1	1,544	KG
NTN	4T-67388	395,13	1	3,694	KG
NTN	4T-67388/67322	604,22	1	5,101	KG
NTN	4T-67390	469,97	1	2,2	KG
NTN	4T-67391	515,18	1	3,18	KG
NTN	4T-67720	351,53	1	2,5	KG
NTN	4T-67786	858,48	1	4,78	KG
NTN	4T-67787	849,75	1	4,858	KG
NTN	4T-67787/67720	1.201,28	1	7,192	KG
NTN	4T-67790	810,77	1	4,516	KG
NTN	4T-67790/67720	1.162,29	1	6,66	KG
NTN	4T-681	327,60	1	2,623	KG
NTN	4T-681A	315,16	1	2,666	KG
NTN	4T-681A/672	431,69	1	0,85	KG
NTN	4T-683	276,71	1	2,6	KG
NTN	4T-68450	276,02	1	1,879	KG
NTN	4T-685	248,79	1	2,382	KG
NTN	4T-687	226,22	1	2,234	KG
NTN	4T-68712	183,86	1	0,2	KG
NTN	4T-71450	360,30	1	3,49	KG
NTN	4T-71450/71750	624,62	1	5,244	KG
NTN	4T-71455	613,60	1	3,3	KG
NTN	4T-71750	264,31	1	1,814	KG
NTN	4T-72212C	183,35	1	1,24	KG
NTN	4T-72218C/72487	233,74	1	1,973	KG
NTN	4T-72225CPX1	162,20	1	1,169	KG
NTN	4T-72487	65,41	1	0,81	KG
NTN	4T-740	246,11	1	2,41	KG
NTN	4T-742	108,67	1	1,11	KG
NTN	4T-743	224,52	1	1,08	KG
NTN	4T-744	311,00	1	2,766	KG
NTN	4T-74525	603,12	1	4,6	KG
NTN	4T-74550	528,80	1	4,172	KG
NTN	4T-745A/742	418,22	1	3,923	KG
NTN	4T-748	402,62	1	2,466	KG
NTN	4T-74850	409,52	1	2,04	KG
NTN	4T-748S	278,84	1	2,628	KG

NTN	4T-748S/742	387,51	1	3,713	KG
NTN	4T-749	216,47	1	2,16	KG
NTN	4T-749A	233,61	1	2,344	KG
NTN	4T-749A/742	342,28	1	3,365	KG
NTN	4T-750	351,68	1	2,5	KG
NTN	4T-752	134,20	1	1,7	KG
NTN	4T-755	339,74	1	3,106	KG
NTN	4T-758	294,00	1	2,647	KG
NTN	4T-759	254,87	1	2,526	KG
NTN	4T-759/752	389,07	1	4,154	KG
NTN	4T-760	397,97	1	2,44	KG
NTN	4T-766	292,02	1	2,49	KG
NTN	4T-772	204,77	1	2	KG
NTN	4T-77375/77675	525,19	1	4,58	KG
NTN	4T-780/772	532,93	1	5,112	KG
NTN	4T-782	380,61	1	3,05	KG
NTN	4T-782/772	585,37	1	4,98	KG
NTN	4T-78214	412,71	1	1,855	KG
NTN	4T-78214/78551	537,90	1	2,744	KG
NTN	4T-78214C/78551	580,90	1	2,742	KG
NTN	4T-78215C	270,69	1	1,864	KG
NTN	4T-78225	334,91	1	1,792	KG
NTN	4T-78225/78551	460,11	1	2,68	KG
NTN	4T-78238	489,37	1	0,77	KG
NTN	4T-78238/78537	630,14	1	2,488	KG
NTN	4T-78250	243,06	1	1,64	KG
NTN	4T-78250/78551	368,25	1	2,566	KG
NTN	4T-78537	140,77	1	0,815	KG
NTN	4T-78551	125,19	1	0,957	KG
NTN	4T-786	476,61	1	3,014	KG
NTN	4T-832	218,81	1	1,74	KG
NTN	4T-835	646,51	1	4,455	KG
NTN	4T-835/832	865,32	1	6,221	KG
NTN	4T-841/832	689,76	1	5,28	KG
NTN	4T-842	479,41	1	3,795	KG
NTN	4T-842/832	698,22	1	5,552	KG
NTN	4T-850/832	688,08	1	5,172	KG
NTN	4T-854	246,69	1	2,77	KG
NTN	4T-861	500,11	1	4,366	KG
NTN	4T-864	600,41	1	4,822	KG
NTN	4T-892	429,09	1	3,252	KG
NTN	4T-896	1.795,95	1	3,179	KG
NTN	4T-898	961,56	1	5,774	KG
NTN	4T-898/892	1.390,66	1	8,932	KG
NTN	4T-90381/90744	1.088,02	1	5,746	KG
NTN	4T-9121	209,31	1	1,264	KG
NTN	4T-9185	491,22	1	2,622	KG
NTN	4T-9185/9121	725,00	1	3,77	KG
NTN	4T-9278/9220	1.041,87	1	4,64	KG
NTN	4T-9285/9220	759,86	1	4,26	KG

NTN	4T-932	457,62	1	3,37	KG
NTN	4T-936	885,20	1	6,542	KG
NTN	4T-936/932	1.342,81	1	11,264	KG
NTN	4T-9378/9321	1.061,10	1	5,26	KG
NTN	4T-938	694,62	1	6	KG
NTN	4T-938/932	1.152,24	1	10,08	KG
NTN	4T-95475	912,96	1	8,618	KG
NTN	4T-95500	869,42	1	8,006	KG
NTN	4T-95500/95925	1.704,45	1	11,963	KG
NTN	4T-95525	835,02	1	7,28	KG
NTN	4T-95525/95925	1.312,54	1	11,277	KG
NTN	4T-95925	477,51	1	4,164	KG
NTN	4T-98316	1.110,77	1	5,828	KG
NTN	4T-98350/98788	1.412,07	1	7,61	KG
NTN	4T-98400	992,42	1	4,61	KG
NTN	4T-98400/98788	1.374,77	1	6,924	KG
NTN	4T-98788	382,36	1	2,368	KG
NTN	4T-99100	588,85	1	4,379	KG
NTN	4T-99600	940,47	1	8,515	KG
NTN	4T-99600/99100	1.529,32	1	12,872	KG
NTN	4T-A2047	63,16	1	0,022	KG
NTN	4T-A2047/A2126	101,29	1	0,046	KG
NTN	4T-A2126	38,11	1	0,023	KG
NTN	4T-A4050/A4138	80,96	1	0,06	KG
NTN	4T-A4059	51,43	1	0,033	KG
NTN	4T-A4059/A4138	72,21	1	0,054	KG
NTN	4T-A4138	20,77	1	0,028	KG
NTN	4T-A6075	46,41	1	0,038	KG
NTN	4T-A6075/A6157	72,23	1	0,07	KG
NTN	4T-A6157	25,82	1	0,031	KG
NTN	4T-A6162	31,89	1	0,04	KG
NTN	4T-H212710	103,34	1	0,713	KG
NTN	4T-H212749	238,97	1	1,516	KG
NTN	4T-H414210	96,45	1	0,832	KG
NTN	4T-H414242	300,46	1	1,99	KG
NTN	4T-H414245	354,50	1	1,928	KG
NTN	4T-H414245/H414210	450,94	1	2,724	KG
NTN	4T-H414249	217,37	1	1,818	KG
NTN	4T-H715311	127,79	1	0,994	KG
NTN	4T-H715334	251,00	1	2,53	KG
NTN	4T-H715334/H715311	378,79	1	3,47	KG
NTN	4T-H715341A/H715311	635,52	1	3,26	KG
NTN	4T-H715343	225,30	1	2,294	KG
NTN	4T-H715343/H715311	353,07	1	3,222	KG
NTN	4T-H715345	226,84	1	2,17	KG
NTN	4T-H715345/H715310	363,00	1	3,272	KG
NTN	4T-H715345/H715311	354,62	1	3,124	KG
NTN	4T-H715347/H715311	554,97	1	2,819	KG
NTN	4T-H715348	359,96	1	1,898	KG
NTN	4T-H715348/H715311	487,74	1	2,84	KG

NTN	4T-H913810	107,49	1	0,94	KG
NTN	4T-H913840/H913810	672,70	1	3,222	KG
NTN	4T-H913842	379,09	1	2,296	KG
NTN	4T-H913849	392,41	1	2,034	KG
NTN	4T-H913849/H913810	499,90	1	2,94	KG
NTN	4T-H917840/H917810	1.730,13	1	6,76	KG
NTN	4T-H924045	959,92	1	5,76	KG
NTN	4T-H924045/H924010	1.480,86	1	8,2	KG
NTN	4T-HH221410	347,37	1	2,35	KG
NTN	4T-HH221434	781,25	1	5,85	KG
NTN	4T-HH221434/HH221410	1.003,70	1	7,94	KG
NTN	4T-HH221449	636,04	1	4,866	KG
NTN	4T-HH224310	463,67	1	3,056	KG
NTN	4T-HH224334/HH224310	2.347,00	1	11,7	KG
NTN	4T-HH224335	1.210,56	1	8,305	KG
NTN	4T-HH224335/HH224310	1.674,23	1	11,3	KG
NTN	4T-HH224346	1.416,04	1	7,133	KG
NTN	4T-HH224346/HH224310	1.879,71	1	10,2	KG
NTN	4T-HH224349/HH224310V2	2.497,20	1	10,228	KG
NTN	4T-HH228310	1.187,21	1	6,037	KG
NTN	4T-HH228340	2.597,42	1	12,776	KG
NTN	4T-HH228340/HH228310	3.784,61	1	19,2	KG
NTN	4T-HH228340/HH228310V3	3.784,61	1	19,615	KG
NTN	4T-HH228340/HH228318V4	3.947,17	1	19,983	KG
NTN	4T-HH228349	2.551,18	1	11,918	KG
NTN	4T-HH228349/HH228310	3.738,38	1	18,69	KG
NTN	4T-HH421246/HH421210	1.544,67	1	7,532	KG
NTN	4T-HH506310	80,73	1	0,834	KG
NTN	4T-HH506348	205,56	1	1,467	KG
NTN	4T-HH923649/HH923610	3.091,60	1	17,121	KG
NTN	4T-HM204010	52,80	1	0,326	KG
NTN	4T-HM204049	102,16	1	0,637	KG
NTN	4T-HM204049/HM204010	154,95	1	0,94	KG
NTN	4T-HM212010	67,63	1	0,632	KG
NTN	4T-HM212011	41,73	1	0,624	KG
NTN	4T-HM212044	145,00	1	1,422	KG
NTN	4T-HM212047	112,49	1	1,366	KG
NTN	4T-HM212047/HM212010	168,42	1	1,92	KG
NTN	4T-HM212047/HM212011	154,22	1	1,968	KG
NTN	4T-HM212049	101,37	1	1,284	KG
NTN	4T-HM212049/HM212010	168,99	1	1,892	KG
NTN	4T-HM212049/HM212011	143,10	1	1,888	KG
NTN	4T-HM215210	101,59	1	0,799	KG
NTN	4T-HM215249	185,53	1	1,474	KG
NTN	4T-HM218210	81,63	1	0,828	KG
NTN	4T-HM218238/HM218210	400,02	1	3,002	KG
NTN	4T-HM218248	168,43	1	1,792	KG
NTN	4T-HM220110	117,71	1	0,92	KG
NTN	4T-HM220149	234,82	1	2,028	KG
NTN	4T-HM515745	369,90	1	1,88	KG

NTN	4T-HM515745/HM515716	584,94	1	2,905	KG
NTN	4T-HM516410	85,23	1	760	G
NTN	4T-HM516449	228,63	1	1,386	KG
NTN	4T-HM518410	92,03	1	0,76	KG
NTN	4T-HM518445	191,39	1	2,154	KG
NTN	4T-HM617010	127,60	1	0,946	KG
NTN	4T-HM617049	198,65	1	1,822	KG
NTN	4T-HM617049/HM617010	359,40	1	2,673	KG
NTN	4T-HM801310	48,99	1	0,292	KG
NTN	4T-HM801346	123,69	1	0,5	KG
NTN	4T-HM801346X	77,08	1	0,5	KG
NTN	4T-HM801349	113,50	1	0,464	KG
NTN	4T-HM801349/HM801310	162,49	1	0,742	KG
NTN	4T-HM801349/HM801311	170,48	1	0,721	KG
NTN	4T-HM803110	44,66	1	0,336	KG
NTN	4T-HM803145/HM803110	125,06	1	0,914	KG
NTN	4T-HM803149	76,30	1	545	G
NTN	4T-HM804810	49,94	1	0,353	KG
NTN	4T-HM804840	108,46	1	0,721	KG
NTN	4T-HM804840/HM804810	158,40	1	1,094	KG
NTN	4T-HM804842	126,83	1	0,7	KG
NTN	4T-HM804842/HM804810	176,78	1	1,05	KG
NTN	4T-HM804843/HM804810PX1	146,99	1	1,048	KG
NTN	4T-HM804843PX1	97,05	1	0,688	KG
NTN	4T-HM804846	90,09	1	0,614	KG
NTN	4T-HM804846/HM804810	140,02	1	0,996	KG
NTN	4T-HM804848	92,86	1	0,628	KG
NTN	4T-HM804848/HM804810	142,79	1	0,972	KG
NTN	4T-HM804849	94,78	1	0,611	KG
NTN	4T-HM804849/HM804810	151,84	1	0,954	KG
NTN	4T-HM807010	57,99	1	0,522	KG
NTN	4T-HM807011	162,61	1	0,532	KG
NTN	4T-HM807035	211,61	1	1,205	KG
NTN	4T-HM807040	121,78	1	1,141	KG
NTN	4T-HM807044	137,16	1	1,013	KG
NTN	4T-HM807046	129,19	1	1,004	KG
NTN	4T-HM807048	143,41	1	0,916	KG
NTN	4T-HM807049	154,09	1	0,928	KG
NTN	4T-HM813810	91,37	1	0,648	KG
NTN	4T-HM813840	231,27	1	1,74	KG
NTN	4T-HM813840/HM813810	322,65	1	2,358	KG
NTN	4T-HM813841	190,31	1	1,614	KG
NTN	4T-HM813842	173,02	1	1,525	KG
NTN	4T-HM813843	319,96	1	1,565	KG
NTN	4T-HM813844	151,91	1	1,39	KG
NTN	4T-HM813844/HM813810	258,20	1	1,949	KG
NTN	4T-HM813849	212,51	1	1,304	KG
NTN	4T-HM81610PX3	108,80	1	0,08	KG
NTN	4T-HM81649PX3	140,96	1	0,12	KG
NTN	4T-HM88510	25,93	1	0,248	KG

NTN	4T-HM88542	54,01	1	386	G
NTN	4T-HM88547	63,39	1	0,358	KG
NTN	4T-HM88547/HM88510	89,33	1	0,614	KG
NTN	4T-HM88610	20,60	1	0,186	KG
NTN	4T-HM88630	129,96	1	0,4	KG
NTN	4T-HM88648PX1	51,14	1	0,295	KG
NTN	4T-HM88649	37,49	1	0,297	KG
NTN	4T-HM89249/HM89210	93,36	1	0,689	KG
NTN	4T-HM89410	29,48	1	0,252	KG
NTN	4T-HM89411	29,48	1	0,26	KG
NTN	4T-HM89446	54,88	1	0,398	KG
NTN	4T-HM89448	72,49	1	0,381	KG
NTN	4T-HM89449	55,20	1	0,366	KG
NTN	4T-HM903210	64,39	1	0,389	KG
NTN	4T-HM903245/HM903210	208,99	1	1,062	KG
NTN	4T-HM903245/HM903210PX1	208,99	1	0,941	KG
NTN	4T-HM903248/HM903210	228,05	1	0,978	KG
NTN	4T-HM903249	91,94	1	0,605	KG
NTN	4T-HM905843/HM905810	276,86	1	1,34	KG
NTN	4T-HM907614	156,24	1	524	G
NTN	4T-HM907614PX1	156,24	1	0,524	KG
NTN	4T-HM907639	367,97	1	0,93	KG
NTN	4T-HM907643	180,12	1	0,87	KG
NTN	4T-HM911210	114,33	1	0,71	KG
NTN	4T-HM911242	270,70	1	1,618	KG
NTN	4T-HM911242/HM911210	385,03	1	2,256	KG
NTN	4T-HM911244	291,52	1	1,392	KG
NTN	4T-HM911245	246,35	1	1,46	KG
NTN	4T-HM926710	741,18	1	2,912	KG
NTN	4T-HM926740	1.438,24	1	6,994	KG
NTN	4T-HM926740/HM926710	2.179,41	1	9,7	KG
NTN	4T-HM926745/HM926710	2.444,43	1	8,96	KG
NTN	4T-HM926747	1.311,23	1	6,06	KG
NTN	4T-HM926749	1.588,93	1	6	KG
NTN	4T-J90354/J90748	1.829,60	1	6,24	KG
NTN	4T-JH211749PK	169,51	1	1,26	KG
NTN	4T-JH217210	183,44	1	1,087	KG
NTN	4T-JH217249	362,21	1	2,322	KG
NTN	4T-JH217249/JH217210	545,64	1	3,36	KG
NTN	4T-JH307710	84,55	1	0,559	KG
NTN	4T-JH307749	160,22	1	1,113	KG
NTN	4T-JH307749/JH307710	244,77	1	1,706	KG
NTN	4T-JHM318410	130,10	1	1,07	KG
NTN	4T-JHM318448	300,32	1	2,35	KG
NTN	4T-JHM318448/JHM318410	430,42	1	3,382	KG
NTN	4T-JHM516810PK	115,19	1	0,755	KG
NTN	4T-JHM516849PK	222,97	1	1,523	KG
NTN	4T-JHM522610	200,15	1	1,578	KG
NTN	4T-JHM522649	410,31	1	3,154	KG
NTN	4T-JHM522649/JHM522610	610,45	1	4,47	KG

NTN	4T-JHM534110	343,67	1	1,3	KG
NTN	4T-JHM534149/JHM534110PK	878,42	1	4,366	KG
NTN	4T-JHM534149PK	534,77	1	3,142	KG
NTN	4T-JHM720249	298,32	1	2,11	KG
NTN	4T-JHM807012	69,55	1	0,542	KG
NTN	4T-JHM807045	133,45	1	1	KG
NTN	4T-JHM807045/JHM807012	203,01	1	1540	G
NTN	4T-JHM840410	1.411,33	1	5384	G
NTN	4T-JHM88540/JHM88513PX1	182,31	1	609	G
NTN	4T-JL69310PK	11,27	1	0,081	KG
NTN	4T-JL69345/JL69310	71,38	1	0,205	KG
NTN	4T-JL69349	26,81	1	0,136	KG
NTN	4T-JL69349PK	26,17	1	0,127	KG
NTN	4T-JL819310	59,95	1	0,292	KG
NTN	4T-JL819349	144,85	1	0,605	KG
NTN	4T-JLM104910	24,34	1	0,127	KG
NTN	4T-JLM104910PK	24,34	1	0,127	KG
NTN	4T-JLM104948	43,54	1	0,289	KG
NTN	4T-JLM506810	37,22	1	202	G
NTN	4T-JLM506810PK	28,84	1	200	G
NTN	4T-JLM506849	75,88	1	0,385	KG
NTN	4T-JLM506849PK	67,51	1	0,385	KG
NTN	4T-JLM508710	74,40	1	0,216	KG
NTN	4T-JLM508748	95,54	1	420	G
NTN	4T-JLM704649/JLM704610PK	82,26	1	480	G
NTN	4T-JLM710910	42,91	1	0,234	KG
NTN	4T-JLM710910PK	42,91	1	0,233	KG
NTN	4T-JLM710949	115,27	1	522	G
NTN	4T-JLM710949PK	114,41	1	0,504	KG
NTN	4T-JLM714110PK	51,97	1	300	G
NTN	4T-JLM714149	117,37	1	0,609	KG
NTN	4T-JLM714149PK	117,37	1	629	G
NTN	4T-JLM813010	49,66	1	242	G
NTN	4T-JLM813010PK	40,33	1	322	G
NTN	4T-JLM813049	140,99	1	612	G
NTN	4T-JLM813049/JLM813010PK	181,33	1	910	G
NTN	4T-JLM813049PK	131,67	1	610	G
NTN	4T-JM205110PK	38,93	1	0,258	KG
NTN	4T-JM205149	92,03	1	524	G
NTN	4T-JM205149PK	92,03	1	0,526	KG
NTN	4T-JM207010	47,30	1	275	G
NTN	4T-JM207049	103,89	1	584	G
NTN	4T-JM511910PK	63,63	1	0,362	KG
NTN	4T-JM511946PK	119,69	1	0,76	KG
NTN	4T-JM515610PK	92,27	1	0,571	KG
NTN	4T-JM515649PK	200,63	1	1,14	KG
NTN	4T-JM612910PK	72,30	1	0,386	KG
NTN	4T-JM612949PK	179,01	1	0,753	KG
NTN	4T-JM714210PK	66,60	1	460	G
NTN	4T-JM714249PK	127,30	1	0,88	KG

NTN	4T-JM716610PK	80,26	1	0,485	KG
NTN	4T-JM716648/JM716610PK	211,17	1	1385	G
NTN	4T-JM716648PK	146,03	1	0,932	KG
NTN	4T-JM716649	111,51	1	946	G
NTN	4T-JM716649PK	111,51	1	0,92	KG
NTN	4T-JM718110PK	106,60	1	696	G
NTN	4T-JM718149/JM718110PK	298,02	1	2162	G
NTN	4T-JM719113	98,77	1	808	G
NTN	4T-JM719149	173,23	1	1,462	KG
NTN	4T-JM719149/JM719113	272,00	1	2,236	KG
NTN	4T-JM720210	112,22	1	0,808	KG
NTN	4T-JM720249	247,19	1	1,628	KG
NTN	4T-JM720249/JM720210	359,41	1	2,398	KG
NTN	4T-JM734410	592,65	1	2,155	KG
NTN	4T-JM734449	1.110,50	1	4350	G
NTN	4T-JM734449/JM734410	1.703,16	1	6,406	KG
NTN	4T-JM736149/JM736110	1.329,04	1	6,6	KG
NTN	4T-JM738210PK	492,24	1	2,324	KG
NTN	4T-JM738249/JM738210	1.460,31	1	6,78	KG
NTN	4T-JM738249PK	968,06	1	4,802	KG
NTN	4T-JM822010PK	134,24	1	0,89	KG
NTN	4T-JM822049	242,79	1	1,683	KG
NTN	4T-JM822049PK	242,79	1	1,73	KG
NTN	4T-L116149/L116110PX2	366,30	1	0,643	KG
NTN	4T-L21549/L21511	82,42	1	0,058	KG
NTN	4T-L217849/L217810	432,92	1	0,73	KG
NTN	4T-L225810	108,12	1	0,574	KG
NTN	4T-L225849	413,31	1	1,106	KG
NTN	4T-L225849/L225810	521,43	1	1,58	KG
NTN	4T-L319210	152,80	1	0,28	KG
NTN	4T-L319249	330,83	1	0,572	KG
NTN	4T-L319249/L319210	483,62	1	0,818	KG
NTN	4T-L327249/L327210	1.055,06	1	1,76	KG
NTN	4T-L420449/L420410	580,59	1	0,824	KG
NTN	4T-L432310	570,96	1	0,66	KG
NTN	4T-L432349/L432310	1.260,38	1	2	KG
NTN	4T-L433749/L433710	1.288,86	1	2,33	KG
NTN	4T-L44610	9,39	1	0,039	KG
NTN	4T-L44643	24,81	1	0,089	KG
NTN	4T-L44643L	37,04	1	0,102	KG
NTN	4T-L44649	22,47	1	0,082	KG
NTN	4T-L45410	9,79	1	43	G
NTN	4T-L45449	16,05	1	80	G
NTN	4T-L610549	167,13	1	0,294	KG
NTN	4T-L610549/L610510	233,80	1	0,466	KG
NTN	4T-L624549/L624510	811,26	1	1,215	KG
NTN	4T-L68110	11,37	1	0,056	KG
NTN	4T-L68111	12,61	1	0,063	KG
NTN	4T-L68149	24,54	1	0,113	KG
NTN	4T-L713049/L713010	339,30	1	0,53	KG

NTN	4T-L814749	219,69	1	0,381	KG
NTN	4T-L814749/L814710	316,54	1	0,602	KG
NTN	4T-LL225749/LL225710	753,76	1	0,92	KG
NTN	4T-LL319349/LL319310	272,97	1	0,556	KG
NTN	4T-LL639249/LL639210	3.054,19	1	2,07	KG
NTN	4T-LM102910	14,78	1	0,205	KG
NTN	4T-LM102949	32,36	1	0,205	KG
NTN	4T-LM104911	23,51	1	0,131	KG
NTN	4T-LM104912	22,07	1	0,154	KG
NTN	4T-LM104949	48,09	1	0,283	KG
NTN	4T-LM104949/JLM104910PX2	72,43	1	0,48	KG
NTN	4T-LM104949/LM104912	70,17	1	0,436	KG
NTN	4T-LM11710	8,57	1	0,028	KG
NTN	4T-LM11910	9,21	1	0,044	KG
NTN	4T-LM11949	18,25	1	84	G
NTN	4T-LM11949L	30,11	1	0,09	KG
NTN	4T-LM12710	10,83	1	0,044	KG
NTN	4T-LM12711	10,26	1	0,488	KG
NTN	4T-LM12749	25,35	1	0,079	KG
NTN	4T-LM12749/LM12710	36,18	1	0,117	KG
NTN	4T-LM29710	15,88	1	0,079	KG
NTN	4T-LM29711	39,48	1	0,8	KG
NTN	4T-LM29748	43,01	1	0,166	KG
NTN	4T-LM29749	31,60	1	0,156	KG
NTN	4T-LM29749/LM29710PX1	47,48	1	0,235	KG
NTN	4T-LM300811	16,36	1	0,091	KG
NTN	4T-LM300849	33,70	1	0,165	KG
NTN	4T-LM48510	13,58	1	0,096	KG
NTN	4T-LM48548	26,01	1	0,16	KG
NTN	4T-LM48548A	58,54	1	0,174	KG
NTN	4T-LM48548L	38,97	1	0,18	KG
NTN	4T-LM48549X	160,62	1	0,172	KG
NTN	4T-LM501310	16,29	1	0,107	KG
NTN	4T-LM501311	41,92	1	0,142	KG
NTN	4T-LM501314	19,48	1	0,127	KG
NTN	4T-LM501349	33,99	1	0,223	KG
NTN	4T-LM501349/LM501311	75,92	1	0,366	KG
NTN	4T-LM503310	19,67	1	0,111	KG
NTN	4T-LM503349	40,16	1	0,211	KG
NTN	4T-LM503349A	41,21	1	0,198	KG
NTN	4T-LM503349A/LM503310	60,87	1	0,293	KG
NTN	4T-LM522510	131,67	1	0,826	KG
NTN	4T-LM522548/LM522510	474,01	1	2,286	KG
NTN	4T-LM522549/LM522510	426,26	1	2,24	KG
NTN	4T-LM603011	19,56	1	0,121	KG
NTN	4T-LM603012	17,09	1	0,156	KG
NTN	4T-LM603014	31,30	1	0,169	KG
NTN	4T-LM603049	36,02	1	0,248	KG
NTN	4T-LM603049/LM603014	67,31	1	0,386	KG
NTN	4T-LM67010	11,66	1	0,061	KG

NTN	4T-LM67048L	36,64	1	0,117	KG
NTN	4T-LM67049A	29,05	1	0,128	KG
NTN	4T-LM67049A/LM67010	40,72	1	0,194	KG
NTN	4T-LM72810PX1	32,60	1	0,054	KG
NTN	4T-LM72849/LM72810PX1	131,36	1	0,13	KG
NTN	4T-LM72849PX1	98,56	1	0,082	KG
NTN	4T-LM78310APX2	21,15	1	0,14	KG
NTN	4T-LM78349PX2	38,97	1	0,131	KG
NTN	4T-LM806610	26,31	1	0,15	KG
NTN	4T-LM806649	51,24	1	0,316	KG
NTN	4T-LM814810	59,43	1	0,32	KG
NTN	4T-LM814849	110,81	1	0,66	KG
NTN	4T-LM814849/LM814810	170,23	1	0,917	KG
NTN	4T-M12610	10,89	1	0,058	KG
NTN	4T-M12648/M12610	56,45	1	0,168	KG
NTN	4T-M12649	24,47	1	0,114	KG
NTN	4T-M201011	37,00	1	0,176	KG
NTN	4T-M201047	46,74	1	0,306	KG
NTN	4T-M201047/M201011	91,22	1	0,426	KG
NTN	4T-M231610	393,78	1	1,88	KG
NTN	4T-M231649	815,00	1	3,886	KG
NTN	4T-M231649/M231610	1.208,78	1	5,805	KG
NTN	4T-M236810	571,35	1	2,86	KG
NTN	4T-M236848	1.746,20	1	6,5	KG
NTN	4T-M236849/M236810	1.922,08	1	9,521	KG
NTN	4T-M238849/M238810	3.879,73	1	9,83	KG
NTN	4T-M244210	869,19	1	4,942	KG
NTN	4T-M244249E1	2.352,93	1	10,014	KG
NTN	4T-M246910	1.712,77	1	5,49	KG
NTN	4T-M802011	24,91	1	0,225	KG
NTN	4T-M802048	51,93	1	0,426	KG
NTN	4T-M804010	30,07	1	0,23	KG
NTN	4T-M804048	101,11	1	0,459	KG
NTN	4T-M804049	75,58	1	0,454	KG
NTN	4T-M804049/M804010	105,65	1	0,668	KG
NTN	4T-M84210	31,92	1	0,138	KG
NTN	4T-M84249	82,89	1	0,203	KG
NTN	4T-M84249/M84210	114,80	1	0,332	KG
NTN	4T-M84510	17,86	1	0,088	KG
NTN	4T-M84548	36,40	1	0,153	KG
NTN	4T-M84549/M84510	111,66	1	0,242	KG
NTN	4T-M86610	15,34	1	0,136	KG
NTN	4T-M86643	82,06	1	0,252	KG
NTN	4T-M86643/M86610	97,39	1	0,378	KG
NTN	4T-M86647	58,77	1	0,23	KG
NTN	4T-M86649	31,88	1	0,216	KG
NTN	4T-M88010	14,09	1	0,154	KG
NTN	4T-M88040	56,30	1	0,283	KG
NTN	4T-M88040/M88010	70,39	1	0,428	KG
NTN	4T-M88043	40,98	1	0,27	KG

NTN	4T-M88046	46,93	1	0,258	KG
NTN	4T-M88046/M88010	61,02	1	0,402	KG
NTN	4T-M88048	34,74	1	0,244	KG
NTN	4T-M903310	69,71	1	0,26	KG
NTN	4T-M903345	139,08	1	0,526	KG
NTN	4T-M903345/M903310	204,68	1	0,18	KG
NTN	EC0-CR-1185STPX1V7	83,36	1	0,416	KG
NTN	E-M268749TD/M268710G2+A	81.348,50	1	235	KG
NTN	T-E-64700	180,65	1	1,176	KG
NTN	T-E-9378	838,84	1	3,74	KG
NTN	T-HH840249/HH840210	15.176,90	1	36,735	KG
NTN	30202	33,81	1	0,053	KG
SNR	30202.A	33,81	1	0,06	KG
SNR	30204A	30,50	1	0,12	KG
SNR	30207A	46,29	1	0,331	KG
SNR	30213.A	123,26	1	1,144	KG
SNR	30214A	141,96	1	1,24	KG
NTN	30214U	141,95	1	1,26	KG
NTN	30216U	170,84	1	1,72	KG
NTN	30217U	206,73	1	2,164	KG
NTN	30218U	251,97	1	2,695	KG
NTN	30219U	332,38	1	3,162	KG
SNR	30220.A	404,19	1	3790	G
NTN	30220U	404,19	1	3,822	KG
NTN	30221U	498,18	1	4390	G
NTN	30222U	585,03	1	5000	G
SNR	30303.A	36,73	1	134	G
SNR	30308A	74,03	1	748	G
NTN	30312U	187,20	1	2,06	KG
NTN	30313U	243,75	1	2,55	KG
SNR	30314.A	303,18	1	3,07	KG
NTN	30314U	303,13	1	3060	G
NTN	30317U	554,87	1	60	G
NTN	30328U	4.492,81	1	21,1	KG
SNR	32004A	34,39	1	0,096	KG
SNR	32006A	31,61	1	0,17	KG
SNR	32008A	49,56	1	0,271	KG
SNR	32009A	56,57	1	0,338	KG
SNR	32010.A	64,77	1	374	G
NTN	32010XU	64,77	1	367	G
NTN	32012XU	93,19	1	604	G
SNR	32013.A	109,16	1	621	G
NTN	32013XU	109,14	1	640	G
SNR	32014A	124,65	1	0,841	KG
NTN	32014XU	124,65	1	0,886	KG
SNR	32015A	136,05	1	0,88	KG
NTN	32015XU	136,02	1	936	G
NTN	32016XU	162,74	1	1307	G
NTN	32017XU	182,96	1	1350	G
NTN	32018XU	209,52	1	1,79	KG

NTN	32019XU	229,12	1	1830	G
NTN	32020XU	231,56	1	1955	G
NTN	32021XU	335,04	1	2500	G
NTN	32022XU	365,20	1	3130	G
NTN	32024XU	448,62	1	3335	G
NTN	32026XU	675,30	1	4960	G
NTN	32028XU	886,32	1	5390	G
SNR	32207.C	90,29	1	442	G
SNR	32208A	59,12	1	0,422	KG
SNR	32210.A	74,31	1	640	G
NTN	32212U	120,39	1	1,185	KG
NTN	32213U	150,71	1	1,58	KG
NTN	32214U	164,83	1	1,68	KG
NTN	32215U	169,63	1	1750	G
NTN	32216U	192,49	1	2,18	KG
NTN	32217U	250,78	1	2770	G
NTN	32218U	328,98	1	3540	G
SNR	32219.A	414,36	1	4,35	KG
NTN	32219U	414,36	1	4300	G
NTN	32221U	637,83	1	6,25	KG
NTN	32222U	803,78	1	6900	G
NTN	32224U	1.398,83	1	9120	G
NTN	32238UUTG	6.540,64	1	36,082	KG
SNR	32304.A	54,81	1	0,236	KG
SNR	32305.A	59,24	1	0,376	KG
SNR	32308.A	100,75	1	1,057	KG
SNR	32309.A	121,04	1	1,42	KG
NTN	32309U	121,01	1	1,465	KG
SNR	32310.A	150,90	1	1890	G
NTN	32310U	150,89	1	1,92	KG
SNR	32311.A	192,20	1	1,355	KG
NTN	32311U	192,14	1	2,44	KG
NTN	32312U	234,21	1	3,01	KG
NTN	32313U	337,57	1	3631	G
NTN	32315U	498,73	1	5,4	KG
NTN	32316U	598,17	1	6480	G
NTN	33212U	196,46	1	1540	G
SNR	33213.A	224,53	1	2,03	KG
NTN	33213U	224,51	1	2,01	KG
NTN	33214U	239,56	1	2100	G
NTN	33215U	284,63	1	2240	G
SNR	33216.A	364,84	1	2,953	KG
NTN	33216U	364,82	1	2920	G
NTN	4T-30204	30,48	1	0,127	KG
NTN	4T-30206	37,10	1	0,243	KG
NTN	4T-30207	46,27	1	0,344	KG
NTN	4T-30208	53,38	1	0,42	KG
NTN	4T-30209	59,47	1	0,503	KG
NTN	4T-30210	75,53	1	0,563	KG
NTN	4T-30211	83,78	1	0,714	KG

NTN	4T-30212	99,95	1	0,917	KG
NTN	4T-30213	123,22	1	1,185	KG
NTN	4T-30215	143,73	1	1,41	KG
NTN	4T-30302	35,87	1	100	G
NTN	4T-30303	36,73	1	134	G
NTN	4T-30306	52,63	1	0,408	KG
NTN	4T-30307	60,17	1	0,546	KG
NTN	4T-30308	74,07	1	0,769	KG
NTN	4T-30310	114,13	1	1310	G
NTN	4T-30311	150,71	1	1,627	KG
NTN	4T-32004X	34,39	1	97	G
NTN	4T-32005X	34,82	1	118	G
NTN	4T-32006X	39,93	1	180	G
NTN	4T-32007X	42,91	1	224	G
NTN	4T-32008X	49,56	1	0,273	KG
NTN	4T-32009X	56,57	1	0,346	KG
NTN	4T-32010X	64,75	1	0,37	KG
NTN	4T-32011X	76,55	1	0,574	KG
NTN	4T-32206	47,04	1	0,286	KG
NTN	4T-32207	54,89	1	0,457	KG
NTN	4T-32208	59,12	1	0,558	KG
NTN	4T-32209	66,26	1	0,6	KG
NTN	4T-32210	74,35	1	626	G
NTN	4T-32211	105,09	1	890	G
NTN	4T-32304	54,78	1	250	G
NTN	4T-32305	59,24	1	381	G
NTN	4T-32307	86,41	1	787	G
NTN	4T-32308	100,73	1	1,066	KG
NTN	4T-33205	54,94	1	228	G
NTN	4T-33206	70,54	1	354	G
NTN	4T-33207	84,15	1	531	G
NTN	4T-33208	96,58	1	728	G
NTN	4T-33209	109,61	1	800	G
NTN	4T-33210	115,68	1	0,875	KG
NTN	4T-33211	140,33	1	1150	G
NTN	4T-02474/02420	86,16	1	0,418	KG
NTN	4T-02872/02820	58,61	1	0,486	KG
NTN	4T-03062/03162	90,81	1	0,064	KG
NTN	4T-07087/07196	67,67	1	0,135	KG
NTN	4T-07087X/07210X	69,67	1	0,152	KG
NTN	4T-07100/07196	54,65	1	0,116	KG
NTN	4T-07100/07204	59,61	1	0,143	KG
NTN	4T-07100/07210X	54,09	1	0,133	KG
NTN	4T-07100S/07196	59,43	1	0,114	KG
NTN	4T-07100S/07210X	61,39	1	0,139	KG
NTN	4T-09067/09195	62,17	1	0,185	KG
NTN	4T-09067/09196	64,36	1	0,197	KG
NTN	4T-09074/09195	55,98	1	0,197	KG
NTN	4T-09074/09196	58,38	1	0,207	KG
NTN	4T-11162/11300	182,10	1	0,352	KG

NTN	4T-11590/11520	67,76	1	0,092	KG
NTN	4T-1380/1328	89,76	1	0,21	KG
NTN	4T-14131/14276	55,76	1	0,355	KG
NTN	4T-14137A/14276	57,11	1	0,342	KG
NTN	4T-15101/15250X	67,10	1	0,339	KG
NTN	4T-15123/15245	46,41	1	0,243	KG
NTN	4T-15123/15250X	51,45	1	0,285	KG
NTN	4T-16150/16283	131,05	1	0,399	KG
NTN	4T-16150/16284	94,73	1	0,361	KG
NTN	4T-18590/18520	88,97	1	0,29	KG
NTN	4T-18690/18620	79,35	1	0,344	KG
NTN	4T-18790/18720	80,40	1	0,386	KG
NTN	4T-1985/1922	75,54	1	0,218	KG
NTN	4T-1988/1922	94,55	1	0,223	KG
NTN	4T-21075/21212	80,42	1	0,254	KG
NTN	4T-24780/24720	93,91	1	0,442	KG
NTN	4T-25577/25520	75,69	1	0,577	KG
NTN	4T-25577/25521	91,42	1	0,59	KG
NTN	4T-25577/25522	94,34	1	0,575	KG
NTN	4T-25577/25523	86,10	1	0,637	KG
NTN	4T-25580/25520	74,83	1	0,556	KG
NTN	4T-25580/25521	90,57	1	0,55	KG
NTN	4T-25580/25522	87,14	1	0,574	KG
NTN	4T-25580/25523	94,32	1	0,598	KG
NTN	4T-25590/25520	74,52	1	0,556	KG
NTN	4T-25590/25521	90,27	1	0,549	KG
NTN	4T-25590/25522	86,84	1	0,54	KG
NTN	4T-25590/25523	84,95	1	0,562	KG
NTN	4T-2580/2520	120,75	1	0,402	KG
NTN	4T-2585/2523	102,48	1	0,43	KG
NTN	4T-25877/25820	70,93	1	0,476	KG
NTN	4T-25877/25821	67,94	1	0,474	KG
NTN	4T-25878/25820	89,83	1	0,462	KG
NTN	4T-25880/25820	84,87	1	0,459	KG
NTN	4T-25880/25821	81,88	1	0,454	KG
NTN	4T-27687/27620	233,29	1	1,084	KG
NTN	4T-2780/2720	82,71	1	0,524	KG
NTN	4T-2788/2720	69,23	1	0,506	KG
NTN	4T-2788/2729	82,62	1	0,512	KG
NTN	4T-2789/2720	78,37	1	0,486	KG
NTN	4T-2789/2729	91,77	1	0,47	KG
NTN	4T-28150/28300	131,54	1	0,416	KG
NTN	4T-29585/29520	170,21	1	0,94	KG
NTN	4T-29585/29521	236,80	1	0,976	KG
NTN	4T-29586/29520	184,59	1	0,92	KG
NTN	4T-29590/29520	198,05	1	0,875	KG
NTN	4T-29590/29522	205,81	1	0,888	KG
NTN	4T-29675/29620	134,47	1	0,97	KG
NTN	4T-29685/29620	149,49	1	0,892	KG
NTN	4T-31593/31520	97,30	1	636	G

NTN	4T-33281/33462	195,63	1	1250	G
NTN	4T-33287/33462	165,36	1	1208	G
NTN	4T-33895/33821	141,80	1	0,812	KG
NTN	4T-33895/33822	144,35	1	810	G
NTN	4T-344/332	100,55	1	0,479	KG
NTN	4T-3490/3420	123,23	1	695	G
NTN	4T-3585/3525	126,85	1	0,846	KG
NTN	4T-3586/3525	136,02	1	0,715	KG
NTN	4T-359S/354X	260,06	1	0,487	KG
NTN	4T-368A/362A	80,73	1	0,53	KG
NTN	4T-369S/362A	88,97	1	0,575	KG
NTN	4T-37425/37625	387,14	1	1,408	KG
NTN	4T-37431A/37625	325,44	1	1,36	KG
NTN	4T-3780/3720	101,35	1	0,8	KG
NTN	4T-3782/3720	94,48	1	0,974	KG
NTN	4T-387/382	102,07	1	0,642	KG
NTN	4T-387/382A	89,72	1	0,596	KG
NTN	4T-3877/3820	108,20	1	0,819	KG
NTN	4T-387A/382	89,06	1	0,623	KG
NTN	4T-387A/382A	76,69	1	0,594	KG
NTN	4T-387A/382S	101,95	1	0,65	KG
NTN	4T-387AS/382A	89,54	1	0,57	KG
NTN	4T-395/394A	107,09	1	0,872	KG
NTN	4T-39580/39520	167,00	1	1,432	KG
NTN	4T-39581/39520	139,52	1	1,405	KG
NTN	4T-39585/39520	160,17	1	1,292	KG
NTN	4T-39590/39520	134,96	1	1,214	KG
NTN	4T-395A/394A	115,73	1	0,534	KG
NTN	4T-395S/394A	114,79	1	0,816	KG
NTN	4T-3982/3920	118,75	1	1,276	KG
NTN	4T-3984/3920	121,84	1	1,202	KG
NTN	4T-3994/3920	134,63	1	1,192	KG
NTN	4T-399A/394A	108,09	1	0,79	KG
NTN	4T-418/414	140,19	1	0,85	KG
NTN	4T-42381/42584	268,35	1	1,72	KG
NTN	4T-42687/42620	223,74	1	1,475	KG
NTN	4T-45291/45220	160,84	1	1,098	KG
NTN	4T-4580/4535	265,30	1	1,65	KG
NTN	4T-462/453X	165,18	1	1,078	KG
NTN	4T-462A/453X	192,57	1	1,072	KG
NTN	4T-47487/47420	264,75	1	1,49	KG
NTN	4T-47490/47420	279,43	1	1,4	KG
NTN	4T-47686/47620	213,02	1	1,75	KG
NTN	4T-47687/47620	239,44	1	1,71	KG
NTN	4T-482/472	250,81	1	1,3	KG
NTN	4T-48290/48220	613,91	1	3,384	KG
NTN	4T-48393/48320	594,13	1	3,496	KG
NTN	4T-495/493	195,43	1	1,604	KG
NTN	4T-495A/493	216,21	1	1,8	KG
NTN	4T-497/492A	168,09	1	1,5	KG

NTN	4T-497/493	170,58	1	1,554	KG
NTN	4T-526/522	182,45	1	1,418	KG
NTN	4T-527/522	183,44	1	1,357	KG
NTN	4T-537/532X	214,31	1	1,568	KG
NTN	4T-539/532X	191,78	1	1,492	KG
NTN	4T-55200C/55437	158,33	1	1,366	KG
NTN	4T-5583/5535	373,46	1	2,412	KG
NTN	4T-559/552A	228,82	1	2,04	KG
NTN	4T-56418/56650	369,60	1	2,83	KG
NTN	4T-56425/56650	337,19	1	2,752	KG
NTN	4T-566/563	216,18	1	1,88	KG
NTN	4T-575/572	238,05	1	2,45	KG
NTN	4T-575/572X	272,21	1	2,438	KG
NTN	4T-580/572	203,36	1	2,18	KG
NTN	4T-580/572X	237,52	1	2,21	KG
NTN	4T-594/592	322,52	1	2,56	KG
NTN	4T-594/592A	257,84	1	2,56	KG
NTN	4T-594A/592A	243,06	1	2,544	KG
NTN	4T-598A/592A	266,64	1	2,62	KG
NTN	4T-6379/6320	423,21	1	3,758	KG
NTN	4T-6386/6320	423,75	1	3,639	KG
NTN	4T-641/632	306,43	1	2,72	KG
NTN	4T-64432/64708	927,95	1	3,91	KG
NTN	4T-64450/64700	463,16	1	3,584	KG
NTN	4T-65390/65320	366,84	1	2,216	KG
NTN	4T-6581X/6525X	1.355,05	1	4,524	KG
NTN	4T-663/653	268,77	1	2,831	KG
NTN	4T-665/653	322,08	1	2,696	KG
NTN	4T-67390/67322	679,04	1	4,76	KG
NTN	4T-683/672	393,24	1	3,779	KG
NTN	4T-68462/68712	462,42	1	2,76	KG
NTN	4T-687/672	342,75	1	3,478	KG
NTN	4T-72200C/72487	225,37	1	2,08	KG
NTN	4T-72212C/72487	248,76	1	2,048	KG
NTN	4T-749/742	325,15	1	3,298	KG
NTN	4T-78215C/78551	395,89	1	2,739	KG
NTN	4T-861/854	746,79	1	7	KG
NTN	4T-9285/9220ST	740,86	1	4,24	KG
NTN	4T-H212749/H212710	342,31	1	2144	G
NTN	4T-H414242/H414210	396,91	1	2,78	KG
NTN	4T-H414249/H414210	313,82	1	2,61	KG
NTN	4T-H913842/H913810	486,58	1	3,202	KG
NTN	4T-HH221449/HH221410	983,41	1	7	KG
NTN	4T-HM215249/HM215210	287,12	1	2,14	KG
NTN	4T-HM218248/HM218210	250,07	1	2,584	KG
NTN	4T-HM220149/HM220110	352,53	1	2,904	KG
NTN	4T-HM518445/HM518410	283,43	1	2,934	KG
NTN	4T-HM801346/HM801310	172,68	1	0,774	KG
NTN	4T-HM801346X/HM801310	126,07	1	0,776	KG
NTN	4T-HM803146/HM803110	113,79	1	0,912	KG

NTN	4T-HM803149/HM803110	120,95	1	0,864	KG
NTN	4T-HM803149/HM803111	127,27	1	0,85	KG
NTN	4T-HM803149/HM803112	127,27	1	0,921	KG
NTN	4T-HM807040/HM807010	179,78	1	1,642	KG
NTN	4T-HM807044/HM807010	195,15	1	1,508	KG
NTN	4T-HM807046/HM807010	187,19	1	1,506	KG
NTN	4T-HM807048/HM807010	201,41	1	1,384	KG
NTN	4T-HM807049/HM807010	212,10	1	1,426	KG
NTN	4T-HM813849/HM813810	303,88	1	1,845	KG
NTN	4T-HM88542/HM88510	79,94	1	0,634	KG
NTN	4T-HM88648/HM88610PX1	71,71	1	0,482	KG
NTN	4T-HM88649/HM88610	58,09	1	0,498	KG
NTN	4T-HM89443/HM89410	97,27	1	0,68	KG
NTN	4T-HM89446/HM89410	84,35	1	0,637	KG
NTN	4T-HM89448/HM89410	101,97	1	0,636	KG
NTN	4T-HM89449/HM89410	84,69	1	0,62	KG
NTN	4T-HM89449/HM89411	84,69	1	0,625	KG
NTN	4T-HM903249/HM903210	156,33	1	0,988	KG
NTN	4T-HM907643/HM907614	336,37	1	1,376	KG
NTN	4T-HM911245/HM911210	360,67	1	2,1	KG
NTN	4T-JH211749/JH211710PK	262,31	1	1,878	KG
NTN	4T-JH415647/JH415610	457,83	1	3,835	KG
NTN	4T-JH415647/JH415610PK	457,83	1	3,846	KG
NTN	4T-JHM720249/JHM720210	453,29	1	3094	G
NTN	4T-JL68145/JL68111Z	46,83	1	194	G
NTN	4T-JL69349/JL69310	38,08	1	206	G
NTN	4T-JL819349/JL819310	204,79	1	868	G
NTN	4T-JLM104948/JLM104910	67,88	1	0,425	KG
NTN	4T-JLM506849/JLM506810	113,10	1	558	G
NTN	4T-JLM508748/JLM508710	169,93	1	619	G
NTN	4T-JLM710949/JLM710910	158,18	1	762	G
NTN	4T-JLM714149/JLM714110PK	169,34	1	902	G
NTN	4T-JM205149/JM205110	130,97	1	0,766	KG
NTN	4T-JM205149/JM205110PK	130,97	1	762	G
NTN	4T-JM207049/JM207010	151,18	1	925	G
NTN	4T-JM511946/JM511910	183,32	1	1085	G
NTN	4T-JM515649/JM515610PK	292,90	1	1760	G
NTN	4T-JM612949/JM612910PK	251,45	1	1138	G
NTN	4T-JM714249/JM714210PK	194,20	1	1310	G
NTN	4T-JM716649/JM716610	194,27	1	1,364	KG
NTN	4T-JM822049/JM822010	377,04	1	2,584	KG
NTN	4T-L44643/L44610	34,20	1	0,128	KG
NTN	4T-L44643L/L44610	46,44	1	0,14	KG
NTN	4T-L44649/L44610	31,85	1	0,121	KG
NTN	4T-L45449/L45410	25,85	1	0,118	KG
NTN	4T-L68149/L68110	35,91	1	0,176	KG
NTN	4T-L68149/L68111	37,16	1	0,184	KG
NTN	4T-LM102949/LM102910	47,15	1	0,306	KG
NTN	4T-LM104949/LM104911	71,59	1	0,413	KG
NTN	4T-LM11749/LM11710	26,65	1	0,088	KG

NTN	4T-LM11949/LM11910	27,47	1	0,128	KG
NTN	4T-LM11949L/LM11910	39,33	1	0,134	KG
NTN	4T-LM12749/LM12711	35,61	1	0,121	KG
NTN	4T-LM29748/LM29710	58,91	1	0,229	KG
NTN	4T-LM29748L/LM29710	58,91	1	0,248	KG
NTN	4T-LM29749/LM29710	47,48	1	0,234	KG
NTN	4T-LM29749/LM29711	71,09	1	0,259	KG
NTN	4T-LM300849/LM300811	50,07	1	0,246	KG
NTN	4T-LM48548/LM48510	39,60	1	0,25	KG
NTN	4T-LM48548L/LM48510	52,56	1	0,255	KG
NTN	4T-LM501349/LM501310	50,28	1	0,33	KG
NTN	4T-LM501349/LM501314	53,47	1	0,35	KG
NTN	4T-LM503349/LM503310	59,82	1	0,314	KG
NTN	4T-LM603049/LM603011	55,58	1	0,367	KG
NTN	4T-LM603049/LM603012	53,09	1	0,4	KG
NTN	4T-LM67048/LM67010	33,77	1	0,186	KG
NTN	4T-LM67048L/LM67010	48,30	1	0,2	KG
NTN	4T-LM78349/LM78310APX2	62,18	1	0,214	KG
NTN	4T-LM806649/LM806610	77,54	1	0,448	KG
NTN	4T-M12649/M12610	35,35	1	0,172	KG
NTN	4T-M802048/M802011	76,85	1	0,648	KG
NTN	4T-M84548/M84510	54,26	1	0,252	KG
NTN	4T-M86647/M86610	74,12	1	0,356	KG
NTN	4T-M86649/M86610	47,22	1	0,342	KG
NTN	4T-M88043/M88010	55,07	1	0,414	KG
NTN	4T-M88048/M88010	48,83	1	0,388	KG
NTN	29236	6.955,50	1	6,24	KG
NTN	29244	7.315,71	1	10,065	KG
NTN	29317	1.905,65	1	2,88	KG
NTN	29318	2.250,19	1	3,1	KG
NTN	29322	2.589,88	1	5,7	KG
NTN	29324	2.774,52	1	7,8	KG
NTN	29328	3.643,73	1	11,405	KG
NTN	29330	3.715,67	1	12,02	KG
NTN	29332	3.908,57	1	15,7	KG
NTN	29334	4.852,31	1	16,5	KG
NTN	29336	5.843,99	1	21	KG
NTN	29338	7.357,87	1	25,8	KG
NTN	29412	1.555,06	1	2,81	KG
NTN	29413	1.601,92	1	3,48	KG
NTN	29414	1.748,87	1	4,21	KG
NTN	29415	1.818,58	1	5,11	KG
NTN	29416	1.974,73	1	6,155	KG
NTN	29417	2.369,66	1	7,1	KG
NTN	29418	2.424,77	1	8,45	KG
NTN	29420	2.865,65	1	11,4	KG
NTN	29422	3.196,29	1	15,06	KG
NTN	29424	3.857,60	1	18,4	KG
NTN	29432	10.225,86	1	36,6	KG
NTN	29440	15.952,83	1	72,82	KG

SNR	21305.V	153,49	1	0,264	KG
SNR	21305.VC3	153,49	1	0,264	KG
SNR	21305VK	153,49	1	254	G
SNR	21305.VKC3	153,49	1	0,261	KG
SNR	21306.V	174,26	1	0,39	KG
SNR	21306.VC3	174,26	1	0,39	KG
SNR	21306.VKC3	174,26	1	0,387	KG
SNR	21307EAKW33C3	190,55	1	0,519	KG
SNR	21307EAW33	190,55	1	0,5	KG
NTN	21307EAW33C3	190,55	1	0,528	KG
SNR	21307EAW33C3	190,55	1	0,5	KG
NTN	21308CD1	232,19	1	0,725	KG
NTN	21308CD1C3	232,19	1	0,74	KG
NTN	21308CKD1	278,62	1	0,725	KG
SNR	21308.V	232,19	1	0,728	KG
SNR	21308.VC3	232,19	1	0,729	KG
SNR	21308.VK	232,19	1	712	G
SNR	21308.VKC3	232,19	1	0,714	KG
NTN	21309CD1	236,43	1	0,96	KG
NTN	21309CD1C3	236,43	1	0,98	KG
SNR	21309EAKW33	255,81	1	0,93	KG
SNR	21309EAKW33C3	255,81	1	0,93	KG
SNR	21309EAW33	236,43	1	1000	G
SNR	21309EAW33C3	236,43	1	0,95	G
NTN	21310CD1	271,83	1	1,21	KG
NTN	21310CD1C3	271,83	1	1,279	KG
NTN	21310CKD1C3	299,00	1	1,23	KG
SNR	21310.V	271,83	1	1,281	KG
SNR	21310.VC3	271,83	1	1,276	KG
NTN	21310.VC3	271,83	1	1,21	KG
SNR	21310.VK	271,83	1	1,259	KG
SNR	21310.VKC3	271,83	1	1,258	KG
NTN	21311D1	309,16	1	1,71	KG
NTN	21311D1C3	309,16	1	1,71	KG
NTN	21311KD1C3	309,16	1	1,65	KG
SNR	21311.V	309,16	1	1,629	KG
SNR	21311.VC3	309,16	1	1,626	KG
SNR	21311.VK	309,16	1	1,54	KG
SNR	21311.VKC3	309,16	1	1,599	KG
SNR	21311VW33	309,16	1	1,537	KG
NTN	21312D1	358,95	1	2,1	KG
NTN	21312D1C3	358,95	1	2,04	KG
SNR	21312.V	358,95	1	1,984	KG
SNR	21312.VC3	358,95	1	1,978	KG
SNR	21312.VK	358,95	1	1,958	KG
SNR	21312.VKC3	358,95	1	1,957	KG
NTN	21313D1	397,43	1	2,6	KG
NTN	21313D1C3	397,43	1	2,6	KG
SNR	21313.V	397,43	1	2,439	KG
SNR	21313.VC3	397,43	1	2,43	KG

SNR	21313.VK	397,43	1	2,39	KG
SNR	21313.VKC3	397,43	1	2,398	KG
NTN	21314D1	481,56	1	3,173	KG
NTN	21314D1C3	481,56	1	3,145	KG
SNR	21314.V	481,56	1	3,012	KG
NTN	21314.V	481,56	1	2,98	KG
SNR	21314.VC3	481,56	1	3,002	KG
SNR	21314.VK	486,21	1	2,954	KG
SNR	21314.VKC3	486,21	1	2,966	KG
NTN	21315D1	511,63	1	3,81	KG
NTN	21315D1C3	511,63	1	3,785	KG
SNR	21315.V	511,63	1	3,595	KG
SNR	21315.VC3	511,63	1	3,593	KG
SNR	21315.VK	542,03	1	3,544	KG
SNR	21315.VKC3	542,03	1	3,542	KG
NTN	21316D1	576,10	1	4,44	KG
NTN	21316D1C3	576,10	1	4,49	KG
SNR	21316.V	576,10	1	4,238	KG
SNR	21316.VC3	576,10	1	4,24	KG
SNR	21316VC4	633,71	1	4,255	KG
SNR	21316.VK	610,35	1	4,192	KG
SNR	21316.VKC3	610,35	1	4,19	KG
NTN	21317D1	653,49	1	5,31	KG
NTN	21317D1C3	653,49	1	5,305	KG
SNR	21317.V.M	653,49	1	5,288	KG
SNR	21317.VMC3	653,49	1	5,264	KG
SNR	21317.VMK	672,40	1	5,215	KG
SNR	21317.VMKC3	672,40	1	5,21	KG
NTN	21318D1	744,31	1	6,1	KG
NTN	21318D1C3	744,31	1	6,1	KG
SNR	21318.V.M	807,67	1	6,146	KG
SNR	21318.VMC3	807,67	1	6,146	KG
SNR	21318.VMK	807,67	1	6,054	KG
SNR	21318.VMKC3	807,67	1	6,06	KG
NTN	21318.VMKC3	807,67	1	6,21	KG
NTN	21319D1	891,64	1	6,96	KG
NTN	21319D1C3	891,64	1	6,96	KG
NTN	21319KD1C3	917,50	1	6,88	KG
NTN	21320D1	1.044,09	1	8,785	KG
NTN	21320D1C3	1.044,09	1	8,89	KG
NTN	21322D1	1.484,82	1	11,766	KG
NTN	21322D1C3	1.484,82	1	11,765	KG
NTN	21322KD1	1.484,82	1	11,65	KG
SNR	22205.EAC3	141,24	1	0,184	KG
SNR	22205.EAKW33	141,24	1	0,18	KG
NTN	22205.EAKW33	141,24	1	0,175	KG
SNR	22205.EAKW33C3	141,24	1	0,178	KG
NTN	22205.EAKW33C3	141,24	1	0,175	KG
SNR	22205EAKW33C4	155,36	1	99,999	KG
SNR	22205.EAW33	141,24	1	0,18	KG

NTN	22205.EAW33	141,24	1	0,17	KG
SNR	22205.EAW33C3	141,24	1	0,182	KG
NTN	22205.EAW33C3	141,24	1	0,18	KG
SNR	22205.EAW33C4	155,36	1	0,182	KG
SNR	22205.EG15W33	141,24	1	0,172	KG
SNR	22205.EG15W33C3	141,24	1	0,17	KG
SNR	22205.EG15W33C4	155,36	1	171	G
SNR	22205.EMKW33	273,64	1	0,177	KG
SNR	22205.EMKW33C3	273,64	1	0,178	KG
SNR	22205EMKW33C4	301,00	1	0,16	KG
SNR	22205.EMW33	273,64	1	0,183	KG
SNR	22205.EMW33C3	273,64	1	0,18	KG
SNR	22205EMW33C4	301,00	1	1	G
SNR	22206.EA	142,72	1	0,286	KG
SNR	22206.EAC3	142,72	1	0,3	KG
SNR	22206.EAKW33	142,72	1	0,28	KG
NTN	22206.EAKW33	142,72	1	0,28	KG
SNR	22206.EAKW33C3	142,72	1	0,281	KG
NTN	22206.EAKW33C3	142,72	1	0,282	KG
SNR	22206EAKW33C4	157,00	1	0,288	KG
SNR	22206.EAW33	142,72	1	0,28	KG
NTN	22206.EAW33	142,72	1	0,285	KG
SNR	22206.EAW33C3	142,72	1	0,28	KG
NTN	22206.EAW33C3	142,72	1	0,28	KG
SNR	22206.EAW33C4	157,00	1	0,286	KG
SNR	22206EG15KW33	142,72	1	0,25	KG
SNR	22206.EG15KW33C3	142,72	1	266	G
SNR	22206.EG15W33	142,72	1	0,272	KG
SNR	22206.EG15W33C3	142,72	1	0,28	KG
SNR	22206.EMKW33	213,02	1	0,278	KG
SNR	22206.EMKW33C3	213,02	1	0,28	KG
SNR	22206EMKW33C4	215,15	1	0,27	KG
SNR	22206.EMW33	213,02	1	0,286	KG
SNR	22206.EMW33C3	213,02	1	0,29	KG
SNR	22206EMW33C4	215,15	1	99,999	KG
SNR	22207.EAKW33	151,39	1	0,443	KG
NTN	22207.EAKW33	151,39	1	0,44	KG
SNR	22207.EAKW33C3	151,39	1	0,44	KG
NTN	22207.EAKW33C3	151,39	1	0,44	KG
SNR	22207EAKW33C4	166,54	1	0,452	KG
SNR	22207.EAW33	151,39	1	0,45	KG
NTN	22207.EAW33	151,39	1	0,45	KG
NTN	22207EAW33C2	194,62	1	0,44	KG
SNR	22207.EAW33C3	151,39	1	0,453	KG
NTN	22207.EAW33C3	151,39	1	0,45	KG
SNR	22207.EAW33C4	165,23	1	0,453	KG
NTN	22207.EAW33C4	165,23	1	0,292	KG
SNR	22207.EG15KW33C3	151,39	1	0,418	KG
SNR	22207.EG15W33	151,39	1	0,432	KG
SNR	22207.EG15W33C3	151,39	1	0,43	KG

SNR	22207.EMKW33	224,68	1	0,446	KG
SNR	22207.EMKW33C3	224,68	1	0,443	KG
SNR	22207EMKW33C4	247,14	1	0,43	KG
SNR	22207.EMW33	224,68	1	0,459	KG
SNR	22207.EMW33C3	224,68	1	0,458	KG
SNR	22207EMW33C4	247,14	1	1	G
SNR	22208.EAKW33	161,42	1	0,532	KG
NTN	22208.EAKW33	161,42	1	0,53	KG
SNR	22208.EAKW33C3	161,42	1	0,52	KG
NTN	22208.EAKW33C3	161,42	1	0,53	KG
SNR	22208EAKW33C4	177,55	1	0,54	KG
SNR	22208.EAW33	161,42	1	0,544	KG
NTN	22208.EAW33	161,42	1	0,542	KG
SNR	22208.EAW33C3	161,42	1	0,544	KG
NTN	22208.EAW33C3	161,42	1	0,54	KG
SNR	22208.EAW33C4	177,55	1	0,543	KG
SNR	22208.EAW33C5	209,84	1	541	G
SNR	22208.EG15KW33	161,42	1	505	G
SNR	22208.EG15KW33C3	161,42	1	505	G
SNR	22208.EG15W33	161,42	1	0,519	KG
SNR	22208.EG15W33C3	161,42	1	0,52	KG
SNR	22208.EMC3	244,13	1	0,552	KG
SNR	22208.EMKW33	234,74	1	0,53	KG
NTN	22208.EMKW33	234,74	1	0,53	KG
SNR	22208.EMKW33C3	234,74	1	0,538	KG
SNR	22208EMKW33C4	258,21	1	0,4	KG
SNR	22208.EMW33	234,74	1	0,546	KG
NTN	22208.EMW33	234,74	1	0,54	KG
SNR	22208.EMW33C3	234,74	1	0,54	KG
NTN	22208.EMW33C3	234,74	1	0,54	KG
SNR	22208EMW33C4	258,21	1	1	G
SNR	22209.EAKW33	174,77	1	0,569	KG
NTN	22209.EAKW33	174,77	1	0,565	KG
SNR	22209.EAKW33C3	174,77	1	0,574	KG
NTN	22209.EAKW33C3	174,77	1	0,565	KG
SNR	22209.EAKW33C4	192,25	1	0,567	KG
SNR	22209.EAW33	174,77	1	0,59	KG
NTN	22209.EAW33	174,77	1	0,58	KG
SNR	22209.EAW33C3	174,77	1	0,582	KG
NTN	22209.EAW33C3	174,77	1	0,565	KG
SNR	22209.EAW33C4	192,25	1	0,58	KG
SNR	22209.EG15W33	174,77	1	0,559	KG
SNR	22209.EG15W33C3	174,77	1	558	G
SNR	22209.EMC3	244,36	1	0,599	KG
SNR	22209.EMKW33	247,25	1	0,58	KG
NTN	22209.EMKW33	246,93	1	0,581	KG
SNR	22209.EMKW33C3	247,25	1	0,581	KG
SNR	22209EMKW33C4	271,97	1	0,45	KG
SNR	22209.EMW33	247,25	1	0,592	KG
NTN	22209.EMW33	246,93	1	0,59	KG

SNR	22209.EMW33C3	247,25	1	0,59	KG
SNR	22209EMW33C4	258,46	1	1	G
NTN	22210EAD1C3	180,34	1	0,6	KG
NTN	22210EAKD1	180,32	1	0,617	KG
SNR	22210.EAKW33	180,34	1	0,616	KG
NTN	22210.EAKW33	180,34	1	0,61	KG
SNR	22210.EAKW33C3	180,34	1	0,616	KG
NTN	22210.EAKW33C3	180,34	1	0,61	KG
SNR	22210.EAKW33C4	198,37	1	0,617	KG
SNR	22210.EAW33	180,34	1	0,62	KG
NTN	22210.EAW33	180,34	1	0,624	KG
SNR	22210.EAW33C3	180,34	1	0,55	KG
NTN	22210.EAW33C3	180,34	1	0,59	KG
SNR	22210.EAW33C4	198,37	1	0,631	KG
NTN	22210.EAW33C4	198,37	1	0,59	KG
SNR	22210.EAW33C5	234,45	1	0,63	KG
SNR	22210.EG15KW33	180,34	1	590	G
SNR	22210.EG15KW33C3	180,34	1	0,59	KG
SNR	22210.EG15W33	180,34	1	0,604	KG
SNR	22210.EG15W33C3	180,34	1	0,606	KG
SNR	22210.EMKW33	248,99	1	0,628	KG
NTN	22210.EMKW33	248,99	1	0,628	KG
SNR	22210.EMKW33C3	248,99	1	0,626	KG
SNR	22210EMKW33C4	273,90	1	0,59	KG
SNR	22210.EMW33	248,99	1	638	G
NTN	22210.EMW33	248,99	1	0,35	KG
SNR	22210.EMW33C3	248,99	1	0,64	KG
NTN	22210.EMW33C3	248,99	1	0,63	KG
SNR	22210EMW33C4	273,90	1	1	G
SNR	22211.EAC3	198,47	1	0,86	KG
SNR	22211.EAKW33	198,47	1	0,83	KG
NTN	22211.EAKW33	198,47	1	0,828	KG
SNR	22211.EAKW33C3	198,47	1	0,83	KG
NTN	22211.EAKW33C3	198,47	1	0,8	KG
SNR	22211.EAKW33C4	218,32	1	0,834	KG
SNR	22211.EAW33	198,47	1	0,851	KG
NTN	22211.EAW33	198,47	1	0,823	KG
SNR	22211.EAW33C3	198,47	1	0,854	KG
NTN	22211.EAW33C3	198,47	1	0,85	KG
SNR	22211.EAW33C4	218,32	1	0,854	KG
NTN	22211.EAW33C4	218,32	1	0,8	KG
SNR	22211.EG15KW33	198,47	1	0,796	KG
SNR	22211.EG15KW33C3	198,47	1	0,798	KG
SNR	22211.EG15W33	198,47	1	810	G
SNR	22211.EG15W33C3	198,47	1	814	G
SNR	22211.EMKW33	294,09	1	0,84	KG
SNR	22211.EMKW33C3	294,09	1	0,844	KG
SNR	22211EMKW33C4	323,49	1	0,81	KG
SNR	22211.EMW33	294,09	1	0,86	KG
SNR	22211.EMW33C3	294,09	1	0,858	KG

SNR	22211EMW33C4	323,49	1	1	G
SNR	22212.EAKW33	224,45	1	1,142	KG
NTN	22212.EAKW33	224,45	1	1,09	KG
SNR	22212.EAKW33C3	224,45	1	1,06	KG
NTN	22212.EAKW33C3	224,45	1	1,13	KG
SNR	22212.EAKW33C4	246,89	1	1,138	KG
SNR	22212.EAW33	224,45	1	1,166	KG
NTN	22212.EAW33	224,45	1	1,12	KG
SNR	22212EAW33C2	269,33	1	1,134	KG
SNR	22212.EAW33C3	224,45	1	1,166	KG
NTN	22212.EAW33C3	224,45	1	1,16	KG
SNR	22212.EAW33C4	246,89	1	1,162	KG
NTN	22212.EAW33C4	246,89	1	1,165	KG
SNR	22212.EAW33C5	291,78	1	1,162	KG
SNR	22212.EG15C3	224,45	1	1,128	KG
SNR	22212.EG15W33C3	224,45	1	1,12	KG
SNR	22212.EMKW33	312,02	1	1,158	KG
SNR	22212.EMKW33C3	312,02	1	1,162	KG
SNR	22212EMKW33C4	343,22	1	1,12	KG
SNR	22212.EMW33	312,02	1	1,178	KG
SNR	22212.EMW33C3	312,02	1	1,174	KG
NTN	22212.EMW33C3	312,02	1	1,17	KG
SNR	22212.EMW33C4	343,22	1	1,15	KG
SNR	22213.EAC4	290,37	1	1,56	KG
SNR	22213.EAKW33	263,97	1	1,52	KG
NTN	22213.EAKW33	263,97	1	1,504	KG
SNR	22213.EAKW33C3	263,97	1	0,734	KG
NTN	22213.EAKW33C3	263,97	1	1,512	KG
SNR	22213.EAKW33C4	290,37	1	1,507	KG
NTN	22213.EAKW33C4	290,37	1	1,615	KG
SNR	22213.EAW33	263,97	1	1,391	KG
NTN	22213.EAW33	263,97	1	1,5	KG
SNR	22213.EAW33C3	263,97	1	1,554	KG
NTN	22213.EAW33C3	263,97	1	1,535	KG
SNR	22213.EAW33C4	290,37	1	1,54	KG
NTN	22213.EAW33C4	290,37	1	1,5	KG
SNR	22213.EAW33C5	343,16	1	1,55	KG
NTN	22213.EMKW33	366,96	1	1,53	KG
SNR	22213EMKW33	366,96	1	1540	G
SNR	22213.EMKW33C3	366,96	1	1,538	KG
NTN	22213.EMKW33C3	366,96	1	1,54	KG
SNR	22213EMKW33C4	403,65	1	1,47	KG
SNR	22213.EMW33	366,96	1	1,57	KG
NTN	22213.EMW33	366,96	1	1,56	KG
SNR	22213.EMW33C3	366,96	1	1,568	KG
SNR	22213EMW33C4	403,65	1	99,999	KG
SNR	22214EAC3	302,08	1	1,63	KG
SNR	22214.EAKW33	302,08	1	1,546	KG
NTN	22214.EAKW33	302,08	1	1,585	KG
SNR	22214.EAKW33C3	302,08	1	1,593	KG

NTN	22214.EAKW33C3	302,08	1	1,58	KG
SNR	22214EAKW33C4	332,30	1	99,999	KG
SNR	22214.EAW33	302,08	1	1,628	KG
NTN	22214.EAW33	302,08	1	1,48	KG
SNR	22214.EAW33C3	302,08	1	1,628	KG
NTN	22214.EAW33C3	302,08	1	1,62	KG
SNR	22214.EAW33C4	332,30	1	1,628	KG
SNR	22214.EG15W33	302,08	1	1,568	KG
SNR	22214.EG15W33C3	302,08	1	1,57	KG
NTN	22214EKD1	302,08	1	1,485	KG
SNR	22214.EMKW33	420,22	1	1,637	KG
NTN	22214.EMKW33	420,22	1	1,635	KG
SNR	22214.EMKW33C3	420,22	1	1,636	KG
SNR	22214EMKW33C4	462,24	1	1,49	KG
SNR	22214.EMW33	420,22	1	1,672	KG
SNR	22214.EMW33C3	420,22	1	0,285	KG
NTN	22214.EMW33C3	420,22	1	1,665	KG
SNR	22214EMW33C4	462,24	1	99,999	KG
SNR	22215.EAKW33	331,54	1	1,658	KG
NTN	22215.EAKW33	331,54	1	1,664	KG
SNR	22215.EAKW33C3	331,54	1	1,665	KG
NTN	22215.EAKW33C3	331,54	1	1,56	KG
SNR	22215.EAKW33C4	364,70	1	1,666	KG
SNR	22215.EAW33	331,54	1	1,698	KG
NTN	22215.EAW33	331,54	1	1,7	KG
SNR	22215.EAW33C3	331,54	1	1,7	KG
NTN	22215.EAW33C3	331,54	1	1,7	KG
SNR	22215.EAW33C4	364,70	1	1,69	KG
SNR	22215.EG15W33	331,54	1	1,627	KG
SNR	22215.EG15W33C3	331,54	1	1,622	KG
SNR	22215.EMKW33	460,88	1	1,711	KG
SNR	22215.EMKW33C3	460,88	1	1,712	KG
NTN	22215.EMKW33C3	460,88	1	2,035	KG
SNR	22215EMKW33C4	506,97	1	1,68	KG
SNR	22215.EMW33	460,88	1	1,744	KG
SNR	22215.EMW33C3	460,88	1	1,748	KG
NTN	22215.EMW33C3	460,88	1	1,745	KG
SNR	22215EMW33C4	506,97	1	1	G
SNR	22216.EAKW33	376,17	1	2,064	KG
NTN	22216.EAKW33	376,17	1	2,06	KG
SNR	22216.EAKW33C3	376,17	1	2,056	KG
NTN	22216.EAKW33C3	376,17	1	2,07	KG
SNR	22216.EAKW33C4	413,79	1	2,07	KG
SNR	22216.EAW33	376,17	1	2,112	KG
NTN	22216.EAW33	376,17	1	1,894	KG
NTN	22216EAW33C2	489,03	1	2,071	KG
SNR	22216.EAW33C3	376,17	1	2,114	KG
NTN	22216.EAW33C3	376,17	1	2,105	KG
SNR	22216.EAW33C4	413,79	1	2,111	KG
NTN	22216.EAW33C4	413,79	1	2,105	KG

SNR	22216.EMKW33	522,91	1	2,108	KG
SNR	22216.EMKW33C3	522,91	1	2,106	KG
NTN	22216.EMKW33C3	522,91	1	2,095	KG
SNR	22216EMKW33C4	575,21	1	2,125	KG
SNR	22216.EMW33	522,91	1	2159	G
NTN	22216.EMW33	522,91	1	2,12	KG
SNR	22216.EMW33C3	522,91	1	2157	G
NTN	22216.EMW33C3	522,91	1	2,14	KG
SNR	22216EMW33C4	575,21	1	2,16	KG
SNR	22217.EAKW33	432,97	1	2594	G
NTN	22217.EAKW33	432,97	1	2,46	KG
SNR	22217.EAKW33C3	432,97	1	2605	G
NTN	22217.EAKW33C3	432,97	1	2,52	KG
SNR	22217.EAKW33C4	476,27	1	2,6	KG
SNR	22217.EAW33	432,97	1	2,439	KG
NTN	22217.EAW33	432,97	1	2,58	KG
SNR	22217.EAW33C3	432,97	1	2650	G
NTN	22217.EAW33C3	432,97	1	2,62	KG
SNR	22217.EAW33C4	476,27	1	2,646	KG
NTN	22217EAW33C4	476,27	1	2,56	KG
SNR	22217.EAW33C5	562,87	1	2,636	KG
SNR	22217.EG15KW33	432,97	1	2470	G
SNR	22217.EG15KW33C3	432,97	1	2476	G
SNR	22217.EG15W33	432,97	1	2544	G
SNR	22217.EG15W33C3	432,97	1	1628	G
SNR	22217EMKW33	601,92	1	2,55	KG
SNR	22217.EMKW33C3	601,92	1	2,694	KG
SNR	22217EMKW33C4	662,12	1	2,55	KG
SNR	22217.EMW33	601,92	1	2,756	KG
SNR	22217.EMW33C3	601,92	1	2,751	KG
SNR	22217EMW33C4	662,12	1	2,6	KG
SNR	22218.EAKW33	503,46	1	3,017	KG
NTN	22218.EAKW33	503,46	1	3,255	KG
SNR	22218.EAKW33C3	503,46	1	3,304	KG
NTN	22218.EAKW33C3	503,46	1	3,27	KG
SNR	22218.EAKW33C4	553,81	1	3,304	KG
SNR	22218.EAW33	503,46	1	3,39	KG
NTN	22218.EAW33	503,46	1	3,355	KG
SNR	22218.EAW33C3	503,46	1	3,378	KG
NTN	22218.EAW33C3	503,46	1	3,36	KG
SNR	22218.EAW33C4	553,81	1	3,382	KG
SNR	22218.EG15KW33C3	503,46	1	3,189	KG
SNR	22218.EG15W33	503,46	1	3,265	KG
SNR	22218EMKW33	699,92	1	3,26	KG
NTN	22218.EMKW33C3	699,92	1	3,39	KG
SNR	22218EMKW33C3	699,92	1	3,26	KG
SNR	22218EMKW33C4	769,91	1	3,26	KG
SNR	22218.EMW33	699,92	1	3499	G
NTN	22218.EMW33	699,92	1	3,45	KG
SNR	22218.EMW33C3	699,92	1	3496	G

SNR	22218EMW33C4	769,91	1	1	G
SNR	22219.EA	601,87	1	3,99	KG
SNR	22219.EAKW33	601,87	1	3,943	KG
NTN	22219.EAKW33	601,87	1	3,9	KG
SNR	22219.EAKW33C3	601,87	1	3,934	KG
NTN	22219.EAKW33C3	601,87	1	4,01	KG
SNR	22219.EAKW33C4	662,06	1	3,92	KG
NTN	22219.EAKW33C4	662,06	1	4,01	KG
SNR	22219.EAW33	601,87	1	4,033	KG
NTN	22219.EAW33	601,87	1	4,005	KG
SNR	22219.EAW33C3	601,87	1	4,03	KG
NTN	22219.EAW33C3	601,87	1	4,02	KG
SNR	22219EAW33C4	662,06	1	99,999	KG
SNR	22219.EMW33	833,90	1	4,166	KG
SNR	22219.EMW33C3	833,90	1	4,156	KG
SNR	22219EMW33C4	917,30	1	1	G
SNR	22220.EA	674,63	1	5,006	KG
SNR	22220.EAKW33	674,63	1	4,854	KG
NTN	22220.EAKW33	674,63	1	4,84	KG
SNR	22220.EAKW33C3	674,63	1	4,846	KG
NTN	22220.EAKW33C3	674,63	1	4,81	KG
SNR	22220.EAKW33C4	742,09	1	4,828	KG
NTN	22220.EAKW33C4	742,09	1	4,8	KG
SNR	22220.EAW33	674,63	1	4,956	KG
NTN	22220.EAW33	674,63	1	4,9	KG
SNR	22220.EAW33C2	877,02	1	4,955	KG
SNR	22220.EAW33C3	674,63	1	4,96	KG
NTN	22220.EAW33C3	674,63	1	4,915	KG
SNR	22220.EAW33C4	742,09	1	4,944	KG
SNR	22220.EAW33C5	877,02	1	4,94	KG
SNR	22220EMKW33	937,88	1	5	KG
SNR	22220.EMKW33C3	937,88	1	5,023	KG
SNR	22220.EMW33	937,88	1	5,125	KG
NTN	22220.EMW33	937,88	1	5,85	KG
SNR	22220.EMW33C3	937,88	1	5,121	KG
NTN	22220.EMW33C3	937,88	1	5,08	KG
SNR	22220.EMW33C4	1.031,68	1	5,098	KG
SNR	22222.EAKW33	829,47	1	7,004	KG
NTN	22222.EAKW33	829,47	1	7,04	KG
SNR	22222.EAKW33C3	829,47	1	7	KG
NTN	22222.EAKW33C3	829,47	1	6,97	KG
SNR	22222.EAKW33C4	912,43	1	6,971	KG
SNR	22222.EAW33	829,47	1	7,166	KG
NTN	22222.EAW33	829,47	1	7,2	KG
SNR	22222.EAW33C3	829,47	1	7,03	KG
NTN	22222.EAW33C3	829,47	1	7,095	KG
SNR	22222.EAW33C4	912,43	1	7114	G
SNR	22222.EMKW33	1.153,15	1	7250	G
SNR	22222.EMKW33C3	1.153,15	1	7,256	KG
NTN	22222.EMKW33C3	1.153,15	1	7,18	KG

SNR	22222.EMW33	1.153,15	1	7,411	KG
NTN	22222.EMW33	1.153,15	1	7,33	KG
SNR	22222.EMW33C3	1.153,15	1	7,414	KG
SNR	22224.EAKW33	997,01	1	8,704	KG
NTN	22224.EAKW33	997,01	1	8,62	KG
SNR	22224.EAKW33C3	997,01	1	8,722	KG
NTN	22224.EAKW33C3	997,01	1	8,685	KG
SNR	22224.EAKW33C4	1.096,71	1	8,675	KG
SNR	22224.EAW33	997,01	1	8,914	KG
NTN	22224.EAW33	997,01	1	8,915	KG
SNR	22224.EAW33C3	997,01	1	8,936	KG
NTN	22224.EAW33C3	997,01	1	8,9	KG
SNR	22224.EAW33C4	1.096,71	1	8,924	KG
SNR	22224.EMKW33C3	1.525,83	1	8,958	KG
SNR	22224.EMW33	1.525,83	1	9,17	KG
NTN	22224.EMW33	1.525,83	1	9,145	KG
SNR	22224.EMW33C3	1.525,83	1	9,125	KG
SNR	22224EMW33C4	1.678,42	1	9,145	KG
SNR	22226.EAKW33	1.331,10	1	10,746	KG
NTN	22226.EAKW33	1.331,10	1	10,97	KG
SNR	22226.EAKW33C3	1.331,10	1	10,716	KG
NTN	22226.EAKW33C3	1.331,10	1	11,026	KG
SNR	22226.EAKW33C4	1.464,21	1	10,747	KG
SNR	22226.EAW33	1.331,10	1	10,935	KG
NTN	22226.EAW33	1.331,10	1	11,25	KG
SNR	22226.EAW33C3	1.331,10	1	10,996	KG
NTN	22226.EAW33C3	1.331,10	1	10,93	KG
SNR	22226.EAW33C4	1.464,21	1	11,006	KG
SNR	22226.EAW33C5	1.730,43	1	10,99	KG
SNR	22226.EMW33	1.729,77	1	11,294	KG
SNR	22226.EMW33C3	1.729,77	1	11,305	KG
NTN	22226.EMW33C3	1.729,77	1	11,245	KG
SNR	22226EMW33C4	1.902,75	1	4300	G
NTN	22228EAKD1C4	1.865,58	1	13,6	KG
SNR	22228.EAKW33	1.679,19	1	13,565	KG
NTN	22228.EAKW33	1.679,19	1	13,502	KG
SNR	22228.EAKW33C3	1.679,19	1	13,59	KG
NTN	22228.EAKW33C3	1.679,19	1	13,67	KG
SNR	22228.EAKW33C4	1.847,11	1	13,609	KG
SNR	22228.EAW33	1.679,19	1	13,915	KG
NTN	22228.EAW33	1.679,19	1	13,48	KG
SNR	22228.EAW33C3	1.679,19	1	13,92	KG
NTN	22228.EAW33C3	1.679,19	1	13,8	KG
SNR	22228EAW33C4	1.847,11	1	13,875	KG
SNR	22228.EMKW33C3	2.004,89	1	14,074	KG
NTN	22228.EMKW33C3	2.004,89	1	13,7	KG
SNR	22228.EMW33	2.004,89	1	14,429	KG
SNR	22228.EMW33C3	2.004,89	1	14,417	KG
SNR	22230.EAKW33	2.098,64	1	17,354	KG
NTN	22230.EAKW33	2.098,64	1	17,815	KG

SNR	22230.EAKW33C3	2.098,64	1	17,336	KG
NTN	22230.EAKW33C3	2.098,64	1	17,245	KG
SNR	22230EAKW33C4	2.308,50	1	99,999	KG
SNR	22230.EAW33	2.098,64	1	17,764	KG
NTN	22230.EAW33	2.098,64	1	18,1	KG
SNR	22230.EAW33C3	2.098,64	1	17,74	KG
NTN	22230.EAW33C3	2.098,64	1	18,1	KG
SNR	22230EAW33C4	2.308,50	1	17,795	KG
SNR	22230.EMKW33	2.530,72	1	17,879	KG
SNR	22230.EMKW33C3	2.530,72	1	17,905	KG
SNR	22230.EMW33	2.530,72	1	18,2	KG
NTN	22230.EMW33	2.530,72	1	18,1	KG
SNR	22230.EMW33C3	2.530,72	1	18,369	KG
NTN	22230.EMW33C3	2.530,72	1	18,588	KG
SNR	22230EMW33C4	2.783,79	1	1	G
NTN	22232EAD1	2.770,75	1	22,81	KG
SNR	22232.EAKW33	2.458,32	1	21,93	KG
NTN	22232.EAKW33	2.458,32	1	22,2	KG
SNR	22232.EAKW33C3	2.458,32	1	21,968	KG
NTN	22232.EAKW33C3	2.458,32	1	21,745	KG
SNR	22232.EAKW33C4	2.704,14	1	21,936	KG
NTN	22232.EAKW33C4	2.704,14	1	21,9	KG
SNR	22232.EAW33	2.458,32	1	22,385	KG
NTN	22232.EAW33	2.458,32	1	22,55	KG
SNR	22232.EAW33C3	2.458,32	1	22,459	KG
NTN	22232.EAW33C3	2.458,32	1	22,845	KG
SNR	22232.EAW33C4	2.704,14	1	22,416	KG
SNR	22232.EMKW33	3.150,10	1	22,653	KG
SNR	22232.EMKW33C3	3.150,10	1	22,678	KG
NTN	22232.EMKW33C3	3.150,10	1	22,52	KG
SNR	22232.EMKW33C4	3.465,11	1	22,59	KG
SNR	22232.EMW33	3.150,10	1	23,244	KG
SNR	22232.EMW33C3	3.150,10	1	23,135	KG
SNR	22232.EMW33C4	3.465,11	1	23,213	KG
NTN	22232.EMW33C4	3.465,11	1	23,445	KG
NTN	22234.EMKW33	3.340,00	1	31,2	KG
SNR	22234EMKW33	3.340,00	1	30985	G
SNR	22234.EMKW33C3	3.340,00	1	33400	G
NTN	22234.EMKW33C3	3.340,00	1	31,23	KG
SNR	22234.EMW33	3.340,00	1	32500	G
NTN	22234.EMW33	3.340,00	1	32	KG
SNR	22234.EMW33C3	3.340,00	1	33000	G
SNR	22236.EMKW33	3.738,44	1	32500	G
SNR	22236.EMKW33C3	3.738,44	1	32600	G
SNR	22236.EMKW33C4	4.112,28	1	32600	G
SNR	22236.EMW33	3.738,44	1	33500	G
NTN	22236.EMW33	3.738,44	1	22	KG
SNR	22236.EMW33C3	3.738,44	1	33500	G
NTN	22236.EMW33C3	3.738,44	1	32,875	KG
SNR	22238.EMKW33	4.520,30	1	38470	G

NTN	22238.EMKW33	4.520,30	1	33	KG
SNR	22238.EMKW33C3	4.520,30	1	34900	G
NTN	22238.EMKW33C3	4.520,30	1	38,55	KG
SNR	22238.EMW33	4.520,30	1	35800	G
SNR	22238.EMW33C3	4.520,30	1	37500	G
NTN	22238.EMW33C3	4.520,30	1	39,535	KG
SNR	22238EMW33C4	4.972,33	1	1	G
SNR	22240.EMKW33	5.095,69	1	48700	G
NTN	22240.EMKW33	5.095,69	1	43	KG
SNR	22240.EMKW33C3	5.095,69	1	49000	G
NTN	22240.EMKW33C3	5.095,69	1	43	KG
SNR	22240.EMKW33C4	5.605,26	1	42	KG
SNR	22240.EMW33	5.095,69	1	43000	G
NTN	22240.EMW33	5.095,69	1	49,5	KG
SNR	22240.EMW33C3	5.095,69	1	50200	G
NTN	22240.EMW33C3	5.095,69	1	68,5	KG
SNR	22240.EMW33C4	5.605,26	1	43000	G
SNR	22244.EMKW33C3	6.597,66	1	58400	G
SNR	22244.EMW33	6.597,66	1	65,2	KG
NTN	22244.EMW33	6.597,66	1	66	KG
SNR	22244.EMW33C3	6.597,66	1	65300	G
SNR	22244EMW33C4	7.257,42	1	1	G
SNR	22308.EAKW33	230,93	1	1,004	KG
NTN	22308.EAKW33	230,93	1	0,951	KG
SNR	22308.EAKW33C3	230,93	1	1,008	KG
NTN	22308.EAKW33C3	230,93	1	1	KG
SNR	22308EAKW33C4	254,02	1	1	KG
SNR	22308.EAW33	230,93	1	1,022	KG
NTN	22308.EAW33	230,93	1	1,03	KG
SNR	22308.EAW33C3	230,93	1	1,04	KG
NTN	22308.EAW33C3	230,93	1	0,974	KG
SNR	22308.EAW33C4	254,02	1	1,032	KG
SNR	22308.EG15KW33	230,93	1	974	G
SNR	22308.EG15KW33C3	230,93	1	0,97	KG
SNR	22308.EG15W33	230,93	1	0,992	KG
SNR	22308.EG15W33C3	230,93	1	0,991	KG
SNR	22308EMKW33	288,44	1	0,945	KG
SNR	22308EMKW33C3	288,44	1	0,945	KG
SNR	22308EMKW33C4	317,28	1	0,945	KG
SNR	22308.EMW33	288,44	1	1049	G
NTN	22308.EMW33	288,44	1	1,04	KG
SNR	22308.EMW33C3	288,44	1	1048	G
SNR	22308EMW33C4	317,28	1	1,02	KG
SNR	22309.EAKW33	264,50	1	1,352	KG
NTN	22309.EAKW33	264,50	1	1,34	KG
SNR	22309.EAKW33C3	264,50	1	1,36	KG
NTN	22309.EAKW33C3	264,50	1	1,3	KG
SNR	22309.EAKW33C4	290,95	1	1,351	KG
SNR	22309.EAW33	264,50	1	1,385	KG
NTN	22309.EAW33	264,50	1	1,37	KG

SNR	22309.EAW33C3	264,50	1	1,387	KG
NTN	22309.EAW33C3	264,50	1	1,375	KG
SNR	22309.EAW33C4	290,95	1	1,382	KG
NTN	22309EAW33C4	290,95	1	1,352	KG
SNR	22309.EG15KW33	264,50	1	1,3	KG
SNR	22309.EG15KW33C3	264,50	1	1,294	KG
SNR	22309.EG15W33	264,50	1	1,326	KG
SNR	22309.EG15W33C3	264,50	1	1,326	KG
SNR	22309.E.M	329,99	1	1,412	KG
SNR	22309EMKW33C4	362,99	1	1,35	KG
SNR	22309.EMW33	329,99	1	1,404	KG
SNR	22309.EMW33C3	329,99	1	1,402	KG
SNR	22309EMW33C4	362,99	1	1,37	KG
SNR	22310.EAKW33	312,00	1	1,803	KG
NTN	22310.EAKW33	312,00	1	1,795	KG
SNR	22310.EAKW33C3	312,00	1	1,802	KG
NTN	22310.EAKW33C3	312,00	1	1,792	KG
SNR	22310EAKW33C4	343,20	1	1,8	KG
SNR	22310.EAN	361,68	1	1,855	KG
SNR	22310.EAW33	312,00	1	1,36	KG
NTN	22310.EAW33	312,00	1	1,79	KG
SNR	22310.EAW33C3	312,00	1	1,844	KG
NTN	22310.EAW33C3	312,00	1	1,834	KG
SNR	22310.EAW33C4	343,20	1	1,838	KG
SNR	22310.EG15KW33	312,00	1	1,724	KG
SNR	22310.EG15KW33C3	312,00	1	1,725	KG
SNR	22310.EG15W33	312,00	1	1,768	KG
SNR	22310.EG15W33C3	312,00	1	1,77	KG
SNR	22310EMKW33	435,74	1	1,8	KG
SNR	22310.EMKW33C3	435,74	1	1,82	KG
SNR	22310EMKW33C4	479,33	1	1,8	KG
SNR	22310.EMW33	435,74	1	1869	G
SNR	22310.EMW33C3	435,74	1	1866	G
NTN	22310.EMW33C3	435,74	1	1,855	KG
SNR	22311.EAKW33	366,50	1	2,282	KG
NTN	22311.EAKW33	366,50	1	2,28	KG
SNR	22311.EAKW33C3	366,50	1	2,28	KG
NTN	22311.EAKW33C3	366,50	1	2,28	KG
SNR	22311EAKW33C4	403,15	1	2,27	KG
SNR	22311.EAW33	366,50	1	2,336	KG
NTN	22311.EAW33	366,50	1	2,3	KG
SNR	22311.EAW33C3	366,50	1	2,334	KG
NTN	22311.EAW33C3	366,50	1	2,3	KG
SNR	22311.EAW33C4	403,15	1	2,27	KG
SNR	22311.EG15KW33	366,50	1	2,196	KG
SNR	22311.EG15KW33C3	366,50	1	2,197	KG
SNR	22311.EG15W33	366,50	1	2,25	KG
SNR	22311.EG15W33C3	366,50	1	2,242	KG
SNR	22311EMKW33	454,80	1	2,31	KG
SNR	22311.EMKW33C3	454,80	1	2,328	KG

SNR	22311EMKW33C4	500,27	1	2,31	KG
SNR	22311.EMW33	454,80	1	2382	G
SNR	22311.EMW33C3	454,80	1	2386	G
NTN	22311.EMW33C3	454,80	1	2,35	KG
SNR	22311EMW33C4	500,27	1	2,34	KG
SNR	22312EAC3	424,50	1	2,88	KG
SNR	22312.EAKW33	424,50	1	2,797	KG
NTN	22312.EAKW33	424,50	1	2,79	KG
SNR	22312.EAKW33C3	424,50	1	2,806	KG
SNR	22312EAKW33C4	466,40	1	2,78	KG
SNR	22312.EAW33	424,50	1	2,87	KG
NTN	22312.EAW33	424,50	1	2,855	KG
SNR	22312.EAW33C3	424,50	1	2,868	KG
NTN	22312.EAW33C3	424,50	1	2,86	KG
SNR	22312.EAW33C4	466,40	1	2,867	KG
NTN	22312.EAW33C4	466,40	1	2,86	KG
SNR	22312.EG15W33	424,50	1	2,77	KG
SNR	22312.E.M	520,40	1	2,966	KG
SNR	22312.EMC3	520,40	1	2,972	KG
SNR	22312EMKW33	520,40	1	2,868	KG
SNR	22312.EMKW33C3	520,40	1	2,88	KG
SNR	22312EMKW33C4	572,45	1	2,868	KG
SNR	22312.EMW33C3	520,40	1	2,946	KG
SNR	22313.EAC3	493,00	1	3,5	KG
SNR	22313.EAKW33	493,00	1	3,402	KG
NTN	22313.EAKW33	493,00	1	3,37	KG
SNR	22313.EAKW33C3	493,00	1	3,404	KG
NTN	22313.EAKW33C3	493,00	1	3,4	KG
SNR	22313.EAKW33C4	542,30	1	3,4	KG
SNR	22313.EAW33	493,00	1	3,484	KG
NTN	22313.EAW33	493,00	1	3,48	KG
SNR	22313.EAW33C3	493,00	1	3,482	KG
NTN	22313.EAW33C3	493,00	1	3,475	KG
SNR	22313.EAW33C4	542,30	1	3,467	KG
NTN	22313.EAW33C4	542,30	1	3,47	KG
SNR	22313.EG15W33	493,00	1	3,317	KG
SNR	22313.EG15W33C3	493,00	1	3,315	KG
SNR	22313EMKW33	659,03	1	3,416	KG
SNR	22313EMKW33C4	724,93	1	3,416	KG
SNR	22313.EMW33	659,03	1	3,549	KG
SNR	22313.EMW33C3	659,03	1	3,54	KG
SNR	22314.EAKW33	565,00	1	4,195	KG
SNR	22314.EAKW33C3	565,00	1	4,198	KG
SNR	22314.EAKW33C4	621,50	1	4,183	KG
SNR	22314.EAW33	565,00	1	4,296	KG
NTN	22314.EAW33	565,00	1	4,25	KG
SNR	22314.EAW33C3	565,00	1	4,29	KG
NTN	22314.EAW33C3	565,00	1	4,245	KG
SNR	22314.EAW33C4	621,50	1	4,294	KG
SNR	22314.EG15KW33	565,00	1	3,978	KG

SNR	22314.EG15KW33C3	565,00	1	4,012	KG
SNR	22314.EG15W33	565,00	1	4,115	KG
SNR	22314.EG15W33C3	565,00	1	4,112	KG
SNR	22314EMKW33	704,34	1	4,2	KG
SNR	22314.EMKW33C3	704,34	1	4,306	KG
NTN	22314.EMKW33C3	704,34	1	4,24	KG
SNR	22314EMKW33C4	774,78	1	4,2	KG
SNR	22314.EMW33	704,34	1	4386	G
SNR	22314.EMW33C3	704,34	1	2441	G
SNR	22314EMW33C4	774,78	1	4,3	KG
SNR	22315.EAKW33	655,00	1	5,1	KG
NTN	22315.EAKW33	655,00	1	5,45	KG
SNR	22315.EAKW33C3	655,00	1	5,11	KG
NTN	22315.EAKW33C3	655,00	1	5,095	KG
SNR	22315.EAKW33C4	720,50	1	5,09	KG
SNR	22315.EAW33	655,00	1	5,209	KG
NTN	22315.EAW33	655,00	1	5,15	KG
SNR	22315.EAW33C3	655,00	1	5,216	KG
NTN	22315.EAW33C3	655,00	1	5,18	KG
SNR	22315.EAW33C4	720,50	1	5,213	KG
SNR	22315.EG15KW33	655,00	1	4,875	KG
SNR	22315.EG15KW33C3	655,00	1	4,896	KG
SNR	22315.EG15W33	655,00	1	5,012	KG
SNR	22315.EG15W33C3	655,00	1	5,008	KG
SNR	22315.EM	821,70	1	5,527	KG
SNR	22315EMKW33	821,70	1	5,1	KG
SNR	22315.EMKW33C3	821,70	1	5,244	KG
SNR	22315EMKW33C4	903,86	1	5,1	KG
SNR	22315.EMW33	821,70	1	5354	G
SNR	22315.EMW33C3	821,70	1	5350	G
NTN	22315.EMW33C3	821,70	1	5,32	KG
SNR	22315EMW33C4	903,86	1	5,2	KG
NTN	22316EAD1	745,00	1	6,03	KG
SNR	22316.EAKW33	745,00	1	6,03	KG
NTN	22316.EAKW33	745,00	1	5,91	KG
SNR	22316.EAKW33C3	745,00	1	6,024	KG
NTN	22316.EAKW33C3	745,00	1	5,93	KG
SNR	22316EAKW33C4	819,50	1	5,93	KG
SNR	22316.EAW33	745,00	1	6,181	KG
NTN	22316.EAW33	745,00	1	6,14	KG
SNR	22316.EAW33C3	745,00	1	6,17	KG
NTN	22316.EAW33C3	745,00	1	6,13	KG
SNR	22316.EAW33C4	819,50	1	6,161	KG
SNR	22316.EG15KW33	745,00	1	5,812	KG
SNR	22316.EG15KW33C3	745,00	1	5,802	KG
SNR	22316.EG15W33	745,00	1	5,942	KG
SNR	22316.EG15W33C3	745,00	1	5,89	KG
SNR	22316.EMKC3	931,76	1	6294	G
SNR	22316EMKW33	931,76	1	6,1	KG
SNR	22316.EMKW33C3	931,76	1	6,248	KG

SNR	22316EMKW33C4	1.024,94	1	6,1	KG
SNR	22316.EMW33	931,76	1	6384	G
SNR	22316EMW33C3	931,76	1	6,2	KG
SNR	22316EMW33C4	1.024,94	1	6,2	KG
SNR	22317.EAKW33	844,18	1	7,073	KG
NTN	22317.EAKW33	844,18	1	7,02	KG
SNR	22317.EAKW33C3	844,18	1	7,06	KG
NTN	22317.EAKW33C3	844,18	1	7,02	KG
SNR	22317.EAKW33C4	928,59	1	7,053	KG
SNR	22317.EAW33	844,18	1	7200	G
NTN	22317.EAW33	844,18	1	7,145	KG
SNR	22317.EAW33C3	844,18	1	7,223	KG
NTN	22317.EAW33C3	844,18	1	7,17	KG
SNR	22317.EAW33C4	928,59	1	7,221	KG
SNR	22317.EMKW33	1.157,35	1	7,16	KG
SNR	22317.EMKW33C3	1.157,35	1	7,243	KG
SNR	22317EMKW33C4	1.273,09	1	7,06	KG
SNR	22317.EMW33	1.084,26	1	7,408	KG
SNR	22317.EMW33C3	1.084,26	1	7,414	KG
NTN	22317.EMW33C3	1.084,26	1	7,36	KG
SNR	22318.EAKW33	930,35	1	8,263	KG
NTN	22318.EAKW33	930,35	1	8,16	KG
SNR	22318.EAKW33C3	930,35	1	8,26	KG
NTN	22318.EAKW33C3	930,35	1	8,205	KG
SNR	22318.EAKW33C4	1.023,39	1	8,255	KG
SNR	22318.EAW33	930,35	1	8,446	KG
NTN	22318.EAW33	930,35	1	8,38	KG
SNR	22318.EAW33C3	930,35	1	8,448	KG
NTN	22318.EAW33C3	930,35	1	8,415	KG
SNR	22318.EAW33C4	1.023,39	1	8,418	KG
SNR	22318.EMKC3	1.207,31	1	8,532	KG
SNR	22318.EMKW33C3	1.207,31	1	8,507	KG
NTN	22318.EMKW33C3	1.207,31	1	8,434	KG
SNR	22318EMKW33C4	1.328,04	1	8,38	KG
SNR	22318.EMW33	1.183,11	1	8,679	KG
SNR	22318.EMW33C3	1.183,11	1	8,681	KG
NTN	22318.EMW33C3	1.183,11	1	8,63	KG
SNR	22318EMW33C4	1.301,41	1	8,5	KG
SNR	22319.EAKW33	1.135,95	1	9,728	KG
NTN	22319.EAKW33	1.135,95	1	9,715	KG
SNR	22319.EAKW33C3	1.135,95	1	9,702	KG
SNR	22319EAKW33C4	1.249,55	1	9,6	KG
SNR	22319.EAW33	1.135,95	1	9,954	KG
NTN	22319.EAW33	1.135,95	1	9,82	KG
SNR	22319.EAW33C3	1.135,95	1	9,946	KG
NTN	22319.EAW33C3	1.135,95	1	10,12	KG
SNR	22319.EAW33C4	1.249,55	1	9,96	KG
SNR	22319.EMKW33	1.446,44	1	9,978	KG
SNR	22319.EMKW33C3	1.446,44	1	9,981	KG
SNR	22319EMKW33C4	1.591,09	1	9,95	KG

SNR	22319.EMW33	1.407,57	1	10,194	KG
SNR	22319.EMW33C3	1.407,57	1	10,185	KG
SNR	22319EMW33C4	1.548,33	1	10,1	KG
NTN	22320EAD1	1.363,40	1	12,4	KG
SNR	22320.EAKW33	1.363,40	1	12,376	KG
NTN	22320.EAKW33	1.363,40	1	12,627	KG
SNR	22320.EAKW33C3	1.363,40	1	12,356	KG
SNR	22320.EAW33	1.363,40	1	12,622	KG
NTN	22320.EAW33	1.363,40	1	12,4	KG
SNR	22320.EAW33C3	1.363,40	1	12,626	KG
NTN	22320.EAW33C3	1.363,40	1	13,16	KG
SNR	22320.EAW33C4	1.499,75	1	12,579	KG
SNR	22320.EMKW33	1.751,13	1	12797	G
SNR	22320.EMKW33C3	1.751,13	1	12775	G
SNR	22320EMKW33C4	1.926,25	1	12,55	KG
SNR	22320.EMW33	1.701,91	1	13062	G
SNR	22320.EMW33C3	1.701,91	1	13040	G
SNR	22320.EMW33C4	1.872,09	1	13,068	KG
NTN	22322EAD1C4	2.025,26	1	17	KG
SNR	22322.EAKW33	1.822,92	1	16,682	KG
NTN	22322.EAKW33	1.822,92	1	16,89	KG
SNR	22322.EAKW33C3	1.822,92	1	16,715	KG
NTN	22322.EAKW33C3	1.822,92	1	16,61	KG
SNR	22322.EAKW33C4	2.005,21	1	17,04	KG
SNR	22322.EAW33	1.822,92	1	17,134	KG
NTN	22322.EAW33	1.822,92	1	17,28	KG
SNR	22322.EAW33C3	1.822,92	1	17,118	KG
NTN	22322.EAW33C3	1.822,92	1	17,255	KG
SNR	22322.EAW33C4	2.005,21	1	16,86	KG
SNR	22322.EMKW33	2.319,57	1	17,4	KG
SNR	22322.EMKW33C3	2.319,57	1	17,401	KG
SNR	22322.EMKW33C4	2.551,53	1	17,31	KG
SNR	22322.EMW33	2.319,57	1	17,7	KG
SNR	22322.EMW33C3	2.319,57	1	17,8	KG
NTN	22322.EMW33C3	2.319,57	1	17,615	KG
SNR	22322.EMW33C4	2.551,53	1	17,665	KG
SNR	22324.EAKW33	2.339,01	1	21,96	KG
NTN	22324.EAKW33	2.339,01	1	22,29	KG
SNR	22324.EAKW33C3	2.339,01	1	21,966	KG
NTN	22324.EAKW33C3	2.339,01	1	22,32	KG
SNR	22324EAKW33C4	2.572,91	1	21,72	KG
SNR	22324.EAW33	2.339,01	1	22,4	KG
NTN	22324.EAW33	2.339,01	1	22,72	KG
SNR	22324.EAW33C3	2.339,01	1	22,426	KG
NTN	22324.EAW33C3	2.339,01	1	22,97	KG
SNR	22324.EAW33C4	2.572,91	1	22,379	KG
SNR	22324.EMC3	2.933,41	1	23,13	KG
SNR	22324.EMKC3	2.933,41	1	22635	G
SNR	22324EMKW33	2.933,41	1	22,15	KG
SNR	22324.EMKW33C3	2.933,41	1	22,524	KG

SNR	22324EMKW33C4	3.226,75	1	22,15	KG
SNR	22324.EMW33	2.933,41	1	22,967	KG
SNR	22324.EMW33C3	2.933,41	1	22,766	KG
NTN	22324.EMW33C3	2.933,41	1	22,815	KG
NTN	22326EAD1	2.891,76	1	26,9	KG
SNR	22326.EAKW33	2.863,13	1	30,2	KG
NTN	22326.EAKW33	2.863,13	1	30	KG
SNR	22326.EAKW33C3	2.863,13	1	30,4	KG
NTN	22326.EAKW33C3	2.863,13	1	29,5	KG
SNR	22326.EAW33	2.863,13	1	30,8	KG
NTN	22326.EAW33	2.863,13	1	30,12	KG
SNR	22326.EAW33C3	2.863,13	1	30,8	KG
NTN	22326.EAW33C3	2.863,13	1	30,83	KG
SNR	22326.EMKW33	3.555,20	1	27,7	KG
SNR	22326.EMKW33C3	3.555,20	1	30,1	KG
NTN	22326.EMKW33C3	3.555,20	1	27,4	KG
SNR	22326.EMW33	3.555,20	1	31,428	KG
NTN	22326.EMW33	3.555,20	1	29,34	KG
SNR	22326.EMW33C3	3.555,20	1	31,32	KG
SNR	22326.EMW33C4	3.910,72	1	31,9	KG
SNR	22328.EAKW33	3.571,85	1	37,7	KG
NTN	22328.EAKW33	3.571,85	1	37,455	KG
SNR	22328.EAKW33C3	3.571,85	1	33,5	KG
NTN	22328.EAKW33C3	3.571,85	1	35,5	KG
SNR	22328EAKW33C4	3.929,03	1	33,29	KG
SNR	22328.EAW33	3.571,85	1	38,5	KG
NTN	22328.EAW33	3.571,85	1	40	KG
SNR	22328.EAW33C3	3.571,85	1	39	KG
NTN	22328.EAW33C3	3.571,85	1	35	KG
SNR	22328.EAW33C4	3.929,03	1	34,5	KG
SNR	22328.EMKW33C3	4.479,55	1	34,72	KG
SNR	22328.EMW33	4.479,55	1	40	KG
SNR	22328.EMW33C3	4.479,55	1	40,5	KG
SNR	22328.EMW33C4	4.927,51	1	35,5	KG
SNR	22330EMKW33	4.774,40	1	41,2	KG
SNR	22330.EMKW33C3	4.774,40	1	45,9	KG
NTN	22330.EMKW33C3	4.774,40	1	45,16	KG
SNR	22330.EMW33	4.774,40	1	46	KG
NTN	22330.EMW33	4.774,40	1	43,75	KG
SNR	22330.EMW33C3	4.774,40	1	46,5	KG
NTN	22330.EMW33C3	4.774,40	1	33	KG
SNR	22330.EMW33C4	5.251,85	1	45,8	KG
NTN	22332.EMKW33	5.798,51	1	32	KG
SNR	22332.EMKW33C3	5.798,51	1	55,7	KG
NTN	22332.EMKW33C3	5.798,51	1	49,52	KG
SNR	22332.EMW33	5.162,23	1	55	KG
NTN	22332.EMW33	5.162,23	1	55,7	KG
SNR	22332.EMW33C3	5.347,20	1	55,4	KG
SNR	22332.EMW33C4	5.881,92	1	56,3	KG
NTN	22334EMD1	6.037,50	1	60,2	KG

SNR	22334.EMKW33	6.037,50	1	67	KG
NTN	22334.EMKW33	6.037,50	1	48	KG
SNR	22334.EMKW33C3	6.781,69	1	65	KG
SNR	22334.EMW33	6.037,50	1	67	KG
NTN	22334.EMW33	6.037,50	1	59,8	KG
SNR	22334.EMW33C3	6.253,84	1	67	KG
SNR	22336EMKW33	7.782,08	1	74	KG
SNR	22336.EMKW33C3	7.782,08	1	72,2	KG
SNR	22336.EMW33	7.782,08	1	75,7	KG
NTN	22336.EMW33	7.782,08	1	78	KG
SNR	22336.EMW33C3	7.782,08	1	75,5	KG
SNR	22338.EMKW33C3	8.698,00	1	85,3	KG
NTN	22338EMKW33C3	8.698,00	1	81,6	KG
SNR	22338.EMKW33C4	9.567,80	1	85500	G
NTN	22338.EMW33	8.698,00	1	87500	G
SNR	22338.EMW33	8.698,00	1	93000	G
SNR	22338.EMW33C3	8.698,00	1	87400	G
SNR	22338EMW33C4	9.567,80	1	81,6	KG
SNR	22344EMW33	12.948,49	1	112	KG
NTN	23022EAKD1C3	723,66	1	3,225	KG
SNR	23022.EAKW33	723,66	1	3,58	KG
NTN	23022.EAKW33	723,66	1	3,58	KG
SNR	23022.EAKW33C3	723,66	1	3,592	KG
SNR	23022EAKW33C4	796,03	1	3,45	KG
SNR	23022.EAW33	723,66	1	3,702	KG
NTN	23022.EAW33	723,66	1	3,71	KG
SNR	23022.EAW33C3	723,66	1	3,541	KG
NTN	23022.EAW33C3	723,66	1	3,683	KG
SNR	23022.EAW33C4	796,03	1	3,7	KG
SNR	23022.EMKW33	930,01	1	3,606	KG
SNR	23022.EMKW33C3	930,01	1	3,605	KG
SNR	23022EMKW33C4	1.023,02	1	3,52	KG
SNR	23022.EMW33	930,01	1	3,728	KG
NTN	23022.EMW33	930,01	1	3,695	KG
SNR	23022.EMW33C3	930,01	1	3,724	KG
SNR	23022EMW33C4	1.023,02	1	3,62	KG
NTN	23024EAKD1C3	827,06	1	3,515	KG
SNR	23024.EAKW33	827,06	1	3,946	KG
NTN	23024.EAKW33	827,06	1	3,9	KG
SNR	23024.EAKW33C3	827,06	1	3,946	KG
NTN	23024.EAKW33C3	827,06	1	3,895	KG
SNR	23024EAKW33C4	909,76	1	3,83	KG
SNR	23024.EAW33	827,06	1	4,084	KG
NTN	23024.EAW33	827,06	1	4,015	KG
NTN	23024EAW33C2	1.075,16	1	3,96	KG
SNR	23024.EAW33C3	827,06	1	4,068	KG
NTN	23024.EAW33C3	827,06	1	4	KG
SNR	23024.EAW33C4	909,76	1	4,072	KG
NTN	23024.EAW33C4	909,76	1	3,98	KG
NTN	23024EMD1	1.082,52	1	3,99	KG

SNR	23024.EMKW33	1.082,52	1	3,983	KG
SNR	23024.EMKW33C3	1.082,52	1	3,974	KG
SNR	23024EMKW33C4	1.190,77	1	3,9	KG
SNR	23024.EMW33	1.082,52	1	4,12	KG
NTN	23024.EMW33	1.082,52	1	4,12	KG
SNR	23024.EMW33C3	1.082,52	1	4,11	KG
SNR	23024.EMW33C4	1.190,77	1	4075	G
SNR	23026.EAKW33	1.100,82	1	5,76	KG
SNR	23026.EAKW33C3	1.100,82	1	5,763	KG
NTN	23026.EAKW33C3	1.100,82	1	5,69	KG
SNR	23026EAKW33C4	1.210,91	1	5,64	KG
SNR	23026.EAW33	1.100,82	1	5,942	KG
NTN	23026.EAW33	1.100,82	1	6,21	KG
SNR	23026.EAW33C3	1.100,82	1	5,929	KG
NTN	23026.EAW33C3	1.100,82	1	5,855	KG
SNR	23026.EAW33C4	1.210,91	1	5,932	KG
SNR	23026EMKW33	1.342,82	1	5,7	KG
SNR	23026.EMKW33C3	1.342,82	1	5,818	KG
SNR	23026EMKW33C4	1.477,10	1	5,7	KG
SNR	23026.EMW33	1.330,39	1	5,996	KG
NTN	23026.EMW33	1.330,39	1	5,99	KG
SNR	23026.EMW33C3	1.330,39	1	5,994	KG
NTN	23026.EMW33C3	1.330,39	1	5,935	KG
SNR	23026EMW33C4	1.463,42	1	5,83	KG
NTN	23028.EAKW33	1.243,42	1	6,205	KG
SNR	23028EAKW33	1.243,42	1	6215	G
SNR	23028.EAKW33C3	1.243,42	1	6,205	KG
NTN	23028.EAKW33C3	1.243,42	1	6,12	KG
SNR	23028.EAKW33C4	1.367,76	1	6,204	KG
SNR	23028.EAW33	1.243,42	1	6,42	KG
NTN	23028.EAW33	1.243,42	1	6,325	KG
SNR	23028.EAW33C3	1.243,42	1	6,403	KG
NTN	23028.EAW33C3	1.243,42	1	6,325	KG
SNR	23028.EAW33C4	1.367,76	1	6,408	KG
SNR	23028.EKMA41	1.622,27	1	6,24	KG
SNR	23028.EMKW33C3	1.548,07	1	6,287	KG
SNR	23028EMKW33C4	1.702,89	1	6,24	KG
SNR	23028.EMW33	1.548,07	1	6,488	KG
NTN	23028.EMW33	1.548,07	1	6,405	KG
SNR	23028.EMW33C3	1.548,07	1	6,477	KG
SNR	23028EMW33C4	1.702,89	1	6,44	KG
SNR	23030.EAKW33	1.417,46	1	7,533	KG
NTN	23030.EAKW33	1.417,46	1	7,45	KG
SNR	23030.EAKW33C3	1.417,46	1	7,524	KG
NTN	23030.EAKW33C3	1.417,46	1	7,465	KG
SNR	23030EAKW33C4	1.559,21	1	7,37	KG
SNR	23030.EAW33	1.417,46	1	7,77	KG
NTN	23030.EAW33	1.417,46	1	7,7	KG
SNR	23030.EAW33C3	1.417,46	1	7,759	KG
NTN	23030.EAW33C3	1.417,46	1	7,71	KG

SNR	23030.EAW33C4	1.559,21	1	7,776	KG
SNR	23030.EMC3	1.714,20	1	7,91	KG
SNR	23030EMKW33	1.714,20	1	7,5	KG
SNR	23030.EMKW33C3	1.714,20	1	7,635	KG
SNR	23030EMKW33C4	1.885,62	1	7,5	KG
SNR	23030.EMW33	1.714,20	1	7,862	KG
SNR	23030.EMW33C3	1.714,20	1	7,868	KG
SNR	23030.EMW33C4	1.885,62	1	7,862	KG
NTN	23032EAD1	1.699,72	1	9,15	KG
NTN	23032EAD1C4	1.869,69	1	9,45	KG
NTN	23032EAKD1C4	1.869,69	1	9,16	KG
SNR	23032.EAKW33	1.683,05	1	9106	G
NTN	23032.EAKW33	1.683,05	1	9,025	KG
NTN	23032.EAKW33C3	1.683,05	1	9,025	KG
SNR	23032.EAKW33C3	1.683,05	1	9,05	KG
SNR	23032.EA.W33	1.683,05	1	9400	G
NTN	23032.EAW33	1.683,05	1	9,31	KG
SNR	23032.EA.W33.C3	1.683,05	1	9406	G
NTN	23032.EA.W33.C3	1.683,05	1	9,385	KG
SNR	23032EAW33C4	1.851,35	1	8,94	KG
SNR	23032.EMKW33	2.044,71	1	9,245	KG
NTN	23032EMKW33	2.044,71	1	9,35	KG
SNR	23032.EMKW33C3	2.044,71	1	9,23	KG
SNR	23032EMKW33C4	2.249,19	1	9,23	KG
SNR	23032.EMW33	2.026,55	1	9,43	KG
SNR	23032.EMW33C3	2.026,55	1	9,518	KG
SNR	23032.EMW33C4	2.229,21	1	9,529	KG
NTN	23034EAD1C2	2.598,65	1	12,9	KG
NTN	23034EAD1C4	2.198,86	1	12,9	KG
NTN	23034EAKD1C4	2.198,86	1	12,3	KG
SNR	23034.EAKW33	1.979,17	1	12,454	KG
NTN	23034.EAKW33	1.979,17	1	12,3	KG
SNR	23034.EAKW33C3	1.979,17	1	12,453	KG
NTN	23034.EAKW33C3	1.979,17	1	12,4	KG
SNR	23034.EAKW33C4	2.177,09	1	12,444	KG
NTN	23034.EAKW33C4	2.177,09	1	12,45	KG
SNR	23034.EAW33	1.979,17	1	12,795	KG
NTN	23034.EAW33	1.979,17	1	12,805	KG
SNR	23034.EAW33C2	2.572,92	1	12,862	KG
SNR	23034.EAW33C3	1.979,17	1	12,846	KG
NTN	23034.EAW33C3	1.979,17	1	12,795	KG
SNR	23034.EAW33C4	2.177,09	1	12,832	KG
SNR	23034.EMKW33	2.542,51	1	12,672	KG
SNR	23034.EMKW33C3	2.542,51	1	12,61	KG
NTN	23034.EMKW33C3	2.542,51	1	12,525	KG
SNR	23034.EMKW33C4	2.796,77	1	12,612	KG
SNR	23034.EMW33	2.517,34	1	13,01	KG
SNR	23034.EMW33C3	2.517,34	1	13,024	KG
NTN	23034.EMW33C3	2.517,34	1	12,9	KG
SNR	23034.EMW33C4	2.769,07	1	12,971	KG

NTN	23034.EMW33C4	2.769,07	1	12,85	KG
NTN	23036.EAKW33	2.317,11	1	16,29	KG
SNR	23036.EAKW33	2.317,11	1	16480	G
SNR	23036.EAKW33C3	2.317,11	1	0,202	KG
SNR	23036.EAKW33C4	2.548,83	1	16,374	KG
NTN	23036.EAKW33C4	2.548,83	1	16,715	KG
SNR	23036.EAW33	2.317,11	1	16,382	KG
NTN	23036.EAW33	2.317,11	1	16,77	KG
SNR	23036.EAW33C3	2.317,11	1	16,868	KG
NTN	23036.EAW33C3	2.317,11	1	16,7	KG
SNR	23036.EAW33C4	2.548,83	1	16,858	KG
SNR	23036.EMKW33C3	2.904,22	1	16,558	KG
SNR	23036.EMKW33C4	3.194,63	1	16,542	KG
SNR	23036.EMW33	2.904,22	1	17,046	KG
SNR	23036.EMW33C3	2.904,22	1	17	KG
NTN	23036.EMW33C3	2.904,22	1	17,315	KG
SNR	23036EMW33C4	3.194,63	1	16,9	KG
NTN	23038.EAKW33	2.795,21	1	17,298	KG
SNR	23038.EAKW33	2.795,21	1	17,21	KG
SNR	23038.EAKW33C3	2.795,21	1	17,414	KG
SNR	23038EAKW33C4	3.074,74	1	17,2	KG
SNR	23038.EAW33	2.795,21	1	17,96	KG
NTN	23038.EAW33	2.795,21	1	17,865	KG
SNR	23038.EAW33C3	2.795,21	1	17,898	KG
NTN	23038.EAW33C3	2.795,21	1	17,7	KG
SNR	23038EAW33C4	3.074,74	1	17,47	KG
SNR	23038.EMKW33	3.440,99	1	17,636	KG
NTN	23038.EMKW33	3.440,99	1	17,636	KG
SNR	23038.EMKW33C3	3.440,99	1	17,567	KG
SNR	23038EMKW33C4	3.785,09	1	17,47	KG
SNR	23038.EMW33	3.296,41	1	18,14	KG
NTN	23038.EMW33	3.296,41	1	18	KG
SNR	23038.EMW33C3	3.296,41	1	18,158	KG
SNR	23038EMW33C4	3.626,05	1	17,97	KG
SNR	23040.EAKW33	2.961,71	1	25,4	KG
NTN	23040.EAKW33	2.961,71	1	21,9	KG
SNR	23040.EAKW33C3	2.961,71	1	25,508	KG
NTN	23040.EAKW33C3	2.961,71	1	21,9	KG
SNR	23040.EAKW33C4	3.257,89	1	21,9	KG
SNR	23040.EAW33	2.961,71	1	26,774	KG
NTN	23040.EAW33	2.961,71	1	26,295	KG
SNR	23040.EAW33C3	2.961,71	1	27	KG
NTN	23040.EAW33C3	2.961,71	1	26,1	KG
SNR	23040EMKW33	3.675,33	1	25660	G
SNR	23040.EMKW33C3	3.675,33	1	26,084	KG
SNR	23040.EMKW33C4	4.042,86	1	22,136	KG
SNR	23040.EMW33	3.675,33	1	26,72	KG
SNR	23040.EMW33C3	3.675,33	1	26,904	KG
NTN	23044EMD1	3.972,85	1	29,5	KG
NTN	23044EMKD1C3	3.972,85	1	30,5	KG

SNR	23044.EMKW33	3.972,85	1	32,5	KG
NTN	23044.EMKW33	3.972,85	1	32,795	KG
SNR	23044.EMKW33C3	3.972,85	1	33,4	KG
SNR	23044.EMKW33C4	4.370,14	1	33,5	KG
SNR	23044.EMW33	3.972,85	1	33,2	KG
NTN	23044.EMW33	3.972,85	1	29,9	KG
SNR	23044.EMW33C3	3.972,85	1	29,872	KG
NTN	23044.EMW33C3	3.972,85	1	31,3	KG
SNR	23048EMKW33	4.435,84	1	31,67	KG
SNR	23048.EMKW33C3	4.982,60	1	38,1	KG
SNR	23048EMKW33C4	5.480,86	1	31	KG
SNR	23048.EMW33	4.435,84	1	32270	G
NTN	23048EMW33	4.435,84	1	32,27	KG
SNR	23048.EMW33C3	4.594,78	1	37550	G
NTN	23052EMKD1	6.143,06	1	46	KG
SNR	23052EMKW33	5.014,88	1	51100	G
NTN	23052EMKW33	5.014,88	1	52,2	KG
SNR	23052.EMKW33C3	5.014,88	1	51	KG
NTN	23052EMKW33C3	5.014,88	1	52,2	KG
SNR	23052EMKW33C4	5.516,36	1	47,28	KG
SNR	23052.EMW33	5.014,88	1	52,2	KG
NTN	23052.EMW33	5.014,88	1	1	G
SNR	23052.EMW33C3	5.014,88	1	52,3	KG
NTN	23052.EMW33C3	5.014,88	1	47,28	KG
NTN	23056EMD1	6.950,16	1	40	KG
SNR	23080EMW33	22.463,03	1	145	KG
NTN	23120BKD1	780,18	1	4,16	KG
NTN	23120EAKD1	780,18	1	4,293	KG
SNR	23120.EAKW33	780,18	1	4278	G
SNR	23120.EAKW33C3	780,18	1	4280	G
NTN	23120.EAKW33C3	780,18	1	4,26	KG
SNR	23120.EAW33	780,18	1	4428	G
NTN	23120.EAW33	780,18	1	4,41	KG
SNR	23120.EAW33C3	780,18	1	4424	G
NTN	23120.EAW33C3	780,18	1	4,41	KG
SNR	23120EAW33C4	858,21	1	4	G
SNR	23120.EG15KW33	780,18	1	4,18	KG
SNR	23120.EG15KW33C3	780,18	1	4,178	KG
SNR	23120.EG15W33	780,18	1	4,324	KG
SNR	23120.EG15W33C3	780,18	1	4,32	KG
SNR	23120.EK.M.A41	1.326,61	1	4,36	KG
SNR	23120.EMKW33	1.012,80	1	4,372	KG
SNR	23120.EMKW33C3	1.012,80	1	4,364	KG
SNR	23120.EMW33	1.002,64	1	4,518	KG
NTN	23120.EMW33	1.002,64	1	4,485	KG
SNR	23120.EMW33C3	1.002,64	1	4,498	KG
NTN	23120.EMW33C3	1.002,64	1	4,48	KG
SNR	23120.EMW33C4	1.102,91	1	4,51	KG
SNR	23122.EAKW33	894,23	1	5,422	KG
NTN	23122.EAKW33	894,23	1	5,365	KG

SNR	23122.EAKW33C3	894,23	1	5,4	KG
NTN	23122.EAKW33C3	894,23	1	5,36	KG
SNR	23122.EAW33	894,23	1	5,582	KG
NTN	23122.EAW33	894,23	1	5,54	KG
SNR	23122.EAW33C3	894,23	1	5,573	KG
NTN	23122.EAW33C3	894,23	1	5,4	KG
SNR	23122.EAW33C4	938,95	1	5,575	KG
NTN	23122.EAW33C4	938,95	1	5,4	KG
SNR	23122.EK.M.A41	1.397,83	1	5,454	KG
SNR	23122.EMKW33	1.173,42	1	5,445	KG
SNR	23122.EMKW33C3	1.173,42	1	5,436	KG
SNR	23122.EMW33	1.149,23	1	5,62	KG
SNR	23122.EMW33C3	1.149,23	1	5,614	KG
SNR	23122.EMW33C4	1.264,16	1	5,596	KG
SNR	23124.EAKW33	1.192,21	1	7,553	KG
NTN	23124.EAKW33	1.192,21	1	7,46	KG
SNR	23124.EAKW33C3	1.192,21	1	7,556	KG
NTN	23124.EAKW33C3	1.192,21	1	7,52	KG
SNR	23124.EAW33	1.192,21	1	7,794	KG
NTN	23124.EAW33	1.192,21	1	7,755	KG
SNR	23124.EAW33C3	1.192,21	1	7,79	KG
NTN	23124.EAW33C3	1.192,21	1	7,76	KG
SNR	23124.EAW33C4	1.311,42	1	7,783	KG
SNR	23124.EMKW33	1.510,26	1	7,58	KG
SNR	23124.EMKW33C3	1.510,26	1	7,636	KG
SNR	23124.EMW33	1.495,16	1	7,88	KG
SNR	23124.EMW33C3	1.495,16	1	7,882	KG
SNR	23126.EAKW33	1.362,71	1	8,274	KG
NTN	23126.EAKW33	1.362,71	1	8,2	KG
SNR	23126.EAKW33C3	1.362,71	1	8,254	KG
NTN	23126.EAKW33C3	1.362,71	1	8,25	KG
SNR	23126.EAW33	1.362,71	1	8,548	KG
NTN	23126.EAW33	1.362,71	1	8,535	KG
SNR	23126.EAW33C3	1.362,71	1	8,55	KG
NTN	23126.EAW33C3	1.362,71	1	8,52	KG
SNR	23126.EAW33C4	1.498,97	1	8,52	KG
SNR	23126.EMKW33C3	1.693,83	1	8,35	KG
SNR	23126.EMW33	1.693,83	1	8,642	KG
SNR	23126.EMW33C3	1.693,83	1	8,62	KG
SNR	23126.EMW33C4	1.863,22	1	8,62	KG
SNR	23128.EAKW33	1.592,73	1	9,98	KG
NTN	23128.EAKW33	1.592,73	1	9,99	KG
SNR	23128.EAKW33C3	1.592,73	1	10,012	KG
NTN	23128.EAKW33C3	1.592,73	1	9,965	KG
SNR	23128.EAW33	1.592,73	1	10,33	KG
NTN	23128.EAW33	1.592,73	1	10,62	KG
SNR	23128.EAW33C3	1.592,73	1	10,326	KG
NTN	23128.EAW33C3	1.592,73	1	10,315	KG
SNR	23128.EAW33C4	1.752,00	1	10,33	KG
SNR	23128.EMKW33	2.085,23	1	10,086	KG

SNR	23128.EMKW33C3	2.085,23	1	10,095	KG
SNR	23128.EMW33	2.000,33	1	10,42	KG
SNR	23128.EMW33C3	2.000,33	1	10,403	KG
NTN	23128EMW33C3	2.000,33	1	10,2	KG
SNR	23128.EMW33C4	2.200,36	1	10,42	KG
SNR	23130.EAKW33	2.102,07	1	15322	G
NTN	23130.EAKW33	2.102,07	1	15,185	KG
SNR	23130.EAKW33C3	2.102,07	1	15286	G
NTN	23130.EAKW33C3	2.102,07	1	15,495	KG
SNR	23130.EAW33	2.102,07	1	15780	G
NTN	23130.EAW33	2.102,07	1	15,72	KG
SNR	23130.EAW33C3	2.102,07	1	15772	G
NTN	23130.EAW33C3	2.102,07	1	15,955	KG
SNR	23130EAW33C5	2.732,67	1	15,87	KG
SNR	23130.EMKW33C3	2.662,87	1	15,474	KG
SNR	23130.EMKW33C4	2.929,16	1	15,434	KG
SNR	23130.EMW33	2.662,87	1	16	KG
SNR	23130.EMW33C3	2.662,87	1	15,948	KG
SNR	23130.EMW33C4	2.929,16	1	15,952	KG
SNR	23132.EAKW33	2.386,53	1	19,606	KG
NTN	23132.EAKW33	2.386,53	1	19,525	KG
SNR	23132.EAKW33C3	2.386,53	1	19,265	KG
NTN	23132.EAKW33C3	2.386,53	1	19,495	KG
SNR	23132.EAW33	2.386,53	1	20,242	KG
NTN	23132.EAW33	2.386,53	1	20,83	KG
SNR	23132.EAW33C3	2.386,53	1	20,197	KG
NTN	23132.EAW33C3	2.386,53	1	20,615	KG
SNR	23132.EMKW33	3.144,13	1	19,803	KG
SNR	23132.EMKW33C3	3.144,13	1	19,78	KG
NTN	23132.EMKW33C3	3.144,13	1	19,66	KG
SNR	23132.EMW33	2.966,49	1	20,396	KG
SNR	23132.EMW33C3	2.966,49	1	20,384	KG
SNR	23132.EMW33C4	3.263,13	1	20,346	KG
SNR	23132.EMW33C5	3.856,44	1	20,332	KG
SNR	23134.EAKW33	2.891,65	1	20,968	KG
NTN	23134.EAKW33	2.891,65	1	21,345	KG
SNR	23134.EAKW33C3	2.891,65	1	20,971	KG
NTN	23134.EAKW33C3	2.891,65	1	20,835	KG
SNR	23134.EAW33	2.891,65	1	21,68	KG
NTN	23134.EAW33	2.891,65	1	21,5	KG
SNR	23134.EAW33C3	2.891,65	1	21,632	KG
NTN	23134.EAW33C3	2.891,65	1	21,5	KG
SNR	23134.EMKW33	3.379,95	1	21,172	KG
SNR	23134.EMKW33C3	3.379,95	1	21,132	KG
SNR	23134.EMW33	3.408,12	1	21,842	KG
SNR	23134.EMW33C3	3.408,12	1	21,834	KG
NTN	23136EAD1C4	3.605,67	1	27,2	KG
SNR	23136.EAKW33	3.245,43	1	30,2	KG
NTN	23136.EAKW33	3.245,43	1	29,725	KG
SNR	23136.EAKW33C3	3.245,43	1	30,4	KG

NTN	23136.EAKW33C3	3.245,43	1	26,5	KG
SNR	23136.EAW33	3.245,43	1	31,3	KG
SNR	23136.EAW33C3	3.245,43	1	31,1	KG
NTN	23136.EAW33C3	3.245,43	1	31	KG
SNR	23136.EAW33C4	3.569,98	1	31,1	KG
SNR	23136.EMKW33C3	3.970,42	1	30,4	KG
SNR	23136.EMW33	3.970,42	1	31,3	KG
SNR	23136.EMW33C3	3.970,42	1	31,4	KG
NTN	23138EMD1	4.073,12	1	30	KG
SNR	23138.EMKW33	4.073,12	1	37,2	KG
NTN	23138EMKW33	4.073,12	1	25,56	KG
SNR	23138.EMKW33C3	4.073,12	1	37,4	KG
SNR	23138EMKW33C4	4.480,42	1	32,45	KG
SNR	23138.EMW33	4.073,12	1	25,56	KG
SNR	23138.EMW33C3	4.073,12	1	37,5	KG
SNR	23140.EMKW33	4.387,23	1	45	KG
SNR	23140.EMKW33C3	4.387,23	1	45	KG
NTN	23140EMKW33C3	4.387,23	1	41,7	KG
SNR	23140.EMKW33C4	4.825,96	1	44,3	KG
SNR	23140.EMW33	4.387,23	1	41,7	KG
SNR	23140.EMW33C3	4.387,23	1	41,7	KG
NTN	23140EMW33C4	4.825,96	1	41,7	KG
SNR	23140EMW33C4	4.825,96	1	41,7	KG
SNR	23144.EMKW33	5.906,01	1	57,5	KG
SNR	23144.EMKW33C3	5.906,01	1	57	KG
SNR	23144.EMKW33C4	6.496,62	1	57	KG
SNR	23144.EMW33	5.906,01	1	57,5	KG
NTN	23144.EMW33	5.906,01	1	1	G
SNR	23144.EMW33C3	5.906,01	1	58,35	KG
SNR	23144EMW33C4	6.496,62	1	52,21	KG
NTN	23148BKC4	8.753,20	1	79	KG
NTN	23148EMD1	6.226,39	1	64,7	KG
SNR	23148EMKW33	7.957,46	1	62,72	KG
SNR	23148.EMKW33C3	7.957,46	1	69,6	KG
SNR	23148.EMKW33C4	8.753,20	1	67,8	KG
SNR	23148.EMW33	7.957,46	1	69,5	KG
SNR	23148.EMW33C3	6.226,39	1	67,8	KG
SNR	23156EMW33	11.031,12	1	96,5	KG
NTN	232/500BL1K	#####	1	1040000	G
SNR	23218EAK.C3	778,65	1	4,33	KG
SNR	23218.EAKW33	778,65	1	4,306	KG
NTN	23218.EAKW33	778,65	1	4,29	KG
SNR	23218.EAKW33C3	778,65	1	1,1	KG
NTN	23218.EAKW33C3	778,65	1	4,25	KG
SNR	23218EAKW33C4	856,51	1	4,21	KG
SNR	23218.EAW33	778,65	1	4,435	KG
NTN	23218.EAW33	778,65	1	4,43	KG
SNR	23218.EAW33C3	778,65	1	4,434	KG
NTN	23218.EAW33C3	778,65	1	4,436	KG
SNR	23218.EAW33C4	856,51	1	4,42	KG

SNR	23218.EMKW33	826,53	1	4,385	KG
NTN	23218.EMKW33	826,53	1	4,395	KG
SNR	23218.EMKW33C3	826,53	1	4,378	KG
NTN	23218.EMKW33C3	826,53	1	4,32	KG
SNR	23218.EMW33	826,53	1	4,508	KG
NTN	23218.EMW33	826,53	1	4,505	KG
SNR	23218.EMW33C3	848,34	1	4,51	KG
NTN	23218.EMW33C3	841,51	1	4,51	KG
SNR	23220.EAKW33	972,59	1	6,325	KG
NTN	23220.EAKW33	972,59	1	6,27	KG
SNR	23220.EAKW33C3	972,59	1	6,32	KG
NTN	23220.EAKW33C3	972,59	1	6,27	KG
SNR	23220.EAW33	972,59	1	6,46	KG
NTN	23220.EAW33	972,59	1	6,47	KG
SNR	23220.EAW33C3	972,59	1	6,496	KG
NTN	23220.EAW33C3	972,59	1	6,46	KG
SNR	23220.EAW33C4	1.069,85	1	6,496	KG
SNR	23220.EMKW33	1.076,93	1	6,422	KG
SNR	23220.EMKW33C3	1.032,37	1	6,424	KG
SNR	23220.EMW33	1.076,93	1	6599	G
NTN	23220.EMW33	1.070,10	1	6,56	KG
SNR	23220.EMW33C3	1.077,05	1	6,607	KG
NTN	23220.EMW33C3	1.070,10	1	6,555	KG
NTN	23222BKD1C4	1.326,18	1	9,3	KG
SNR	23222.EAKW33	1.205,62	1	9,122	KG
NTN	23222.EAKW33	1.205,62	1	9,06	KG
SNR	23222.EAKW33C3	1.205,62	1	9,105	KG
NTN	23222.EAKW33C3	1.205,62	1	9,06	KG
SNR	23222.EAKW33C4	1.326,18	1	9,091	KG
SNR	23222.EAW33	1.205,62	1	9,392	KG
NTN	23222.EAW33	1.205,62	1	9,33	KG
SNR	23222.EAW33C3	1.205,62	1	9,378	KG
NTN	23222.EAW33C3	1.205,62	1	9,335	KG
SNR	23222.EMKW33	1.284,35	1	9,266	KG
SNR	23222.EMKW33C3	1.279,72	1	9,262	KG
SNR	23222.EMW33	1.284,35	1	9,534	KG
NTN	23222.EMW33	1.276,32	1	9,845	KG
SNR	23222.EMW33C3	1.284,35	1	9,522	KG
NTN	23222.EMW33C3	1.276,32	1	9,845	KG
SNR	23222.EMW33C4	1.326,18	1	9,503	KG
NTN	23222.EMW33C4	1.326,18	1	9,46	KG
SNR	23224EAK.W33	1.526,98	1	11,211	KG
SNR	23224EAKW33C3	1.526,98	1	11,296	KG
NTN	23224EAK.W33C3	1.526,98	1	11,23	KG
SNR	23224EA.W33	1.526,98	1	11,63	KG
NTN	23224.EAW33	1.526,98	1	11,6	KG
SNR	23224EA.W33C3	1.526,98	1	11,658	KG
SNR	23224EA.W33C4	1.679,67	1	11,62	KG
NTN	23224EMD1	1.985,03	1	11,62	KG
NTN	23224EMKD1	1.985,03	1	11,62	KG

SNR	23224.EMKW33	1.985,03	1	11,437	KG
NTN	23224.EMKW33	1.985,03	1	11,875	KG
SNR	23224.EMKW33C3	1.985,03	1	11,46	KG
NTN	23224.EMKW33C3	1.985,03	1	11,4	KG
SNR	23224.EMW33	1.985,03	1	11,804	KG
SNR	23224.EMW33C3	1.985,03	1	11,804	KG
NTN	23224.EMW33C3	1.985,03	1	12,1	KG
SNR	23226EA.KW33C3	1.819,59	1	13,33	KG
SNR	23226EA.W33	1.819,59	1	13760	G
NTN	23226.EAW33	1.819,59	1	14,1	KG
SNR	23226EA.W33C3	1.819,59	1	13,76	KG
NTN	23226.EAW33C3	1.819,59	1	13,68	KG
NTN	23226EMKD1	2.319,08	1	13,4	KG
SNR	23226.EMKW33	2.296,12	1	13,576	KG
NTN	23226.EMKW33	2.296,12	1	13,495	KG
SNR	23226.EMKW33C3	2.296,12	1	13,534	KG
NTN	23226.EMKW33C3	2.296,12	1	13,47	KG
SNR	23226.EMW33	2.296,12	1	13,97	KG
SNR	23226.EMW33C3	2.296,12	1	13,98	KG
NTN	23226.EMW33C3	2.296,12	1	13,955	KG
SNR	23228EAK.W33	2.267,05	1	17,486	KG
NTN	23228.EAKW33	2.267,05	1	17,38	KG
SNR	23228EAK.W33C3	2.267,05	1	17,48	KG
SNR	23228EA.W33	2.267,05	1	18	KG
SNR	23228EA.W33C3	2.267,05	1	18,032	KG
SNR	23228.EMKW33	2.947,17	1	17892	G
NTN	23228.EMKW33	2.947,17	1	17,756	KG
SNR	23228.EMKW33C3	2.947,17	1	17,874	KG
NTN	23228.EMKW33C3	2.947,17	1	17,765	KG
SNR	23228.EMKW33C4	3.241,87	1	17,897	KG
SNR	23228.EMW33	2.947,17	1	18,448	KG
NTN	23228.EMW33	2.947,17	1	18,74	KG
SNR	23228.EMW33C3	2.947,17	1	18,442	KG
NTN	23228.EMW33C3	2.947,17	1	18,315	KG
NTN	23230.EAKW33	2.939,62	1	23,52	KG
SNR	23230.EAKW33C3	2.939,62	1	22,784	KG
NTN	23230.EAKW33C3	2.939,62	1	22,575	KG
SNR	23230.EAW33	2.939,62	1	23,48	KG
NTN	23230.EAW33	2.939,62	1	23,32	KG
SNR	23230.EAW33C3	2.939,62	1	23,49	KG
SNR	23230.EMKW33	3.044,96	1	23,105	KG
SNR	23230.EMKW33C3	3.044,96	1	23,118	KG
SNR	23230.EMW33	3.044,96	1	23,836	KG
NTN	23230.EMW33	3.044,96	1	24,1	KG
SNR	23230.EMW33C3	3.044,96	1	23,824	KG
SNR	23232.EAKW33	3.488,95	1	36,5	KG
NTN	23232.EAKW33	3.488,95	1	31,78	KG
SNR	23232.EA K W33 C3	3.488,95	1	34	KG
SNR	23232.EAW33	3.488,95	1	33,8	KG
NTN	23232.EAW33	3.488,95	1	31,213	KG

SNR	23232.EA W33 C3	3.488,95	1	32,325	KG
NTN	23232.EAW33C3	3.488,95	1	32,45	KG
SNR	23232.EMKW33	3.613,96	1	32,4	KG
NTN	23232.EMKW33	3.613,96	1	32	KG
SNR	23232.EMKW33C3	3.613,96	1	32,5	KG
NTN	23232.EMKW33C3	3.613,96	1	31,95	KG
SNR	23232.EMW33	3.488,95	1	33,2	KG
SNR	23232.EMW33C3	3.613,96	1	33,5	KG
SNR	23232.EMW33C4	3.975,36	1	36,5	KG
SNR	23234EMKW33	4.601,95	1	34,64	KG
SNR	23234.EMKW33C3	4.601,95	1	37,6	KG
NTN	23234EMKW33C3	4.601,95	1	37	KG
SNR	23234.EMKW33C4	5.062,17	1	34,64	KG
SNR	23234.EMW33	4.485,65	1	39300	G
NTN	23234.EMW33	4.485,65	1	1	G
SNR	23234.EMW33C3	4.485,65	1	39,5	KG
NTN	23236EMKD1	4.935,43	1	40	KG
SNR	23236.EMKW33C3	4.935,43	1	40,7	KG
NTN	23236EMKW33C3	4.935,43	1	37,8	KG
SNR	23236.EMW33	4.935,43	1	37,8	KG
NTN	23236.EMW33	4.935,43	1	1	G
SNR	23236.EMW33C3	4.935,43	1	41,82	KG
SNR	23236EMW33C4	5.428,98	1	37,8	KG
SNR	23238.EMKW33	6.025,55	1	49,04	KG
SNR	23238.EMKW33C3	6.025,55	1	49,03	KG
SNR	23238.EMW33	5.467,00	1	58,4	KG
NTN	23238.EMW33	5.467,00	1	24000	G
SNR	23238.EMW33C3	5.467,00	1	49,7	KG
SNR	23240EMKW33	6.745,61	1	60,85	KG
NTN	23240EMKW33	6.745,61	1	55,8	KG
SNR	23240.EMKW33C3	6.745,61	1	62300	G
NTN	23240EMKW33C3	6.745,61	1	55,8	KG
SNR	23240.EMW33	6.745,61	1	62100	G
SNR	23240.EMW33C3	6.745,61	1	62300	G
SNR	23244.EMKW33	9.568,71	1	83	KG
SNR	23244.EMKW33C3	9.568,71	1	83	KG
NTN	23244.EMKW33C3	9.568,71	1	80	KG
NTN	23244.EMKW33C4	10.525,57	1	81,5	KG
SNR	23244.EMW33	9.568,71	1	86,1	KG
NTN	23244.EMW33	9.568,71	1	80	KG
SNR	23244.EMW33C3	9.568,71	1	85	KG
NTN	23244.EMW33C3	9.568,71	1	82,5	KG
NTN	23244.EMW33C4	9.423,40	1	80	KG
SNR	23244.EMW33C4	9.423,40	1	77,2	KG
NTN	23936EMD1	2.581,90	1	7,88	KG
NTN	23940EMD1	3.877,79	1	11,655	KG
NTN	23940EMD1C3	3.877,79	1	11,65	KG
SNR	23944EMW33	3.458,65	1	15,91	KG
SNR	23944.EMW33C3	3.458,65	1	16	KG
NTN	23948EMD1	3.429,85	1	13380	G

NTN	23948EMD1C3	4.440,94	1	13,37	KG
NTN	23952EMD1	6.867,25	1	24540	G
SNR	24020.EAW33	986,44	1	3	KG
NTN	24020.EAW33	986,44	1	2,83	KG
SNR	24020EA.W33C3	986,44	1	2,962	KG
SNR	24022EAW33	986,44	1	4,806	KG
SNR	24022EA.W33C3	1.093,36	1	4,806	KG
SNR	24022EAW33C4	1.202,69	1	4,8	KG
SNR	24024.EAK30W33C3	1.214,10	1	5,07	KG
SNR	24024.EAW33	1.214,10	1	5,166	KG
NTN	24024.EAW33	1.214,10	1	5,118	KG
SNR	24024.EAW33C3	1.214,10	1	5,159	KG
NTN	24024.EAW33C3	1.214,10	1	5,105	KG
SNR	24024.EAW33C4	1.335,52	1	5,16	KG
NTN	24024.EAW33C4	1.335,52	1	5,48	KG
SNR	24024EAW33C5	1.578,33	1	5,06	KG
SNR	24024EAW33W89C4	1.438,21	1	50,56	KG
SNR	24026EAK30W33	1.439,07	1	7,39	KG
NTN	24026EAK30W33	1.439,07	1	7,625	KG
SNR	24026.EAK30W33C3	1.439,07	1	7,39	KG
NTN	24026.EAK30W33C3	1.439,07	1	7,625	KG
SNR	24026.EAK30W33C4	1.582,97	1	7,434	KG
SNR	24026.EAW33	1.439,07	1	7,528	KG
NTN	24026.EAW33	1.439,07	1	7,64	KG
SNR	24026.EAW33C3	1.439,07	1	7,506	KG
NTN	24026.EAW33C3	1.439,07	1	7,64	KG
SNR	24026.EAW33C4	1.582,97	1	7538	G
SNR	24028.EAK30W33	1.707,09	1	8,029	KG
SNR	24028.EAK30W33C3	1.707,09	1	8,022	KG
NTN	24028.EAK30W33C3	1.707,09	1	8,57	KG
SNR	24028.EAK30W33C4	1.877,81	1	8,042	KG
SNR	24028.EAW33	1.707,09	1	8,155	KG
NTN	24028.EAW33	1.707,09	1	8,212	KG
SNR	24028.EAW33C3	1.707,09	1	8,152	KG
NTN	24028.EAW33C3	1.707,09	1	8,16	KG
SNR	24028.EAW33C4	1.877,81	1	8,138	KG
SNR	24030EAC3	1.943,37	1	10,1	KG
SNR	24030EAK30W33	1.943,37	1	9,894	KG
SNR	24030.EAK30W33C3	1.943,37	1	9,894	KG
SNR	24030.EAK30W33C4	2.137,70	1	9,908	KG
SNR	24030.EAW33	1.943,37	1	10,205	KG
NTN	24030.EAW33	1.943,37	1	10,45	KG
SNR	24030.EAW33C3	1.943,37	1	10,074	KG
SNR	24030.EAW33C4	2.137,70	1	10,072	KG
NTN	24032BC4	2.667,95	1	13,275	KG
SNR	24032.EAK30W33	2.425,41	1	11,774	KG
NTN	24032.EAK30W33	2.425,41	1	11,82	KG
SNR	24032.EAK30W33C3	2.425,41	1	11,771	KG
SNR	24032.EAK30W33C4	2.667,95	1	11,753	KG
SNR	24032EAK30W33CS1PX50	2.186,98	1	11,9	KG

SNR	24032.EAW33	2.425,41	1	11,998	KG
NTN	24032.EAW33	2.425,41	1	11,905	KG
SNR	24032.EAW33C3	2.425,41	1	11,975	KG
NTN	24032.EAW33C3	2.425,41	1	12,16	KG
SNR	24032.EAW33C4	2.667,95	1	11,895	KG
SNR	24032.EAW33C5	3.153,02	1	11,98	KG
SNR	24034EAK30W33	2.824,52	1	16,59	KG
NTN	24034EAK30W33C3	2.824,52	1	16,467	KG
SNR	24034.EAW33	2.824,52	1	16,59	KG
NTN	24034.EAW33	2.824,52	1	16,467	KG
SNR	24034.EAW33C3	2.824,52	1	16,612	KG
SNR	24034.EAW33C4	3.106,98	1	17,8	KG
NTN	24034EMD1	3.671,89	1	17,96	KG
SNR	24036.EAK30W33	3.119,09	1	25,2	KG
SNR	24036.EAK30W33C3	3.119,09	1	24,865	KG
NTN	24036.EAK30W33C3	3.119,09	1	22,9	KG
SNR	24036.EAW33	3.119,09	1	25,5	KG
NTN	24036.EAW33	3.119,09	1	27,5	KG
SNR	24036.EAW33C3	3.119,09	1	22,07	KG
NTN	24036.EAW33C3	3.119,09	1	23,3	KG
SNR	24036.EAW33C4	3.431,00	1	25,3	KG
SNR	24036.EAW33C5	4.054,83	1	22,095	KG
SNR	24038.EMK30W33	3.772,25	1	25,9	KG
SNR	24038.EMK30W33C3	3.772,25	1	25,9	KG
NTN	24038.EMK30W33C3	3.772,25	1	24	KG
SNR	24038.EMW33	3.545,57	1	26,42	KG
NTN	24038.EMW33	3.545,57	1	26,5	KG
SNR	24038.EMW33C3	3.637,50	1	26,275	KG
SNR	24040.EMK30W33	4.540,46	1	27,498	KG
NTN	24040.EMK30W33	4.540,46	1	33,055	KG
SNR	24040.EMK30W33C3	4.540,46	1	33,4	KG
NTN	24040.EMK30W33C3	4.540,46	1	33,035	KG
SNR	24040.EMW33	4.521,76	1	33,8	KG
NTN	24040.EMW33	4.521,33	1	33,31	KG
SNR	24040.EMW33C3	4.521,76	1	33,6	KG
NTN	24040.EMW33C3	4.521,33	1	31	KG
NTN	24040LHD1	4.147,48	1	30,095	KG
SNR	24044.EMK30W33C3	5.946,01	1	38	KG
SNR	24044.EMW33	5.515,68	1	40,13	KG
NTN	24044.EMW33	5.515,68	1	1	G
SNR	24044.EMW33C3	5.515,68	1	42200	G
SNR	24048EMK30W33	7.278,99	1	41	KG
SNR	24048.EMK30W33C3	7.278,99	1	45,5	KG
SNR	24048.EMW33	5.593,52	1	48200	G
NTN	24048.EMW33	5.593,52	1	1	G
SNR	24048.EMW33C3	5.593,52	1	48,2	KG
SNR	24052EAK30W33	7.190,01	1	64	KG
SNR	24052EAK30W33C3	7.190,01	1	64	KG
SNR	24052EAW33	7.190,01	1	65	KG
SNR	24052EAW33C3	7.190,01	1	52,5	KG

NTN	24052EMD1	9.347,01	1	6,93	KG
NTN	24122.EAK30W33	1.376,84	1	6,495	KG
SNR	24122EAK30W33	1.376,84	1	6,652	KG
SNR	24122EAK30W33C3	1.376,84	1	6,652	KG
SNR	24122.EAW33	1.376,84	1	6,652	KG
NTN	24122.EAW33	1.376,84	1	6,59	KG
SNR	24122.EAW33C3	1.376,84	1	6,64	KG
NTN	24122.EAW33C3	1.376,84	1	6,55	KG
SNR	24122.EAW33C4	1.514,51	1	6,65	KG
NTN	24122.EAW33C4	1.514,51	1	6,715	KG
SNR	24124.EAK30W33	1.609,33	1	9,7	KG
NTN	24124.EAK30W33	1.609,33	1	9,745	KG
SNR	24124.EAK30W33C3	1.609,33	1	9762	G
SNR	24124.EAW33	1.609,33	1	9920	G
NTN	24124.EAW33	1.609,33	1	9,87	KG
SNR	24124.EAW33C3	1.609,33	1	9959	G
NTN	24124.EAW33C3	1.609,33	1	10,3	KG
SNR	24124.EAW33C4	1.770,26	1	9907	G
SNR	24126.EAK30W33	2.078,10	1	10,244	KG
SNR	24126.EAK30W33C3	2.078,10	1	10166	G
SNR	24126.EAW33	2.078,10	1	10655	G
NTN	24126.EAW33	2.078,10	1	10,565	KG
SNR	24126.EAW33C3	2.078,10	1	10336	G
NTN	24126.EAW33C3	2.078,10	1	10,53	KG
SNR	24126.EAW33C4	2.285,91	1	10351	G
NTN	24128.EAK30W33	2.567,45	1	13,1	KG
SNR	24128.EAK30W33C3	2.567,45	1	12,365	KG
NTN	24128.EAK30W33C3	2.567,45	1	13,1	KG
SNR	24128.EAW33	2.567,45	1	12570	G
NTN	24128.EAW33	2.567,45	1	12,45	KG
SNR	24128.EAW33C3	2.567,45	1	12,556	KG
NTN	24128.EAW33C3	2.567,45	1	12,48	KG
SNR	24128.EAW33C4	2.824,21	1	12,544	KG
SNR	24130EAK30W33	2.883,26	1	18,598	KG
NTN	24130EAK30W33	2.883,26	1	18,598	KG
SNR	24130EAK30W33C3	2.883,26	1	18,598	KG
NTN	24130EAK30W33C3	2.883,26	1	18,598	KG
SNR	24130.EAK30W33C4	3.171,59	1	18,598	KG
SNR	24130EAN1W33C3	3.171,59	1	18,6	KG
SNR	24130.EAW33	2.883,26	1	18,9	KG
NTN	24130.EAW33	2.883,26	1	18,77	KG
SNR	24130.EAW33C3	2.883,26	1	18,8	KG
NTN	24130.EAW33C3	2.883,26	1	19,27	KG
SNR	24130.EAW33C4	3.171,59	1	18,831	KG
NTN	24130.EAW33C4	3.171,59	1	19,24	KG
NTN	24130LHD1C3	2.883,26	1	19,85	KG
SNR	24132EAK30W33	3.692,99	1	24,35	KG
SNR	24132.EAK30W33C3	3.692,99	1	24,355	KG
NTN	24132.EAK30W33C3	3.692,99	1	24,175	KG
SNR	24132.EAW33	3.692,99	1	24,893	KG

NTN	24132.EAW33	3.692,99	1	24,587	KG
SNR	24132.EAW33C3	3.692,99	1	24,75	KG
NTN	24132.EAW33C3	3.692,99	1	24,625	KG
SNR	24132.EAW33C4	4.062,29	1	24,75	KG
NTN	24132.EAW33C4	4.062,29	1	24,555	KG
NTN	24134EAK30W33	3.992,05	1	25,92	KG
SNR	24134EAK30W33	3.992,05	1	13,455	KG
SNR	24134.EAK30W33C3	3.992,05	1	29,1	KG
NTN	24134.EAK30W33C3	3.992,05	1	25,92	KG
SNR	24134.EAW33	3.992,05	1	36	KG
SNR	24134.EAW33C3	3.992,05	1	29,3	KG
NTN	24134.EAW33C3	3.992,05	1	28,2	KG
NTN	24134EAW33C4	4.391,25	1	26,6	KG
SNR	24136EAK30W33	4.572,35	1	33,25	KG
SNR	24136.EAK30W33C3	4.572,35	1	35,5	KG
NTN	24136EAK30W33C3	4.572,35	1	35,5	KG
SNR	24136EAN1W33C3	5.029,59	1	35650	G
SNR	24136.EAW33	4.572,35	1	37000	G
NTN	24136EAW33	4.572,35	1	34,3	KG
SNR	24136.EAW33C3	4.572,35	1	36,4	KG
SNR	24136.EAW33C4	5.029,59	1	37,463	KG
SNR	24138EAK30W33	5.019,29	1	41	KG
SNR	24138.EAK30W33C3	5.019,29	1	43,9	KG
SNR	24138EAW33	5.019,29	1	44,5	KG
SNR	24138.EAW33C3	5.019,29	1	40,3	KG
SNR	24138.EAW33C4	5.521,22	1	48,7	KG
SNR	24140.EMK30W33	8.006,06	1	54,8	KG
SNR	24140.EMK30W33C3	8.006,06	1	55,1	KG
SNR	24140.EMW33	8.006,06	1	57,2	KG
NTN	24140.EMW33	8.005,73	1	53,4	KG
SNR	24140.EMW33C3	8.006,06	1	55,8	KG
NTN	24140.EMW33C3	8.006,06	1	51,84	KG
SNR	24140.EMW33C4	8.006,06	1	53,4	KG
NTN	24144EMK30D1C3	10.049,28	1	54,4	KG
SNR	24144.EMK30W33C3	10.049,28	1	68	KG
SNR	24144.EMW33	9.689,17	1	68000	G
NTN	24144.EMW33	9.689,17	1	68500	G
SNR	24144.EMW33C3	9.689,17	1	68	KG
SNR	24148EAK30W33	8.992,94	1	45	KG
SNR	24148EAK30W33C3	8.992,94	1	79,17	KG
SNR	24148EAW33	8.992,94	1	26	KG
SNR	24148EAW33C2	11.690,82	1	82	KG
SNR	24148EAW33C3	8.992,94	1	79,9	KG
SNR	24148EAW33C4	9.892,24	1	76,7	KG
SNR	29320.E	1.527,41	1	3664	G
SNR	29322.E	1.755,09	1	5,362	KG
SNR	29324.E	1.922,75	1	7,24	KG
SNR	29326.E	2.181,19	1	8,98	KG
SNR	29328.E	2.780,23	1	10,404	KG
SNR	29330.E	2.914,35	1	16,8	KG

SNR	29332.E	3.362,48	1	19,185	KG
SNR	29334.E	3.696,81	1	15,1	KG
SNR	29336.E	4.262,04	1	26,1	KG
SNR	29338.E	4.961,32	1	33,5	KG
SNR	29340.E	5.752,36	1	37,4	KG
NTN	29340V1	16.681,55	1	32,47	KG
SNR	29344.E	7.218,78	1	49	KG
SNR	29348.E	8.560,45	1	48,8	KG
SNR	29412.E	1.116,77	1	2515	G
SNR	29413.E	1.213,60	1	3188	G
SNR	29414.E	1.349,00	1	3890	G
SNR	29415.E	1.436,70	1	4,767	KG
SNR	29416.E	1.604,39	1	5620	G
SNR	29417.E	1.907,85	1	6816	G
SNR	29418.E	1.832,03	1	7806	G
SNR	29420.E	2.267,34	1	10530	G
SNR	29422.E	2.602,67	1	13680	G
SNR	29424.E	3.097,96	1	17,26	KG
SNR	29426.E	3.556,35	1	27000	G
SNR	29428.E	4.374,07	1	28388	G
SNR	29430.E	4.685,46	1	35200	G
SNR	29432E	5.349,91	1	41000	G
SNR	29434 E	6.391,34	1	48,5	KG
SNR	29436 E	8.357,74	1	56,2	KG
SNR	29438 E	9.243,62	1	62,6	KG
SNR	31Y23044EMKW33C4	4.959,03	1	20	KG
SNR	KITSNC22208KDS/DB120HD	668,62	1	5,49	KG
SNR	KITSNC22208KDSC3/DB120HD	668,62	1	0,055	KG
SNR	KITSNC22209KDS/DB120HD	696,35	1	4,728	KG
SNR	KITSNC22209KDSC3/DB120HD	696,35	1	4,728	KG
SNR	KITSNC22210KDS/DB120HD	720,38	1	5,054	KG
SNR	KITSNC22210KDSC3/DB120HD	720,38	1	5,054	KG
SNR	KITSNC22211KDS/DB120HD	803,07	1	8,17	KG
SNR	KITSNC22211KDSC3/DB120HD	803,07	1	6,794	KG
SNR	KITSNC22212KDS/DB120HD	853,78	1	7,87	KG
SNR	KITSNC22212KDSC3/DB120HD	853,78	1	7,87	KG
SNR	KITSNC22213KDS/DB120HD	966,66	1	9,897	KG
SNR	KITSNC22213KDSC3/DB120HD	966,66	1	9,897	KG
SNR	KITSNC22215KDS/DB120HD	1.073,24	1	10,8	KG
SNR	KITSNC22215KDSC3/DB120HD	1.073,24	1	10,807	KG
SNR	KITSNC22216KDS/DB120HD	1.218,53	1	14,254	KG
SNR	KITSNC22216KDSC3/DB120HD	1.218,53	1	14,258	KG
SNR	KITSNC22217KDS/DB120HD	1.334,08	1	15,591	KG
SNR	KITSNC22217KDSC3/DB120HD	1.334,08	1	15,602	KG
SNR	KITSNC22218KDS/DB120HD	1.556,94	1	19,862	KG
SNR	KITSNC22218KDSC3/DB120HD	1.556,94	1	20,149	KG
SNR	10X22205EAW33EE	209,00	1	0,22	KG
SNR	10X22206EAW33EE	235,65	1	345	G
SNR	10X22206EAW33EEC3	235,65	1	0,33	KG
SNR	10X22207EAKW33EE	244,61	1	0,494	KG

SNR	10X22207EAKW33EEC3	244,61	1	0,494	KG
SNR	10X22207EAW33EE	244,61	1	0,51	KG
NTN	10X22207EAW33EE	244,61	1	0,51	KG
SNR	10X22208EAKW33EE	252,21	1	0,597	KG
SNR	10X22208EAKW33EEC3	252,21	1	0,597	KG
SNR	10X22208EAW33EE	252,21	1	0,62	KG
SNR	10X22209EAKW33EE	265,78	1	0,637	KG
SNR	10X22209EAKW33EEC3	265,78	1	0,637	KG
SNR	10X22209EAW33EE	265,78	1	0,62	KG
SNR	10X22210EAEEL	283,63	1	0,71	KG
SNR	10X22210EAKW33EE	270,12	1	0,71	KG
SNR	10X22210EAKW33EEC3	270,12	1	0,71	KG
SNR	10X22210EAW33EE	270,12	1	0,412	KG
SNR	10X22210EAW33EEL	283,63	1	734	G
NTN	10X22210EAW33EEL	283,63	1	0,71	KG
SNR	10X22211EAEEL	353,26	1	0,98	KG
SNR	10X22211EAKW33EE	336,43	1	0,938	KG
SNR	10X22211EAKW33EEC3	336,43	1	0,938	KG
SNR	10X22211EAW33EE	336,43	1	0,98	KG
SNR	10X22211EAW33EEL	353,26	1	995	G
SNR	10X22212EAKW33EE	373,62	1	1,29	KG
SNR	10X22212EAKW33EEC3	373,62	1	1,29	KG
SNR	10X22212EAW33EE	373,62	1	1,33	KG
SNR	10X22212EAW33EEC3	373,62	1	1,33	KG
SNR	10X22213EAEEL	396,59	1	1,82	KG
SNR	10X22213EAKW33EE	377,71	1	1,75	KG
SNR	10X22213EAKW33EEC3	377,71	1	1,86	G
SNR	10X22213EAW33EE	377,71	1	1,77	G
SNR	10X22213EAW33EEL	396,59	1	1805	G
SNR	10X22214EAKW33EE	498,77	1	1,795	KG
SNR	10X22214EAKW33EEC3	498,77	1	1,795	KG
SNR	10X22214EAW33EE	498,77	1	0,62	KG
SNR	10X22215EAEEL	603,47	1	1,94	KG
SNR	10X22215EAKW33EE	574,74	1	1,866	KG
SNR	10X22215EAKW33EEC3	574,74	1	1,866	KG
SNR	10X22215EAW33EE	574,74	1	1,92	KG
NTN	10X22215EAW33EE	574,74	1	1,92	KG
SNR	10X22215EAW33EEC3	574,74	1	1,92	KG
SNR	10X22215EAW33EEL	603,47	1	1,9	KG
SNR	10X22216EAEEL	567,41	1	2,45	KG
SNR	10X22216EAKW33EE	540,40	1	2,34	KG
SNR	10X22216EAKW33EEC3	540,40	1	2,34	KG
SNR	10X22216EAW33EE	540,40	1	2,43	KG
SNR	10X22216EAW33EEL	567,41	1	2420	G
SNR	10X22217EAKW33EE	625,05	1	2,9	KG
SNR	10X22217EAKW33EEC3	625,05	1	2,9	KG
SNR	10X22217EAW33EEL	656,31	1	2,98	KG
SNR	10X22218EAKW33EE	663,28	1	3,65	KG
SNR	10X22218EAKW33EEC3	663,28	1	3,65	KG
SNR	10X22218EAW33EE	663,28	1	0,62	KG

SNR	10X22219EAKW33EE	835,34	1	4,32	KG
SNR	10X22219EAKW33EEC3	835,34	1	4,32	KG
SNR	10X22219EAW33EE	835,34	1	4,51	KG
SNR	10X22220EAKW33EE	888,19	1	5,37	KG
SNR	10X22220EAKW33EEC3	888,19	1	5,37	KG
SNR	10X22220EAW33EE	888,19	1	0,62	KG
SNR	KIT10X22208EAKW33EE	341,27	1	0,958	KG
SNR	KIT10X22208EAKW33EEC3	341,27	1	0,958	KG
SNR	KIT10X22209EAKW33EE	354,72	1	0,984	KG
SNR	KIT10X22209EAKW33EEC3	354,72	1	0,984	KG
SNR	KIT10X22210EAKW33EE	372,86	1	1,22	KG
SNR	KIT10X22210EAKW33EEC3	372,86	1	1,139	KG
SNR	KIT10X22211EAKW33EE	424,11	1	1,418	KG
SNR	KIT10X22211EAKW33EEC3	424,11	1	1,418	KG
SNR	KIT10X22212EAKW33EE	484,58	1	1,83	KG
SNR	KIT10X22212EAKW33EEC3	484,58	1	2,015	KG
SNR	KIT10X22213EAKW33EE	495,44	1	2,63	KG
SNR	KIT10X22213EAKW33EEC3	495,44	1	2,63	KG
SNR	KIT10X22215EAKW33EE	715,86	1	2,886	KG
SNR	KIT10X22215EAKW33EEC3	715,86	1	3,145	KG
SNR	KIT10X22216EAKW33EE	777,83	1	3,835	KG
SNR	KIT10X22216EAKW33EEC3	777,83	1	3,845	KG
SNR	KIT10X22217EAKW33EE	867,71	1	4,73	KG
SNR	KIT10X22217EAKW33EEC3	867,71	1	4,17	KG
SNR	KIT10X22218EAKW33EE	934,38	1	5,84	KG
SNR	KIT10X22218EAKW33EEC3	934,38	1	5,27	KG
SNR	KIT10X22219EAKW33EE	1.202,13	1	6,31	KG
SNR	KIT10X22219EAKW33EEC3	1.202,13	1	6,31	KG
SNR	KIT10X22220EAKW33EE	1.204,09	1	7,51	KG
SNR	KIT10X22220EAKW33EEC3	1.204,09	1	7,51	KG
SNR	KITSNC10X22208KEEDS	463,92	1	4,404	KG
SNR	KITSNC10X22208KEEDSC3	463,92	1	4,404	KG
SNR	KITSNC10X22209KEEDS	489,02	1	4,445	KG
SNR	KITSNC10X22209KEEDSC3	489,02	1	4,445	KG
SNR	KITSNC10X22210KEEDS	515,38	1	4,763	KG
SNR	KITSNC10X22210KEEDSC3	515,38	1	4,763	KG
SNR	KITSNC10X22211KEEDS	620,51	1	6,502	KG
SNR	KITSNC10X22211KEEDSC3	620,51	1	6,502	KG
SNR	KITSNC10X22212KEEDS	687,42	1	7,598	KG
SNR	KITSNC10X22212KEEDSC3	687,42	1	7,598	KG
SNR	KITSNC10X22213KEEDS	752,03	1	9,901	KG
SNR	KITSNC10X22213KEEDSC3	752,03	1	10,36	KG
SNR	KITSNC10X22215KEEDS	957,60	1	10,487	KG
SNR	KITSNC10X22215KEEDSC3	957,60	1	10,487	KG
SNR	KITSNC10X22216KEEDS	1.099,06	1	13,919	KG
SNR	KITSNC10X22216KEEDSC3	1.099,06	1	13,919	KG
SNR	KITSNC10X22217KEEDS	1.217,84	1	15,246	KG
SNR	KITSNC10X22217KEEDSC3	1.217,84	1	15,246	KG
SNR	KITSNC10X22218KEEDS	1.324,85	1	19,96	KG
SNR	KITSNC10X22218KEEDSC3	1.324,85	1	19,96	KG

NTN	WA22222EALLSKD1C3/8A	2.306,03	1	7,865	KG
SNR	22216.EF800	507,09	1	2,145	KG
SNR	22218.EF800	678,70	1	3,49	KG
SNR	22220.EF800	909,45	1	5,125	KG
NTN		10.857,50	1		
NTN		10.857,50	1		
NTN		10.857,50	1		
NTN		10.857,50	1		
SNR	22248EMKW33	10.750,00	1	90000	G
SNR	22248EMKW33C4	11.825,00	1	82,43	KG
SNR	22248EMW33	10.750,00	1	91000	G
SNR	22248EMW33C3	10.750,00	1	93700	G
SNR	22308.E.F800	357,33	1	1,04	KG
SNR	22308EKF800	357,21	1	0,945	KG
SNR	22309.E.F800	393,15	1	1,41	KG
NTN	22309.E.F800	346,48	1	1,4	KG
SNR	22309.E.F801	393,15	1	1,42	KG
SNR	22309.EK.F800	393,15	1	1,37	KG
SNR	22310.E.F800	435,91	1	1,866	KG
NTN	22310.E.F800	406,73	1	1,88	KG
SNR	22310.E.F801	435,91	1	1,867	KG
SNR	22310.EK.F800	435,91	1	1,828	KG
NTN	22311BVS1	532,80	1	2,48	KG
SNR	22311.E.F800	509,65	1	2,386	KG
SNR	22311.E.F801	509,65	1	2,39	KG
SNR	22311.EK.F800	510,87	1	2,328	KG
SNR	22311.EK.F801	510,87	1	2,338	KG
SNR	22312.E.F800	534,39	1	2,947	KG
SNR	22312.E.F801	534,39	1	2,946	KG
SNR	22312.EK.F800	534,39	1	2,886	KG
SNR	22313.E.F800	624,06	1	3,541	KG
NTN	22313.E.F800	624,06	1	3,54	KG
SNR	22313.E.F801	624,06	1	3,532	KG
SNR	22313.EK.F800	624,06	1	3,462	KG
SNR	22314.E.F800	699,63	1	4,412	KG
SNR	22314.E.F801	699,63	1	4,379	KG
SNR	22314.EK.F800	699,63	1	4,287	KG
SNR	22315.E.F800	789,00	1	5,346	KG
SNR	22315.E.F801	789,00	1	5,34	KG
SNR	22315.EK.F800	789,00	1	5,5	KG
NTN	22315UAL1KD1C3	868,00	1	5,48	KG
SNR	22316.E.F800	904,87	1	6,35	KG
SNR	22316.E.F801	904,87	1	6,376	KG
SNR	22316.EK.F800	904,87	1	6,236	KG
SNR	22317.E.F800	992,98	1	7,385	KG
NTN	22317.E.F800	992,98	1	7,355	KG
SNR	22317.E.F801	992,98	1	7,388	KG
SNR	22317.EK.F800	1.134,98	1	7,259	KG
SNR	22318.E.F800	1.093,76	1	8,62	KG
NTN	22318.E.F800	1.093,76	1	8,54	KG

SNR	22318.E.F801	1.093,76	1	8,672	KG
SNR	22318.EK.F800	1.228,59	1	8,495	KG
SNR	22318.EK.F801	1.228,59	1	8,501	KG
SNR	22319.E.F800	1.447,49	1	10,18	KG
NTN	22319.E.F800	1.447,49	1	10,105	KG
SNR	22320.E.F800	1.693,54	1	12900	G
NTN	22320.E.F800	1.693,54	1	12,97	KG
SNR	22320.EK.F800	1.783,77	1	12,783	KG
SNR	22322.E.F800	2.294,94	1	17,66	KG
NTN	22322.E.F800	2.294,94	1	17,495	KG
SNR	22322.E.F803	2.294,94	1	17,67	KG
SNR	22322.EK.F800	2.294,94	1	17,386	KG
SNR	22324.E.F800	3.200,96	1	23	KG
NTN	22324.E.F800	3.200,96	1	23	KG
SNR	22324.EK.F800	3.200,96	1	22,528	KG
NTN	22324UAL1KD1C3	3.200,96	1	23,07	KG
NTN	22324UAVS2	3.200,96	1	23,415	KG
SNR	22326.E.F800	3.910,72	1	31,6	KG
NTN	22326.E.F800	3.910,72	1	28,3	KG
SNR	22326.EK.F800	3.910,72	1	31,2	KG
SNR	22328.E.F800	4.318,90	1	41	KG
NTN	22328.E.F800	4.318,90	1	35	KG
SNR	22328.EK.F800	4.728,13	1	40,6	KG
SNR	22330.E.F800	5.282,43	1	46,375	KG
NTN	22330.E.F800	5.282,43	1	46,3	KG
SNR	22330.E.F802	5.282,43	1	44,85	KG
SNR	22330.EK.F800	5.282,43	1	41,4	KG
SNR	22332.E.F800	6.235,45	1	55,25	KG
SNR	22332.E.F802	6.235,45	1	55,8	KG
SNR	22332.EK.F800	6.235,45	1	54,5	KG
SNR	22334.E.F800	7.053,89	1	59	KG
NTN	22334.E.F800	7.053,89	1	59	KG
SNR	22334.E.F802	7.053,89	1	121,6	KG
SNR	22334.EK.F800	7.053,89	1	59,55	KG
NTN	22336UAVS2	8.876,65	1	76	KG
SNR	22340.EMKW33	9.699,00	1	88000	G
NTN	22340EMKW33	9.699,00	1	46,43	KG
SNR	22340.EMKW33C3	9.699,00	1	101600	G
NTN	22340.EMKW33C3	9.699,00	1	100,5	KG
SNR	22340.EMW33	9.699,00	1	99950	G
NTN	22340.EMW33	9.699,00	1	1	G
SNR	22340.EMW33C3	9.699,00	1	100500	G
SNR	22344EMKW33	12.948,49	1	62,9	KG
NTN	22344EMKW33	12.948,49	1	999	KG
SNR	22344EMKW33C3	12.948,49	1	129	KG
NTN	22344EMW33	12.948,49	1	999	KG
SNR	22344EMW33C3	12.948,49	1	127	KG
SNR	22348EMKW33	22.274,29	1	155	KG
SNR	22348EMKW33C3	22.274,29	1	152	KG
SNR	22348EMW33	23.386,97	1	156,1	KG

SNR	22348EMW33C3	22.274,29	1	155	KG
NTN	22352BL1K	30.355,51	1	197000	G
NTN	230/560BL1	95.880,05	1	400000	G
NTN	23052BL1KC4	7.255,70	1	54000	G
NTN	23056EMKW33	6.950,16	1	51,2	KG
SNR	23056.EMKW33C3	6.950,16	1	55025	G
SNR	23056.EMKW33C4	7.645,18	1	50,55	KG
SNR	23056.EMW33	6.950,16	1	56,86	KG
NTN	23056.EMW33	6.950,16	1	1	G
SNR	23056.EMW33C3	6.950,16	1	57,2	KG
NTN	23060BC3	8.858,37	1	71,9	KG
NTN		8.282,80	1		
NTN		8.282,80	1		
NTN		8.282,80	1		
NTN		8.282,80	1		
SNR	23060EMKW33C3	8.200,79	1	69	KG
SNR	23060EMW33	8.200,79	1	70	KG
SNR	23060EMW33C3	8.200,79	1	86450	G
NTN	23064EMD1	8.454,14	1	72,9	KG
NTN		8.454,14	1		
NTN	23064EMKD1	8.454,14	1	70,9	KG
NTN	23064EMKD1C3	8.454,14	1	70,9	KG
SNR	23064EMKW33	8.370,44	1	74,5	KG
SNR	23064EMKW33C3	8.370,44	1	74,5	KG
SNR	23064EMW33	8.370,44	1	76	KG
SNR	23064EMW33C3	8.370,44	1	76	KG
NTN	23068B	14.190,45	1	104	KG
NTN		11.968,82	1		
NTN	23068EMD1C3	11.968,82	1	98,5	KG
NTN	23068EMKD1	11.968,82	1	95,5	KG
NTN	23068EMKD1C3	11.968,82	1	95,5	KG
SNR	23068EMKW33	11.850,32	1	999	KG
SNR	23068EMKW33C3	11.850,32	1	113	KG
SNR	23068EMW33	11.850,32	1	117,85	KG
SNR	23068EMW33C3	11.850,32	1	130	KG
NTN	23072B	13.067,38	1	120	KG
SNR	23072EMKW33	13.067,38	1	110	KG
SNR	23072EMKW33C3	13.067,38	1	110	KG
SNR	23072EMW33	13.067,38	1	117	KG
SNR	23072EMW33C3	13.067,38	1	41	KG
SNR	23076EMKW33	13.481,49	1	123	KG
SNR	23076EMKW33C3	13.481,49	1	123	KG
SNR	23076EMW33	13.481,49	1	10,165	KG
SNR	23076EMW33C3	13.481,49	1	126	KG
SNR	23080EMW33C3	22.463,03	1	160,5	KG
SNR	23080EMW33C4	24.709,34	1	163	KG
NTN	23088B	38.895,00	1	180,994	KG
NTN	231/800BL1K	#####	1	1830	KG
SNR	23134EAW33C4	3.180,82	1	21,55	KG
NTN	23152BKC3	13.252,84	1	98	KG

SNR	23152EMKW33	9.582,50	1	88,3	KG
SNR	23152EMKW33C2	12.457,25	1	88,3	KG
SNR	23152EMKW33C3	9.582,50	1	97000	G
SNR	23152EMW33	9.582,50	1	91,2	KG
SNR	23152EMW33C3	9.582,50	1	91,2	KG
NTN		11.141,43	1		
NTN		11.141,43	1		
NTN		11.141,43	1		
NTN		11.141,43	1		
SNR	23156EMKW33C3	11.031,12	1	106350	G
SNR	23156EMW33C3	11.031,12	1	108850	G
SNR	23156EMW33C4	12.134,23	1	97,38	KG
NTN	23160B	17.107,46	1	136	KG
NTN	23160EMD1C3	14.454,00	1	129	KG
NTN	23160EMKD1C3	14.454,00	1	125	KG
SNR	23160EMKW33	14.311,16	1	123	KG
SNR	23160EMKW33C3	14.311,16	1	123	KG
SNR	23160EMW33C3	14.311,16	1	127	KG
SNR	23164EMKW33	17.897,36	1	169,65	KG
SNR	23164EMKW33C3	17.897,36	1	74	KG
SNR	23164EMKW33C4	19.687,10	1	123	KG
SNR	23164EMW33	17.897,36	1	18,37	KG
SNR	23164EMW33C3	17.897,36	1	18,37	KG
SNR	23172EMW33C3	30.735,79	1	230	KG
NTN	23192BL1	68.791,65	1	490000	G
SNR	23222EMKW33C4	1.407,70	1	9,13	KG
SNR	23236EF800	5.046,56	1	37,8	KG
NTN		12.009,12	1		
NTN		12.009,12	1		
NTN		12.009,12	1		
NTN		12.009,12	1		
SNR	23248EMKW33	11.890,22	1	108500	G
SNR	23248EMKW33C3	11.890,22	1	112000	G
SNR	23248EMW33C3	11.890,22	1	122000	G
NTN	23252BK	18.573,60	1	149	KG
NTN	23252EMD1	18.573,60	1	143	KG
NTN	23252EMD1C3	18.573,60	1	143	KG
NTN	23252EMKD1	18.573,60	1	139	KG
NTN	23252EMKD1C3	18.573,60	1	139	KG
SNR	23252EMKW33	18.389,70	1	145	KG
SNR	23252EMKW33C3	18.389,70	1	145	KG
SNR	23256EMKW33C3	20.139,05	1	155	KG
SNR	23256EMW33	20.139,05	1	117	KG
SNR	23256EMW33C3	20.139,05	1	117	KG
SNR	23260EMW33	29.023,65	1	200	KG
SNR	23260EMW33C3	29.023,65	1	15,57	KG
NTN	23292BL1K	#####	1	740000	G
NTN	23328VS1	7.099,94	1	42,315	KG
NTN	23996L1	34.157,61	1	123	KG
NTN	240/600BL1CS312S30	90.913,71	1	544	KG

NTN	240/630BL1CS430	93.271,18	1	700,3	KG
SNR	24056EMK30W33	9.998,00	1	64,9	KG
SNR	24056.EMK30W33C3	9.998,00	1	71,4	KG
NTN	24056EMK30W33C3	9.998,00	1	72,3	KG
SNR	24056.EMW33	9.998,00	1	72,3	KG
NTN	24056.EMW33	9.998,00	1	1	G
SNR	24056.EMW33C3	9.998,00	1	72300	G
NTN	24056EMW33C3	9.998,00	1	72,3	KG
NTN	24060EMD1	13.517,13	1	98	KG
NTN	24060EMD1C3	13.517,13	1	98	KG
NTN	24060EMK30D1C3	13.517,13	1	96,9	KG
SNR	24060EMK30W33C3	13.383,00	1	94	KG
SNR	24060EMW33	13.383,00	1	95,8	KG
NTN	24060EMW33	13.383,00	1	95,8	KG
SNR	24060EMW33C3	13.383,00	1	94	KG
NTN	24060EMW33C3	13.383,00	1	95,8	KG
NTN	24068BK30	27.165,89	1	150	KG
NTN	24072B	31.831,35	1	147	KG
NTN	24080B	39.764,58	1	221	KG
SNR	24152EMW33	18.677,18	1	115	KG
SNR	24152EMW33C2	22.599,40	1	115	KG
SNR	24152EMW33C3	18.677,18	1	115	KG
SNR	24160EMK30W33	26.892,71	1	158	KG
SNR	24160EMK30W33C3	26.892,71	1	158	KG
SNR	24160EMK30W33C4	29.581,99	1	155	KG
SNR	24160EMW33	26.892,71	1	160	KG
SNR	24160EMW33C4	29.581,99	1	157,4	KG
NTN	24164BC3	43.159,40	1	209,5	KG
NTN	24172BK30C3	45.059,33	1	277	KG
NTN	24196B	#####	1	660000	G
SNR	29352.E	11.012,13	1	55,8	KG
SNR	29356.E	13.047,28	1	59	KG
SNR	29360.E	16.270,88	1	85,5	KG
SNR	29364.E	20.286,90	1	90,2	KG
SNR	29452E	22.250,90	1	110	KG
SNR	29456.E	24.907,96	1	146,3	KG
SNR	22208EAKW33ZZ	222,25	1	0,52	KG
SNR	22208EAKW33ZZC3	222,25	1	0,52	KG
SNR	22208EAW33ZZ	222,25	1	0,54	KG
SNR	22208EAW33ZZC3	222,25	1	0,54	KG
SNR	22209EAKW33ZZ	235,75	1	0,576	KG
SNR	22209EAKW33ZZC3	235,75	1	0,576	KG
SNR	22209EAW33ZZ	235,75	1	0,59	KG
SNR	22209EAW33ZZC3	235,75	1	0,59	KG
SNR	22210EAKW33ZZ	240,49	1	0,62	KG
SNR	22210EAKW33ZZC3	240,49	1	0,62	KG
SNR	22210EAW33ZZ	240,49	1	0,63	KG
SNR	22210EAW33ZZC3	240,49	1	0,63	KG
SNR	22211EAKW33ZZ	290,90	1	0,83	KG
SNR	22211EAKW33ZZC3	290,90	1	0,83	KG

SNR	22211EAW33ZZ	290,90	1	0,85	KG
SNR	22211EAW33ZZC3	290,90	1	0,85	KG
SNR	22212EAKW33ZZ	324,39	1	1,17	KG
SNR	22212EAKW33ZZC3	324,39	1	1,17	KG
SNR	22212EAW33ZZ	324,39	1	1,176	KG
SNR	22212EAW33ZZC3	324,39	1	1,176	KG
SNR	22213EAKW33ZZ	340,17	1	1,54	KG
SNR	22213EAKW33ZZC3	340,17	1	1,54	KG
SNR	22213EAW33ZZ	340,17	1	1,57	KG
SNR	22213EAW33ZZC3	340,17	1	1,57	KG
SNR	22215EAKW33ZZ	494,49	1	1,371	KG
SNR	22215EAKW33ZZC3	494,49	1	1,68	KG
SNR	22215EAW33ZZ	494,49	1	1,72	KG
SNR	22215EAW33ZZC3	494,49	1	1,72	KG
SNR	22216EAKW33ZZ	486,20	1	2,1	KG
SNR	22216EAKW33ZZC3	486,20	1	2,1	KG
SNR	22216EAW33ZZ	486,20	1	2,152	KG
SNR	22216EAW33ZZC3	486,20	1	2,152	KG
SNR	22217EAKW33ZZ	547,13	1	2,63	KG
SNR	22217EAKW33ZZC3	547,13	1	2,63	KG
SNR	22217EAW33ZZ	547,13	1	2,64	KG
SNR	22217EAW33ZZC3	547,13	1	2,64	KG
SNR	22218EAKW33ZZ	610,53	1	3,32	KG
SNR	22218EAKW33ZZC3	610,53	1	3,32	KG
SNR	22218EAW33ZZ	610,53	1	3,39	KG
SNR	22218EAW33ZZC3	610,53	1	3,39	KG
SNR	22220EAKW33ZZ	817,70	1	4,93	KG
SNR	22220EAKW33ZZC3	817,70	1	4,93	KG
SNR	22220EAW33ZZ	817,70	1	4,93	KG
SNR	22220EAW33ZZC3	817,70	1	4,93	KG
NTN	1R320X350X80	2.168,48	1	9,8	KG
NTN	CR16XH	273,42	1	0,087	KG
NTN	CRV14XLL/3AS	97,02	1	0,05	KG
NTN	CRV16XLL/3AS	105,36	1	0,095	KG
NTN	CRV20XLLH/3AS	152,12	1	0,154	KG
NTN	CRV64XLLH/3AS	1.299,75	1	0,154	KG
NTN	KR10T2H/3AS	90,85	1	0,01	KG
NTN	KR12XT2LLH/3AS	117,01	1	0,008	KG
NTN	KR13T2LLH/3AS	120,39	1	0,008	KG
NTN	KR13XT2LLH/3AS	123,93	1	0,01	KG
NTN	KR16F	59,73	1	0,028	KG
NTN	KR16FD0H/L588	59,73	1	0,026	KG
NTN	KR16FLL/3AS	63,61	1	0,028	KG
NTN	KR16FLLD0H/L588	81,23	1	0,026	KG
NTN	KR16FX	65,72	1	0,026	KG
NTN	KR16FXD0H/L588	65,72	1	0,019	KG
NTN	KR16FXLL/3AS	69,93	1	0,019	KG
NTN	KR16FXLLD0H/L588	69,93	1	0,019	KG
NTN	KR19F	62,55	1	0,031	KG
NTN	KR19FD0H/L588	62,55	1	40	G

NTN	KR19FLL/3AS	66,18	1	40	G
NTN	KR19FLLD0H/L588	66,18	1	40	G
NTN	KR19FX	62,55	1	0,031	KG
NTN	KR19FXD0H/L588	62,55	1	0,031	KG
NTN	KR19FXLL/3AS	72,63	1	0,031	KG
NTN	KR19FXLLD0H/L588	72,63	1	40	G
NTN	KR22C	65,24	1	0,046	KG
NTN	KR22F	65,24	1	0,046	KG
NTN	KR22FCH	65,24	1	0,046	KG
NTN	KR22FCLLH/3AS	69,93	1	0,046	KG
NTN	KR22FH	65,24	1	0,046	KG
NTN	KR22FLL/3AS	69,93	1	0,06	KG
NTN	KR22FLLH/3AS	69,93	1	0,06	KG
NTN	KR22FX	71,91	1	0,06	KG
NTN	KR22FXCLLH/3AS	76,72	1	0,046	KG
NTN	KR22FXH	71,91	1	0,062	KG
NTN	KR22FXH/3AS	71,91	1	0,046	KG
NTN	KR22FXLL/3AS	75,51	1	0,046	KG
NTN	KR22FXLLH/3AS	76,72	1	0,06	KG
NTN	KR22XCLL/3AS	76,72	1	0,06	KG
NTN	KR26C	68,05	1	0,076	KG
NTN	KR26CLL/3AS	73,68	1	0,074	KG
NTN	KR26F	68,05	1	0,059	KG
NTN	KR26FCH	68,05	1	0,046	KG
NTN	KR26FCLLH/3AS	73,68	1	0,046	KG
NTN	KR26FH	68,05	1	0,076	KG
NTN	KR26FLL/3AS	73,68	1	0,059	KG
NTN	KR26FLLH/3AS	73,68	1	0,059	KG
NTN	KR26FXCLLH/3AS	81,52	1	0,046	KG
NTN	KR26FXH	75,79	1	0,059	KG
NTN	KR26FXLL/3AS	81,52	1	0,059	KG
NTN	KR26FXLLH/3AS	81,52	1	0,059	KG
NTN	KR30	82,81	1	0,109	KG
NTN	KR30H	82,81	1	0,087	KG
NTN	KR30LL/3AS	88,09	1	0,108	KG
NTN	KR30LLH/3AS	88,09	1	0,11	KG
NTN	KR30X	91,10	1	0,087	KG
NTN	KR30XH	91,61	1	0,114	KG
NTN	KR30XLL/3AS	97,46	1	0,087	KG
NTN	KR30XLLH/3AS	97,46	1	0,11	KG
NTN	KR32	86,67	1	0,097	KG
NTN	KR32H	86,67	1	0,124	KG
NTN	KR32LL/3AS	93,25	1	0,12	KG
NTN	KR32LLH/3AS	93,25	1	0,121	KG
NTN	KR32XH	86,67	1	0,124	KG
NTN	KR32XLL/3AS	102,96	1	0,097	KG
NTN	KR32XLLH/3AS	102,96	1	0,121	KG
NTN	KR35	87,39	1	0,169	KG
NTN	KR35C	87,39	1	0,169	KG
NTN	KR35H	87,39	1	0,217	KG

NTN	KR35H/3AS	87,39	1	0,169	KG
NTN	KR35LL/3AS	94,77	1	0,213	KG
NTN	KR35LLH/3AS	94,77	1	0,214	KG
NTN	KR35XH	96,98	1	0,217	KG
NTN	KR35XLL/3AS	104,01	1	0,169	KG
NTN	KR35XLLH/3AS	104,01	1	0,169	KG
NTN	KR40	104,01	1	0,248	KG
NTN	KR40H	104,01	1	0,31	KG
NTN	KR40H/3AS	104,01	1	0,248	KG
NTN	KR40LL/3AS	111,62	1	0,3	KG
NTN	KR40LLH/3AS	111,62	1	0,304	KG
NTN	KR40X	115,85	1	0,248	KG
NTN	KR40XH	115,85	1	0,312	KG
NTN	KR40XLL/3AS	123,57	1	0,248	KG
NTN	KR40XLLH/3AS	123,57	1	0,3	KG
NTN	KR47H	135,86	1	0,47	KG
NTN	KR47LL/3AS	145,24	1	0,456	KG
NTN	KR47LLH/3AS	145,24	1	0,46	KG
NTN	KR47X	149,45	1	0,386	KG
NTN	KR47XLL/3AS	158,71	1	0,455	KG
NTN	KR47XLLH/3AS	158,71	1	0,46	KG
NTN	KR52	139,97	1	0,461	KG
NTN	KR52H	139,97	1	0,461	KG
NTN	KR52LL/3AS	149,36	1	0,526	KG
NTN	KR52LLH/3AS	149,36	1	0,531	KG
NTN	KR52X	153,98	1	0,461	KG
NTN	KR52XLL/3AS	164,29	1	0,461	KG
NTN	KR52XLLH/3AS	163,39	1	0,461	KG
NTN	KR62	178,63	1	0,939	KG
NTN	KR62H	178,63	1	0,948	KG
NTN	KR62LL/3AS	188,59	1	0,79	KG
NTN	KR62LLH/3AS	188,59	1	0,937	KG
NTN	KR62X	271,38	1	0,79	KG
NTN	KR62XH	271,38	1	0,79	KG
NTN	KR62XLL/3AS	207,92	1	0,915	KG
NTN	KR62XLLH/3AS	207,92	1	0,94	KG
NTN	KR72	186,24	1	1,192	KG
NTN	KR72H	186,24	1	1,198	KG
NTN	KR72LL/3AS	209,66	1	1,04	KG
NTN	KR72LLH/3AS	209,66	1	1,188	KG
NTN	KR72XLL/3AS	209,66	1	1,04	KG
NTN	KR72XLLH/3AS	234,25	1	1,19	KG
NTN	KR80	324,46	1	1,55	KG
NTN	KR80H	324,46	1	1,924	KG
NTN	KR80LL/3AS	274,68	1	1,55	KG
NTN	KR80LLH/3AS	274,68	1	1,906	KG
NTN	KR80XLL/3AS	305,14	1	1,55	KG
NTN	KR80XLLH/3AS	305,14	1	1,55	KG
NTN	KR85LL/3AS	307,96	1	2,09	KG
NTN	KR85LLH/3AS	333,04	1	2,09	KG

NTN	KR90	315,59	1	2,29	KG
NTN	KR90H	315,59	1	2,29	KG
NTN	KR90LL/3AS	326,22	1	1,95	KG
NTN	KR90LLH/3AS	326,22	1	2,28	KG
NTN	KR90XLL/3AS	363,11	1	2,28	KG
NTN	KR90XLLH/3AS	363,11	1	2,282	KG
NTN	KRT22XLL	59,96	1	0,06	KG
NTN	KRT26XLL/3AS	112,97	1	0,075	KG
NTN	KRT35LL/3AS	128,01	1	0,205	KG
NTN	KRT40	145,74	1	0,248	KG
NTN	KRT40LL/3AS	153,03	1	0,248	KG
NTN	KRT40XLL/3AS	153,03	1	0,248	KG
NTN	KRT47XLL/3AS	356,24	1	0,39	KG
NTN	KRT52XLL/3AS	394,16	1	0,461	KG
NTN	KRT62XLL/3AS	399,33	1	0,79	KG
NTN	KRT80LL/3AS	423,97	1	1,55	KG
NTN	KRU35LL/3AS	283,82	1	0,169	KG
NTN	KRU47XLL/3AS	437,70	1	0,386	KG
NTN	KRV10LLH/3AS	93,36	1	0,005	KG
NTN	KRV12H/3AS	75,26	1	0,014	KG
NTN	KRV12LLH/3AS	67,46	1	0,013	KG
NTN	KRV13LLH/3AS	70,22	1	0,011	KG
NTN	KRV16F/3AS	54,74	1	0,027	KG
NTN	KRV16FD0H/L588	54,74	1	0,02	KG
NTN	KRV16FLL/3AS	63,61	1	0,02	KG
NTN	KRV16FLLD0H/L588	63,61	1	0,02	KG
NTN	KRV16FXD0H/L588	63,61	1	0,02	KG
NTN	KRV16FXLL/3AS	63,61	1	0,02	KG
NTN	KRV16FXLLD0H/L588	63,61	1	0,02	KG
NTN	KRV19/3AS	62,55	1	0,04	KG
NTN	KRV19F/3AS	61,97	1	0,032	KG
NTN	KRV19FD0H/L588	62,55	1	40	G
NTN	KRV19FLL/3AS	66,18	1	42	G
NTN	KRV19FLLD0H/L588	66,18	1	40	G
NTN	KRV19FXD0H/L588	56,08	1	0,032	KG
NTN	KRV19FXLL/3AS	72,63	1	0,032	KG
NTN	KRV19FXLLD0H/L588	72,63	1	0,032	KG
NTN	KRV22CLL/3AS	69,93	1	0,06	KG
NTN	KRV22F/3AS	65,95	1	0,047	KG
NTN	KRV22FCLLH/3AS	69,93	1	0,046	KG
NTN	KRV22FH/3AS	65,95	1	0,047	KG
NTN	KRV22FLL/3AS	69,23	1	0,047	KG
NTN	KRV22FLLH/3AS	69,93	1	0,047	KG
NTN	KRV22FXCLLH/3AS	76,72	1	0,046	KG
NTN	KRV22FXH/3AS	65,95	1	0,047	KG
NTN	KRV22FXLL/3AS	69,23	1	0,047	KG
NTN	KRV22FXLLH/3AS	76,72	1	0,047	KG
NTN	KRV22H/3AS	65,95	1	0,062	KG
NTN	KRV22LLH2/3ASV1	65,95	1	0,062	KG
NTN	KRV26FCLLH/3AS	73,68	1	0,046	KG

NTN	KRV26FH/3AS	68,76	1	0,061	KG
NTN	KRV26FLL/3AS	73,68	1	0,061	KG
NTN	KRV26FLLH/3AS	73,68	1	0,061	KG
NTN	KRV26FXCLLH/3AS	74,39	1	0,046	KG
NTN	KRV26FXH/3AS	66,43	1	0,075	KG
NTN	KRV26FXLLH/3AS	74,39	1	0,061	KG
NTN	KRV26H/3AS	68,76	1	0,076	KG
NTN	KRV26XCLL	73,68	1	0,075	KG
NTN	KRV30/3AS	83,74	1	0,089	KG
NTN	KRV30H/3AS	83,74	1	0,089	KG
NTN	KRV30LL/3AS	88,09	1	0,106	KG
NTN	KRV30LLH/3AS	88,09	1	0,112	KG
NTN	KRV30XLLH/3AS	88,09	1	0,112	KG
NTN	KRV32H/3AS	87,61	1	0,126	KG
NTN	KRV32LL/3AS	93,25	1	0,1	KG
NTN	KRV32LLH/3AS	93,25	1	0,123	KG
NTN	KRV32XLL/3AS	103,90	1	0,122	KG
NTN	KRV32XLLH/3AS	103,90	1	0,101	KG
NTN	KRV35H/3AS	88,31	1	0,22	KG
NTN	KRV35LL/3AS	94,77	1	0,216	KG
NTN	KRV35LLH/3AS	94,77	1	0,216	KG
NTN	KRV35XH/3AS	88,31	1	0,214	KG
NTN	KRV35XLL/3AS	104,01	1	0,213	KG
NTN	KRV35XLLH/3AS	104,01	1	0,216	KG
NTN	KRV40/3AS	105,07	1	0,31	KG
NTN	KRV40H/3AS	105,07	1	0,314	KG
NTN	KRV40LL/3AS	111,62	1	0,252	KG
NTN	KRV40LLH/3AS	111,62	1	0,307	KG
NTN	KRV40XLL/3AS	123,57	1	0,295	KG
NTN	KRV40XLLH/3AS	123,57	1	0,295	KG
NTN	KRV47/3AS	148,61	1	0,474	KG
NTN	KRV47LL/3AS	145,24	1	0,39	KG
NTN	KRV47LLH/3AS	145,24	1	0,462	KG
NTN	KRV47XLL/3AS	159,90	1	0,39	KG
NTN	KRV47XLLH/3AS	159,90	1	0,466	KG
NTN	KRV52H/3AS	133,03	1	0,548	KG
NTN	KRV52LL/3AS	149,36	1	0,535	KG
NTN	KRV52LLH/3AS	149,36	1	0,465	KG
NTN	KRV52XLL/3AS	165,16	1	0,465	KG
NTN	KRV52XLLH/3AS	165,16	1	0,465	KG
NTN	KRV62H/3AS	168,51	1	0,8	KG
NTN	KRV62LLH/3AS	188,59	1	0,8	KG
NTN	KRV62XLLH/3AS	209,66	1	0,8	KG
NTN	KRV72LL/3AS	209,66	1	1,045	KG
NTN	KRV72LLH/3AS	209,66	1	1,05	KG
NTN	KRV72XLLH/3AS	234,25	1	1,05	KG
NTN	KRV80H/3AS	244,80	1	1,05	KG
NTN	KRV80LL/3AS	274,68	1	1,56	KG
NTN	KRV80LLH/3AS	274,68	1	1,912	KG
NTN	KRV80XLL/3AS	305,14	1	1,56	KG

NTN	KRV80XLLH/3AS	305,14	1	1,93	KG
NTN	KRV90LL/3AS	326,22	1	1,97	KG
NTN	KRV90LLH/3AS	326,22	1	2,296	KG
NTN	KRV90XLLH/3AS	363,11	1	2,3	KG
NTN	KRVT30LL/3AS	98,62	1	0,104	KG
NTN	KRVT35XLL/3AS	100,86	1	0,214	KG
NTN	KRVT40LL/3AS	157,32	1	0,288	KG
NTN	KRVT40XLL/3AS	104,89	1	0,302	KG
NTN	KRVT47LL/3AS	293,97	1	0,39	KG
NTN	KRVT47XLL/3AS	195,97	1	0,39	KG
NTN	KRVT52LL/3AS	171,74	1	0,465	KG
NTN	KRVT52XLL/3AS	112,03	1	0,534	KG
NTN	KRX10X19X27PX1/3AS	191,04	1	1	G
NTN	KRX10X19X32	159,19	1	0,03	KG
NTN	KRX10X22X28-4PX1	161,07	1	0,04	KG
NTN	KRX12X32X45-14/3AS	186,06	1	0,102	KG
NTN	KRX12X32X45-3/3AS	186,06	1	0,105	KG
NTN	KRX13X20X30-1PX1	175,87	1	0,024	KG
NTN	KRX13X24X34-1PX1/3AS	264,42	1	0,069	KG
NTN	KRX13X24X34PX1	695,20	1	0,07	KG
NTN	KRX14.5X26X37-4PX1/3AS	110,45	1	0,097	KG
NTN	KRX14X28X35.5-1PX3/3AS	547,13	1	0,094	KG
NTN	KRX14X32X47/3AS	366,30	1	0,124	KG
NTN	KRX16X35X44.5/3AS	224,58	1	0,165	KG
NTN	KRX17.5X30X41-4PX1	156,95	1	0,139	KG
NTN	KRX17.5X30X41PX1/3AS	292,86	1	0,133	KG
NTN	KRX18X40X46.5-12PX1/3AS	423,99	1	0,161	KG
NTN	KRX18X40X46.5-2/3AS	423,99	1	0,161	KG
NTN	KRX18X40X54.5-4/3AS	605,70	1	0,215	KG
NTN	KRX18X40X60.5-1/3AS	621,77	1	0,26	KG
NTN	KRX18X40X64.5-4/3AS	643,21	1	0,316	KG
NTN	KRX18X40X69.5-7/3AS	664,65	1	0,358	KG
NTN	KRX18X47X50.5-2/3AS	604,28	1	0,387	KG
NTN	KRX20.5X34X46-3PX1/3AS	296,19	1	0,215	KG
NTN	KRX20.5X34X46PX1/3AS	296,19	1	0,169	KG
NTN	KRX7X12.7X23	134,86	1	0,01	KG
NTN	KRX8X19X22.5/3AS	144,43	1	0,017	KG
NTN	NA22/6LL/3AS	35,31	1	0,024	KG
NTN	NA22/6XLL/3AS	39,45	1	0,025	KG
NTN	NA22/8LL/3AS	38,56	1	0,036	KG
NTN	NA22/8XLL/3AS	42,63	1	0,033	KG
NTN	NA2200LL/3AS	59,73	1	0,066	KG
NTN	NA2200XLL/3AS	65,88	1	0,06	KG
NTN	NA2201LL/3AS	63,63	1	0,066	KG
NTN	NA2201XLL/3AS	70,85	1	0,07	KG
NTN	NA2202LL/3AS	64,94	1	0,082	KG
NTN	NA2203LL/3AS	70,03	1	0,124	KG
NTN	NA2203XLL/3AS	77,60	1	0,125	KG
NTN	NA2204LL/3AS	76,18	1	0,188	KG
NTN	NA2204XLL/3AS	85,05	1	0,19	KG

NTN	NA2205LL/3AS	85,88	1	0,216	KG
NTN	NA2206LL/3AS	97,00	1	0,332	KG
NTN	NA2206XLL/3AS	120,64	1	0,322	KG
NTN	NA2207LL/3AS	129,52	1	0,528	KG
NTN	NA2208LL/3AS	149,64	1	0,648	KG
NTN	NA2210LL/3AS	323,49	1	0,749	KG
NTN	NACV48X/3AS	482,08	1	1,39	KG
NTN	NATR10	55,83	1	0,064	KG
NTN	NATR10LL/3AS	61,61	1	0,066	KG
NTN	NATR10X	61,98	1	0,07	KG
NTN	NATR10XLL/3AS	68,01	1	0,066	KG
NTN	NATR12CLLT/3AS	68,01	1	0,068	KG
NTN	NATR12CT	61,39	1	0,076	KG
NTN	NATR12LL/3AS	68,01	1	0,074	KG
NTN	NATR12XCLLT/3AS	74,41	1	0,069	KG
NTN	NATR12XCT	68,36	1	0,075	KG
NTN	NATR12XLL/3AS	74,41	1	0,068	KG
NTN	NATR15	65,53	1	0,108	KG
NTN	NATR15LL/3AS	74,15	1	0,104	KG
NTN	NATR15X	72,62	1	0,108	KG
NTN	NATR15XLL/3AS	81,61	1	0,106	KG
NTN	NATR17	71,79	1	0,16	KG
NTN	NATR17LL/3AS	80,31	1	0,152	KG
NTN	NATR17X	78,66	1	0,161	KG
NTN	NATR17XLL/3AS	88,95	1	0,144	KG
NTN	NATR20	79,85	1	0,26	KG
NTN	NATR20LL/3AS	89,77	1	0,25	KG
NTN	NATR20X	77,23	1	0,262	KG
NTN	NATR20XLL/3AS	99,25	1	0,242	KG
NTN	NATR25	87,18	1	0,286	KG
NTN	NATR25LL/3AS	98,42	1	0,285	KG
NTN	NATR25X	93,46	1	0,296	KG
NTN	NATR25XLL/3AS	107,87	1	0,286	KG
NTN	NATR30	108,93	1	0,47	KG
NTN	NATR30LL/3AS	119,46	1	0,48	KG
NTN	NATR30X	105,28	1	0,494	KG
NTN	NATR30XLL/3AS	130,71	1	0,48	KG
NTN	NATR35	153,61	1	0,638	KG
NTN	NATR35LL/3AS	157,31	1	0,644	KG
NTN	NATR35X	153,61	1	0,66	KG
NTN	NATR35XLL/3AS	175,06	1	0,646	KG
NTN	NATR40	188,19	1	0,875	KG
NTN	NATR40LL/3AS	195,15	1	0,858	KG
NTN	NATR40X	199,56	1	0,872	KG
NTN	NATR40XLL/3AS	215,87	1	0,857	KG
NTN	NATR45	251,16	1	0,948	KG
NTN	NATR45LL/3AS	261,98	1	0,938	KG
NTN	NATR45XLL/3AS	290,93	1	0,942	KG
NTN	NATR5	32,94	1	0,019	KG
NTN	NATR50	238,64	1	1,016	KG

NTN	NATR50LL/3AS	260,82	1	1,004	KG
NTN	NATR50XLL/3AS	290,98	1	1,004	KG
NTN	NATR5LL/3AS	37,02	1	0,018	KG
NTN	NATR5X	36,67	1	0,014	KG
NTN	NATR5XLL/3AS	40,81	1	0,018	KG
NTN	NATR6	32,94	1	0,024	KG
NTN	NATR6LL/3AS	37,33	1	0,026	KG
NTN	NATR6X	36,67	1	0,025	KG
NTN	NATR6XLL/3AS	41,34	1	0,025	KG
NTN	NATR8	38,26	1	0,04	KG
NTN	NATR8LL/3AS	43,29	1	0,043	KG
NTN	NATR8X	42,42	1	0,046	KG
NTN	NATR8XLL/3AS	47,49	1	0,039	KG
NTN	NATV10/3AS	55,83	1	0,072	KG
NTN	NATV10LL/3AS	61,61	1	0,063	KG
NTN	NATV10X/3AS	55,83	1	0,067	KG
NTN	NATV10XLL/3AS	68,72	1	0,062	KG
NTN	NATV12/3AS	61,39	1	0,078	KG
NTN	NATV12LL/3AS	68,01	1	0,078	KG
NTN	NATV12LL/5S	68,01	1	0,075	KG
NTN	NATV12X/3AS	68,01	1	0,074	KG
NTN	NATV12XLL/3AS	74,41	1	0,068	KG
NTN	NATV15/3AS	65,53	1	0,11	KG
NTN	NATV15LL/3AS	74,15	1	0,108	KG
NTN	NATV15X/3AS	72,62	1	0,112	KG
NTN	NATV15XLL/3AS	81,61	1	0,108	KG
NTN	NATV17/3AS	72,39	1	0,163	KG
NTN	NATV17LL/3AS	80,31	1	0,156	KG
NTN	NATV17X/3AS	72,39	1	0,155	KG
NTN	NATV17XLL/3AS	88,95	1	0,156	KG
NTN	NATV20/3AS	79,85	1	0,266	KG
NTN	NATV20LL/3AS	89,77	1	0,256	KG
NTN	NATV20XLL/3AS	99,25	1	0,247	KG
NTN	NATV25/3AS	87,18	1	0,302	KG
NTN	NATV25LL/3AS	98,42	1	0,292	KG
NTN	NATV25X/3AS	85,03	1	0,304	KG
NTN	NATV25XLL/3AS	107,87	1	0,292	KG
NTN	NATV30/3AS	108,93	1	0,506	KG
NTN	NATV30LL/3AS	119,46	1	0,49	KG
NTN	NATV30XLL/3AS	130,71	1	0,495	KG
NTN	NATV35/3AS	154,10	1	0,654	KG
NTN	NATV35LL/3AS	169,51	1	0,656	KG
NTN	NATV35XLL/3AS	236,02	1	0,64	KG
NTN	NATV40/3AS	177,42	1	0,863	KG
NTN	NATV40LL/3AS	195,15	1	0,843	KG
NTN	NATV40X/3AS	196,25	1	0,864	KG
NTN	NATV40XLL/3AS	215,87	1	0,848	KG
NTN	NATV5/3AS	33,24	1	0,015	KG
NTN	NATV50/3AS	237,11	1	1,008	KG
NTN	NATV50LL/3AS	260,82	1	0,984	KG

NTN	NATV50X/3AS	262,36	1	1,009	KG
NTN	NATV50XLL/3AS	288,61	1	0,988	KG
NTN	NATV5LL/3AS	37,02	1	0,019	KG
NTN	NATV5X/3AS	36,67	1	0,018	KG
NTN	NATV5XLL/3AS	41,16	1	0,015	KG
NTN	NATV6/3AS	32,94	1	0,026	KG
NTN	NATV6LL/3AS	37,33	1	0,022	KG
NTN	NATV6X/3AS	32,94	1	0,021	KG
NTN	NATV6XLL/3AS	41,76	1	0,026	KG
NTN	NATV8/3AS	38,26	1	0,047	KG
NTN	NATV8LL/3AS	43,29	1	0,045	KG
NTN	NATV8X/3AS	37,37	1	0,042	KG
NTN	NATV8XLL/3AS	47,49	1	0,045	KG
NTN	NUKR100/3AS	776,79	1	3,08	KG
NTN	NUKR100H/3AS	776,79	1	3,55	KG
NTN	NUKR100XH/3AS	776,79	1	3,08	KG
NTN	NUKR150/3AS	7.203,13	1	9,7	KG
NTN	NUKR150H/3AS	3.141,80	1	9,7	KG
NTN	NUKR180H/3AS	12.391,04	1	1	G
NTN	NUKR30/3AS	203,29	1	0,088	KG
NTN	NUKR35/3AS	101,19	1	0,165	KG
NTN	NUKR35H/3AS	101,19	1	0,214	KG
NTN	NUKR35X/3AS	111,62	1	0,213	KG
NTN	NUKR35XH/3AS	111,62	1	0,205	KG
NTN	NUKR40/3AS	120,65	1	0,304	KG
NTN	NUKR40H/3AS	120,65	1	0,305	KG
NTN	NUKR40X/3AS	132,96	1	0,305	KG
NTN	NUKR40XH/3AS	132,96	1	0,306	KG
NTN	NUKR47/3AS	156,38	1	0,459	KG
NTN	NUKR47H/3AS	156,38	1	0,462	KG
NTN	NUKR47X/3AS	171,60	1	0,38	KG
NTN	NUKR47XH/3AS	171,60	1	0,464	KG
NTN	NUKR52/3AS	161,64	1	0,529	KG
NTN	NUKR52H/3AS	161,64	1	0,534	KG
NTN	NUKR52X/3AS	177,46	1	0,45	KG
NTN	NUKR52XH/3AS	177,46	1	0,534	KG
NTN	NUKR62/3AS	207,33	1	0,795	KG
NTN	NUKR62H/3AS	207,33	1	0,924	KG
NTN	NUKR62X/3AS	227,83	1	0,795	KG
NTN	NUKR62XH/3AS	314,01	1	0,925	KG
NTN	NUKR72/3AS	232,51	1	1,01	KG
NTN	NUKR72H/3AS	232,51	1	1,174	KG
NTN	NUKR72X/3AS	232,51	1	1,01	KG
NTN	NUKR72XH/3AS	256,51	1	1,01	KG
NTN	NUKR80/3AS	296,93	1	1,878	KG
NTN	NUKR80H/3AS	296,93	1	1,888	KG
NTN	NUKR80X/3AS	326,22	1	1,54	KG
NTN	NUKR80XH/3AS	326,22	1	1,54	KG
NTN	NUKR90/3AS	349,05	1	1,96	KG
NTN	NUKR90H/3AS	349,05	1	1,96	KG

NTN	NUKR90X/3AS	385,96	1	2,255	KG
NTN	NUKR90XH/3AS	385,96	1	1,96	KG
NTN	NUKRT35/3AS	254,07	1	1	G
NTN	NUKRT40/3AS	311,31	1	0,242	KG
NTN	NUKRT47/3AS	348,80	1	0,38	KG
NTN	NUKRT47X/3AS	348,80	1	0,38	KG
NTN	NUKRT52/3AS	359,28	1	0,45	KG
NTN	NUKRT62/3AS	463,32	1	0,81	KG
NTN	NUKRT90X/3AS	774,77	1	1,96	KG
NTN	NUKRU40H/3ASV2	255,86	1	0,242	KG
NTN	NUTR202/3AS	77,48	1	0,105	KG
NTN	NUTR202X/3AS	85,52	1	0,098	KG
NTN	NUTR203/3AS	84,09	1	0,149	KG
NTN	NUTR203X/3AS	92,85	1	0,156	KG
NTN	NUTR204/3AS	91,78	1	0,254	KG
NTN	NUTR204X/3AS	101,13	1	0,255	KG
NTN	NUTR205/3AS	101,13	1	0,29	KG
NTN	NUTR205X/3AS	110,83	1	0,281	KG
NTN	NUTR206/3AS	121,83	1	0,45	KG
NTN	NUTR206X/3AS	133,66	1	0,486	KG
NTN	NUTR207/3AS	139,58	1	0,645	KG
NTN	NUTR207X/3AS	154,36	1	0,631	KG
NTN	NUTR208/3AS	176,83	1	0,836	KG
NTN	NUTR208X/3AS	193,39	1	0,838	KG
NTN	NUTR209/3AS	190,44	1	0,906	KG
NTN	NUTR209X/3AS	209,96	1	0,89	KG
NTN	NUTR210/3AS	234,79	1	0,978	KG
NTN	NUTR210X/3AS	259,02	1	0,982	KG
NTN	NUTR302/3AS	93,34	1	0,169	KG
NTN	NUTR302X/3AS	102,19	1	0,16	KG
NTN	NUTR303/3AS	98,42	1	0,222	KG
NTN	NUTR303X/3AS	108,93	1	0,222	KG
NTN	NUTR304/3AS	101,13	1	0,328	KG
NTN	NUTR304X/3AS	111,90	1	0,32	KG
NTN	NUTR305/3AS	121,83	1	0,468	KG
NTN	NUTR305X/3AS	133,66	1	0,448	KG
NTN	NUTR306/3AS	155,55	1	0,712	KG
NTN	NUTR306X/3AS	156,14	1	0,7	KG
NTN	NUTR307/3AS	155,55	1	0,835	KG
NTN	NUTR307X/3AS	171,51	1	0,838	KG
NTN	NUTR308/3AS	200,49	1	1,149	KG
NTN	NUTR308X/3AS	218,81	1	1,129	KG
NTN	NUTR309/3AS	233,02	1	1,42	KG
NTN	NUTR309X/3AS	256,08	1	1,394	KG
NTN	NUTR310/3AS	299,25	1	1,735	KG
NTN	NUTR310X/3AS	327,64	1	1,74	KG
NTN	NUTW204X/3AS	869,14	1	0,29	KG
NTN	RNA22/6LL/3AS	24,67	1	0,015	KG
NTN	RNA22/6XLL/3AS	27,33	1	0,02	KG
NTN	RNA22/8LL/3AS	27,51	1	0,027	KG

NTN	RNA22/8XLL/3AS	30,63	1	0,032	KG
NTN	RNA2200LL/3AS	48,67	1	0,052	KG
NTN	RNA2200XLL/3AS	53,41	1	0,058	KG
NTN	RNA2201LL/3AS	52,05	1	0,062	KG
NTN	RNA2201XLL/3AS	57,02	1	0,057	KG
NTN	RNA2202LL/3AS	52,10	1	0,068	KG
NTN	RNA2202XLL/3AS	57,19	1	0,068	KG
NTN	RNA2203LL/3AS	56,30	1	0,102	KG
NTN	RNA2203XLL/3AS	61,98	1	0,104	KG
NTN	RNA2204LL/3AS	62,21	1	0,163	KG
NTN	RNA2204XLL/3AS	60,71	1	0,165	KG
NTN	RNA2205LL/3AS	70,85	1	0,187	KG
NTN	RNA2205XLL/3AS	68,38	1	0,187	KG
NTN	RNA2206LL/3AS	86,63	1	0,31	KG
NTN	RNA2207LL/3AS	106,34	1	0,435	KG
NTN	RNA2208LL/3AS	159,67	1	0,523	KG
NTN	RNA2208XLL/3AS	102,46	1	0,546	KG
NTN	RNA2209LL/3AS	102,62	1	0,606	KG
NTN	RNA2210LL/3AS	279,87	1	0,626	KG
NTN	RNA2210XLL/3AS	279,87	1	0,635	KG
NTN	RNAB2/5T2	19,30	1	0,012	KG
NTN	RNAB2/5XT2	27,98	1	0,008	KG
NTN	RNAB2/6T2	23,36	1	0,013	KG
NTN	RNAB2/6XT2	48,68	1	0,012	KG
NTN	RNAB2/8	32,15	1	0,023	KG
NTN	RNAB2/8X	35,36	1	0,023	KG
NTN	RNAB200	43,73	1	0,05	KG
NTN	RNAB200X	48,10	1	0,052	KG
NTN	RNAB201	49,97	1	0,056	KG
NTN	RNAB201X	54,97	1	0,054	KG
NTN	RNAB202	50,84	1	0,058	KG
NTN	RNAB202X	55,92	1	0,053	KG
NTN	RNAB203	52,33	1	0,1	KG
NTN	RNAB203X	57,56	1	0,102	KG
NTN	RNAB204	54,77	1	0,144	KG
NTN	RNAB204X	60,28	1	0,144	KG
NTN	RNAB205	59,73	1	0,166	KG
NTN	RNAB205X	65,69	1	0,168	KG
NTN	RNAB206X	68,20	1	270	G
NTN	RNAB206XCT	68,20	1	270	G
NTN	RNAB208	125,33	1	0,448	KG
NTN	81126	666,48	1	1,673	KG
NTN	81128	829,28	1	1,817	KG
NTN	81130	944,07	1	2,025	KG
NTN	81132	1.197,08	1	2,19	KG
NTN	81134	1.421,98	1	2,643	KG
NTN	81136	1.767,34	1	2,79	KG
NTN	81140	4.248,15	1	3,816	KG
NTN	81206	85,97	1	0,129	KG
NTN	81216	287,57	1	0,901	KG

NTN	81220	519,91	1	2,288	KG
NTN	81222	728,92	1	2,47	KG
NTN	81224	794,15	1	2,755	KG
NTN	81226	1.053,02	1	4,2	KG
NTN	81228	1.800,00	1	4,251	KG
NTN	87411	1.047,05	1	1,76	KG
NTN	87417	1.692,41	1	5,46	KG
NTN	89306	225,06	1	0,238	KG
NTN	89307	275,83	1	0,34	KG
NTN	89308	238,36	1	0,52	KG
NTN	89309	345,83	1	0,65	KG
NTN	89310	319,76	1	0,909	KG
NTN	89311	410,55	1	1,228	KG
NTN	89312	435,14	1	1,302	KG
NTN	89313	532,31	1	1,425	KG
NTN	89314	592,68	1	1,866	KG
NTN	89315	1.122,24	1	2,33	KG
NTN	89316	886,58	1	2,451	KG
NTN	89317	1.128,48	1	3,075	KG
NTN	89320	1.198,26	1	4,135	KG
NTN	1R100X110X30	113,96	1	0,375	KG
NTN	1R100X110X40	137,05	1	0,77	KG
NTN	1R100X115X32	136,22	1	0,672	KG
NTN	1R100X115X40	142,32	1	0,83	KG
NTN	1R100X115X54	171,85	1	1,046	KG
NTN	1R10X13X12.5	7,79	1	0,01	KG
NTN	1R10X14X12	10,26	1	0,007	KG
NTN	1R10X14X13	9,20	1	0,008	KG
NTN	1R10X14X14D	10,53	1	0,008	KG
NTN	1R10X14X16	9,20	1	0,009	KG
NTN	1R10X14X20	9,70	1	0,012	KG
NTN	1R10X15X15.5	11,11	1	0,017	KG
NTN	1R10X16X16	11,40	1	0,015	KG
NTN	1R110X120X30	122,98	1	0,466	KG
NTN	1R110X120X40	128,86	1	0,606	KG
NTN	1R110X125X40	154,04	1	0,904	KG
NTN	1R110X125X54	205,01	1	1,214	KG
NTN	1R120X130X30	128,27	1	0,449	KG
NTN	1R120X130X40	142,07	1	0,654	KG
NTN	1R120X135X40	159,25	1	0,91	KG
NTN	1R120X135X45	175,11	1	1,112	KG
NTN	1R120X135X60	242,77	1	1,48	KG
NTN	1R12X15X12	8,63	1	0,006	KG
NTN	1R12X15X12.5	8,69	1	0,019	KG
NTN	1R12X15X16	9,20	1	0,008	KG
NTN	1R12X15X16.5	9,17	1	0,014	KG
NTN	1R12X15X22.5	13,29	1	0,011	KG
NTN	1R12X16X12	10,83	1	0,008	KG
NTN	1R12X16X13	9,70	1	0,014	KG
NTN	1R12X16X14D	11,06	1	0,015	KG

NTN	1R12X16X16	9,70	1	0,018	KG
NTN	1R12X16X20	9,70	1	0,017	KG
NTN	1R12X16X22	11,55	1	0,02	KG
NTN	1R12X17X20.5	11,91	1	0,023	KG
NTN	1R12X17X25.5	12,86	1	0,022	KG
NTN	1R130X145X32	189,24	1	0,856	KG
NTN	1R130X145X35	152,27	1	0,932	KG
NTN	1R130X145X42	194,66	1	1,11	KG
NTN	1R130X150X50	225,49	1	1,762	KG
NTN	1R130X150X52	306,53	1	1,825	KG
NTN	1R130X150X67	363,84	1	2,35	KG
NTN	1R140X155X32	166,32	1	0,906	KG
NTN	1R140X155X35	181,55	1	0,926	KG
NTN	1R140X155X42	198,80	1	1,198	KG
NTN	1R140X160X50	236,61	1	1,806	KG
NTN	1R140X160X52	327,00	1	1,962	KG
NTN	1R140X160X67	387,60	1	2,524	KG
NTN	1R14X17X17	10,53	1	0,009	KG
NTN	1R150X165X32	210,13	1	0,996	KG
NTN	1R150X165X40	219,03	1	1,222	KG
NTN	1R150X165X42	234,78	1	1,28	KG
NTN	1R150X170X52	338,57	1	2,102	KG
NTN	1R150X170X60	319,53	1	2,432	KG
NTN	1R15X18X12.5	9,08	1	0,012	KG
NTN	1R15X18X16	9,70	1	0,014	KG
NTN	1R15X18X16.5	9,70	1	0,016	KG
NTN	1R15X18X17.5	9,65	1	0,016	KG
NTN	1R15X18X20.5	9,70	1	0,012	KG
NTN	1R15X18X25.5	11,77	1	0,015	KG
NTN	1R15X19X16	9,70	1	0,013	KG
NTN	1R15X19X20	11,35	1	0,022	KG
NTN	1R15X20X12	11,34	1	0,018	KG
NTN	1R15X20X13	10,53	1	0,014	KG
NTN	1R15X20X14D	11,55	1	0,014	KG
NTN	1R15X20X18	12,31	1	0,02	KG
NTN	1R15X20X20.5	12,89	1	0,027	KG
NTN	1R15X20X23	14,00	1	0,03	KG
NTN	1R15X20X26	14,89	1	0,027	KG
NTN	1R15X20X30.5	15,90	1	0,032	KG
NTN	1R15X22X20	13,57	1	0,031	KG
NTN	1R160X175X40	236,61	1	1,195	KG
NTN	1R160X180X60	452,99	1	2,964	KG
NTN	1R170X185X45	264,72	1	1,54	KG
NTN	1R170X190X60	452,90	1	2,738	KG
NTN	1R17X20X16	9,87	1	0,016	KG
NTN	1R17X20X16.5	10,00	1	0,017	KG
NTN	1R17X20X20	10,94	1	0,013	KG
NTN	1R17X20X20.5	11,06	1	0,02	KG
NTN	1R17X20X30.5	14,48	1	0,02	KG
NTN	1R17X21X16	13,18	1	0,014	KG

NTN	1R17X21X20	11,55	1	0,024	KG
NTN	1R17X22X13	11,06	1	0,015	KG
NTN	1R17X22X14D	14,30	1	0,016	KG
NTN	1R17X22X16	12,58	1	0,027	KG
NTN	1R17X22X16D	12,58	1	0,019	KG
NTN	1R17X22X18	12,36	1	0,027	KG
NTN	1R17X22X20.5	12,93	1	0,024	KG
NTN	1R17X22X23	15,25	1	0,027	KG
NTN	1R17X22X26	15,86	1	0,036	KG
NTN	1R17X22X32	16,85	1	0,043	KG
NTN	1R17X24X20	16,18	1	0,034	KG
NTN	1R180X195X45	294,00	1	1,62	KG
NTN	1R190X210X50	384,80	1	2,39	KG
NTN	1R190X215X69	692,75	1	4,18	KG
NTN	1R200X220X50	495,47	1	2,5	KG
NTN	1R200X225X80	669,21	1	5,312	KG
NTN	1R20X24X16	10,37	1	0,017	KG
NTN	1R20X24X20	10,94	1	0,021	KG
NTN	1R20X24X28.5	12,38	1	0,036	KG
NTN	1R20X25X12.5	16,89	1	0,017	KG
NTN	1R20X25X16	12,37	1	0,027	KG
NTN	1R20X25X16.5	12,37	1	0,028	KG
NTN	1R20X25X17	11,55	1	0,028	KG
NTN	1R20X25X18D	13,91	1	0,024	KG
NTN	1R20X25X20	11,43	1	0,027	KG
NTN	1R20X25X20.5	11,43	1	0,028	KG
NTN	1R20X25X23	15,25	1	0,031	KG
NTN	1R20X25X26	15,25	1	0,041	KG
NTN	1R20X25X26.5	15,25	1	0,036	KG
NTN	1R20X25X30	19,53	1	0,041	KG
NTN	1R20X25X32	19,77	1	0,049	KG
NTN	1R20X25X38.5	21,08	1	0,053	KG
NTN	1R20X28X20	13,68	1	0,046	KG
NTN	1R220X240X50	689,90	1	2,76	KG
NTN	1R220X245X80	1.166,85	1	5,61	KG
NTN	1R22X26X16	11,02	1	0,023	KG
NTN	1R22X26X20	12,27	1	0,029	KG
NTN	1R22X28X17	12,27	1	0,036	KG
NTN	1R22X28X20	14,78	1	0,042	KG
NTN	1R22X28X20.5	12,27	1	0,042	KG
NTN	1R22X28X23	14,81	1	0,046	KG
NTN	1R22X28X30	19,83	1	0,054	KG
NTN	1R240X265X60	857,40	1	4,71	KG
NTN	1R25X29X20	13,91	1	0,026	KG
NTN	1R25X29X30	19,83	1	0,046	KG
NTN	1R25X30X12.5	10,41	1	0,02	KG
NTN	1R25X30X16	13,68	1	0,026	KG
NTN	1R25X30X16.5	13,21	1	0,26	KG
NTN	1R25X30X17	12,89	1	0,03	KG
NTN	1R25X30X18	13,85	1	0,03	KG

NTN	1R25X30X20	12,77	1	0,033	KG
NTN	1R25X30X20.5	12,89	1	0,04	KG
NTN	1R25X30X23	22,19	1	0,043	KG
NTN	1R25X30X26.5	16,27	1	0,044	KG
NTN	1R25X30X30	20,11	1	0,05	KG
NTN	1R25X30X32	20,60	1	0,053	KG
NTN	1R25X30X38.5	22,33	1	0,064	KG
NTN	1R25X32X15X1PX1	15,16	1	0,036	KG
NTN	1R25X32X22	17,87	1	0,06	KG
NTN	1R260X285X60	1.071,05	1	5,1	KG
NTN	1R280X305X69	1.207,98	1	6,13	KG
NTN	1R28X32X17	13,34	1	0,024	KG
NTN	1R28X32X20	13,34	1	0,029	KG
NTN	1R28X32X30	21,63	1	0,044	KG
NTN	1R29X32X13	15,87	1	0,015	KG
NTN	1R300X330X80	2.080,50	1	9,08	KG
NTN	1R30X35X12.5	12,69	1	0,024	KG
NTN	1R30X35X13	12,77	1	0,024	KG
NTN	1R30X35X16	13,57	1	0,037	KG
NTN	1R30X35X16.5	13,72	1	0,033	KG
NTN	1R30X35X17	13,90	1	0,038	KG
NTN	1R30X35X18D	16,41	1	0,041	KG
NTN	1R30X35X20	14,50	1	0,039	KG
NTN	1R30X35X20.5	14,50	1	0,04	KG
NTN	1R30X35X23	15,52	1	0,045	KG
NTN	1R30X35X26	17,45	1	0,051	KG
NTN	1R30X35X30	21,43	1	0,064	KG
NTN	1R30X35X32	22,28	1	0,063	KG
NTN	1R30X37X18	20,63	1	0,056	KG
NTN	1R30X37X22	22,56	1	0,067	KG
NTN	1R30X38X20	21,43	1	0,066	KG
NTN	1R32X37X20	18,05	1	0,046	KG
NTN	1R32X37X30	22,93	1	0,076	KG
NTN	1R32X38X32	24,10	1	0,081	KG
NTN	1R32X40X20	16,68	1	0,074	KG
NTN	1R32X40X27	20,67	1	0,104	KG
NTN	1R32X40X36	25,70	1	0,136	KG
NTN	1R33X37X13	31,47	1	0,026	KG
NTN	1R35X40X12.5	13,06	1	0,027	KG
NTN	1R35X40X16.5	15,37	1	0,046	KG
NTN	1R35X40X17	15,76	1	0,038	KG
NTN	1R35X40X20	16,51	1	0,054	KG
NTN	1R35X40X20.5	16,68	1	0,055	KG
NTN	1R35X40X30	24,06	1	0,078	KG
NTN	1R35X40X34	24,43	1	0,077	KG
NTN	1R35X40X40	25,89	1	0,091	KG
NTN	1R35X42X20	18,27	1	0,064	KG
NTN	1R35X42X21D	22,76	1	0,068	KG
NTN	1R35X42X23D	22,11	1	0,085	KG
NTN	1R35X42X27	21,51	1	0,088	KG

NTN	1R35X42X36	28,58	1	0,127	KG
NTN	1R35X43X22	24,06	1	0,092	KG
NTN	1R38X43X20	21,00	1	0,058	KG
NTN	1R38X43X30	29,58	1	0,066	KG
NTN	1R40X45X16.5	17,66	1	0,043	KG
NTN	1R40X45X17	17,52	1	0,051	KG
NTN	1R40X45X20	18,17	1	0,061	KG
NTN	1R40X45X20.5	18,35	1	0,062	KG
NTN	1R40X45X26.5	24,77	1	0,068	KG
NTN	1R40X45X30	25,94	1	0,076	KG
NTN	1R40X45X34	29,01	1	0,088	KG
NTN	1R40X45X40	33,07	1	0,106	KG
NTN	1R40X48X22	19,53	1	0,103	KG
NTN	1R40X48X23D	26,70	1	0,109	KG
NTN	1R40X48X30	25,44	1	0,127	KG
NTN	1R40X48X40	35,14	1	0,186	KG
NTN	1R40X50X20	27,70	1	0,107	KG
NTN	1R40X50X22	26,94	1	0,128	KG
NTN	1R40X50X22P5	40,40	1	0,118	KG
NTN	1R42X47X20	20,08	1	0,063	KG
NTN	1R42X47X30	26,18	1	0,08	KG
NTN	1R45X50X20	18,68	1	0,057	KG
NTN	1R45X50X25	22,24	1	0,071	KG
NTN	1R45X50X25.5	22,47	1	0,073	KG
NTN	1R45X50X35	27,70	1	0,116	KG
NTN	1R45X50X40	31,41	1	0,128	KG
NTN	1R45X52X20X	42,10	1	0,081	KG
NTN	1R45X52X22	22,93	1	0,09	KG
NTN	1R45X52X23D	31,49	1	0,105	KG
NTN	1R45X52X30	34,85	1	0,133	KG
NTN	1R45X52X40	40,35	1	0,18	KG
NTN	1R45X55X20	33,72	1	0,129	KG
NTN	1R45X55X22	28,22	1	0,131	KG
NTN	1R45X55X40	44,77	1	0,242	KG
NTN	1R50X55X20	24,13	1	0,063	KG
NTN	1R50X55X25	26,18	1	0,078	KG
NTN	1R50X55X35	31,93	1	0,111	KG
NTN	1R50X55X40	34,47	1	0,14	KG
NTN	1R50X58X22	26,18	1	0,113	KG
NTN	1R50X58X23D	34,67	1	0,13	KG
NTN	1R50X58X30	36,39	1	0,166	KG
NTN	1R50X58X40	43,51	1	0,21	KG
NTN	1R50X60X20	30,21	1	0,131	KG
NTN	1R50X60X25	31,05	1	0,178	KG
NTN	1R50X60X28	32,67	1	0,183	KG
NTN	1R50X60X40	45,19	1	0,262	KG
NTN	1R55X60X25	28,76	1	0,086	KG
NTN	1R55X60X35	34,08	1	0,134	KG
NTN	1R55X60X38XPX1	45,45	1	0,107	KG
NTN	1R55X63X25	29,04	1	0,159	KG

NTN	1R55X63X34	39,03	1	0,234	KG
NTN	1R55X63X45	49,60	1	0,256	KG
NTN	1R55X65X28	41,64	1	0,206	KG
NTN	1R55X65X30	42,01	1	0,233	KG
NTN	1R55X65X60	80,45	1	0,478	KG
NTN	1R5X7X10	7,83	1	0,006	KG
NTN	1R5X8X12	9,54	1	0,002	KG
NTN	1R5X8X16	10,36	1	0,004	KG
NTN	1R60X68X25	33,45	1	0,17	KG
NTN	1R60X68X34	37,53	1	0,228	KG
NTN	1R60X68X35	39,88	1	0,242	KG
NTN	1R60X68X45	55,75	1	0,302	KG
NTN	1R60X70X25	41,29	1	0,212	KG
NTN	1R60X70X28	43,11	1	0,235	KG
NTN	1R60X70X30	57,21	1	0,236	KG
NTN	1R60X70X60	114,42	1	0,472	KG
NTN	1R65X72X25	41,64	1	0,162	KG
NTN	1R65X72X34	49,34	1	0,195	KG
NTN	1R65X72X45	65,00	1	0,286	KG
NTN	1R65X73X25	42,33	1	0,194	KG
NTN	1R65X73X35	52,66	1	0,256	KG
NTN	1R65X75X28	44,34	1	0,254	KG
NTN	1R65X75X30	44,22	1	0,25	KG
NTN	1R65X75X60	90,41	1	0,507	KG
NTN	1R6X10X10	10,59	1	0,008	KG
NTN	1R6X10X10D	11,16	1	0,008	KG
NTN	1R6X10X12D	11,06	1	0,005	KG
NTN	1R6X10X13	13,68	1	0,005	KG
NTN	1R6X8X10	11,56	1	0,006	KG
NTN	1R6X9X12	9,42	1	0,007	KG
NTN	1R6X9X16	10,85	1	0,004	KG
NTN	1R70X80X25	47,78	1	0,242	KG
NTN	1R70X80X28	48,67	1	0,27	KG
NTN	1R70X80X30	53,95	1	0,268	KG
NTN	1R70X80X35	56,81	1	0,313	KG
NTN	1R70X80X40	68,89	1	0,359	KG
NTN	1R70X80X54	94,04	1	0,534	KG
NTN	1R70X80X56	96,41	1	0,532	KG
NTN	1R70X80X60	96,12	1	0,542	KG
NTN	1R75X85X25	54,47	1	0,264	KG
NTN	1R75X85X30	66,65	1	0,286	KG
NTN	1R75X85X35	69,12	1	0,335	KG
NTN	1R75X85X40	82,12	1	0,416	KG
NTN	1R75X85X54	98,50	1	0,558	KG
NTN	1R75X90X32	84,23	1	0,506	KG
NTN	1R7X10X10.5	8,64	1	0,008	KG
NTN	1R7X10X12	9,45	1	0,003	KG
NTN	1R7X10X16	12,69	1	0,01	KG
NTN	1R7X12X16	15,26	1	0,014	KG
NTN	1R7X9X10	11,77	1	0,004	KG

NTN	1R80X90X25	59,63	1	0,028	KG
NTN	1R80X90X30	72,97	1	0,305	KG
NTN	1R80X90X35	75,44	1	0,358	KG
NTN	1R80X90X40	105,64	1	0,41	KG
NTN	1R80X90X54	104,60	1	0,594	KG
NTN	1R80X95X32	80,34	1	0,532	KG
NTN	1R85X100X32	82,12	1	0,562	KG
NTN	1R85X100X35	90,65	1	0,578	KG
NTN	1R85X100X46	105,97	1	0,769	KG
NTN	1R85X100X63	137,05	1	1,056	KG
NTN	1R85X95X26	69,12	1	0,3	KG
NTN	1R85X95X36	84,57	1	0,414	KG
NTN	1R8X12X10	9,72	1	0,01	KG
NTN	1R8X12X10.5	8,64	1	0,01	KG
NTN	1R8X12X12.5	8,64	1	0,012	KG
NTN	1R8X12X12D	10,08	1	0,01	KG
NTN	1R8X14X16	10,64	1	0,013	KG
NTN	1R90X100X26	83,74	1	0,317	KG
NTN	1R90X100X30	89,37	1	0,338	KG
NTN	1R90X100X36	96,16	1	0,406	KG
NTN	1R90X105X32	244,31	1	0,561	KG
NTN	1R90X105X35	96,16	1	0,666	KG
NTN	1R90X105X46	118,15	1	0,872	KG
NTN	1R90X105X63	152,27	1	1,109	KG
NTN	1R95X105X26	90,65	1	0,362	KG
NTN	1R95X105X36	115,03	1	0,482	KG
NTN	1R95X110X32	115,90	1	0,644	KG
NTN	1R95X110X35	115,03	1	0,695	KG
NTN	1R95X110X46	135,15	1	0,912	KG
NTN	1R95X110X63	163,39	1	1,169	KG
NTN	1R9X12X11	6,86	1	0,009	KG
NTN	1R9X12X12	7,30	1	0,004	KG
NTN	1R9X12X16	9,20	1	0,011	KG
NTN	1R9X15X16	10,71	1	0,019	KG
NTN	3A-8E-NK1-25X58X20-6NRPX1	122,47	1	0,289	KG
NTN	7E-8Q-HK3016	9,66	1	0,031	KG
NTN	7E-8Q-NK45X65X40PX1	121,41	1	0,39	KG
NTN	7E-BKS28X40X17-2	15,21	1	0,059	KG
NTN	7E-HK1412	6,33	1	0,01	KG
NTN	7E-HK3016C	9,66	1	0,037	KG
NTN	7E-HKS13X20X12-3	4,43	1	0,016	KG
NTN	7E-HKS15.8X20.6X19-1	7,17	1	0,012	KG
NTN	7E-HKS25X32X30/8A	27,06	1	0,054	KG
NTN	7E-HKS28X35X30/8A	30,51	1	0,054	KG
NTN	7E-HKS28X35X33/8A	33,10	1	0,066	KG
NTN	7E-HKS30X37X30-6/8A	35,24	1	0,066	KG
NTN	7E-HKS30X37X34-1	35,24	1	0,066	KG
NTN	7E-HKS32X40X30-1	32,13	1	0,071	KG
NTN	7E-HKS33X38X8	12,76	1	0,011	KG
NTN	7E-HKS36X44X30PX1	25,41	1	0,077	KG

NTN	7E-HMK1020CT	9,84	1	0,015	KG
NTN	7E-HMK1215	7,26	1	0,014	KG
NTN	7E-HMK1416CT	7,72	1	0,018	KG
NTN	7E-HMK1525	9,58	1	0,026	KG
NTN	7E-HMK1620CT	10,75	1	0,026	KG
NTN	7E-HMK1715CT	8,44	1	0,018	KG
NTN	7E-HMK1720	11,43	1	0,028	KG
NTN	7E-HMK1720CT	11,43	1	0,028	KG
NTN	7E-HMK1725B	11,53	1	0,03	KG
NTN	7E-HMK1725CT	11,53	1	0,029	KG
NTN	7E-HMK1725CT/8A	11,53	1	0,036	KG
NTN	7E-HMK2215	14,42	1	0,022	KG
NTN	7E-HMK2230	12,03	1	0,051	KG
NTN	7E-HMK2616	24,97	1	0,031	KG
NTN	7E-HMK2620CT	26,99	1	0,038	KG
NTN	7E-HMK3220	13,53	1	0,056	KG
NTN	7E-HMK3230	34,53	1	0,096	KG
NTN	7E-HMK4020	24,32	1	0,07	KG
NTN	7E-HMK4025	33,85	1	0,089	KG
NTN	7E-HMK5030CPX1	53,26	1	0,166	KG
NTN	81102T2	48,79	1	0,021	KG
NTN	81103T2	48,79	1	0,03	KG
NTN	81104T2	52,76	1	0,035	KG
NTN	81105T2	57,63	1	0,051	KG
NTN	81106T2	60,56	1	0,064	KG
NTN	81107T2	69,22	1	0,078	KG
NTN	81108T2	75,66	1	0,105	KG
NTN	81109T2	84,57	1	0,13	KG
NTN	81110T2	91,71	1	0,141	KG
NTN	81111T2	118,90	1	0,22	KG
NTN	81112T2	129,44	1	0,54	KG
NTN	81113T2	147,00	1	0,299	KG
NTN	81114T2	155,78	1	0,32	KG
NTN	81115T2	179,21	1	0,361	KG
NTN	81116T2	193,86	1	0,435	KG
NTN	81117T2	229,58	1	0,85	KG
NTN	81118T2	260,03	1	0,67	KG
NTN	81120T2	302,79	1	1,84	KG
NTN	81122T2	478,49	1	1	KG
NTN	81124T2	582,74	1	1,072	KG
NTN	81206T2	85,97	1	0,14	KG
NTN	81207T2	101,55	1	0,208	KG
NTN	81208T2	108,47	1	0,239	KG
NTN	81209T2	127,10	1	0,301	KG
NTN	81210L1P5	432,21	1	0,445	KG
NTN	81210T2	144,06	1	0,349	KG
NTN	81211T2	192,10	1	0,552	KG
NTN	81212T2	204,98	1	0,65	KG
NTN	81213T2	223,15	1	0,73	KG
NTN	81214T2	244,81	1	0,815	KG

NTN	81215T2	265,89	1	0,825	KG
NTN	81216T2	287,57	1	0,91	KG
NTN	81216T2P5	431,36	1	0,861	KG
NTN	81217L1	476,85	1	1,44	KG
NTN	81218J	387,70	1	1,675	KG
NTN	89320L1	3.660,91	1	4,27	KG
NTN	8E-KV10X14X10.8XS	8,74	1	0,004	KG
NTN	8E-KV10X14X12.5X1S	8,74	1	0,005	KG
NTN	8E-NK10/16CT+1R7X10X16	37,05	1	0,024	KG
NTN	8E-NK1-25X52.2X15-4PX1	49,82	1	0,164	KG
NTN	8E-NK1-25X52.2X15.5PX1	57,59	1	0,164	KG
NTN	8E-NK1-25X56.4X19-3	60,30	1	0,244	KG
NTN	8E-NK12X19X12-7	26,99	1	0,011	KG
NTN	8E-NK15X25X12-3	28,16	1	0,021	KG
NTN	8E-NK20X32X12	27,65	1	0,032	KG
NTN	8E-NK30X47X21	31,32	1	0,119	KG
NTN	8E-NK32X52X15-3	28,97	1	0,12	KG
NTN	8E-NK33X60X20-9	54,79	1	0,236	KG
NTN	8E-NK34X59X20-1PX1	51,06	1	0,234	KG
NTN	8E-NK39X58X16-2PX1	66,39	1	0,133	KG
NTN	8E-NK39X65X18-3	82,41	1	0,236	KG
NTN	8Q-HMK2830/8A	17,53	1	0,07	KG
NTN	8Q-K12X16X13	6,39	1	0,006	KG
NTN	8Q-K12X18X12	9,60	1	0,015	KG
NTN	8Q-K20X28X25	16,51	1	0,039	KG
NTN	8Q-K21X25X13	13,82	1	0,015	KG
NTN	8Q-K28X36X46X1ZW	87,37	1	0,096	KG
NTN	8Q-K32X42X14.8X1	40,42	1	0,046	KG
NTN	8Q-K34X46X51XZW	132,37	1	0,201	KG
NTN	8Q-K8X11X10	9,87	1	0,002	KG
NTN	8Q-K8X12X12	10,16	1	0,004	KG
NTN	8Q-K95X102X20.8X3	95,66	1	0,109	KG
NTN	8Q-K9X12X10	10,46	1	0,002	KG
NTN	8Q-KBK10X14X12.5X6	15,12	1	0,005	KG
NTN	8Q-KBK12X17X14.2X2	14,73	1	0,009	KG
NTN	8Q-KBK14X18X16.5X	24,97	1	0,009	KG
NTN	8Q-NK24X36X14	35,93	1	0,043	KG
NTN	8Q-NK26X35X25-1/3AS	59,67	1	62,3	G
NTN	8Q-NK30X44X30	44,35	1	0,14	KG
NTN	8Q-NK34X50X35-7PX1	58,16	1	0,195	KG
NTN	8Q-NK35X42X23-1	64,48	1	0,056	KG
NTN	8Q-NK35X52X36	75,38	1	0,24	KG
NTN	8Q-NK35X54X36	82,65	1	0,262	KG
NTN	8Q-NK38X55X30	91,18	1	0,203	KG
NTN	8Q-NK40X55X30	52,07	1	0,194	KG
NTN	8Q-NK68/35RV2+1R60X68X35C3	220,47	1	0,348	KG
NTN	ARN2052T2P5	2.602,96	1	0,45	KG
NTN	ARN3062T2P5	3.631,89	1	0,595	KG
NTN	ARN3570T2	482,06	1	0,813	KG
NTN	ARN4075T2P4	6.595,35	1	0,93	KG

NTN	ARN4090P5	5.039,90	1	2,081	KG
NTN	ARN70130P5	8.212,33	1	4,25	KG
NTN	AS1100	1,08	1	0,005	KG
NTN	AS1101	1,08	1	0,01	KG
NTN	AS1102	1,08	1	0,01	KG
NTN	AS1103	1,08	1	0,01	KG
NTN	AS1104	1,08	1	0,005	KG
NTN	AS1105	1,31	1	0,007	KG
NTN	AS1106	1,56	1	0,01	KG
NTN	AS1107	1,73	1	0,015	KG
NTN	AS1108	2,54	1	0,02	KG
NTN	AS1109	2,77	1	0,016	KG
NTN	AS1110	3,15	1	0,015	KG
NTN	AS1111	3,60	1	0,023	KG
NTN	AS1112	4,35	1	0,038	KG
NTN	AS1113	4,74	1	0,023	KG
NTN	AS1114	6,02	1	0,025	KG
NTN	AS1115	7,46	1	0,026	KG
NTN	AS1116	8,88	1	0,028	KG
NTN	AS1117	10,72	1	0,103	KG
NTN	AS1118	12,78	1	0,066	KG
NTN	AS1120	16,28	1	0,09	KG
NTN	AS1122	21,40	1	0,053	KG
NTN	AS1124	26,23	1	0,057	KG
NTN	AS1126	32,97	1	0,072	KG
NTN	AS1128	39,71	1	0,077	KG
NTN	AS1130	48,20	1	0,084	KG
NTN	AS1132	58,80	1	0,115	KG
NTN	AXK1100	3,97	1	0,003	KG
NTN	AXK1101	4,01	1	0,002	KG
NTN	AXK1102	4,11	1	0,01	KG
NTN	AXK1103	4,14	1	0,028	KG
NTN	AXK1104	4,50	1	0,01	KG
NTN	AXK1105	4,76	1	0,015	KG
NTN	AXK1106	5,30	1	0,01	KG
NTN	AXK1107	6,18	1	0,015	KG
NTN	AXK1108	6,85	1	0,018	KG
NTN	AXK1109	7,96	1	0,018	KG
NTN	AXK1110	9,23	1	0,03	KG
NTN	AXK1111	10,36	1	0,026	KG
NTN	AXK1112	12,75	1	0,042	KG
NTN	AXK1113	16,42	1	0,035	KG
NTN	AXK1114	23,09	1	0,05	KG
NTN	AXK1115	28,05	1	0,053	KG
NTN	AXK1116	33,56	1	0,194	KG
NTN	AXK1117	38,89	1	0,058	KG
NTN	AXK1118	44,16	1	0,086	KG
NTN	AXK1120	51,42	1	0,152	KG
NTN	AXK1122	66,88	1	0,104	KG
NTN	AXK1124	86,21	1	0,131	KG

NTN	AXK1126	117,13	1	0,272	KG
NTN	AXK1128	141,72	1	0,368	KG
NTN	AXK1130	168,10	1	0,308	KG
NTN	AXK1132	203,22	1	0,256	KG
NTN	BK0408T2	5,90	1	0,006	KG
NTN	BK0509	5,75	1	0,002	KG
NTN	BK0609T2	5,75	1	0,007	KG
NTN	BK0609T2/2AS	5,75	1	0,003	KG
NTN	BK0709	5,75	1	0,008	KG
NTN	BK0709CT	5,75	1	0,004	KG
NTN	BK0810C	5,85	1	0,008	KG
NTN	BK0810CT	5,85	1	0,004	KG
NTN	BK0910	5,90	1	0,009	KG
NTN	BK0912	5,94	1	0,1	KG
NTN	BK1010	5,94	1	0,004	KG
NTN	BK1012	7,30	1	0,005	KG
NTN	BK1015	8,28	1	0,011	KG
NTN	BK1210	6,34	1	0,01	KG
NTN	BK1212V1	6,69	1	0,015	KG
NTN	BK1312	6,79	1	0,016	KG
NTN	BK1412	7,13	1	0,017	KG
NTN	BK1512	8,16	1	0,017	KG
NTN	BK1516	7,52	1	0,021	KG
NTN	BK1522ZWD	9,68	1	0,021	KG
NTN	BK1612	9,10	1	0,018	KG
NTN	BK1616	7,71	1	0,022	KG
NTN	BK1622ZWD	11,93	1	0,028	KG
NTN	BK1712	9,86	1	0,15	KG
NTN	BK1812	9,00	1	0,02	KG
NTN	BK1816	9,81	1	0,025	KG
NTN	BK2016	9,86	1	0,027	KG
NTN	BK2016D	9,86	1	0,028	KG
NTN	BK2020	11,97	1	0,026	KG
NTN	BK2020CT	11,97	1	0,032	KG
NTN	BK2030ZWD	16,41	1	0,038	KG
NTN	BK2212	10,05	1	0,024	KG
NTN	BK2216	11,36	1	0,029	KG
NTN	BK2220	11,37	1	0,034	KG
NTN	BK2512	8,86	1	0,028	KG
NTN	BK2516	8,91	1	0,036	KG
NTN	BK2520	11,76	1	0,044	KG
NTN	BK2526	11,76	1	0,054	KG
NTN	BK2538ZWD	16,28	1	0,075	KG
NTN	BK2820	18,05	1	0,043	KG
NTN	BK3016	21,45	1	0,037	KG
NTN	BK3020	13,12	1	0,051	KG
NTN	BK3026	13,10	1	0,058	KG
NTN	BK3038ZWD	18,50	1	0,081	KG
NTN	BK3520	15,69	1	0,062	KG
NTN	BK4020	16,15	1	0,064	KG

NTN	DCL108	6,16	1	0,014	KG
NTN	DCL128	9,39	1	0,018	KG
NTN	DCL1612	14,33	1	0,028	KG
NTN	DCL1616	15,27	1	0,038	KG
NTN	DCL1816	17,85	1	0,045	KG
NTN	DCL228F	12,45	1	0,03	KG
NTN	DCL2414	24,17	1	0,008	KG
NTN	DCL2812	27,92	1	0,074	KG
NTN	DCL2816	60,96	1	0,076	KG
NTN	DCL2824	71,24	1	155	G
NTN	DCL3216	25,16	1	0,115	KG
NTN	DCL44T2	14,60	1	0,002	KG
NTN	DCL45T2	9,96	1	0,002	KG
NTN	DCL47T2	3,81	1	0,003	KG
NTN	DCL55	4,68	1	0,004	KG
NTN	DCL65	4,70	1	0,008	KG
NTN	DCL66	4,34	1	0,004	KG
NTN	DCL85	13,34	1	0,044	KG
NTN	DCL88	8,75	1	0,012	KG
NTN	DCL98	10,23	1	0,009	KG
NTN	G16X22X3	4,93	1	0,008	KG
NTN	G25X32X4	5,48	1	0,006	KG
NTN	G30X37X4	8,23	1	0,003	KG
NTN	G35X42X4	6,16	1	0,004	KG
NTN	GK35X40X26.8XS	13,36	1	0,021	KG
NTN	GPK30X39X20.8X14	58,63	1	0,02	KG
NTN	GPK30X42X19.8X	36,23	1	0,05	KG
NTN	GS81100	12,11	1	0,075	KG
NTN	GS81101	12,11	1	0,009	KG
NTN	GS81102	12,76	1	0,015	KG
NTN	GS81103	12,76	1	0,014	KG
NTN	GS81104	14,00	1	0,015	KG
NTN	GS81105	15,52	1	0,021	KG
NTN	GS81106	16,13	1	0,025	KG
NTN	GS81107	18,97	1	0,09	KG
NTN	GS81108	19,29	1	0,08	KG
NTN	GS81109	20,00	1	0,055	KG
NTN	GS81110	22,50	1	0,051	KG
NTN	GS81111	27,06	1	0,105	KG
NTN	GS81112	29,80	1	0,101	KG
NTN	GS81113	36,73	1	0,125	KG
NTN	GS81114	40,59	1	0,117	KG
NTN	GS81115	47,56	1	0,135	KG
NTN	GS81116	49,07	1	0,155	KG
NTN	GS81117	60,91	1	0,175	KG
NTN	GS81118	74,14	1	0,265	KG
NTN	GS81120	82,46	1	0,322	KG
NTN	GS81122	110,21	1	0,369	KG
NTN	GS81124	135,86	1	0,378	KG
NTN	GS81126	176,87	1	0,616	KG

NTN	GS81128	234,86	1	0,697	KG
NTN	GS81130	270,58	1	0,736	KG
NTN	GS81132	291,08	1	0,78	KG
NTN	GS81206	22,21	1	0,042	KG
NTN	GS81207	27,88	1	0,075	KG
NTN	GS81208	27,88	1	0,1	KG
NTN	GS81209	34,50	1	104	G
NTN	GS81210	42,00	1	0,13	KG
NTN	GS81211	58,26	1	0,198	KG
NTN	GS81212	63,14	1	0,231	KG
NTN	GS81213	67,23	1	0,262	KG
NTN	GS81214	71,45	1	0,279	KG
NTN	GS81215	78,24	1	0,294	KG
NTN	GS81216	88,78	1	0,329	KG
NTN	GS81217	112,21	1	0,448	KG
NTN	GS81218	121,24	1	0,627	KG
NTN	GS81220	150,66	1	0,818	KG
NTN	GS81222	208,46	1	0,91	KG
NTN	GS81224	156,09	1	1,02	KG
NTN	GS81226	263,38	1	1,431	KG
NTN	GS81228	578,68	1	1,595	KG
NTN	GS87410	129,25	1	0,535	KG
NTN	GS89306	70,17	1	0,098	KG
NTN	GS89307	80,48	1	0,134	KG
NTN	GS89308	90,08	1	195	G
NTN	GS89309	101,19	1	0,257	KG
NTN	GS89310	118,90	1	0,368	KG
NTN	GS89311	154,62	1	0,504	KG
NTN	GS89312	162,81	1	0,518	KG
NTN	GS89313	211,10	1	0,565	KG
NTN	GS89314	223,15	1	0,753	KG
NTN	GS89315	247,52	1	0,988	KG
NTN	GS89316	228,28	1	0,987	KG
NTN	GS89317	333,83	1	1,26	KG
NTN	GS89318	446,86	1	1,288	KG
NTN	GS89320	567,12	1	1,645	KG
NTN	GS89322	591,39	1	2,365	KG
NTN	HF0612	10,50	1	0,008	KG
NTN	HF0812	10,03	1	0,003	KG
NTN	HF2016	12,41	1	0,022	KG
NTN	HF2520	15,76	1	0,035	KG
NTN	HF3020	30,70	1	0,04	KG
NTN	HK0306T2	5,31	1	0,006	KG
NTN	HK0408T2	5,31	1	0,006	KG
NTN	HK0509	5,14	1	0,006	KG
NTN	HK0509FM	5,14	1	0,006	KG
NTN	HK0509T2	5,14	1	0,006	KG
NTN	HK0609FM	5,14	1	0,002	KG
NTN	HK0609T2	5,14	1	0,007	KG
NTN	HK0709	5,14	1	0,003	KG

NTN	HK0709FM	5,14	1	0,002	KG
NTN	HK0810C	5,31	1	0,008	KG
NTN	HK0810C/5K	5,31	1	0,003	KG
NTN	HK0810FM	5,31	1	0,003	KG
NTN	HK0910	5,38	1	0,01	KG
NTN	HK0910C	5,38	1	0,004	KG
NTN	HK0910FM	5,38	1	0,004	KG
NTN	HK0912	5,39	1	0,005	KG
NTN	HK0912F	5,39	1	0,005	KG
NTN	HK1010	5,39	1	0,008	KG
NTN	HK1010D	5,39	1	0,008	KG
NTN	HK1010FM	5,39	1	0,004	KG
NTN	HK1012	5,70	1	0,01	KG
NTN	HK1012F	5,70	1	0,004	KG
NTN	HK1015	6,02	1	0,011	KG
NTN	HK1015F	6,08	1	0,007	KG
NTN	HK1210	5,70	1	0,008	KG
NTN	HK1210D	7,21	1	0,009	KG
NTN	HK1210FM	5,70	1	0,005	KG
NTN	HK1212	6,02	1	0,014	KG
NTN	HK1212D	6,02	1	0,014	KG
NTN	HK1212FM	6,02	1	0,009	KG
NTN	HK1214L/3AS	8,19	1	0,011	KG
NTN	HK1216LL/2AS	9,13	1	0,017	KG
NTN	HK1216LL/3AS	9,13	1	0,017	KG
NTN	HK1312	6,14	1	0,014	KG
NTN	HK1312D	6,14	1	0,016	KG
NTN	HK1412FM	6,33	1	0,014	KG
NTN	HK1412V2	6,33	1	0,015	KG
NTN	HK1414L/3AS	8,79	1	0,017	KG
NTN	HK1416F	9,64	1	0,014	KG
NTN	HK1416LL/3AS	9,66	1	0,019	KG
NTN	HK1512	6,41	1	0,016	KG
NTN	HK1512D	6,41	1	0,011	KG
NTN	HK1512FM	6,41	1	0,01	KG
NTN	HK1514L/3AS	8,84	1	0,017	KG
NTN	HK1516	6,73	1	0,02	KG
NTN	HK1516D	6,73	1	0,014	KG
NTN	HK1516F	6,73	1	0,016	KG
NTN	HK1516LL/3AS	9,86	1	0,019	KG
NTN	HK1522ZWD	8,43	1	0,02	KG
NTN	HK1612	6,56	1	0,016	KG
NTN	HK1612D	6,56	1	0,016	KG
NTN	HK1612FM	8,14	1	0,011	KG
NTN	HK1614L/3AS	8,96	1	0,018	KG
NTN	HK1614L/5S	8,96	1	0,02	KG
NTN	HK1616	7,01	1	0,015	KG
NTN	HK1616D	7,01	1	0,022	KG
NTN	HK1616F	7,01	1	0,015	KG
NTN	HK1616LL/3AS	10,04	1	0,02	KG

NTN	HK1622ZWD	9,17	1	0,022	KG
NTN	HK1712	6,79	1	0,012	KG
NTN	HK1712D	6,79	1	0,016	KG
NTN	HK1712FM	6,79	1	0,018	KG
NTN	HK1812	6,95	1	0,017	KG
NTN	HK1812FM	6,95	1	0,01	KG
NTN	HK1814L/3AS	8,96	1	0,02	KG
NTN	HK1816	7,52	1	0,022	KG
NTN	HK1816D	7,52	1	0,017	KG
NTN	HK1816F	7,41	1	0,017	KG
NTN	HK1816LL/3AS	10,70	1	0,021	KG
NTN	HK2012C	7,15	1	0,019	KG
NTN	HK2012FM	7,15	1	0,013	KG
NTN	HK2016	7,79	1	0,024	KG
NTN	HK2016D	7,79	1	0,024	KG
NTN	HK2016F	7,79	1	0,018	KG
NTN	HK2016LL/3AS	11,10	1	0,018	KG
NTN	HK2018L/3AS	10,57	1	0,027	KG
NTN	HK2020C	8,63	1	0,029	KG
NTN	HK2020D	8,63	1	0,028	KG
NTN	HK2020F	8,63	1	0,02	KG
NTN	HK2020FD	8,63	1	0,026	KG
NTN	HK2020LL/2AS	11,76	1	28	G
NTN	HK2020LL/3AS	11,76	1	0,028	KG
NTN	HK2020LL/5S	11,76	1	0,028	KG
NTN	HK2030ZWD	11,85	1	0,04	KG
NTN	HK2212	7,49	1	0,02	KG
NTN	HK2212FM	7,45	1	0,014	KG
NTN	HK2216C	8,25	1	0,026	KG
NTN	HK2216D	8,25	1	0,028	KG
NTN	HK2216F	9,74	1	0,02	KG
NTN	HK2216LL/3AS	11,12	1	0,02	KG
NTN	HK2218L/3AS	11,28	1	0,028	KG
NTN	HK2220C	8,91	1	0,031	KG
NTN	HK2220D	8,91	1	0,026	KG
NTN	HK2220F	10,32	1	0,026	KG
NTN	HK2220LL/3AS	12,46	1	0,03	KG
NTN	HK2512	7,96	1	0,025	KG
NTN	HK2512F	7,96	1	0,019	KG
NTN	HK2516	8,62	1	0,032	KG
NTN	HK2516D	8,62	1	0,03	KG
NTN	HK2516F	8,62	1	0,026	KG
NTN	HK2516LL/3AS	12,10	1	0,029	KG
NTN	HK2518L/3AS	11,76	1	0,03	KG
NTN	HK2518L/5S	11,76	1	0,035	KG
NTN	HK2520	9,23	1	0,039	KG
NTN	HK2520D	9,23	1	0,038	KG
NTN	HK2520LL/3AS	12,88	1	0,036	KG
NTN	HK2526	10,57	1	0,05	KG
NTN	HK2538ZWD	14,67	1	0,064	KG

NTN	HK2816C	9,09	1	0,035	KG
NTN	HK2816F	9,09	1	0,029	KG
NTN	HK2820	9,66	1	0,042	KG
NTN	HK2820D	9,66	1	0,037	KG
NTN	HK2820LL/3AS	13,70	1	0,035	KG
NTN	HK3012	8,75	1	0,028	KG
NTN	HK3012F	8,75	1	0,024	KG
NTN	HK3016LL/3AS	13,22	1	0,034	KG
NTN	HK3016V3	9,66	1	0,036	KG
NTN	HK3018L	13,12	1	0,04	KG
NTN	HK3018L/3AS	13,12	1	0,04	KG
NTN	HK3020	10,23	1	0,045	KG
NTN	HK3020D	13,22	1	0,045	KG
NTN	HK3020F	10,23	1	0,04	KG
NTN	HK3020LL/3AS	14,45	1	0,042	KG
NTN	HK3026	11,82	1	0,052	KG
NTN	HK3026D	11,28	1	0,06	KG
NTN	HK3026F	11,82	1	0,052	KG
NTN	HK3038ZWD	16,69	1	0,075	KG
NTN	HK3512	10,54	1	0,026	KG
NTN	HK3512F	10,54	1	0,026	KG
NTN	HK3516C	11,41	1	0,037	KG
NTN	HK3516F	11,41	1	0,037	KG
NTN	HK3516LL/3AS	14,96	1	0,04	KG
NTN	HK3518L/3AS	15,37	1	0,039	KG
NTN	HK3520	12,10	1	0,053	KG
NTN	HK3520D	23,81	1	0,044	KG
NTN	HK3520LL/3AS	16,75	1	0,052	KG
NTN	HK4012	12,94	1	0,029	KG
NTN	HK4016	13,60	1	0,048	KG
NTN	HK4016F	13,60	1	0,04	KG
NTN	HK4016LL/3AS	17,92	1	0,046	KG
NTN	HK4018L/3AS	17,87	1	0,044	KG
NTN	HK4020	14,59	1	0,06	KG
NTN	HK4020D	14,59	1	0,05	KG
NTN	HK4020LL/3AS	19,19	1	0,054	KG
NTN	HK4020LLD/3AS	19,19	1	0,058	KG
NTN	HK4516	15,30	1	0,045	KG
NTN	HK4518L/3AS	20,02	1	0,059	KG
NTN	HK4520	16,75	1	0,06	KG
NTN	HK4520D	16,75	1	0,066	KG
NTN	HK4520LL/3AS	21,45	1	0,063	KG
NTN	HK5020	19,05	1	0,078	KG
NTN	HK5022L/3AS	24,71	1	0,09	KG
NTN	HK5024LL/3AS	26,07	1	0,091	KG
NTN	HK5024LLD/3AS	26,07	1	0,089	KG
NTN	HK5025	20,86	1	0,097	KG
NTN	HKS20X29X18-1PX1/L588	12,58	1	0,031	KG
NTN	HKS25X33X18PX1/L588	27,06	1	0,033	KG
NTN	HKS30X37X30-1/3AS	35,24	1	0,056	KG

NTN	HKS32X39X34-1	36,38	1	0,078	KG
NTN	HKS32X39X37-1/3AS	45,89	1	0,078	KG
NTN	HL-4A-8E-NK38X52X31	248,18	1	0,182	KG
NTN	HL-6A-8E-NK1-60X97X38	481,85	1	1,02	KG
NTN	HL-8E-NK1-25X60X20-2	217,70	1	0,271	KG
NTN	HL-8E-NK1-48X78X36	219,85	1	0,638	KG
NTN	HL-8Q-NK30X46X30-2	70,53	1	0,152	KG
NTN	HL-8Q-NK34X52X33-1	91,91	1	0,221	KG
NTN	HL-8Q-NK36X55X28	104,67	1	0,207	KG
NTN	HL-8Q-NK37X56X36-2	115,33	1	0,272	KG
NTN	HL-8Q-NK37X56X36-3U35K	84,68	1	0,285	KG
NTN	HL-K40X55X29.8X4T2	57,76	1	0,103	KG
NTN	HL-K50.8X64.8X59.8XT2	130,61	1	0,29	KG
NTN	HMK0810C	15,69	1	0,007	KG
NTN	HMK0812L/3AS	10,76	1	0,012	KG
NTN	HMK0815	13,44	1	0,01	KG
NTN	HMK0820T2	16,13	1	0,012	KG
NTN	HMK0912	16,55	1	0,009	KG
NTN	HMK1010	6,04	1	0,007	KG
NTN	HMK1012	7,07	1	0,009	KG
NTN	HMK1012L/3AS	7,37	1	0,009	KG
NTN	HMK1014LL/3AS	8,60	1	0,015	KG
NTN	HMK1015	9,15	1	0,012	KG
NTN	HMK1020	9,84	1	0,015	KG
NTN	HMK1212	26,22	1	0,01	KG
NTN	HMK1215	7,26	1	0,013	KG
NTN	HMK1220	10,78	1	0,017	KG
NTN	HMK1225	12,27	1	0,022	KG
NTN	HMK1416	7,72	1	0,018	KG
NTN	HMK1416V10	8,89	1	0,015	KG
NTN	HMK1420C	7,72	1	0,03	KG
NTN	HMK1510	16,78	1	0,016	KG
NTN	HMK1512	8,54	1	0,017	KG
NTN	HMK1513L/3AS	13,55	1	0,013	KG
NTN	HMK1515C	8,77	1	0,016	KG
NTN	HMK1516LL/3AS	16,47	1	0,015	KG
NTN	HMK1520	8,91	1	0,021	KG
NTN	HMK1525V3	9,58	1	0,031	KG
NTN	HMK1616	10,71	1	0,021	KG
NTN	HMK1620	10,75	1	0,025	KG
NTN	HMK1626CLLT/3AS	25,76	1	0,031	KG
NTN	HMK1715	8,44	1	0,018	KG
NTN	HMK1720C	11,79	1	0,028	KG
NTN	HMK1721LL/3AS	12,77	1	0,024	KG
NTN	HMK1815	11,68	1	0,019	KG
NTN	HMK1819	11,68	1	0,024	KG
NTN	HMK1820	11,68	1	0,024	KG
NTN	HMK1825	12,45	1	0,031	KG
NTN	HMK1916	19,59	1	0,024	KG
NTN	HMK2015	11,66	1	0,025	KG

NTN	HMK2018L/L118	16,66	1	0,023	KG
NTN	HMK2020	14,85	1	0,026	KG
NTN	HMK2025	15,70	1	0,034	KG
NTN	HMK2025C	15,70	1	0,041	KG
NTN	HMK2025V2	28,45	1	0,034	KG
NTN	HMK2030	15,46	1	0,04	KG
NTN	HMK2210	11,76	1	0,014	KG
NTN	HMK2218CLPX1/L588	12,58	1	0,02	KG
NTN	HMK2218L/3AS	12,58	1	0,024	KG
NTN	HMK2220C/8A	8,01	1	0,035	KG
NTN	HMK2220PX1	8,01	1	0,028	KG
NTN	HMK2225	10,90	1	0,036	KG
NTN	HMK2420C	12,26	1	0,036	KG
NTN	HMK2420CT	12,26	1	0,032	KG
NTN	HMK2510	11,68	1	0,018	KG
NTN	HMK2515C	10,34	1	0,033	KG
NTN	HMK2515F	10,34	1	0,033	KG
NTN	HMK2520	10,15	1	0,037	KG
NTN	HMK2525	11,77	1	0,054	KG
NTN	HMK2526LL/3AS	20,22	1	0,045	KG
NTN	HMK2530	15,59	1	0,056	KG
NTN	HMK2620BV1	18,72	1	0,038	KG
NTN	HMK2820	12,36	1	0,045	KG
NTN	HMK2823L/3AS	21,78	1	0,051	KG
NTN	HMK2830	17,53	1	0,075	KG
NTN	HMK2920	30,31	1	0,047	KG
NTN	HMK3015	32,51	1	0,042	KG
NTN	HMK3020	33,97	1	0,057	KG
NTN	HMK3025	32,51	1	0,071	KG
NTN	HMK3026LL/3AS	37,74	1	0,07	KG
NTN	HMK3030	34,24	1	0,086	KG
NTN	HMK3031LL/3AS	56,62	1	90	G
NTN	HMK3512	24,01	1	0,036	KG
NTN	HMK3515	25,43	1	0,046	KG
NTN	HMK3518L/3AS	50,01	1	0,053	KG
NTN	HMK3520	37,90	1	0,061	KG
NTN	HMK3525	34,29	1	0,076	KG
NTN	HMK3530	35,01	1	0,093	KG
NTN	HMK3531LL/3AS	68,50	1	0,092	KG
NTN	HMK3825	55,37	1	0,084	KG
NTN	HMK3830	59,22	1	0,101	KG
NTN	HMK4015V3	19,01	1	0,05	KG
NTN	HMK4030	40,33	1	0,106	KG
NTN	HMK4031LL/3AS	38,04	1	0,1	KG
NTN	HMK4520	30,53	1	0,086	KG
NTN	HMK4525	36,53	1	0,096	KG
NTN	HMK4530	33,09	1	0,116	KG
NTN	HWT42x58x24.8	73,31	1	0,175	KG
NTN	K100X107X21	99,45	1	0,176	KG
NTN	K100X108X27	137,05	1	0,24	KG

NTN	K100X108X30	229,93	1	0,252	KG
NTN	K105X112X21	122,98	1	0,13	KG
NTN	K105X113X30	146,48	1	0,26	KG
NTN	K10X13X10T2	4,98	1	0,006	KG
NTN	K10X13X13	5,31	1	0,003	KG
NTN	K10X14X10	5,98	1	0,008	KG
NTN	K10X14X13	5,98	1	0,004	KG
NTN	K10X14X8	8,62	1	0,003	KG
NTN	K10X16X12	10,09	1	0,012	KG
NTN	K110X117X24	137,05	1	0,208	KG
NTN	K110X118X30	187,27	1	0,27	KG
NTN	K115X123X27	337,95	1	0,268	KG
NTN	K11X14X10	7,06	1	0,008	KG
NTN	K120X127X24	189,76	1	0,17	KG
NTN	K120X127X34	236,80	1	0,235	KG
NTN	K125X133X35	254,72	1	0,275	KG
NTN	K12X15X10	5,58	1	0,008	KG
NTN	K12X15X10S	5,58	1	0,003	KG
NTN	K12X15X13	8,49	1	0,008	KG
NTN	K12X15X13V1	6,33	1	0,009	KG
NTN	K12X15X20ZW	9,84	1	0,011	KG
NTN	K12X16X10X1S	5,33	1	0,01	KG
NTN	K12X16X8	6,05	1	0,003	KG
NTN	K12X17X13	8,13	1	0,003	KG
NTN	K12X18X12	9,60	1	0,009	KG
NTN	K130X137X24	203,22	1	0,25	KG
NTN	K130X137X34	254,26	1	0,24	KG
NTN	K135X143X35V3	307,07	1	0,384	KG
NTN	K145X153X26	257,69	1	0,326	KG
NTN	K145X153X36	275,99	1	0,335	KG
NTN	K14X17X10	8,53	1	0,004	KG
NTN	K14X18X10	5,98	1	0,005	KG
NTN	K14X18X13	6,39	1	0,012	KG
NTN	K14X18X15S	6,34	1	0,013	KG
NTN	K14X18X17	7,30	1	0,014	KG
NTN	K14X20X12	10,29	1	0,015	KG
NTN	K150X160X46	395,89	1	0,656	KG
NTN	K155X163X26	459,08	1	0,338	KG
NTN	K15X18X14	7,02	1	0,005	KG
NTN	K15X19X10	6,39	1	0,006	KG
NTN	K15X19X13	6,91	1	0,012	KG
NTN	K15X19X17	7,96	1	0,014	KG
NTN	K15X19X24ZW	23,37	1	0,013	KG
NTN	K15X20X13	9,87	1	0,014	KG
NTN	K15X21X15	11,12	1	0,013	KG
NTN	K15X21X21	12,62	1	0,024	KG
NTN	K160X170X46	441,62	1	0,597	KG
NTN	K16X20X10	6,39	1	0,01	KG
NTN	K16X20X13	6,91	1	0,008	KG
NTN	K16X20X17S	7,96	1	0,012	KG

NTN	K16X22X12	10,92	1	0,01	KG
NTN	K16X22X15.8X	11,76	1	0,014	KG
NTN	K16X22X20	12,62	1	0,023	KG
NTN	K17X21X10S	8,64	1	0,011	KG
NTN	K17X21X13S	7,94	1	0,013	KG
NTN	K17X21X15	9,52	1	0,01	KG
NTN	K17X21X17	9,83	1	0,015	KG
NTN	K17X22X20	9,52	1	0,016	KG
NTN	K185X195X37L1	1.785,66	1	0,581	KG
NTN	K18X22X10	8,62	1	0,011	KG
NTN	K18X22X13	9,08	1	0,009	KG
NTN	K18X22X17	8,37	1	0,016	KG
NTN	K18X23X20S	12,48	1	0,017	KG
NTN	K18X24X12	11,61	1	0,012	KG
NTN	K18X24X13	14,87	1	0,018	KG
NTN	K18X24X20	14,58	1	0,025	KG
NTN	K18X25X17	14,58	1	0,021	KG
NTN	K18X25X22	14,58	1	0,031	KG
NTN	K19X23X13S	7,96	1	0,014	KG
NTN	K19X23X17	8,70	1	0,011	KG
NTN	K20X24X10S	7,30	1	0,007	KG
NTN	K20X24X13S	7,96	1	0,015	KG
NTN	K20X24X17S	8,70	1	0,014	KG
NTN	K20X26X12	12,18	1	0,013	KG
NTN	K20X26X13	12,18	1	0,015	KG
NTN	K20X26X20V2	14,16	1	0,029	KG
NTN	K20X28X25V1	16,51	1	0,044	KG
NTN	K20X28X25V4	16,51	1	0,037	KG
NTN	K21X25X17	16,70	1	0,017	KG
NTN	K22X26X10	7,96	1	0,012	KG
NTN	K22X26X10S	7,96	1	0,008	KG
NTN	K22X26X13	10,02	1	0,016	KG
NTN	K22X26X17	11,51	1	0,02	KG
NTN	K22X26X17S	11,51	1	0,019	KG
NTN	K22X27X20	11,51	1	0,02	KG
NTN	K22X28X17	13,37	1	0,02	KG
NTN	K22X28X17V1	13,37	1	0,026	KG
NTN	K22X29X16	13,37	1	0,023	KG
NTN	K22X30X15	15,08	1	0,026	KG
NTN	K24X28X10	8,29	1	0,012	KG
NTN	K24X28X13	10,72	1	0,016	KG
NTN	K24X28X13S	11,05	1	0,016	KG
NTN	K24X28X17	14,93	1	0,014	KG
NTN	K24X30X17	14,32	1	0,022	KG
NTN	K24X30X31ZW	42,03	1	0,048	KG
NTN	K25X29X10	8,29	1	0,009	KG
NTN	K25X29X10S	8,29	1	0,014	KG
NTN	K25X29X13	8,70	1	0,016	KG
NTN	K25X29X17S	9,93	1	0,02	KG
NTN	K25X30X13	14,06	1	0,02	KG

NTN	K25X30X17	12,20	1	0,018	KG
NTN	K25X30X17S	12,20	1	0,02	KG
NTN	K25X30X20S	12,52	1	0,028	KG
NTN	K25X30X26ZW	19,75	1	0,029	KG
NTN	K25X31X14	11,73	1	0,02	KG
NTN	K25X31X17	13,85	1	0,028	KG
NTN	K25X31X21	14,31	1	0,028	KG
NTN	K25X32X16	13,95	1	0,031	KG
NTN	K25X33X24.4X	17,53	1	0,046	KG
NTN	K25X35X29.8X2	21,22	1	0,072	KG
NTN	K26X30X13	10,55	1	0,018	KG
NTN	K26X30X13V3	10,55	1	0,012	KG
NTN	K26X30X17	10,55	1	0,02	KG
NTN	K28X32X21	16,69	1	0,019	KG
NTN	K28X33X13	9,60	1	0,016	KG
NTN	K28X33X17S	10,72	1	0,015	KG
NTN	K28X33X26ZW	15,84	1	0,04	KG
NTN	K28X33X27	16,12	1	0,046	KG
NTN	K28X34X14	13,07	1	0,026	KG
NTN	K28X34X17	14,51	1	0,026	KG
NTN	K28X35X16	15,20	1	0,029	KG
NTN	K28X35X18	15,33	1	0,033	KG
NTN	K30X35X13	9,60	1	0,017	KG
NTN	K30X35X13S	9,60	1	0,012	KG
NTN	K30X35X17	10,72	1	0,028	KG
NTN	K30X35X20S	17,25	1	0,027	KG
NTN	K30X35X27	13,37	1	0,033	KG
NTN	K30X35X27S	13,37	1	0,03	KG
NTN	K30X37X16	15,68	1	0,031	KG
NTN	K30X37X18	15,68	1	0,035	KG
NTN	K30X37X20	34,77	1	0,038	KG
NTN	K32X36X15S	8,84	1	0,02	KG
NTN	K32X37X13	10,29	1	0,018	KG
NTN	K32X37X17S	12,31	1	0,025	KG
NTN	K32X37X27	14,31	1	0,044	KG
NTN	K32X38X26	44,39	1	0,05	KG
NTN	K32X39X16	16,14	1	0,034	KG
NTN	K32X39X18	27,29	1	0,042	KG
NTN	K32X39X20	21,88	1	0,04	KG
NTN	K35X40X13	10,58	1	0,02	KG
NTN	K35X40X17	11,12	1	0,031	KG
NTN	K35X40X26ZW	25,60	1	0,048	KG
NTN	K35X40X27	15,16	1	0,041	KG
NTN	K35X40X30ZW	68,76	1	0,056	KG
NTN	K35X40X30ZWS	68,76	1	0,049	KG
NTN	K35X42X16	20,20	1	0,035	KG
NTN	K35X42X18	16,45	1	0,049	KG
NTN	K35X42X20	20,69	1	0,054	KG
NTN	K35X42X30	19,57	1	0,067	KG
NTN	K37X42X17	12,00	1	0,036	KG

NTN	K37X42X27	23,16	1	0,052	KG
NTN	K38X43X17	11,42	1	0,028	KG
NTN	K38X43X27	21,03	1	0,052	KG
NTN	K38X46X32	30,63	1	0,088	KG
NTN	K3X6X7T2	3,88	1	0,005	KG
NTN	K40X45X13	14,62	1	0,032	KG
NTN	K40X45X17	12,55	1	0,04	KG
NTN	K40X45X21V2	14,88	1	0,035	KG
NTN	K40X45X27	17,24	1	0,055	KG
NTN	K40X47X18	20,00	1	0,056	KG
NTN	K40X47X20	25,21	1	0,05	KG
NTN	K40X48X20	20,82	1	0,068	KG
NTN	K42X47X17	14,04	1	0,041	KG
NTN	K42X47X27	20,67	1	0,058	KG
NTN	K42X48X17	21,64	1	0,037	KG
NTN	K42X50X20	22,01	1	0,07	KG
NTN	K43X48X17	14,33	1	0,031	KG
NTN	K43X50X18	21,78	1	0,048	KG
NTN	K45X50X17	14,86	1	0,032	KG
NTN	K45X50X27	20,00	1	0,061	KG
NTN	K45X52X18	22,16	1	0,06	KG
NTN	K45X53X20	24,89	1	0,074	KG
NTN	K47X52X17	16,27	1	0,034	KG
NTN	K47X52X27	45,42	1	0,051	KG
NTN	K4X7X7T2	4,15	1	0,006	KG
NTN	K50X55X13.5	24,33	1	0,04	KG
NTN	K50X55X20	17,79	1	0,042	KG
NTN	K50X55X27	18,72	1	0,056	KG
NTN	K50X55X30	21,79	1	0,063	KG
NTN	K50X57X18	23,90	1	0,066	KG
NTN	K50X58X20	28,11	1	0,084	KG
NTN	K50X58X25	32,28	1	0,087	KG
NTN	K52X58X19	20,89	1	0,06	KG
NTN	K55X60X20	22,47	1	0,047	KG
NTN	K55X60X30	27,18	1	0,087	KG
NTN	K55X62X18	29,28	1	0,061	KG
NTN	K55X63X20	31,93	1	0,077	KG
NTN	K55X63X25	33,85	1	0,096	KG
NTN	K55X63X32	41,29	1	0,14	KG
NTN	K58X64X19	31,82	1	0,075	KG
NTN	K5X8X10T2	4,69	1	0,001	KG
NTN	K5X8X8T2	4,69	1	0,006	KG
NTN	K60X65X20	25,70	1	0,072	KG
NTN	K60X65X30	32,15	1	0,096	KG
NTN	K60X66X37.8XZW	70,73	1	0,14	KG
NTN	K60X68X20	40,13	1	0,104	KG
NTN	K60X68X23	40,76	1	0,118	KG
NTN	K60X68X25	40,76	1	0,105	KG
NTN	K60X68X27	40,15	1	0,132	KG
NTN	K61X66X20A	47,38	1	0,051	KG

NTN	K63X70X21	53,45	1	0,08	KG
NTN	K64X70X16	32,14	1	0,054	KG
NTN	K65X70X20	31,74	1	0,054	KG
NTN	K65X70X30	42,62	1	0,08	KG
NTN	K65X73X23	85,16	1	0,106	KG
NTN	K65X73X30	47,73	1	0,154	KG
NTN	K68X74X20	32,60	1	0,07	KG
NTN	K68X74X35ZW	71,45	1	0,14	KG
NTN	K68X75X21	53,54	1	0,077	KG
NTN	K6X10X13T2	6,22	1	0,007	KG
NTN	K6X9X10T2	4,69	1	0,006	KG
NTN	K6X9X8T2	4,54	1	0,005	KG
NTN	K70X76X20	36,90	1	0,069	KG
NTN	K70X76X30	45,74	1	0,104	KG
NTN	K70X76X30A	45,74	1	0,125	KG
NTN	K70X78X23	57,22	1	0,132	KG
NTN	K70X78X30	52,71	1	0,145	KG
NTN	K73X79X20	39,56	1	0,102	KG
NTN	K75X81X30	54,36	1	0,142	KG
NTN	K75X83X23	58,57	1	0,152	KG
NTN	K75X83X30	115,19	1	0,182	KG
NTN	K7X10X10T2	5,03	1	0,006	KG
NTN	K7X10X8T2	4,64	1	0,001	KG
NTN	K80X86X20	51,94	1	0,08	KG
NTN	K80X86X30	75,26	1	0,12	KG
NTN	K80X86X30A	75,20	1	0,148	KG
NTN	K80X88X26	77,80	1	0,144	KG
NTN	K80X88X30	75,20	1	0,164	KG
NTN	K81102T2	23,39	1	0,004	KG
NTN	K81103T2	23,39	1	0,086	KG
NTN	K81104T2	25,42	1	0,014	KG
NTN	K81105JWV1	123,47	1	0,019	KG
NTN	K81105L1	160,52	1	0,026	KG
NTN	K81105T2	27,40	1	0,013	KG
NTN	K81106T2	29,22	1	0,014	KG
NTN	K81107T2	32,15	1	0,025	KG
NTN	K81108T2	38,13	1	0,028	KG
NTN	K81109T2	44,28	1	0,04	KG
NTN	K81110T2	48,09	1	0,033	KG
NTN	K81111T2	66,53	1	0,045	KG
NTN	K81112	119,76	1	0,08	KG
NTN	K81112T2	71,56	1	0,344	KG
NTN	K81113T2	72,63	1	0,069	KG
NTN	K81114T2	75,55	1	0,088	KG
NTN	K81115T2	84,57	1	0,08	KG
NTN	K81116T2	95,82	1	0,082	KG
NTN	K81117T2	107,19	1	0,087	KG
NTN	K81118T2	111,03	1	0,135	KG
NTN	K81120T2	135,86	1	0,226	KG
NTN	K81122T2	249,45	1	0,244	KG

NTN	K81124T2	309,22	1	0,264	KG
NTN	K81126	407,45	1	1,72	KG
NTN	K81128	447,15	1	0,44	KG
NTN	K81130	463,53	1	0,459	KG
NTN	K81132	609,08	1	0,497	KG
NTN	K81206T2	42,93	1	0,035	KG
NTN	K81207T2	47,03	1	0,04	KG
NTN	K81208T2	54,17	1	0,085	KG
NTN	K81209T2	58,46	1	0,08	KG
NTN	K81210T2	62,90	1	0,081	KG
NTN	K81211T2	76,72	1	0,139	KG
NTN	K81212T2	78,24	1	0,148	KG
NTN	K81213T2	87,03	1	0,158	KG
NTN	K81214T2	102,14	1	0,167	KG
NTN	K81215T2	105,36	1	0,195	KG
NTN	K81216T2	110,21	1	0,186	KG
NTN	K81217L1	255,56	1	0,468	KG
NTN	K81218J	142,90	1	0,216	KG
NTN	K81220	354,43	1	0,534	KG
NTN	K81222	521,25	1	1,84	KG
NTN	K81224	527,52	1	0,628	KG
NTN	K81226	826,57	1	1,024	KG
NTN	K81228	1.085,40	1	2,315	KG
NTN	K85X92X30	124,19	1	0,179	KG
NTN	K87410	312,96	1	0,267	KG
NTN	K87414	538,99	1	0,666	KG
NTN	K89306	143,60	1	0,047	KG
NTN	K89307	153,21	1	0,066	KG
NTN	K89308	193,65	1	0,105	KG
NTN	K89309	210,43	1	0,126	KG
NTN	K89310	216,16	1	0,183	KG
NTN	K89311	249,22	1	0,244	KG
NTN	K89312	247,47	1	1,29	KG
NTN	K89313	329,48	1	0,271	KG
NTN	K89314	273,27	1	1,745	KG
NTN	K89315	347,67	1	0,607	KG
NTN	K89316	345,42	1	0,507	KG
NTN	K89317	444,18	1	0,485	KG
NTN	K89318	495,47	1	0,63	KG
NTN	K89320	477,24	1	0,768	KG
NTN	K89322L1	605,70	1	1,624	KG
NTN	K8X11X10T2	5,03	1	0,002	KG
NTN	K8X11X13	5,84	1	0,003	KG
NTN	K8X11X8T2	5,63	1	0,006	KG
NTN	K8X12X10T2	5,58	1	0,007	KG
NTN	K8X12X13	6,54	1	0,004	KG
NTN	K90X97X20	70,17	1	0,136	KG
NTN	K90X97X24.8X	78,45	1	0,13	KG
NTN	K90X98X27	101,97	1	0,165	KG
NTN	K90X98X30	121,24	1	0,181	KG

NTN	K95X102X21	109,72	1	0,121	KG
NTN	K95X102X31	108,96	1	0,165	KG
NTN	K9X12X10T2	5,79	1	0,064	KG
NTN	K9X12X13	6,73	1	0,003	KG
NTN	K9X12X13T2	6,73	1	0,006	KG
NTN	KBK12X15X16.6V1	13,18	1	0,01	KG
NTN	KBK12X16X16V1	13,86	1	0,007	KG
NTN	KBK14X18X17.3X	13,84	1	0,009	KG
NTN	KBK14X18X18.8X	12,31	1	0,014	KG
NTN	KBK14X18X20V3	13,86	1	0,011	KG
NTN	KBK15X19X17.3X	7,71	1	0,011	KG
NTN	KBK15X19X19.8X	15,46	1	0,012	KG
NTN	KBK15X20X17.3X	18,71	1	0,02	KG
NTN	KBK16X20X17	17,42	1	0,011	KG
NTN	KBK16X20X19.8	17,10	1	0,018	KG
NTN	KBK16X21X19.6X	16,05	1	0,01	KG
NTN	KBK18X22X20.4X	15,43	1	0,02	KG
NTN	KBK18X22X23.8X1	16,11	1	0,017	KG
NTN	KBK19X23.8X24.8X	39,13	1	0,021	KG
NTN	KBK20X25X29X3	23,25	1	0,028	KG
NTN	KJ30X35X17S	12,08	1	0,024	KG
NTN	KJ32X38X20S	15,52	1	0,028	KG
NTN	KJ34X40X17.8XS	11,62	1	0,032	KG
NTN	KJ34X40X23.8XS	12,32	1	0,042	KG
NTN	KJ34X40X25.8XS	12,60	1	0,045	KG
NTN	KJ35X40X22.8X1S	14,16	1	0,036	KG
NTN	KJ35X40X27S	15,40	1	0,045	KG
NTN	KJ36X41X25.3XS	13,40	1	0,033	KG
NTN	KJ37X42X17S	13,59	1	0,032	KG
NTN	KJ37X42X27S	13,67	1	0,037	KG
NTN	KJ38X43X25.8X3S	15,70	1	0,045	KG
NTN	KJ38X43X29.8X1S	15,70	1	0,041	KG
NTN	KJ38X44X28.8X2S	18,04	1	0,057	KG
NTN	KJ42X47X23.8XS	18,88	1	0,045	KG
NTN	KJ45X50X17S	8,59	1	36	G
NTN	KJ45X53X28S	16,73	1	0,082	KG
NTN	KJ56X61X17.8X1S	11,42	1	0,044	KG
NTN	KMJ10X14X8.8XS	3,75	1	0,003	KG
NTN	KMJ15X20X15.8XS	9,90	1	0,015	KG
NTN	KMJ15X21X17S	9,90	1	0,012	KG
NTN	KMJ16X22X13	9,72	1	0,01	KG
NTN	KMJ 18X24X17SV1	11,30	1	0,09	KG
NTN	KMJ20X26X13	15,44	1	0,017	KG
NTN	KMJ20X26X17S	12,36	1	0,02	KG
NTN	KMJ20X26X20S	12,71	1	0,023	KG
NTN	KMJ20X26X20SV3	12,71	1	0,019	KG
NTN	KMJ20X28X19.8X4S	17,89	1	0,026	KG
NTN	KMJ25X33X24S	15,84	1	0,045	KG
NTN	KMJ30X36X14	19,49	1	0,018	KG
NTN	KMJ30X37X20S	19,27	1	0,032	KG

NTN	KMJ40X46X14.3X1S	15,06	1	0,034	KG
NTN	KMJ42X50X18.8XS	15,59	1	0,058	KG
NTN	KMJ85X92X18.8X	37,45	1	0,076	KG
NTN	KMJ85X92X20	38,95	1	0,116	KG
NTN	M1-162016	35,25	1	0,056	KG
NTN	M1-222820	37,87	1	0,143	KG
NTN	M1-242816	39,12	1	0,078	KG
NTN	MR122016	54,52	1	0,072	KG
NTN	MR142212	78,83	1	0,064	KG
NTN	MR162412	40,84	1	70	G
NTN	MR162416	50,65	1	0,096	KG
NTN	MR182616	88,26	1	0,01	KG
NTN	MR182620	92,68	1	0,121	KG
NTN	MR202816	68,67	1	0,115	KG
NTN	MR202820	68,67	1	0,133	KG
NTN	MR223020	66,49	1	0,145	KG
NTN	MR243316	69,55	1	0,14	KG
NTN	MR243320	86,94	1	0,178	KG
NTN	MR263520	92,30	1	0,193	KG
NTN	MR283720	74,72	1	0,204	KG
NTN	MR303920	101,98	1	0,216	KG
NTN	MR324120	119,42	1	0,246	KG
NTN	MR364824	145,32	1	0,419	KG
NTN	MR364828	147,40	1	0,492	KG
NTN	MR405228	159,78	1	0,531	KG
NTN	MR445628	175,46	1	0,578	KG
NTN	MR486024	302,20	1	0,535	KG
NTN	MR486028	308,23	1	0,63	KG
NTN	MR567232	326,83	1	1,13	KG
NTN	NA0-17X35X16	42,77	1	0,079	KG
NTN	NA0-20X35X17	49,02	1	0,083	KG
NTN	NA0-25X40X17	47,91	1	0,089	KG
NTN	NA0-30X45X17	106,23	1	0,102	KG
NTN	NA0-30X45X26ZW	97,84	1	0,165	KG
NTN	NA0-35X50X17	68,61	1	0,115	KG
NTN	NA0-35X55X20	71,67	1	0,205	KG
NTN	NA0-50X68X20	128,08	1	0,251	KG
NTN	NA4822	387,70	1	1,028	KG
NTN	NA4824	446,86	1	1,252	KG
NTN	NA4826	535,88	1	1,896	KG
NTN	NA4828	605,57	1	1,598	KG
NTN	NA4830	787,98	1	2,828	KG
NTN	NA4830C3	787,98	1	2,838	KG
NTN	NA4832	901,91	1	3,021	KG
NTN	NA4834	1.112,75	1	4,2	KG
NTN	NA4836	1.307,19	1	4,422	KG
NTN	NA4838	1.519,20	1	5,92	KG
NTN	NA4840	1.898,70	1	6,164	KG
NTN	NA4844	2.389,48	1	6,37	KG
NTN	NA4848	2.826,38	1	11,025	KG

NTN	NA4852	3.717,75	1	10,8	KG
NTN	NA4856	4.922,50	1	15,5	KG
NTN	NA4860	5.687,90	1	21,58	KG
NTN	NA4860C3	5.687,90	1	22	KG
NTN	NA4864	7.346,48	1	30,6	KG
NTN	NA4872	10.373,70	1	35	KG
NTN	NA4876	12.803,25	1	52	KG
NTN	NA49/22R	44,69	1	0,08	KG
NTN	NA49/28R	49,96	1	0,107	KG
NTN	NA49/32R	56,52	1	0,166	KG
NTN	NA4900LL/3AS	44,28	1	0,025	KG
NTN	NA4900R	31,22	1	0,028	KG
NTN	NA4901LL/3AS	46,21	1	0,033	KG
NTN	NA4901R	32,44	1	0,031	KG
NTN	NA4902LL/3AS	48,84	1	0,037	KG
NTN	NA4902R	34,50	1	0,04	KG
NTN	NA4903LL/3AS	49,16	1	0,046	KG
NTN	NA4903R	39,80	1	0,044	KG
NTN	NA4904LL/3AS	55,75	1	91	G
NTN	NA4904RCT	41,11	1	0,082	KG
NTN	NA4905LL/3AS	61,61	1	0,11	KG
NTN	NA4905R	45,86	1	99	G
NTN	NA4906LL/3AS	69,93	1	0,124	KG
NTN	NA4906R	52,66	1	0,108	KG
NTN	NA4907LL/3AS	77,90	1	0,2	KG
NTN	NA4907R	59,50	1	182	G
NTN	NA4908LL/3AS	87,61	1	0,265	KG
NTN	NA4908R	68,29	1	0,252	KG
NTN	NA4909LL/3AS	96,65	1	0,312	KG
NTN	NA4909R	76,85	1	0,274	KG
NTN	NA4910LL/3AS	106,36	1	338	G
NTN	NA4910R	85,97	1	0,297	KG
NTN	NA4911R	99,81	1	0,42	KG
NTN	NA4912R	124,15	1	0,427	KG
NTN	NA4913R	154,04	1	0,484	KG
NTN	NA4914R	193,26	1	0,802	KG
NTN	NA4915R	210,83	1	0,815	KG
NTN	NA4916R	238,36	1	0,876	KG
NTN	NA4917R	290,49	1	1,3	KG
NTN	NA4918R	323,29	1	1,271	KG
NTN	NA4919R	376,58	1	1,41	KG
NTN	NA4920	438,66	1	1,914	KG
NTN	NA4920C3	438,66	1	1,914	KG
NTN	NA4922	497,22	1	2,142	KG
NTN	NA4924	563,40	1	2,972	KG
NTN	NA4926	646,66	1	4,005	KG
NTN	NA4928	734,41	1	4,268	KG
NTN	NA59/22	56,31	1	0,134	KG
NTN	NA5903	55,64	1	0,025	KG
NTN	NA5905	76,22	1	0,121	KG

NTN	NA5906	83,99	1	0,139	KG
NTN	NA5908	97,04	1	0,358	KG
NTN	NA5909	143,21	1	0,385	KG
NTN	NA5910	109,74	1	0,06	KG
NTN	NA5911	152,72	1	0,57	KG
NTN	NA5912	210,39	1	0,617	KG
NTN	NA5913	213,12	1	0,657	KG
NTN	NA5914	219,77	1	1,04	KG
NTN	NA5916	308,15	1	1,176	KG
NTN	NA5917	417,98	1	1,73	KG
NTN	NA69/22R	73,68	1	0,15	KG
NTN	NA69/28R	88,56	1	0,175	KG
NTN	NA69/32R	99,81	1	0,292	KG
NTN	NA6901R	39,30	1	0,045	KG
NTN	NA6902R	42,64	1	0,068	KG
NTN	NA6903R	45,92	1	0,073	KG
NTN	NA6904R	69,35	1	0,14	KG
NTN	NA6905R	76,03	1	0,17	KG
NTN	NA6906R	92,53	1	0,19	KG
NTN	NA6907R	110,21	1	0,324	KG
NTN	NA6908R	125,92	1	0,433	KG
NTN	NA6909R	144,06	1	0,53	KG
NTN	NA6910R	167,50	1	0,513	KG
NTN	NA6911R	195,03	1	0,758	KG
NTN	NA6912R	227,83	1	0,818	KG
NTN	NA6913R	262,36	1	0,482	KG
NTN	NA6914R	323,29	1	1,362	KG
NTN	NA6915R	364,87	1	1,454	KG
NTN	NA6916R	405,87	1	1,485	KG
NTN	NA6917R	466,78	1	2,32	KG
NTN	NA6918R	585,43	1	2,45	KG
NTN	NA6919R	650,08	1	2,468	KG
NTN	NK10/12T2	15,65	1	0,016	KG
NTN	NK10/12T2+1R7X10X12	21,07	1	0,019	KG
NTN	NK10/16	16,45	1	0,02	KG
NTN	NK10/16+1R7X10X16	37,05	1	0,024	KG
NTN	NK100/26R	193,26	1	0,491	KG
NTN	NK100/26R+1R90X100X26	278,18	1	0,781	KG
NTN	NK100/36R	221,96	1	0,69	KG
NTN	NK105/26R	221,96	1	0,56	KG
NTN	NK105/26R+1R95X105X26	340,64	1	0,868	KG
NTN	NK105/36R	292,25	1	0,766	KG
NTN	NK105/36R+1R95X105X36	378,92	1	1,193	KG
NTN	NK110/30R	256,51	1	0,615	KG
NTN	NK110/30R+1R100X110X30	364,87	1	1,036	KG
NTN	NK110/40R	285,22	1	0,876	KG
NTN	NK110/40R+1R100X110X40	431,04	1	1,36	KG
NTN	NK12/12	16,25	1	0,018	KG
NTN	NK12/12+1R9X12X12	21,83	1	0,022	KG
NTN	NK12/16	16,69	1	0,022	KG

NTN	NK12/16+1R9X12X16	22,70	1	0,026	KG
NTN	NK12/16D1	25,48	1	0,02	KG
NTN	NK120/40	1.367,09	1	0,916	KG
NTN	NK1-25X58X20-5NR	122,47	1	0,289	KG
NTN	NK130/40	1.394,66	1	0,979	KG
NTN	NK14/16R	17,13	1	0,024	KG
NTN	NK14/16R+1R10X14X16	24,84	1	0,033	KG
NTN	NK14/20R	20,23	1	0,028	KG
NTN	NK14/20R+1R10X14X20	28,70	1	0,036	KG
NTN	NK145/32	1.460,70	1	1,114	KG
NTN	NK145/42	1.580,20	1	1,465	KG
NTN	NK1-45X75X22	65,54	1	0,44	KG
NTN	NK15/16R	17,69	1	0,02	KG
NTN	NK15/20R	20,80	1	0,03	KG
NTN	NK155/32	1.480,70	1	0,876	KG
NTN	NK16/16R	18,68	1	0,026	KG
NTN	NK16/16R+1R12X16X16	26,58	1	0,038	KG
NTN	NK16/20R	21,73	1	0,032	KG
NTN	NK16/20R+1R12X16X20	30,51	1	0,041	KG
NTN	NK17/16R	19,38	1	0,024	KG
NTN	NK17/20R	22,32	1	0,028	KG
NTN	NK18/16R	19,74	1	0,029	KG
NTN	NK18/20RCT	22,32	1	29,8	G
NTN	NK19/16R	20,41	1	0,03	KG
NTN	NK19/16R+1R15X19X16	27,82	1	0,043	KG
NTN	NK19/20R	22,68	1	0,036	KG
NTN	NK19/20R+1R15X19X20	30,74	1	0,047	KG
NTN	NK1A59/22A	101,44	1	0,118	KG
NTN	NK1A5902A	50,83	1	0,051	KG
NTN	NK1A5903A	55,11	1	0,06	KG
NTN	NK1A5904A	61,15	1	0,119	KG
NTN	NK1A5905A	78,69	1	0,125	KG
NTN	NK1A5906A	82,58	1	0,149	KG
NTN	NK1A5907A	95,35	1	0,246	KG
NTN	NK1A5908A	113,05	1	0,345	KG
NTN	NK1A5909A	148,77	1	0,441	KG
NTN	NK1A5910A	166,92	1	0,432	KG
NTN	NK1A5911A	240,71	1	0,59	KG
NTN	NK1A5912A	234,86	1	0,627	KG
NTN	NK1A5913A	348,37	1	0,676	KG
NTN	NK1A5914A	398,04	1	1,103	KG
NTN	NK20/16R/LP03	50,90	1	0,027	KG
NTN	NK20/16RCT	20,58	1	0,026	KG
NTN	NK20/20R	23,60	1	0,038	KG
NTN	NK20X32X14PX1	27,65	1	0,038	KG
NTN	NK21/16R	22,32	1	0,028	KG
NTN	NK21/16R+1R17X21X16	31,05	1	0,041	KG
NTN	NK21/20R	25,01	1	0,039	KG
NTN	NK21/20R+1R17X21X20	33,33	1	0,058	KG
NTN	NK22/16R	23,84	1	0,03	KG

NTN	NK22/20R	25,77	1	0,04	KG
NTN	NK24/16R	24,59	1	0,03	KG
NTN	NK24/16R+1R20X24X16	32,85	1	0,047	KG
NTN	NK24/20R	27,30	1	0,042	KG
NTN	NK24/20R+1R20X24X20	37,32	1	0,064	KG
NTN	NK25/16R	24,59	1	0,036	KG
NTN	NK25/20RCT	27,82	1	0,042	KG
NTN	NK25/20RU15	27,82	1	0,039	KG
NTN	NK25.5X47X22PX1	77,21	1	0,185	KG
NTN	NK25X45X18.5-2NR	52,16	1	0,14	KG
NTN	NK26/16R	25,64	1	0,038	KG
NTN	NK26/16R+1R22X26X16	35,73	1	0,056	KG
NTN	NK26/20R	28,05	1	0,041	KG
NTN	NK26/20R+1R22X26X20	39,25	1	0,07	KG
NTN	NK28/20R	28,05	1	0,054	KG
NTN	NK28/30RCT	33,09	1	0,077	KG
NTN	NK29/20R	29,17	1	0,049	KG
NTN	NK29/20R+1R25X29X20	40,41	1	0,075	KG
NTN	NK29/30R	34,45	1	0,08	KG
NTN	NK29/30R+1R25X29X30	50,88	1	0,128	KG
NTN	NK30/20R	29,28	1	0,065	KG
NTN	NK30/30R	34,89	1	0,1	KG
NTN	NK30.5X50X17-1PX1+1RZ24X34X19PX1	253,97	1	0,125	KG
NTN	NK30X55X21-3T2	41,64	1	0,21	KG
NTN	NK32/20R	30,15	1	0,072	KG
NTN	NK32/20R+1R28X32X20	41,59	1	0,092	KG
NTN	NK32/30R	35,90	1	0,105	KG
NTN	NK32/30R+1R28X32X30	50,53	1	0,139	KG
NTN	NK35/20RCT	31,62	1	0,08	KG
NTN	NK35/20RCT+1R30X35X20	44,39	1	0,108	KG
NTN	NK35/30R	37,18	1	0,114	KG
NTN	NK35/30R+1R30X35X30	55,22	1	0,173	KG
NTN	NK35X42X30-5	47,14	1	0,072	KG
NTN	NK37/20R	33,50	1	0,082	KG
NTN	NK37/20R+1R32X37X20	47,62	1	0,122	KG
NTN	NK37/30R	40,82	1	0,118	KG
NTN	NK37/30R+1R32X37X30	59,37	1	0,17	KG
NTN	NK38/20R	33,85	1	0,084	KG
NTN	NK38/30R	51,77	1	0,112	KG
NTN	NK40/20R	34,97	1	0,086	KG
NTN	NK40/20R+1R35X40X20	50,25	1	0,131	KG
NTN	NK40/30R	43,28	1	0,126	KG
NTN	NK40/30R+1R35X40X30	64,31	1	0,194	KG
NTN	NK42/20R	37,95	1	0,08	KG
NTN	NK42/30R	46,74	1	0,134	KG
NTN	NK43/20R	39,35	1	0,093	KG
NTN	NK43/20R+1R38X43X20	55,06	1	0,132	KG
NTN	NK43/30R	47,63	1	0,118	KG
NTN	NK43/30R+1R38X43X30	68,99	1	0,209	KG
NTN	NK45/20R	41,52	1	0,095	KG

NTN	NK45/20R+1R40X45X20	58,46	1	0,146	KG
NTN	NK45/30RCT	50,25	1	0,131	KG
NTN	NK45/30RCT+1R40X45X30	72,63	1	0,207	KG
NTN	NK47/20RCT	44,76	1	0,091	KG
NTN	NK47/20RCT+1R42X47X20	63,14	1	0,145	KG
NTN	NK47/30R	53,71	1	0,147	KG
NTN	NK47/30R+1R42X47X30	76,70	1	0,214	KG
NTN	NK5/10T2	14,59	1	0,006	KG
NTN	NK5/12T2	14,59	1	0,008	KG
NTN	NK50/25RCT	47,62	1	0,042	KG
NTN	NK50/25RCT+1R45X50X25	67,12	1	0,218	KG
NTN	NK50/35R	57,34	1	0,229	KG
NTN	NK50/35R+1R45X50X35	82,17	1	0,305	KG
NTN	NK50/35R+1R45X50X35CS30	142,94	1	0,03	KG
NTN	NK55/25R	58,46	1	0,202	KG
NTN	NK55/25R+1R50X55X25	80,93	1	0,261	KG
NTN	NK55/35R	69,71	1	0,278	KG
NTN	NK55/35R+1R50X55X35	100,50	1	0,365	KG
NTN	NK6/10T2	15,01	1	0,009	KG
NTN	NK6/12T2	15,01	1	0,011	KG
NTN	NK60/25R	66,65	1	0,19	KG
NTN	NK60/25R+1R55X60X25	92,88	1	0,276	KG
NTN	NK60/35R	79,53	1	0,266	KG
NTN	NK60/35R+1R55X60X35	112,91	1	0,388	KG
NTN	NK65/25R	73,80	1	0,23	KG
NTN	NK65/35R	92,43	1	0,324	KG
NTN	NK68/25R	80,71	1	0,252	KG
NTN	NK68/25R+1R60X68X25	112,91	1	0,406	KG
NTN	NK68/35R	98,75	1	0,32	KG
NTN	NK68/35R+1R60X68X35	134,70	1	0,566	KG
NTN	NK68/35R+1R60X68X35CS38	134,70	1	0,566	KG
NTN	NK7/10T2	14,81	1	0,011	KG
NTN	NK7/12T2	15,20	1	0,013	KG
NTN	NK70/25R	86,43	1	0,285	KG
NTN	NK70/35R	106,36	1	0,391	KG
NTN	NK70X82X40	135,47	1	0,376	KG
NTN	NK73/25R	100,73	1	0,33	KG
NTN	NK73/25R+1R65X73X25	131,78	1	0,467	KG
NTN	NK73/35R	123,57	1	0,456	KG
NTN	NK73/35R+1R65X73X35	162,81	1	0,688	KG
NTN	NK75/25R	106,58	1	0,34	KG
NTN	NK75/35R	148,19	1	0,466	KG
NTN	NK8/12T2	15,01	1	0,01	KG
NTN	NK8/12T2+1R5X8X12	20,70	1	0,016	KG
NTN	NK8/16	16,00	1	0,018	KG
NTN	NK8/16+1R5X8X16	26,82	1	0,022	KG
NTN	NK80/25R	110,93	1	0,307	KG
NTN	NK80/25R+1R70X80X25	155,78	1	0,538	KG
NTN	NK80/35R	138,22	1	0,426	KG
NTN	NK80/35R+1R70X80X35	186,24	1	0,147	KG

NTN	NK85/25R	131,78	1	0,448	KG
NTN	NK85/25R+1R75X85X25	181,55	1	0,642	KG
NTN	NK85/35R	155,78	1	0,618	KG
NTN	NK85/35R+1R75X85X35	212,60	1	0,905	KG
NTN	NK9/12T2	15,65	1	0,014	KG
NTN	NK9/12T2+1R6X9X12	20,95	1	0,013	KG
NTN	NK9/16T2	16,17	1	0,018	KG
NTN	NK9/16T2+1R6X9X16	22,31	1	0,017	KG
NTN	NK90/25R	148,77	1	0,476	KG
NTN	NK90/25R+1R80X90X25	201,46	1	0,728	KG
NTN	NK90/35R	180,97	1	0,65	KG
NTN	NK90/35R+1R80X90X35	245,98	1	0,954	KG
NTN	NK95/26R	170,43	1	0,522	KG
NTN	NK95/26R+1R85X95X26	236,61	1	0,76	KG
NTN	NK95/36R	199,72	1	0,711	KG
NTN	NK95/36R+1R85X95X36	279,36	1	1,05	KG
NTN	NKS115	416,50	1	0,768	KG
NTN	NKS135	1.047,38	1	1385	G
NTN	NKS20	37,32	1	0,058	KG
NTN	NKS22	90,95	1	0,081	KG
NTN	NKS24R	43,11	1	0,072	KG
NTN	NKS25R	38,24	1	0,078	KG
NTN	NKS28R	41,92	1	0,085	KG
NTN	NKS30	45,62	1	0,123	KG
NTN	NKS32	52,01	1	0,13	KG
NTN	NKS35	53,63	1	0,14	KG
NTN	NKS37	57,40	1	0,147	KG
NTN	NKS40	62,78	1	0,166	KG
NTN	NKS43	72,33	1	0,152	KG
NTN	NKS50	74,14	1	0,215	KG
NTN	NKS55	78,95	1	0,249	KG
NTN	NKS60	88,44	1	0,438	KG
NTN	NKS65	110,34	1	0,474	KG
NTN	NKS70R	116,20	1	0,416	KG
NTN	NKX10T2	58,92	1	0,042	KG
NTN	NKX10T2Z	63,50	1	0,044	KG
NTN	NKX12T2	60,56	1	0,048	KG
NTN	NKX12T2Z	66,06	1	0,044	KG
NTN	NKX15T2	62,78	1	0,052	KG
NTN	NKX15T2Z	67,70	1	0,049	KG
NTN	NKX17T2	65,83	1	0,055	KG
NTN	NKX17T2Z	71,56	1	0,056	KG
NTN	NKX20T2	76,03	1	0,092	KG
NTN	NKX20T2Z	83,16	1	0,087	KG
NTN	NKX25	93,04	1	0,142	KG
NTN	NKX25T2	88,56	1	0,139	KG
NTN	NKX25T2Z	94,41	1	0,144	KG
NTN	NKX30T2	112,33	1	0,152	KG
NTN	NKX30T2Z	120,65	1	0,146	KG
NTN	NKX35T2	132,37	1	0,176	KG

NTN	NKX35T2Z	140,56	1	0,181	KG
NTN	NKX35Z	137,69	1	0,171	KG
NTN	NKX40	145,24	1	0,242	KG
NTN	NKX40Z	154,04	1	0,246	KG
NTN	NKX45	169,84	1	0,278	KG
NTN	NKX45Z	177,46	1	0,292	KG
NTN	NKX50	185,66	1	0,318	KG
NTN	NKX50Z	193,86	1	0,33	KG
NTN	NKX60	260,62	1	0,49	KG
NTN	NKX60Z	273,50	1	0,49	KG
NTN	NKX70	322,71	1	0,628	KG
NTN	NKXR15T2	88,56	1	0,05	KG
NTN	NKXR15T2Z	92,65	1	0,053	KG
NTN	NKXR17T2	93,46	1	0,058	KG
NTN	NKXR17T2Z	99,45	1	0,062	KG
NTN	NKXR20T2	117,13	1	0,09	KG
NTN	NKXR20T2Z	123,57	1	0,095	KG
NTN	NKXR25T2	127,67	1	0,127	KG
NTN	NKXR25T2Z	134,70	1	0,142	KG
NTN	NKXR30T2	143,49	1	0,148	KG
NTN	NKXR30T2Z	151,10	1	0,152	KG
NTN	NKXR35T2	170,91	1	0,172	KG
NTN	NKXR35T2Z	182,72	1	0,184	KG
NTN	NKXR40T2	200,30	1	0,207	KG
NTN	NKXR40T2Z	210,83	1	0,216	KG
NTN	NKXR45T2	238,51	1	0,268	KG
NTN	NKXR45T2Z	241,81	1	0,284	KG
NTN	NKXR50T2	268,70	1	0,301	KG
NTN	NKXR50T2Z	273,50	1	0,321	KG
NTN	NKZ20X34X17-9	143,92	1	0,073	KG
NTN	NKZ32X52X26-8	214,14	1	0,21	KG
NTN	NKZ35X52X25.8-5	295,61	1	0,173	KG
NTN	PCJ162112	17,73	1	0,033	KG
NTN	PCJ162116	30,25	1	0,043	KG
NTN	PCJ202624	42,77	1	0,075	KG
NTN	PCJ222820	46,85	1	0,06	KG
NTN	PCJ243020A	35,40	1	0,095	KG
NTN	PCJ243024	37,33	1	0,112	KG
NTN	PCJ283416	43,53	1	0,085	KG
NTN	PCJ283420	49,25	1	0,11	KG
NTN	PCJ323816	63,84	1	0,105	KG
NTN	PCJ323824	91,34	1	0,143	KG
NTN	PCJ404616	96,67	1	0,12	KG
NTN	PK14X19X9.7X1	16,12	1	0,012	KG
NTN	PK19X25X15.8X1	29,87	1	0,01	KG
NTN	PK22.2X28.5X31.7X	36,76	1	0,046	KG
NTN	PK22X30X14.7X2	28,47	1	0,03	KG
NTN	PK25.4X33.3X15.7X	33,08	1	0,027	KG
NTN	PK26X32X13.8X	46,05	1	0,018	KG
NTN	PK27X36X20.8X1	47,90	1	0,045	KG

NTN	PK29X43X42.8X	69,37	1	0,175	KG
NTN	PK30X38X17.8X1	45,42	1	0,044	KG
NTN	PK30X40X19.8X3	43,94	1	0,053	KG
NTN	PK30X42X19.8X1	66,89	1	0,067	KG
NTN	PK30X42X22.3X1	69,37	1	0,082	KG
NTN	PK34.9X48.9X27.3X	77,95	1	0,124	KG
NTN	PK34.9X50.9X45X	87,05	1	0,23	KG
NTN	PK34X42X19.8X2	33,75	1	0,05	KG
NTN	PK35X42X19.8X2	43,94	1	0,038	KG
NTN	PK35X49X24.8X1	57,04	1	0,115	KG
NTN	PK38.1X54.1X29.8X3	80,09	1	0,168	KG
NTN	PK38.1X54.1X34.8X	88,73	1	0,208	KG
NTN	PK39X55X25X2	62,40	1	0,151	KG
NTN	PK40X52X17.8X2	54,52	1	0,075	KG
NTN	PK40X56X20.8X4	56,67	1	0,123	KG
NTN	PK43X63X32.8X	105,89	1	0,26	KG
NTN	PK45X53X27.8X	80,09	1	0,08	KG
NTN	PK45X65X54.8X1	125,57	1	0,124	KG
NTN	PK47X65X27.4X1	80,09	1	0,124	KG
NTN	PK60X76X54.8X1	189,54	1	0,124	KG
NTN	PK60X84X36.8X	223,23	1	0,499	KG
NTN	RNA0-100X120X30	243,06	1	0,752	KG
NTN	RNA0-10X17X10T2	16,00	1	0,014	KG
NTN	RNA0-10X22X10X	23,10	1	0,025	KG
NTN	RNA0-12X22X12	22,07	1	0,025	KG
NTN	RNA0-15X23X13	29,48	1	0,02	KG
NTN	RNA0-16X24X13	25,45	1	0,026	KG
NTN	RNA0-16X28X12	30,59	1	0,033	KG
NTN	RNA0-17X25X13	24,59	1	0,028	KG
NTN	RNA0-20X28X13	28,26	1	0,03	KG
NTN	RNA0-20X28X26ZW	47,09	1	0,051	KG
NTN	RNA0-20X32X12	43,45	1	0,044	KG
NTN	RNA0-22X30X26ZW	34,71	1	0,062	KG
NTN	RNA0-22X35X16	39,53	1	0,065	KG
NTN	RNA0-25X35X17	36,60	1	0,06	KG
NTN	RNA0-25X35X26ZW	45,17	1	0,085	KG
NTN	RNA0-30X40X17	38,01	1	0,061	KG
NTN	RNA0-30X42X32ZW	113,18	1	0,148	KG
NTN	RNA0-32X42X13	39,04	1	0,049	KG
NTN	RNA0-35X45X13	40,14	1	0,053	KG
NTN	RNA0-35X45X26ZW	74,87	1	0,115	KG
NTN	RNA0-40X50X17V1	37,02	1	0,086	KG
NTN	RNA0-40X50X34ZW	191,03	1	0,153	KG
NTN	RNA0-40X55X20	52,72	1	0,158	KG
NTN	RNA0-40X55X40ZW	84,92	1	0,288	KG
NTN	RNA0-45X55X17	47,14	1	0,095	KG
NTN	RNA0-45X62X40ZW	153,48	1	0,376	KG
NTN	RNA0-50X62X20	84,47	1	0,16	KG
NTN	RNA0-50X65X20	59,97	1	0,194	KG
NTN	RNA0-50X65X40ZW	111,53	1	0,374	KG

NTN	RNA0-55X68X20	77,85	1	0,19	KG
NTN	RNA0-5X10X8T2	14,90	1	0,005	KG
NTN	RNA0-60X78X20	105,34	1	0,281	KG
NTN	RNA0-60X78X40ZW	142,44	1	0,546	KG
NTN	RNA0-65X85X30	201,69	1	0,518	KG
NTN	RNA0-6X12X7XT2/2AS	6,41	1	0,008	KG
NTN	RNA0-6X13X8T2	15,10	1	0,01	KG
NTN	RNA0-70X90X30	142,57	1	0,538	KG
NTN	RNA0-70X90X60ZW	230,22	1	1,016	KG
NTN	RNA0-7X14X8T2	16,30	1	0,01	KG
NTN	RNA0-80X100X30	223,04	1	0,572	KG
NTN	RNA0-8X15X10T2	18,95	1	0,012	KG
NTN	RNA4822	442,55	1	0,755	KG
NTN	RNA4824	438,39	1	0,806	KG
NTN	RNA4826	574,27	1	0,94	KG
NTN	RNA4828	486,61	1	0,999	KG
NTN	RNA4830	664,25	1	1,72	KG
NTN	RNA4832	755,44	1	1,702	KG
NTN	RNA4834	877,32	1	2,53	KG
NTN	RNA4836	1.205,66	1	2,805	KG
NTN	RNA4838	1.278,94	1	3,345	KG
NTN	RNA4840	1.599,96	1	3,5	KG
NTN	RNA4844	1.779,22	1	3,6	KG
NTN	RNA4848	2.245,91	1	5,49	KG
NTN	RNA4852	3.040,92	1	6,085	KG
NTN	RNA4856	3.818,06	1	9,3	KG
NTN	RNA4860	5.465,97	1	14,5	KG
NTN	RNA4864	5.966,08	1	14,5	KG
NTN	RNA4868	6.372,61	1	15,72	KG
NTN	RNA4876	8.496,57	1	3,215	KG
NTN	RNA49/22R	33,85	1	0,051	KG
NTN	RNA49/28RCT	38,19	1	0,073	KG
NTN	RNA49/32R	43,17	1	0,098	KG
NTN	RNA4900L/3AS	29,75	1	0,022	KG
NTN	RNA4900LL/3AS	35,90	1	0,022	KG
NTN	RNA4900R	23,13	1	0,021	KG
NTN	RNA4901L/3AS	31,46	1	0,024	KG
NTN	RNA4901LL/3AS	37,78	1	0,024	KG
NTN	RNA4901R	24,59	1	0,022	KG
NTN	RNA4902L/3AS	33,09	1	0,03	KG
NTN	RNA4902LL/3AS	39,59	1	0,029	KG
NTN	RNA4902R	25,77	1	0,026	KG
NTN	RNA4903L/3AS	33,69	1	0,032	KG
NTN	RNA4903LL/3AS	42,46	1	0,026	KG
NTN	RNA4903R	28,05	1	0,028	KG
NTN	RNA4904L/3AS	37,95	1	0,07	KG
NTN	RNA4904LL/3AS	44,51	1	0,062	KG
NTN	RNA4904RCT	30,28	1	0,06	KG
NTN	RNA4905L/3AS	42,17	1	0,082	KG
NTN	RNA4905LL/3AS	49,96	1	0,082	KG

NTN	RNA4905R	34,08	1	0,07	KG
NTN	RNA4906L/3AS	48,90	1	0,092	KG
NTN	RNA4906LL/3AS	56,81	1	0,08	KG
NTN	RNA4906R	39,59	1	0,078	KG
NTN	RNA4907L/3AS	55,06	1	0,136	KG
NTN	RNA4907LL/3AS	63,61	1	0,132	KG
NTN	RNA4907R	45,92	1	0,116	KG
NTN	RNA4908L/3AS	61,02	1	0,192	KG
NTN	RNA4908LL/3AS	70,40	1	0,185	KG
NTN	RNA4908R	50,53	1	0,157	KG
NTN	RNA4909LL/3AS	75,55	1	0,234	KG
NTN	RNA4909R	56,52	1	0,198	KG
NTN	RNA4910LL/3AS	81,89	1	0,218	KG
NTN	RNA4910R	61,37	1	0,165	KG
NTN	RNA4911R	74,39	1	0,28	KG
NTN	RNA4912R	92,53	1	0,304	KG
NTN	RNA4913R	116,67	1	0,315	KG
NTN	RNA4914R	140,56	1	0,505	KG
NTN	RNA4915R	155,78	1	0,532	KG
NTN	RNA4916R	170,43	1	0,521	KG
NTN	RNA4917R	215,52	1	0,718	KG
NTN	RNA4918R	243,05	1	0,75	KG
NTN	RNA4919R	274,08	1	0,712	KG
NTN	RNA4920	329,74	1	1,14	KG
NTN	RNA4922	364,28	1	1,292	KG
NTN	RNA4924	416,40	1	1,839	KG
NTN	RNA4926	488,44	1	2,324	KG
NTN	RNA4928	543,50	1	2,464	KG
NTN	RNA4930	892,91	1	4,32	KG
NTN	RNA4932	1.038,01	1	4,684	KG
NTN	RNA4934	1.990,37	1	4,77	KG
NTN	RNA4936	1.170,28	1	6,53	KG
NTN	RNA4938	3.509,75	1	7000	G
NTN	RNA4940	3.798,83	1	10675	G
NTN	RNA4944	3.993,35	1	8220	G
NTN	RNA4948	5.407,89	1	9220	G
NTN	RNA4952	10.486,29	1	22350	G
NTN	RNA4956	9.948,16	1	23600	G
NTN	RNA496	33,00	1	0,01	KG
NTN	RNA498	36,86	1	0,015	KG
NTN	RNA499	39,62	1	0,015	KG
NTN	RNA5903	43,27	1	0,035	KG
NTN	RNA69/22R	54,11	1	0,092	KG
NTN	RNA69/28R	67,12	1	0,141	KG
NTN	RNA69/32	75,55	1	0,201	KG
NTN	RNA69/32R	75,55	1	0,178	KG
NTN	RNA6901R	28,36	1	0,035	KG
NTN	RNA6902R	30,28	1	0,044	KG
NTN	RNA6903R	31,93	1	0,041	KG
NTN	RNA6904R	51,54	1	0,1	KG

NTN	RNA6905R	56,81	1	0,111	KG
NTN	RNA6906R	71,91	1	0,125	KG
NTN	RNA6907R	81,41	1	0,208	KG
NTN	RNA6908R	91,95	1	0,255	KG
NTN	RNA6909R	107,19	1	0,368	KG
NTN	RNA6910R	125,92	1	0,324	KG
NTN	RNA6911R	148,19	1	0,503	KG
NTN	RNA6912R	176,87	1	0,506	KG
NTN	RNA6913R	204,39	1	0,61	KG
NTN	RNA6914R	240,71	1	0,828	KG
NTN	RNA6915R	294,26	1	0,865	KG
NTN	RNA6916R	314,50	1	0,919	KG
NTN	RNA6917R	350,82	1	1,201	KG
NTN	RNA6918R	500,75	1	1,265	KG
NTN	RNA6919R	458,58	1	1,296	KG
NTN	SCE1212A	33,48	1	0,023	KG
NTN	WS81100	14,00	1	0,075	KG
NTN	WS81101	12,28	1	0,008	KG
NTN	WS81102	12,76	1	0,01	KG
NTN	WS81103	12,76	1	0,016	KG
NTN	WS81104	14,00	1	0,013	KG
NTN	WS81105	15,52	1	0,019	KG
NTN	WS81106	16,13	1	0,03	KG
NTN	WS81107	18,97	1	0,004	KG
NTN	WS81108	19,29	1	0,044	KG
NTN	WS81109	20,00	1	0,055	KG
NTN	WS81109U83	20,00	1	0,052	KG
NTN	WS81110	22,50	1	0,058	KG
NTN	WS81111	27,06	1	0,114	KG
NTN	WS81112	29,80	1	0,1	KG
NTN	WS81113	36,73	1	0,124	KG
NTN	WS81114	40,59	1	0,134	KG
NTN	WS81115	47,56	1	0,147	KG
NTN	WS81116	49,07	1	0,135	KG
NTN	WS81117	60,91	1	1,04	KG
NTN	WS81118	74,14	1	0,241	KG
NTN	WS81120	82,46	1	0,38	KG
NTN	WS81122	110,21	1	0,371	KG
NTN	WS81124	135,86	1	0,4	KG
NTN	WS81126	176,87	1	0,646	KG
NTN	WS81128	234,86	1	0,705	KG
NTN	WS81130	270,58	1	0,73	KG
NTN	WS81132	291,08	1	0,772	KG
NTN	WS81206	22,21	1	0,045	KG
NTN	WS81207	27,88	1	0,08	KG
NTN	WS81208	27,88	1	0,088	KG
NTN	WS81209	34,50	1	0,106	KG
NTN	WS81210	42,00	1	0,136	KG
NTN	WS81211	58,26	1	0,21	KG
NTN	WS81212	63,14	1	1,23	KG

NTN	WS81213	67,23	1	0,275	KG
NTN	WS81214	71,45	1	0,291	KG
NTN	WS81215	78,24	1	0,307	KG
NTN	WS81216	88,78	1	0,345	KG
NTN	WS81217	112,21	1	0,476	KG
NTN	WS81218	121,24	1	0,64	KG
NTN	WS81220	157,82	1	0,86	KG
NTN	WS81222	182,72	1	2,87	KG
NTN	WS81224	221,37	1	1,165	KG
NTN	WS81226	269,41	1	1,405	KG
NTN	WS81228	629,64	1	1,584	KG
NTN	WS87408	127,44	1	0,329	KG
NTN	WS87410	132,69	1	0,555	KG
NTN	WS89306	70,17	1	0,512	KG
NTN	WS89307	80,48	1	0,145	KG
NTN	WS89308	90,08	1	0,215	KG
NTN	WS89309	101,19	1	0,542	KG
NTN	WS89310	118,90	1	0,382	KG
NTN	WS89311	154,62	1	0,516	KG
NTN	WS89312	162,81	1	0,532	KG
NTN	WS89313	177,46	1	0,57	KG
NTN	WS89314	223,15	1	0,776	KG
NTN	WS89315	300,49	1	0,942	KG
NTN	WS89316	293,42	1	1,07	KG
NTN	WS89317	573,30	1	1,28	KG
NTN	WS89318	446,86	1	1,328	KG
NTN	WS89320	400,59	1	1,74	KG
NTN	WS89322	456,23	1	2,49	KG
NTN	1AS08-7/8	176,13	1	0,75	KG
NTN	3AC10-1.15/16D1	199,44	1	648	G
SNR	6203.SEE	25,67	1	0,068	KG
SNR	6204.S.EE	31,00	1	0,106	KG
SNR	6205.S.EE	36,35	1	0,13	KG
SNR	6206.S.EE	46,49	1	0,199	KG
SNR	6207.S.EE	62,15	1	0,298	KG
SNR	6208.S.EE	69,84	1	0,372	KG
SNR	6209.SEE	83,40	1	0,418	KG
SNR	6210.S.EE	93,54	1	0,468	KG
SNR	6308.S.EE	93,40	1	0,636	KG
SNR	6309.SEE	147,63	1	0,846	KG
NTN	A-AS205D1	41,81	1	0,18	KG
NTN	A-AS206D1	53,62	1	0,266	KG
NTN	AEL201D1W3	40,97	1	120	G
NTN	AEL202-010D1W3	53,26	1	0,125	KG
NTN	AEL204-012D1W3	56,62	1	0,18	KG
NTN	AEL205-014D1W3	61,42	1	0,225	KG
NTN	AEL205-015D1W3	61,42	1	0,215	KG
NTN	AEL205-100D1	61,42	1	0,22	KG
NTN	AEL205-100D1W3	61,42	1	0,2	KG
NTN	AEL206-101D1W3	75,66	1	0,37	KG

NTN	AEL206-102D1W3	75,66	1	0,34	KG
NTN	AEL206-103D1W3	75,66	1	0,32	KG
NTN	AEL206-104D1W3	75,66	1	0,3	KG
NTN	AEL207-104D1	90,29	1	0,57	KG
NTN	AEL207-105D1W3	90,29	1	0,535	KG
NTN	AEL207-106D1W3	90,29	1	0,512	KG
NTN	AEL207-107D1W3	90,29	1	0,485	KG
NTN	AEL208-108D1W3	105,12	1	0,68	KG
NTN	AEL208-109D1	105,12	1	0,681	KG
NTN	AEL208W3	84,11	1	0,645	KG
NTN	AEL209-112D1W3	134,66	1	0,737	KG
NTN	AEL211D1W3	138,62	1	1,005	KG
NTN	AEL212D1W3	184,25	1	1,345	KG
NTN	AELS202D1N	42,83	1	0,21	KG
NTN	AELS204-012D1NRW3	61,56	1	0,18	KG
NTN	AELS204D1NRW3	47,35	1	0,175	KG
NTN	AELS205-100D1NRW3	66,72	1	0,208	KG
NTN	AELS205-100D1NRW3	66,72	1	0,202	KG
NTN	AELS205-100D1W3	66,72	1	0,205	KG
NTN	AELS205D1NRW3	51,32	1	0,2	KG
NTN	AELS206D1NRW3	63,27	1	0,32	KG
NTN	AELS207-104D1NRW3	116,70	1	0,57	KG
NTN	AELS207D1NRW3	80,93	1	0,519	KG
NTN	AELS207D1NRW3	75,47	1	0,505	KG
NTN	AELS208-108D1N	114,21	1	0,715	KG
NTN	AELS208N	87,85	1	0,675	KG
NTN	AS204-012D1	46,30	1	0,13	KG
NTN	AS205-100D1	49,58	1	0,17	KG
NTN	AS206-104	61,56	1	0,25	KG
NTN	AS207-104D1	66,13	1	0,44	KG
NTN	AS210D1	108,73	1	0,64	KG
NTN	ASS201N	31,78	1	0,099	KG
NTN	ASS202-010NR	50,88	1	0,22	KG
NTN	ASS202N	31,78	1	0,09	KG
NTN	ASS203N	31,78	1	0,03	KG
NTN	ASS204N	35,61	1	0,148	KG
NTN	ASS204NR	35,61	1	0,13	KG
NTN	ASS205-100N	49,58	1	0,157	KG
NTN	ASS205N	38,14	1	0,16	KG
NTN	ASS205NR	40,82	1	0,18	KG
NTN	ASS206N	47,35	1	0,25	KG
NTN	ASS207D1N	58,53	1	0,394	KG
NTN	ASS207N	58,53	1	0,4	KG
NTN	ASS208D1N	68,67	1	0,524	KG
NTN	ASS208N	68,67	1	0,5	KG
NTN	A-UEL209-112D1W3	166,45	1	0,85	KG
SNR	CES.00412LTS	47,83	1	0,118	KG
SNR	CES202	42,83	1	0,134	KG
SNR	CES.202SRS	33,73	1	0,125	KG
SNR	CES.203SRS	33,73	1	0,125	KG

SNR	CES204	47,35	1	182	G
SNR	CES.204-12	47,35	1	182	G
SNR	CES.204SRS	37,07	1	175	G
SNR	CES205	51,32	1	211	G
SNR	CES.205-14	51,32	1	235	G
SNR	CES20515	51,32	1	0,222	KG
SNR	CES.205-16	51,32	1	208	G
SNR	CES.205SRS	40,04	1	0,208	KG
SNR	CES206	63,27	1	328	G
SNR	CES20618	63,27	1	0,35	KG
SNR	CES206-19	63,27	1	0,326	KG
SNR	CES20620	63,27	1	0,304	KG
SNR	CES207	75,47	1	520	G
SNR	CES20722	75,47	1	0,52	KG
SNR	CES207-23	75,47	1	0,498	KG
SNR	CES208	87,85	1	655	G
SNR	CES20824	87,85	1	0,707	KG
SNR	CES209	113,36	1	689	G
SNR	CES20926	113,36	1	0,778	KG
SNR	CES.209-27	113,36	1	742	G
SNR	CES20928	113,36	1	0,694	KG
SNR	CES210	123,21	1	802	G
SNR	CES21030	123,21	1	0,862	KG
SNR	CES21031	123,21	1	0,816	KG
SNR	CEX204	58,47	1	224	G
SNR	CEX20412	58,47	1	0,23	KG
SNR	CEX205	69,45	1	272	G
SNR	CEX20514	69,45	1	0,3	KG
SNR	CEX20515	69,45	1	0,284	KG
SNR	CEX20516	55,31	1	0,27	KG
SNR	CEX206	79,53	1	410	G
SNR	CEX20618	79,53	1	0,43	KG
SNR	CEX20619	79,53	1	0,414	KG
SNR	CEX20620	79,53	1	0,374	KG
SNR	CEX207	95,43	1	628	G
SNR	CEX20722	95,43	1	0,624	KG
SNR	CEX20723	95,43	1	0,6	KG
SNR	CEX208	112,60	1	790	G
SNR	CEX20824	112,60	1	0,844	KG
SNR	CEX209	133,81	1	840	G
SNR	CEX20926	132,96	1	0,96	KG
SNR	CEX20927	132,96	1	0,918	KG
SNR	CEX20928	132,96	1	0,86	KG
SNR	CEX210	142,61	1	1042	G
SNR	CEX21030	142,61	1	1,11	KG
SNR	CEX21031	142,61	1	1,062	KG
NTN	CS201LLU	23,42	1	0,04	KG
NTN	CS202LLU	24,79	1	0,044	KG
SNR	CS.203	26,30	1	0,074	KG
NTN	CS203LLU	25,67	1	0,064	KG

SNR	CS.204	31,00	1	0,11	KG
NTN	CS204LLU	31,00	1	0,104	KG
SNR	CS.205	36,35	1	0,134	KG
NTN	CS205LLU	36,35	1	0,126	KG
SNR	CS.206	46,49	1	0,208	KG
NTN	CS206LLU	46,49	1	0,2	KG
SNR	CS.207	62,15	1	0,295	KG
NTN	CS207LLU	62,15	1	0,278	KG
SNR	CS.208	69,84	1	0,382	KG
NTN	CS208LLU	69,84	1	0,36	KG
SNR	CS.209	83,40	1	0,42	KG
NTN	CS209LLU	83,40	1	0,4	KG
NTN	CS210LLU	93,54	1	0,44	KG
NTN	CS307LLU	90,10	1	0,466	KG
NTN	CS308LLU	93,40	1	0,64	KG
NTN	CS309LLU	147,63	1	0,832	KG
SNR	CUC.204	43,08	1	0,165	KG
SNR	CUC204-12	43,08	1	174	G
SNR	CUC.205	52,90	1	0,22	KG
SNR	CUC20514	52,90	1	0,246	KG
SNR	CUC20515	52,90	1	0,226	KG
SNR	CUC20516	52,90	1	0,208	KG
SNR	CUC.206	60,83	1	0,338	KG
SNR	CUC20618	60,83	1	0,356	KG
SNR	CUC20619	60,83	1	0,326	KG
SNR	CUC20620	60,83	1	0,312	KG
SNR	CUC.207	73,11	1	0,483	KG
SNR	CUC20722	73,11	1	492	G
SNR	CUC20723	73,11	1	0,456	KG
SNR	CUC.208	87,64	1	0,644	KG
SNR	CUC20824	87,64	1	0,686	KG
SNR	CUC.209	98,47	1	0,712	KG
SNR	CUC20926	98,47	1	0,802	KG
SNR	CUC20927	98,47	1	0,764	KG
SNR	CUC20928	98,47	1	0,73	KG
SNR	CUC.210	111,47	1	0,78	KG
SNR	CUC21030	111,47	1	0,862	KG
SNR	CUC210-31	111,47	1	815	G
SNR	CUS204	35,61	1	140	G
SNR	CUS20412	35,61	1	142	G
SNR	CUS205	38,14	1	180	G
SNR	CUS20514	38,14	1	202	G
SNR	CUS20515	38,14	1	0,19	KG
SNR	CUS20516	38,14	1	0,178	KG
SNR	CUS206	47,35	1	0,274	KG
SNR	CUS20618	47,35	1	0,21	KG
SNR	CUS20619	47,35	1	0,272	KG
SNR	CUS20620	47,35	1	0,25	KG
SNR	CUS207	50,88	1	393	G
SNR	CUS20722	50,88	1	0,398	KG

SNR	CUS20723	50,88	1	0,372	KG
SNR	CUS208	64,13	1	508	G
SNR	CUS20824	64,13	1	0,534	KG
SNR	CUS209	88,65	1	600	G
SNR	CUS20926	88,65	1	0,23	KG
SNR	CUS20927	88,65	1	0,645	KG
SNR	CUS20928	88,65	1	0,614	KG
SNR	CUS210	98,35	1	702	G
SNR	CUS21030	98,35	1	0,765	KG
SNR	CUS21031	98,35	1	0,726	KG
SNR	ES20108G2	40,97	1	0,142	KG
SNR	ES.201.G2	40,97	1	140	G
SNR	ES201G2T20	83,45	1	145	G
SNR	ES.201SRS	33,73	1	0,14	KG
SNR	ES20210G2	40,97	1	0,13	KG
SNR	ES.202.G2	40,97	1	130	G
SNR	ES202G2T20	72,36	1	130	G
SNR	ES.202SRS	33,73	1	130	G
SNR	ES.203-11G2	40,97	1	116	G
SNR	ES.203.G2	40,97	1	130	G
SNR	ES203G2T20	77,82	1	120	G
SNR	ES.204-12G2	47,35	1	180	G
SNR	ES204G1N	43,50	1	0,15	KG
SNR	ES.204.G2	43,55	1	150	G
SNR	ES204G2T20	70,91	1	176	G
SNR	ES.204SRS	37,07	1	170	G
SNR	ES.205-14G2	49,14	1	234	G
SNR	ES20515G2	49,14	1	0,22	KG
SNR	ES.205-16G2	47,27	1	200	G
SNR	ES205G1N	46,40	1	206	G
SNR	ES.205.G2	47,27	1	200	G
SNR	ES205G2T20	86,55	1	208	G
SNR	ES.205SRS	40,04	1	205	G
SNR	ES20618G2	60,54	1	0,345	KG
SNR	ES20619G2	60,54	1	0,324	KG
SNR	ES20620G2	58,22	1	0,3	KG
SNR	ES206G1N	55,31	1	320	G
SNR	ES.206.G2	58,22	1	317	G
SNR	ES206G2T20	96,73	1	328	G
SNR	ES.206SRS	47,81	1	230	G
SNR	ES.20720G2	69,45	1	0,513	KG
SNR	ES20721G2	72,25	1	0,546	KG
SNR	ES20722G2	72,25	1	0,518	KG
SNR	ES20723G2	72,25	1	0,493	KG
SNR	ES207G1N	83,35	1	0,461	KG
SNR	ES.207.G2	69,45	1	462	G
SNR	ES207G2T20	139,09	1	520	G
SNR	ES.207SRS	58,34	1	535	G
SNR	ES20824G2	84,11	1	0,665	KG
SNR	ES.208.G2	80,87	1	625	G

SNR	ES208G2T20	180,73	1	647	G
SNR	ES.208SRS	70,47	1	680	G
SNR	ES20926G2	107,59	1	0,77	KG
SNR	ES20927G2	107,59	1	0,732	KG
SNR	ES20928G2	107,59	1	0,647	KG
SNR	ES209G1N	123,70	1	0,69	KG
SNR	ES.209.G2	103,59	1	684	G
SNR	ES209G2T20	230,73	1	690	G
SNR	ES21030G2	117,92	1	0,83	KG
SNR	ES21031G2	117,92	1	0,79	KG
SNR	ES.210.G2	113,37	1	718	G
SNR	ES210G2T20	214,18	1	800	G
SNR	ES.210SRS	91,06	1	0,78	KG
SNR	ES21132G2	127,11	1	1,2	KG
SNR	ES21135G2	127,11	1	1,052	KG
SNR	ES.211.G2	123,69	1	1035	G
SNR	ES211G2T20	292,00	1	1,07	KG
SNR	ES21236G2	166,63	1	1,454	KG
SNR	ES21239G2	166,63	1	1,287	KG
SNR	ES.212.G2	168,81	1	1358	G
SNR	ES.212.G2.T04	199,92	1	1,352	KG
SNR	ES212G2T20	481,09	1	1,2	KG
SNR	EX20108G2	49,54	1	0,286	KG
SNR	EX201G2	49,54	1	0,291	KG
SNR	EX201G2L3	64,37	1	290	G
SNR	EX.201.G2L4	66,86	1	0,29	KG
SNR	EX201G2T04	59,43	1	290	G
SNR	EX201G2T20	99,27	1	290	G
SNR	EX20210G2	49,54	1	0,262	KG
SNR	EX202G2	49,54	1	0,269	KG
SNR	EX202G2L3	64,36	1	270	G
SNR	EX.202.G2L4	66,86	1	0,27	KG
SNR	EX202G2T04	59,43	1	270	G
SNR	EX202G2T20	96,36	1	270	G
SNR	EX20311G2	49,54	1	0,25	KG
SNR	EX203G2	49,54	1	0,252	KG
SNR	EX.203.G2L4	66,86	1	0,25	KG
SNR	EX203G2T04	59,43	1	0,25	KG
SNR	EX203G2T20	91,82	1	250	G
SNR	EX20412G2	55,95	1	0,232	KG
SNR	EX.204.G2	55,95	1	223	G
SNR	EX.204.G2L4	75,53	1	0,22	KG
SNR	EX204G2T04	67,13	1	0,22	KG
SNR	EX204G2T20	92,91	1	220	G
SNR	EX20514G2	66,45	1	0,296	KG
SNR	EX20515G2	55,31	1	0,278	KG
SNR	EX20516G2	55,31	1	0,26	KG
SNR	EX.205.G2	66,45	1	254	G
SNR	EX.205.G2L4	89,72	1	0,3	KG
SNR	EX205G2T04	79,76	1	250	G

SNR	EX205G2T20	105,64	1	250	G
SNR	EX20618G2	76,12	1	0,42	KG
SNR	EX20619G2	76,12	1	0,396	KG
SNR	EX20620G2	76,12	1	0,36	KG
SNR	EX.206G2	81,73	1	395	G
SNR	EX.206.G2.L3	98,96	1	398	G
SNR	EX.206.G2L4	102,77	1	0,4	KG
SNR	EX206G2T04	91,34	1	402	G
SNR	EX206G2T20	96,73	1	406	G
SNR	EX20720G2	91,31	1	692	G
SNR	EX20722G2	91,31	1	0,624	KG
SNR	EX20723G2	91,31	1	0,6	KG
SNR	EX.207.G2	97,81	1	570	G
SNR	EX.207.G2.L3	118,72	1	574	G
SNR	EX.207.G2L4	123,30	1	0,575	KG
SNR	EX207G2T04	109,58	1	622	G
SNR	EX207G2T20	141,64	1	600	G
SNR	EX20824G2	107,71	1	0,81	KG
SNR	EX.208.G2	114,85	1	760	G
SNR	EX.208.G2.L3	140,04	1	780	G
SNR	EX.208.G2.L4	145,44	1	0,76	KG
SNR	EX208G2T04	129,27	1	790	G
SNR	EX208G2T20	180,36	1	785	G
SNR	EX20926G2	128,03	1	0,932	KG
SNR	EX20927G2	128,03	1	0,887	KG
SNR	EX20928G2	128,03	1	0,839	KG
SNR	EX.209.G2	128,03	1	830	G
SNR	EX.209.G2.L3	166,45	1	826	G
SNR	EX209G2T04	153,65	1	822	G
SNR	EX209G2T20	257,27	1	870	G
SNR	EX21030G2	136,50	1	1,074	KG
SNR	EX21031G2	136,50	1	966	G
SNR	EX.210.G2	136,50	1	933	G
SNR	EX.210.G2.L3	177,44	1	968	G
SNR	EX.210.G2L4	184,27	1	0,94	KG
SNR	EX210G2T04	163,79	1	0,986	KG
SNR	EX210G2T20	204,91	1	1,005	KG
SNR	EX21132G2	172,75	1	1,528	KG
SNR	EX21135G2	172,75	1	1,303	KG
SNR	EX.211.G2	172,75	1	1370	G
SNR	EX211G2T04	207,30	1	1,38	KG
SNR	EX211G2T20	412,00	1	1,39	KG
SNR	EX21236G2	224,69	1	1,946	KG
SNR	EX21239G2	224,69	1	1692	G
SNR	EX.212.G2	216,05	1	585	G
SNR	EX.212.G2.L3	292,10	1	1774	G
SNR	EX212G2T04	269,63	1	1,796	KG
SNR	EX212G2T20	647,82	1	1,87	KG
SNR	EX21340G2	262,56	1	2,31	KG
SNR	EX.213.G2	262,56	1	2220	G

SNR	EX213G2L3	341,36	1	2,33	KG
SNR	EX213G2T04	373,43	1	2,198	KG
SNR	EX213G2T20	731,45	1	2,41	KG
SNR	EX21443G2	356,01	1	2,61	KG
SNR	EX21444G2	356,01	1	2,478	KG
SNR	EX.214.G2	356,01	1	585	G
SNR	EX214G2L3	462,80	1	2,45	KG
SNR	EX214G2T04	427,21	1	2,57	KG
SNR	EX21547G2	458,25	1	2,812	KG
SNR	EX21548G2	458,25	1	2,67	KG
SNR	EX.215.G2	458,25	1	2840	G
SNR	EX215G2L3	595,71	1	2,745	KG
SNR	EX215G2T04	549,90	1	2,84	KG
SNR	EX215G2T20	1.077,27	1	2,84	KG
SNR	EX.216.G2	455,22	1	3454	G
SNR	EX216G2L3	591,78	1	3,356	KG
SNR	EX216G2T04	546,28	1	3,12	KG
SNR	EX216G2T20	1.279,45	1	3,12	KG
SNR	EX21752G2	581,01	1	3,65	KG
SNR	EX.217.G2	580,91	1	3652	G
SNR	EX217G2L3	755,20	1	3,72	KG
SNR	EX217G2T04	697,09	1	3,72	KG
SNR	EX217G2T20	1.762,73	1	3,72	KG
SNR	EX21856G2	706,62	1	5	KG
SNR	EX.218.G2	706,62	1	3830	G
SNR	EX218G2L3	918,61	1	3,795	KG
SNR	EX218G2T04	847,94	1	5	KG
SNR	EX218G2T20	2.238,91	1	5	KG
SNR	EX30514G2	114,02	1	430	G
SNR	EX30515G2	114,02	1	430	G
SNR	EX30516G2	114,02	1	418	G
SNR	EX.305.G2	114,02	1	424	G
SNR	EX30618G2	136,50	1	710	G
SNR	EX30619G2	136,50	1	652	G
SNR	EX.306.G2	136,50	1	656	G
SNR	EX306G2L3	177,45	1	660	G
SNR	EX30720G2	161,86	1	832	G
SNR	EX30722G2	161,86	1	0,78	KG
SNR	EX30723G2	161,86	1	0,744	KG
SNR	EX.307.G2	161,86	1	780	G
SNR	EX30824G2	192,07	1	1,2	KG
SNR	EX.308.G2	192,07	1	1150	G
SNR	EX308G2L3	249,69	1	1,08	KG
SNR	EX30926G2	212,64	1	1,555	KG
SNR	EX30927G2	212,64	1	1,492	KG
SNR	EX30928G2	212,64	1	1,434	KG
SNR	EX.309.G2	212,64	1	1444	G
SNR	EX31030G2	252,48	1	1,976	KG
SNR	EX31031G2	252,48	1	1,91	KG
SNR	EX.310.G2	252,48	1	1880	G

SNR	EX31132G2	311,65	1	2,57	KG
SNR	EX31135G2	311,65	1	2341	G
SNR	EX.311.G2	311,65	1	2386	G
SNR	EX311G2L3	405,14	1	2,3	KG
SNR	EX31236G2	246,36	1	3,104	KG
SNR	EX31239G2	393,78	1	2,838	KG
SNR	EX.312.G2	393,78	1	2945	G
SNR	EX31340G2	450,67	1	3,73	KG
SNR	EX.313.G2	450,67	1	3661	G
SNR	EX31443G2	528,94	1	4,53	KG
SNR	EX31444G2	528,94	1	4405	G
SNR	EX.314.G2	528,94	1	4396	G
SNR	EX31547G2	648,90	1	5,53	KG
SNR	EX31548G2	648,90	1	5,382	KG
SNR	EX.315.G2	648,90	1	5564	G
SNR	EX.316.G2	780,17	1	6500	G
SNR	EX31752G2	920,26	1	7,815	KG
SNR	EX.317.G2	920,26	1	7530	G
SNR	EX31856G2	1.062,91	1	9,2	KG
SNR	EX.318.G2	1.062,91	1	8766	G
SNR	EX.319.G2	1.184,12	1	10250	G
SNR	EX32064G2	1.446,65	1	12,2	KG
SNR	EX.320.G2	1.446,65	1	12400	G
SNR	EXFCE212L3	352,24	1	4,13	KG
NTN	JEL205D1W3V19	63,39	1	0,205	KG
NTN	JEL206-104D1W3	117,13	1	0,31	KG
NTN	JEL208-108D1W3	162,72	1	0,7	KG
NTN	JELS205D1N	68,69	1	0,206	KG
NTN	JELS207D1N	100,94	1	0,526	KG
NTN	M-AEL202D1	40,97	1	0,135	KG
NTN	M-AEL203D1	39,38	1	0,12	KG
NTN	M-AEL204D1	43,55	1	0,16	KG
NTN	M-AEL205D1	47,27	1	0,191	KG
NTN	M-AEL206D1	58,22	1	0,33	KG
NTN	M-AEL207D1	69,45	1	0,498	KG
NTN	M-AEL208D1	84,11	1	0,638	KG
NTN	M-AEL209D1	103,59	1	0,673	KG
NTN	M-AEL210D1	117,92	1	0,755	KG
NTN	M-AELP212D1W3	265,79	1	4,51	KG
NTN	M-AS201	31,78	1	0,11	KG
NTN	M-AS202	31,78	1	0,1	KG
NTN	M-AS203D1	31,78	1	0,08	KG
NTN	M-AS204D1	34,23	1	0,131	KG
NTN	M-AS205D1	37,54	1	0,17	KG
NTN	M-AS206D1	45,74	1	0,268	KG
NTN	M-AS207D1	50,88	1	0,38	KG
NTN	M-AS208D1	66,28	1	0,51	KG
NTN	M-UC201D1	41,22	1	0,22	KG
SNR	MUC.202-10.FD	167,43	1	0,196	KG
NTN	M-UC202D1	41,22	1	0,205	KG

NTN	M-UC203D1	41,22	1	0,196	KG
SNR	MUC.204-12.FD	167,43	1	176	G
NTN	M-UC204D1	39,62	1	0,17	KG
SNR	MUC.204.FD	152,76	1	171	G
SNR	MUC.205-16.FD	181,53	1	206	G
NTN	M-UC205D1	48,69	1	0,2	KG
SNR	MUC.205.FD	166,47	1	0,2	KG
SNR	MUC.206-18.FD	270,41	1	344	G
SNR	MUC.206-19.FD	270,41	1	322	G
SNR	MUC.206-20.FD	270,41	1	298	G
NTN	M-UC206D1	55,98	1	0,33	KG
SNR	MUC.206.FD	184,71	1	0,31	KG
SNR	MUC.207-20.FD	266,44	1	544	G
SNR	MUC.207-22.FD	266,44	1	490	G
SNR	MUC.207-23.FD	302,34	1	464	G
NTN	M-UC207D1	67,26	1	0,49	KG
SNR	MUC.207.FD	239,20	1	0,48	KG
SNR	MUC.208-24.FD	336,16	1	692	G
NTN	M-UC208D1	80,62	1	0,654	KG
SNR	MUC.208.FD	288,26	1	649	G
NTN	M-UC209D1	90,64	1	0,7	KG
NTN	M-UC210D1	102,58	1	0,802	KG
SNR	MUCFBL204	186,22	1	0,244	KG
SNR	MUCFBL205	206,70	1	0,3	KG
SNR	MUCFBL206	240,37	1	0,46	KG
SNR	MUCFBL207	326,37	1	0,66	KG
SNR	MUCFBL208	360,98	1	0,84	KG
SNR	MUCTBL204	186,22	1	0,35	KG
SNR	MUCTBL205	206,70	1	0,4	KG
SNR	MUCTBL206	240,37	1	0,55	KG
SNR	MUCTBL207	326,37	1	0,8	KG
SNR	MUCTBL208	360,98	1	0,95	KG
NTN	M-UEL204D1	53,79	1	0,23	KG
NTN	M-UEL205D1	63,90	1	0,26	KG
NTN	M-UEL206D1	73,21	1	0,419	KG
NTN	M-UEL207D1	91,31	1	0,625	KG
NTN	M-UEL208D1	103,59	1	0,8	KG
NTN	M-UEL209D1	123,12	1	0,85	KG
NTN	M-UEL210D1	131,24	1	0,99	KG
NTN	REL206D1LLJ	93,17	1	0,404	KG
NTN	REL208D1LLJ	134,15	1	0,79	KG
NTN	SBX0437C3	103,40	1	0,134	KG
NTN	SBX0437U1C3	103,40	1	0,13	KG
NTN	SBX0852	353,54	1	0,98	KG
NTN	SBX08A31LLMC3	144,94	1	0,57	KG
SNR	SUC.201	157,27	1	198	G
SNR	SUC.202	157,27	1	178	G
SNR	SUC.203	157,27	1	170	G
SNR	SUC.204	158,05	1	152	G
SNR	SUC.204-12	151,95	1	0,15	KG

SNR	SUC.205	182,78	1	200	G
SNR	SUC.205-16	165,78	1	0,197	KG
SNR	SUC.206	222,86	1	320	G
SNR	SUC.206-19	195,89	1	0,312	KG
SNR	SUC.207	269,92	1	470	G
SNR	SUC.207-20	238,02	1	0,522	KG
SNR	SUC.207-22	238,02	1	0,47	KG
SNR	SUC.207-23	238,02	1	0,44	KG
SNR	SUC.208	296,88	1	621	G
SNR	SUC.208-24	286,85	1	0,668	KG
SNR	SUC.209	331,49	1	678	G
SNR	SUC.209-28	320,28	1	0,7	KG
SNR	SUC.210	394,79	1	736	G
SNR	SUC.210-31	381,45	1	0,787	KG
SNR	SUC.210-32	394,79	1	0,918	KG
SNR	SUC.211	484,82	1	1016	G
SNR	SUC.211-35	484,82	1	1	KG
SNR	SUC.212	638,89	1	1415	G
SNR	SUC.212-39	638,89	1	1,328	KG
NTN	UC201-008D1	69,07	1	0,22	KG
SNR	UC.201-08.G2	41,22	1	210	G
SNR	UC.201.G2	41,22	1	210	G
SNR	UC201G2L3	49,34	1	210	G
SNR	UC.201.G2L4	55,65	1	0,21	KG
SNR	UC201G2T20	66,91	1	210	G
NTN	UC202-010D1	63,62	1	0,2	KG
SNR	UC.202-10.G2	36,67	1	0,194	KG
SNR	UC.202-10.G2.L3	49,34	1	200	G
SNR	UC.202-10.G2.T20	66,55	1	200	G
SNR	UC.202.G2	41,22	1	200	G
SNR	UC202G2L3	49,34	1	0,2	KG
SNR	UC.202.G2L4	55,65	1	0,2	KG
SNR	UC202G2T20	66,55	1	200	G
SNR	UC.203-11.G2	41,22	1	185	G
SNR	UC.203-11.G2.L3	49,34	1	180	G
SNR	UC.203-11.G2.T20	64,00	1	170	G
SNR	UC.203EG2	41,22	1	0,108	KG
SNR	UC.203.G2	41,22	1	180	G
SNR	UC203G2L3	49,34	1	0,18	KG
SNR	UC.203.G2L4	55,65	1	0,18	KG
SNR	UC203G2T20	64,00	1	0,166	KG
NTN	UC204-012D1	66,41	1	0,18	KG
SNR	UC.204-12.G2	36,67	1	170	G
SNR	UC.204-12.G2.L3	53,60	1	174	G
SNR	UC.204-12.G2.T20	57,45	1	0,166	KG
SNR	UC.204.G2	39,62	1	170	G
SNR	UC204G2L3	53,63	1	0,17	KG
SNR	UC.204.G2L4	55,65	1	0,168	KG
SNR	UC204G2T20	57,45	1	83	G
NTN	UC204HT2D1	53,59	1	0,175	KG

NTN	UC205-015D1	70,76	1	0,22	KG
NTN	UC205-100D1	63,27	1	0,2	KG
SNR	UC.205-14.G2	42,92	1	236	G
SNR	UC.205-14.G2.L3	65,81	1	236	G
SNR	UC.205-14.G2.T20	66,18	1	210	G
SNR	UC.205-15.G2	42,92	1	220	G
SNR	UC.205-15.G2.L3	65,81	1	220	G
SNR	UC.205-15.G2.T20	66,18	1	0,215	KG
SNR	UC.205-16.G2	50,63	1	205	G
SNR	UC.205-16.G2.L3	65,81	1	204	G
SNR	UC.205-16.G2.T20	66,18	1	0,202	KG
SNR	UC.205.G2	48,69	1	207	G
SNR	UC.205G2L3	65,81	1	0,21	KG
SNR	UC.205.G2L4	68,34	1	0,21	KG
SNR	UC205G2T20	66,18	1	210	G
NTN	UC206-102D1	75,69	1	0,35	KG
NTN	UC206-103D1	75,69	1	0,34	KG
NTN	UC206-104D1	75,69	1	0,305	KG
SNR	UC.206-18.G2	58,23	1	340	G
SNR	UC.206-18.G2.L3	75,69	1	348	G
SNR	UC.206-18.G2.T20	91,27	1	332	G
SNR	UC.206-19.G2	58,23	1	324	G
SNR	UC.206-19.G2.L3	75,69	1	324	G
SNR	UC.206-19.G2.T20	91,27	1	325	G
SNR	UC.206-20.G2	58,23	1	301	G
SNR	UC.206-20.G2.L3	75,69	1	302	G
SNR	UC.206-20.G2.T20	91,27	1	304	G
NTN	UC206D1LLJ	93,91	1	0,335	KG
SNR	UC.206.G2	55,98	1	320	G
SNR	UC.206G2L3	75,69	1	0,32	KG
SNR	UC.206.G2L4	78,60	1	0,33	KG
SNR	UC.206.G2.T04	70,08	1	0,326	KG
SNR	UC206G2T20	91,27	1	223	G
NTN	UC207-104D1	87,45	1	0,54	KG
NTN	UC207-106D1	87,45	1	0,48	KG
NTN	UC207-107D1	87,45	1	0,375	KG
SNR	UC.207-20.G2	69,95	1	549	G
SNR	UC.207-20.G2.L3	90,94	1	552	G
SNR	UC.207-20.G2.T20	134,91	1	538	G
SNR	UC.207-21.G2	69,95	1	522	G
SNR	UC.207-21.G2.L3	90,94	1	522	G
SNR	UC.207-21.G2.T20	134,91	1	520	G
SNR	UC.207-22.G2	69,95	1	480	G
SNR	UC.207-22.G2.L3	90,94	1	494	G
SNR	UC.207-22.G2.T20	134,91	1	480	G
SNR	UC.207-23.G2	69,95	1	450	G
SNR	UC.207-23.G2.L3	90,94	1	468	G
SNR	UC.207-23.G2.T20	134,91	1	455	G
NTN	UC207D1LLJ	112,84	1	0,485	KG
SNR	UC.207.G2	67,26	1	470	G

SNR	UC.207G2L3	90,94	1	0,47	KG
SNR	UC.207.G2L4	94,42	1	0,495	KG
SNR	UC.207G2.T20	134,91	1	0,488	KG
NTN	UC208-108D1	104,83	1	0,7	KG
SNR	UC.208-24.G2	83,84	1	702	G
SNR	UC.208-24.G2.L3	109,02	1	692	G
SNR	UC.208-24.G2.T20	157,45	1	688	G
SNR	UC.208-25.G2.L3	109,02	1	655	G
SNR	UC.208-25.G2.T20	157,45	1	650	G
SNR	UC.208.G2	80,62	1	640	G
SNR	UC.208G2L3	109,02	1	0,648	KG
SNR	UC.208.G2L4	113,18	1	0,66	KG
SNR	UC208G2T20	157,45	1	640	G
NTN	UC209-111D1	117,81	1	0,755	KG
NTN	UC209-112D1	117,81	1	0,715	KG
SNR	UC.209-26.G2	94,27	1	787	G
SNR	UC.209-26.G2.L3	122,52	1	792	G
SNR	UC.209-26.G2.T20	171,45	1	790	G
SNR	UC.209-27.G2	94,27	1	755	G
SNR	UC.209-27.G2.L3	122,52	1	744	G
SNR	UC.209-27.G2.T20	171,45	1	750	G
SNR	UC.209-28.G2	94,27	1	706	G
SNR	UC.209-28.G2.L3	122,52	1	706	G
SNR	UC.209-28.G2.T20	171,45	1	710	G
SNR	UC.209.G2	90,64	1	680	G
SNR	UC.209G2L3	122,52	1	0,69	KG
SNR	UC.209.G2L4	127,26	1	0,695	KG
SNR	UC209G2T20	171,45	1	698	G
NTN	UC210-114D1	138,69	1	0,875	KG
NTN	UC210-115D1	138,69	1	0,825	KG
NTN	UC210-200D1	138,68	1	0,775	KG
SNR	UC.210-30.G2	91,16	1	858	G
SNR	UC.210-30.G2.L3	138,69	1	842	G
SNR	UC.210-30.G2.T20	195,09	1	870	G
SNR	UC.210-31.G2	91,16	1	811	G
SNR	UC.210-31.G2.L3	138,69	1	792	G
SNR	UC.210-31.G2.T20	195,09	1	812	G
SNR	UC.210.G2	102,58	1	800	G
SNR	UC.210G2L3	138,69	1	0,77	KG
SNR	UC.210.G2L4	144,03	1	0,78	KG
SNR	UC210G2T20	195,09	1	778	G
NTN	UC211-200D1	222,14	1	1,21	KG
NTN	UC211-203D1	231,02	1	1,05	KG
SNR	UC.211-32.G2	137,72	1	1220	G
SNR	UC.211-32.G2.L3	179,04	1	1204	G
SNR	UC.211-32.G2.T20	275,82	1	1210	G
SNR	UC21132T35	355,10	1	1,224	KG
SNR	UC.211-34.G2	117,75	1	1121	G
SNR	UC.211-34.G2.L3	179,04	1	1,1	KG
SNR	UC.211-34.G2.T20	275,82	1	1,1	KG

SNR	UC.211-35.G2	137,72	1	1050	G
SNR	UC.211-35.G2.L3	179,04	1	1032	G
SNR	UC.211-35.G2.T20	275,82	1	1,035	KG
NTN	UC211D1	137,72	1	1	KG
SNR	UC.211.G2	137,72	1	1120	G
SNR	UC.211G2L3	179,04	1	1,056	KG
SNR	UC211G2T20	275,82	1	1053	G
NTN	UC212-204D1	282,45	1	1,645	KG
NTN	UC212-207D1	282,45	1	1,42	KG
SNR	UC.212-36.G2	175,14	1	1,575	KG
SNR	UC.212-36.G2.L3	227,70	1	1,566	KG
SNR	UC.212-36.G2.T20	454,91	1	1,607	KG
SNR	UC.212-38.G2	155,14	1	1433	G
SNR	UC.212-38.G2.L3	227,70	1	1,42	KG
SNR	UC.212-38.G2.T20	454,91	1	1,45	KG
SNR	UC.212-39.G2	155,14	1	1,372	KG
SNR	UC.212-39.G2.L3	227,70	1	1,346	KG
SNR	UC.212-39.G2.T20	454,91	1	1,36	KG
NTN	UC212D1	168,41	1	1,514	KG
NTN	UC212D1LLJ	202,11	1	1,505	KG
SNR	UC.212.G2	168,41	1	1455	G
SNR	UC.212G2L3	227,70	1	1,435	KG
SNR	UC212G2T20	454,91	1	1,462	KG
NTN	UC212HT2D1	227,70	1	1,52	KG
NTN	UC213-208D1	327,29	1	1,97	KG
SNR	UC.213-40.G2	209,79	1	1,87	KG
SNR	UC.213-40.G2.L3	263,83	1	1852	G
SNR	UC.213-40.G2.T20	503,82	1	1820	G
NTN	UC213D1	202,94	1	1,85	KG
SNR	UC.213.G2	202,94	1	1860	G
SNR	UC213G2L3	263,83	1	1786	G
SNR	UC.213.G2.T04	284,23	1	1,86	KG
SNR	UC213G2T20	503,82	1	1752	G
NTN	UC213HT2D1	263,83	1	1,895	KG
SNR	UC.214-43.G2	264,34	1	2170	G
SNR	UC.214-43.G2.L3	343,91	1	2,02	KG
SNR	UC.214-44.G2	264,34	1	2066	G
SNR	UC.214-44.G2.L3	343,91	1	700	G
SNR	UC.214-44.G2.T20	670,00	1	2,06	KG
NTN	UC214D1	264,56	1	2,1	KG
SNR	UC.214.G2	264,56	1	2050	G
SNR	UC214G2L3	343,91	1	2036	G
SNR	UC214G2T20	670,00	1	2066	G
NTN	UC214HT2D1	343,91	1	2,155	KG
SNR	UC.215-47.G2	304,39	1	2284	G
SNR	UC.215-47.G2.L3	395,73	1	2280	G
SNR	UC.215-47.G2.T20	708,73	1	2,182	KG
SNR	UC.215-48.G2	298,56	1	2174	G
SNR	UC.215-48.G2.L3	395,58	1	2146	G
SNR	UC.215-48.G2.T20	708,73	1	2,13	KG

NTN	UC215D1	304,39	1	2,35	KG
SNR	UC.215.G2	304,39	1	2210	G
SNR	UC215G2L3	395,73	1	2,216	KG
SNR	UC215G2T20	708,73	1	2,14	KG
NTN	UC216D1	362,38	1	2,885	KG
SNR	UC.216.G2	362,38	1	2790	G
SNR	UC216G2L3	471,09	1	2,742	KG
SNR	UC216G2T20	820,36	1	2,866	KG
NTN	UC216HT2D1	471,09	1	2,885	KG
SNR	UC.217-52.G2	434,88	1	3694	G
SNR	UC.217-52.G2.L3	565,35	1	3,32	KG
SNR	UC.217-52.G2.T20	1.620,00	1	3,32	KG
NTN	UC217D1	434,88	1	3,37	KG
SNR	UC.217.G2	434,88	1	3380	G
SNR	UC217G2L3	565,35	1	3,428	KG
SNR	UC217G2T20	1.132,00	1	3,5	KG
NTN	UC218-308D1	725,56	1	4,32	KG
SNR	UC.218-56.G2	541,41	1	4306	G
SNR	UC.218-56.G2.L3	725,56	1	5,46	KG
SNR	UC.218-56.G2.T20	1.620,00	1	4,56	KG
NTN	UC218D1	558,12	1	4,03	KG
SNR	UC.218.G2	558,12	1	4450	G
SNR	UC218G2L3	725,56	1	4,16	KG
SNR	UC218G2T20	1.445,82	1	4,3	KG
NTN	UC305-100D1	129,18	1	0,352	KG
SNR	UC30514G2	99,36	1	370	G
SNR	UC30515G2	99,36	1	354	G
SNR	UC30516G2	99,36	1	336	G
NTN	UC305D1	99,36	1	0,36	KG
SNR	UC.305.G2	99,36	1	340	G
SNR	UC30618G2	118,46	1	585	G
SNR	UC30619G2	118,46	1	546	G
NTN	UC306D1	118,46	1	0,6	KG
SNR	UC.306.G2	118,46	1	562	G
NTN	UC307-107D1	178,30	1	0,7	KG
SNR	UC30720G2	137,17	1	756	G
SNR	UC30722G2	137,17	1	694	G
SNR	UC30723G2	137,17	1	660	G
NTN	UC307D1	137,17	1	0,73	KG
SNR	UC.307.G2	137,17	1	612	G
NTN	UC308-108D1	215,64	1	1,035	KG
SNR	UC30824G2	165,86	1	1046	G
NTN	UC308D1	165,86	1	0,985	KG
SNR	UC.308.G2	165,86	1	998	G
SNR	UC.308G2L3	190,75	1	0,992	KG
NTN	UC309-111D1	247,19	1	1,38	KG
SNR	UC30926G2	190,12	1	1434	G
SNR	UC30927G2	190,12	1	1342	G
SNR	UC30928G2	190,12	1	1,294	KG
NTN	UC309D1	190,12	1	1,32	KG

SNR	UC.309.G2	190,12	1	1277	G
SNR	UC31030G2	228,91	1	1,754	KG
SNR	UC31031G2	228,91	1	1,7	KG
NTN	UC310D1	228,91	1	1,725	KG
SNR	UC.310.G2	228,91	1	1666	G
NTN	UC311-203D1	481,56	1	2,135	KG
SNR	UC31132G2	287,14	1	2,26	KG
SNR	UC31135G2	287,14	1	2,084	KG
NTN	UC311D1	287,14	1	2,07	KG
SNR	UC.311.G2	287,14	1	2111	G
NTN	UC312-207D1	429,02	1	2,6	KG
SNR	UC31236G2	330,04	1	2,73	KG
SNR	UC31239G2	330,04	1	2,51	KG
NTN	UC312D1	330,04	1	2,6	KG
SNR	UC.312.G2	330,04	1	2600	G
SNR	UC31340G2	415,62	1	3,235	KG
NTN	UC313D1	415,62	1	3,29	KG
SNR	UC.313.G2	415,62	1	3169	G
SNR	UC31443G2	488,33	1	3,896	KG
SNR	UC31444G2	488,33	1	3,85	KG
NTN	UC314D1	488,33	1	3,89	KG
SNR	UC.314.G2	488,33	1	3830	G
NTN	UC315-215D1	970,07	1	4,805	KG
SNR	UC31547G2	578,37	1	4,543	KG
SNR	UC31548G2	578,37	1	4,402	KG
NTN	UC315D1	578,37	1	4,057	KG
SNR	UC.315.G2	578,37	1	4520	G
NTN	UC316D1	703,11	1	5,42	KG
SNR	UC.316.G2	703,11	1	5408	G
SNR	UC31752G2	779,25	1	6,79	KG
NTN	UC317D1	779,25	1	7,08	KG
SNR	UC.317.G2	779,25	1	6558	G
SNR	UC31856G2	917,79	1	7,495	KG
NTN	UC318D1	917,79	1	7,56	KG
SNR	UC.318.G2	917,79	1	7385	G
NTN	UC319D1	1.045,93	1	8,7	KG
SNR	UC.319.G2	1.045,93	1	8664	G
SNR	UC32064G2	1.402,63	1	10,54	KG
NTN	UC320D1	1.402,63	1	10,8	KG
SNR	UC.320.G2	1.402,63	1	10820	G
SNR	UC321G2	1.544,63	1	12,73	KG
NTN	UC322D1	1.748,98	1	15,71	KG
SNR	UC.322.G2	1.748,98	1	14497	G
NTN	UC324D1	2.365,45	1	19,79	KG
SNR	UC.324.G2	2.365,45	1	18920	G
NTN	UC326D1	3.182,81	1	24,655	KG
SNR	UC.326.G2	3.182,81	1	23076	G
NTN	UC328D1	3.775,03	1	25	KG
SNR	UC.328.G2	3.775,03	1	28980	G
SNR	UCFL205.L3	92,41	1	0,627	KG

SNR	UCFL207L4	128,14	1	1	G
SNR	UCFL209T20	258,00	1	1817	G
NTN	UCS202-010LD1NR	87,14	1	0,212	KG
NTN	UCS202LD1NR	43,08	1	0,215	KG
NTN	UCS203LNR	43,08	1	0,18	KG
NTN	UCS204-012LD1NR	87,14	1	0,19	KG
NTN	UCS204LD1N	43,08	1	0,178	KG
NTN	UCS204LD1NR	44,17	1	0,185	KG
NTN	UCS205-100LD1N	68,78	1	0,205	KG
NTN	UCS205-100LD1NR	68,78	1	0,212	KG
NTN	UCS205LD1N	52,90	1	0,215	KG
NTN	UCS205LD1NR	52,90	1	0,2	KG
NTN	UCS206-103LD1N	79,11	1	0,335	KG
NTN	UCS206-104LD1N	79,11	1	0,315	KG
NTN	UCS206LD1N	60,83	1	0,35	KG
NTN	UCS206LD1NR	60,83	1	0,345	KG
NTN	UCS207-104LD1N	95,05	1	0,54	KG
NTN	UCS207-107LD1N	95,05	1	0,456	KG
NTN	UCS207-107LD1NR	95,05	1	0,47	KG
NTN	UCS207LD1N	73,11	1	0,485	KG
NTN	UCS207LD1NR	73,11	1	0,48	KG
NTN	UCS208-108LD1NR	113,93	1	0,715	KG
NTN	UCS208LD1N	87,64	1	0,66	KG
NTN	UCS208LD1NR	87,64	1	0,668	KG
NTN	UCS209-112LD1N	128,01	1	0,72	KG
NTN	UCS209LD1NR	98,47	1	0,72	KG
NTN	UCS210-115LD1N	144,91	1	0,805	KG
NTN	UCS210LD1NR	111,47	1	0,824	KG
NTN	UCS211LD1NR	164,41	1	1,06	KG
NTN	UCS212LD1N	183,05	1	1,59	KG
NTN	UCX05D1	50,14	1	0,398	KG
NTN	UCX06D1	68,13	1	0,575	KG
NTN	UCX07D1	75,33	1	0,766	KG
SNR	UCX07G2	75,33	1	750	G
NTN	UCX08-108D1	85,31	1	0,87	KG
SNR	UCX08-24G2	85,31	1	0,869	KG
NTN	UCX08D1	83,29	1	0,83	KG
SNR	UCX08G2	83,29	1	0,82	KG
NTN	UCX09-112D1	96,75	1	0,97	KG
SNR	UCX09-28G2	96,75	1	0,945	KG
NTN	UCX09D1	94,15	1	0,945	KG
SNR	UCX09G2	94,15	1	0,925	KG
NTN	UCX10-115D1	125,51	1	1,275	KG
SNR	UCX10-32G2	125,51	1	1,23	KG
NTN	UCX10D1	114,11	1	1,25	KG
SNR	UCX10G2	114,11	1	1,251	KG
NTN	UCX11D1	161,73	1	1,745	KG
SNR	UCX11G2	161,73	1	1,68	KG
NTN	UCX12D1	241,17	1	2,144	KG
SNR	UCX12G2	241,17	1	2,05	KG

SNR	UCX13-40G2	265,30	1	2,445	KG
NTN	UCX13D1	241,17	1	2,475	KG
SNR	UCX13G2	241,17	1	2,365	KG
NTN	UCX14D1	269,69	1	2,744	KG
SNR	UCX14G2	269,69	1	2,6	KG
NTN	UCX15-215D1	353,28	1	3,305	KG
NTN	UCX15-300D1	353,28	1	3,18	KG
SNR	UCX15-48G2	353,25	1	3,11	KG
NTN	UCX15D1	364,95	1	3,28	KG
SNR	UCX15G2	364,95	1	3,2	KG
NTN	UCX16D1	443,08	1	4,07	KG
SNR	UCX16G2	443,08	1	3,95	KG
NTN	UCX17D1	485,73	1	4,82	KG
NTN	UCX18D1	595,83	1	6,105	KG
NTN	UCX20D1	951,16	1	8,2	KG
NTN	UEL205-100D1	86,39	1	0,26	KG
NTN	UEL206-102D1W3	98,96	1	0,445	KG
NTN	UEL206-103D1	98,96	1	0,415	KG
NTN	UEL206-103D1W3	98,96	1	0,415	KG
NTN	UEL206-104D1W3	98,96	1	0,39	KG
NTN	UEL207-106D1W3	114,12	1	0,63	KG
NTN	UEL207-107D1W3	114,12	1	0,57	KG
NTN	UEL208-108D1W3	134,66	1	0,842	KG
NTN	UEL209-110D1W3	160,05	1	0,945	KG
NTN	UEL209-111D1	160,05	1	0,9	KG
NTN	UEL209-112D1	160,05	1	0,845	KG
NTN	UEL210-115D1W3	170,63	1	1,023	KG
NTN	UEL211-200D1W3	289,74	1	1,58	KG
NTN	UEL211D1W3	166,10	1	1,385	KG
NTN	UEL212-207D1W3	399,64	1	1,74	KG
NTN	UEL212D1W3	216,05	1	2,1	KG
NTN	UEL214D1	356,01	1	2,47	KG
NTN	UEL215D1	458,25	1	2,905	KG
NTN	UEL306D1W3	136,50	1	0,66	KG
NTN	UEL307-106D1W3	210,43	1	0,81	KG
NTN	UEL307-107D1	210,43	1	0,776	KG
NTN	UEL307D1W3	161,86	1	0,78	KG
NTN	UEL308-108D1W3	249,69	1	1,19	KG
NTN	UEL308D1	192,07	1	1,142	KG
NTN	UEL309-111D1W3	276,42	1	1,5	KG
NTN	UEL309D1	212,64	1	1,425	KG
NTN	UEL310D1W3	252,48	1	1,895	KG
NTN	UEL311-203D1W3	522,77	1	2,398	KG
NTN	UEL311D1	312,29	1	2,415	KG
NTN	UEL311D1W3	312,29	1	2,36	KG
NTN	UEL314D1W3	528,94	1	4,44	KG
NTN	UELS204-012LD1NW3	93,84	1	0,24	KG
NTN	UELS205LN	69,45	1	0,28	KG
NTN	UELS206LD1N	79,53	1	0,43	KG
NTN	UELS207-104LD1NR	124,06	1	1,001	KG

NTN	UELS207-104LD1NW3	124,06	1	0,692	KG
NTN	UELS207LD1N	95,43	1	0,625	KG
NTN	UELS208LNW3	115,95	1	0,8	KG
NTN	UELS210LD1N	142,61	1	1	KG
NTN	UK205D1	49,31	1	0,165	KG
SNR	UK.205.G2	49,31	1	160	G
SNR	UK.205G2H	78,87	1	248	G
SNR	UK205G2H12	126,62	1	0,255	KG
SNR	UK205G2L3H	94,34	1	237	G
SNR	UK205G2T04H	95,85	1	237	G
NTN	UK206D1	59,32	1	0,26	KG
SNR	UK.206.G2	59,32	1	256	G
SNR	UK.206G2H	94,95	1	378	G
SNR	UK206G2H14	135,10	1	0,405	KG
SNR	UK206G2H15	135,10	1	0,375	KG
SNR	UK206G2H16	135,10	1	0,37	KG
SNR	UK206G2L3H	105,72	1	376	G
SNR	UK206G2T04H	106,74	1	376	G
NTN	UK207D1	73,66	1	0,56	KG
SNR	UK.207.G2	73,66	1	360	G
SNR	UK.207G2H	117,90	1	545	G
SNR	UK207G2H18	150,95	1	0,564	KG
SNR	UK207G2H19	144,11	1	0,31	KG
SNR	UK207G2L3H	123,84	1	535	G
SNR	UK207G2T04H	124,38	1	535	G
NTN	UK208D1	88,31	1	0,506	KG
SNR	UK.208.G2	88,31	1	478	G
SNR	UK.208G2H	141,31	1	690	G
SNR	UK208G2H20	141,31	1	0,762	KG
SNR	UK208G2H22	169,66	1	1,03	KG
SNR	UK208G2L3H	140,93	1	704	G
SNR	UK208G2T04H	140,35	1	704	G
NTN	UK209D1	98,15	1	0,53	KG
SNR	UK.209.G2	98,15	1	523	G
SNR	UK.209G2H	163,35	1	810	G
SNR	UK209G2H23	163,35	1	0,762	KG
SNR	UK209G2H24	163,35	1	0,852	KG
SNR	UK209G2L3H	162,18	1	810	G
SNR	UK209G2T04H	162,55	1	810	G
NTN	UK209HT2D1	132,69	1	0,54	KG
NTN	UK210D1	113,21	1	0,602	KG
SNR	UK.210.G2	113,21	1	588	G
SNR	UK.210G2H	181,12	1	946	G
SNR	UK210G2H26	181,12	1	1,045	KG
SNR	UK210G2H27	181,12	1	1,008	KG
SNR	UK210G2H28	181,12	1	0,964	KG
SNR	UK210G2L3H	178,50	1	952	G
SNR	UK210G2T04H	177,95	1	952	G
NTN	UK211D1	139,37	1	0,813	KG
SNR	UK.211.G2	139,37	1	806	G

SNR	UK.211G2H	173,93	1	1222	G
SNR	UK211G2H30	1.263,82	1	1,302	KG
SNR	UK211G2H31	173,93	1	1,232	KG
SNR	UK211G2H32	173,93	1	1,196	KG
SNR	UK211G2L3H	219,85	1	1,19	KG
SNR	UK211G2T04H	217,39	1	1,19	KG
NTN	UK212D1	185,61	1	1,12	KG
SNR	UK.212.G2	185,61	1	1048	G
SNR	UK.212G2H	222,73	1	1,54	KG
SNR	UK212G2L3H	278,95	1	1,511	KG
SNR	UK212G2T04H	273,77	1	1,511	KG
NTN	UK213D1	211,19	1	1,41	KG
SNR	UK.213.G2	211,19	1	1310	G
SNR	UK.213G2H	263,56	1	1,87	KG
SNR	UK213G2H35	263,56	1	2,08	KG
SNR	UK213G2H36	263,56	1	2,005	KG
SNR	UK213G2L3H	362,11	1	1,85	KG
SNR	UK213G2T04H	352,51	1	1,917	KG
NTN	UK215D1	329,48	1	1,67	KG
SNR	UK.215.G2	329,48	1	1571	G
SNR	UK.215G2H	395,39	1	2,61	KG
SNR	UK215G2H39	395,39	1	2,716	KG
SNR	UK215G2H40	395,39	1	2,698	KG
SNR	UK215G2T04H	495,17	1	2,72	KG
NTN	UK216D1	407,76	1	2,03	KG
SNR	UK.216.G2	407,76	1	1994	G
SNR	UK.216G2H	489,32	1	3,236	KG
SNR	UK216G2H43	489,32	1	3,345	KG
SNR	UK216G2H44	489,32	1	3,235	KG
SNR	UK216G2L3H	608,47	1	3,24	KG
SNR	UK216G2T04H	591,16	1	3,24	KG
NTN	UK217D1	480,95	1	2,52	KG
SNR	UK.217.G2	480,95	1	2391	G
SNR	UK.217G2H	577,16	1	3,846	KG
SNR	UK217G2H47	577,16	1	3,866	KG
SNR	UK217G2H48	577,16	1	3,743	KG
SNR	UK217G2L3H	737,36	1	3,87	KG
SNR	UK217G2T04H	710,49	1	3,87	KG
NTN	UK218D1	608,45	1	2,96	KG
SNR	UK.218.G2	608,45	1	2865	G
SNR	UK.218G2H	730,15	1	4,5	KG
SNR	UK218G2L3H	894,45	1	4,69	KG
SNR	UK218G2T04H	862,86	1	4,69	KG
NTN	UK305D1	99,36	1	0,29	KG
SNR	UK.305.G2	99,36	1	288	G
SNR	UK.305G2H	119,25	1	0,37	KG
SNR	UK305G2H12	132,76	1	0,28	KG
NTN	UK306D1	118,46	1	0,465	KG
SNR	UK.306.G2	118,46	1	460	G
SNR	UK.306G2H	142,15	1	0,59	KG

SNR	UK306G2H14	142,15	1	0,601	KG
SNR	UK306G2H15	142,15	1	0,59	KG
SNR	UK306G2H16	142,15	1	0,575	KG
NTN	UK307D1	137,17	1	0,6	KG
SNR	UK.307.G2	137,17	1	552	G
SNR	UK.307G2H	161,36	1	0,92	KG
SNR	UK307G2H18	164,60	1	0,75	KG
SNR	UK307G2H19	176,80	1	0,73	KG
NTN	UK308D1	165,86	1	0,795	KG
SNR	UK.308.G2	165,86	1	814	G
SNR	UK.308G2H	199,03	1	1,03	KG
SNR	UK308G2H20	199,03	1	1,11	KG
SNR	UK308G2H22	199,03	1	1,035	KG
NTN	UK309D1	190,12	1	1,04	KG
SNR	UK.309.G2	190,12	1	1026	G
SNR	UK.309G2H	228,18	1	1,334	KG
SNR	UK309G2H23	228,18	1	4,87	KG
SNR	UK309G2H24	228,18	1	1,39	KG
NTN	UK310D1	228,91	1	1,365	KG
SNR	UK.310.G2	228,91	1	1354	G
SNR	UK.310G2H	274,70	1	1,688	KG
SNR	UK310G2H26	274,70	1	1,815	KG
SNR	UK310G2H27	274,70	1	1,766	KG
SNR	UK310G2H28	274,70	1	1,714	KG
NTN	UK311D1	287,14	1	2,06	KG
SNR	UK.311.G2	287,14	1	1682	G
SNR	UK.311G2H	344,58	1	2,069	KG
SNR	UK311G2H31	344,58	1	2,174	KG
SNR	UK311G2H32	344,58	1	2,076	KG
NTN	UK312D1	330,04	1	2,1	KG
SNR	UK.312G2H	396,06	1	2,567	KG
NTN	UK313D1	415,62	1	2,58	KG
SNR	UK.313G2H	498,73	1	3,088	KG
SNR	UK313G2H35	498,73	1	3,286	KG
SNR	UK313G2H36	356,36	1	3,205	KG
NTN	UK315D1	578,37	1	3,78	KG
SNR	UK.315.G2	578,37	1	3796	G
SNR	UK.315G2H	694,05	1	4,716	KG
SNR	UK315G2H39	694,05	1	4,97	KG
SNR	UK315G2H40	694,05	1	4,87	KG
NTN	UK316D1	703,11	1	4,52	KG
SNR	UK.316.G2	703,11	1	4340	G
SNR	UK.316G2H	843,71	1	5,554	KG
SNR	UK316G2H43	843,71	1	5,635	KG
SNR	UK316G2H44	843,71	1	5,65	KG
NTN	UK317D1	779,25	1	5,255	KG
SNR	UK.317.G2	779,25	1	5152	G
SNR	UK.317G2H	935,12	1	6,56	KG
SNR	UK317G2H47	935,12	1	6,65	KG
SNR	UK317G2H48	935,12	1	6,49	KG

NTN	UK318D1	917,79	1	6,04	KG
SNR	UK.318.G2	917,79	1	5692	G
SNR	UK.318G2H	1.101,36	1	7,515	KG
NTN	UK319D1	1.045,93	1	7,04	KG
SNR	UK.319.G2	1.045,93	1	7003	G
SNR	UK.319G2H	1.255,10	1	8,75	KG
SNR	UK319G2H55	1.255,10	1	8,975	KG
NTN	UK320D1	1.402,63	1	9,34	KG
SNR	UK.320.G2	1.402,63	1	8478	G
SNR	UK.320G2H	1.683,18	1	11,244	KG
SNR	UK320G2H56	1.737,94	1	10,87	KG
NTN	UK322D1	1.748,98	1	12,6	KG
SNR	UK.322.G2	1.748,98	1	12705	G
SNR	UK.322G2H	2.098,77	1	15,18	KG
NTN	UK324D1	2.365,45	1	16,2	KG
SNR	UK.324.G2	2.365,45	1	15625	G
SNR	UK.324G2H	2.838,54	1	18,995	KG
SNR	UK.326G2H	3.819,35	1	23,86	KG
NTN	UK328D1	3.775,03	1	23,3	KG
SNR	UK.328G2H	4.530,02	1	25,95	KG
NTN	UKS209LN	126,61	1	0,54	KG
NTN	UKS210LN	156,20	1	0,616	KG
NTN	UKX07D1	99,06	1	0,58	KG
NTN	UKX10D1	154,86	1	0,94	KG
NTN	UKX11D1	192,29	1	1,22	KG
NTN	UKX12D1	264,19	1	1,6	KG
NTN	UKX13D1	292,41	1	1,73	KG
SNR	US20108G2	31,78	1	0,108	KG
SNR	US.201.G2	31,78	1	90	G
SNR	US.201.G2.T04	38,16	1	110	G
SNR	US20210G2	31,78	1	0,098	KG
SNR	US.202.G2	31,78	1	80	G
SNR	US202G2T04	65,31	1	100	G
SNR	US202G2T20	78,91	1	80	G
SNR	US20311G2	31,78	1	0,092	KG
SNR	US.203.G2	32,40	1	88	G
SNR	US.203.G2.T04	38,16	1	100	G
SNR	US203G2T20	64,18	1	0,095	KG
SNR	US20412G2	35,61	1	0,149	KG
SNR	US.204.G2	34,23	1	130	G
SNR	US204G2T04	42,73	1	130	G
SNR	US204G2T20	62,00	1	140	G
SNR	US20514G2	38,14	1	0,196	KG
SNR	US20515G2	38,14	1	0,184	KG
SNR	US20516G2	38,14	1	0,173	KG
SNR	US205G1N	38,62	1	0,18	KG
SNR	US.205.G2	37,54	1	174	G
SNR	US.205.G2.T04	45,75	1	170	G
SNR	US205G2T20	67,64	1	170	G
SNR	US20618G2	47,35	1	0,284	KG

SNR	US20619G2	47,35	1	0,266	KG
SNR	US20620G2	47,35	1	0,25	KG
SNR	US.206.G2	45,74	1	268	G
SNR	US206G2T04	56,83	1	270	G
SNR	US206G2T20	94,18	1	270	G
SNR	US20722G2	50,88	1	0,396	KG
SNR	US20723G2	50,88	1	372	G
SNR	US207G1N	57,13	1	396	G
SNR	US.207.G2	55,44	1	398	G
SNR	US.207.G2.T04	61,05	1	395	G
SNR	US207G2T20	166,55	1	420	G
SNR	US20824G2	64,13	1	530	G
SNR	US208.G1N	68,22	1	0,496	KG
SNR	US.208.G2	66,28	1	502	G
SNR	US.208.G2.T04	76,96	1	501	G
SNR	US208G2T20	192,36	1	600	G
SNR	US20926G2	76,18	1	0,668	KG
SNR	US20927G2	76,18	1	0,632	KG
SNR	US20928G2	76,18	1	0,6	KG
SNR	US.209.G2	88,65	1	590	G
SNR	US.209.G2.T04	91,44	1	680	G
SNR	US209G2T20	220,00	1	650	G
SNR	US21030G2	98,35	1	0,716	KG
SNR	US21031G2	98,35	1	0,678	KG
SNR	US.210.G2	98,35	1	660	G
SNR	US.210.G2.T04	117,99	1	800	G
SNR	US210G2T20	210,55	1	705	G
SNR	US21132G2	118,55	1	1,03	KG
SNR	US21135G2	118,55	1	0,89	KG
SNR	US.211.G2	118,55	1	912	G
SNR	US.211.G2.T04	142,26	1	1,07	KG
SNR	US211G2T20	358,73	1	1,07	KG
SNR	US21236G2	150,57	1	1,338	KG
SNR	US21239G2	150,57	1	1,158	KG
SNR	US.212.G2	150,57	1	1235	G
SNR	US.212.G2.T04	180,71	1	1,3	KG
SNR	US212G2T20	562,55	1	1,3	KG
SNR	47.MLA/PAIRE	8,62	1	100	G
SNR	47.MSA/PAIRE	8,62	1	170	G
SNR	52.MDA/PAIRE	8,90	1	138	G
SNR	72.MDA/PAIRE	13,54	1	0,26	KG
NTN	A-ASFD204D1	65,25	1	0,398	KG
NTN	A-ASFD205D1	81,14	1	0,436	KG
NTN	A-ASFD206D1	118,31	1	0,695	KG
NTN	A-ASFD207D1	117,99	1	0,93	KG
NTN	AELFC206D1	121,21	1	1,36	KG
NTN	AELFD204W3	94,88	1	0,436	KG
NTN	AELFD205W3	125,86	1	0,47	KG
NTN	AELFD206W3	130,14	1	0,764	KG
NTN	AELFH205D1	83,81	1	0,67	KG

NTN	AELPF201W3	51,75	1	0,29	KG
NTN	AELPF203W3	51,75	1	0,258	KG
NTN	AELPF204W3	57,09	1	0,34	KG
NTN	AELPF205W3	61,33	1	0,39	KG
NTN	AELPFL201W3	53,52	1	0,215	KG
NTN	AELPFL202W3	50,63	1	0,2	KG
NTN	AELPFL204W3	55,69	1	0,266	KG
NTN	AELPFL205	59,97	1	0,31	KG
NTN	AELPFL206W3	74,08	1	0,49	KG
NTN	AELPFL208	108,65	1	0,953	KG
NTN	AELPP201	53,40	1	0,21	KG
NTN	AELPP202W3	53,40	1	0,183	KG
NTN	AELPP203W3	53,40	1	0,186	KG
NTN	AELPP204	59,06	1	0,27	KG
NTN	AELPP204-012W3	70,88	1	0,272	KG
NTN	AELPP206W3	75,41	1	0,5	KG
NTN	AELPP207W3	91,27	1	0,768	KG
NTN	AELPT205-10	158,08	1	1,14	KG
NTN	AELT210D1	219,23	1	2,5	KG
NTN	AELUP204D1W3	93,84	1	0,55	KG
NTN	AELUP206D1	128,79	1	1,125	KG
NTN	ASF202D1	69,42	1	0,6	KG
NTN	ASF204D1	71,46	1	0,57	KG
NTN	ASF206D1	81,30	1	0,992	KG
NTN	ASF210D1	160,32	1	2,335	KG
NTN	ASFB203	61,80	1	0,256	KG
NTN	ASFB204	65,25	1	0,336	KG
NTN	ASFD201	74,08	1	0,289	KG
NTN	ASFD202	74,08	1	0,295	KG
NTN	ASFD203	74,08	1	0,29	KG
NTN	ASFD206	106,95	1	0,7	KG
NTN	ASFD207	124,97	1	0,95	KG
NTN	ASP202D1	57,60	1	0,692	KG
NTN	ASP204D1	56,03	1	0,66	KG
NTN	ASP205D1	62,36	1	0,826	KG
NTN	ASP209D1	137,61	1	2,16	KG
NTN	ASPF201	39,62	1	0,25	KG
NTN	ASPF202	39,62	1	0,235	KG
NTN	ASPF205-100	55,94	1	0,35	KG
NTN	ASPF208	84,82	1	1,19	KG
NTN	ASPFL203	39,78	1	0,166	KG
NTN	ASPFL205-100	55,94	1	0,27	KG
NTN	ASPFL207	68,05	1	0,588	KG
NTN	ASPFL208	84,20	1	0,842	KG
NTN	ASPT204-10	116,90	1	1,065	KG
NTN	ASPT205-10	119,38	1	0,556	KG
SNR	CF20	9,20	1	10	G
SNR	CF25	11,10	1	0,016	KG
SNR	CF30	12,97	1	18	G
SNR	CF35	16,18	1	24	G

SNR	CF40	17,10	1	30	G
NTN	CM-UCF204D1	101,35	1	0,738	KG
NTN	CM-UCF205D1	108,45	1	0,954	KG
NTN	CM-UCF206D1	126,15	1	1,345	KG
NTN	CM-UCF207D1	154,44	1	1,849	KG
NTN	CM-UCF208D1	180,50	1	2,25	KG
NTN	CM-UCF209D1	196,90	1	2,695	KG
NTN	CM-UCF211D1	290,33	1	4,6	KG
NTN	CM-UCF212D1	354,73	1	4,634	KG
NTN	CM-UCF213D1	407,76	1	6,53	KG
NTN	CM-UCF214D1	754,22	1	7,71	KG
NTN	CM-UCF215D1	680,86	1	2,78	KG
NTN	CM-UCF216D1	793,60	1	9,44	KG
NTN	CM-UCF218D1	1.039,66	1	13,71	KG
NTN	CM-UCF312D1	855,87	1	8,2	KG
NTN	CM-UCFC205D1	113,00	1	1,171	KG
NTN	CM-UCFC206D1	130,04	1	1,57	KG
NTN	CM-UCFC207D1	152,73	1	1,94	KG
NTN	CM-UCFC208D1	186,82	1	2,55	KG
NTN	CM-UCFC210D1	236,03	1	3,486	KG
NTN	CM-UCFC211D1	306,74	1	5,11	KG
NTN	CM-UCFC212D1	369,83	1	5,9	KG
NTN	CM-UCFC213D1	425,42	1	6,94	KG
NTN	CM-UCFC214D1	747,95	1	7	KG
NTN	CM-UCFC217D1	1.092,97	1	12,8	KG
NTN	CM-UCFC218D1	1.279,99	1	14,875	KG
NTN	CM-UCFL205D1	108,45	1	0,8	KG
NTN	CM-UCFL206D1	126,15	1	1,143	KG
NTN	CM-UCFL207D1	146,43	1	1,514	KG
NTN	CM-UCFL208D1	180,50	1	1,97	KG
NTN	CM-UCFL209D1	196,90	1	2,394	KG
NTN	CM-UCFL210D1	227,24	1	2,7	KG
NTN	CM-UCFL211D1	290,33	1	3,69	KG
NTN	CM-UCFL212D1	354,73	1	4,668	KG
NTN	CM-UCFL214D1	567,74	1	6,83	KG
NTN	CM-UCFL215D1	660,46	1	7,8	KG
NTN	CM-UCFS310D1	535,08	1	6,262	KG
NTN	CM-UCP205D1	132,55	1	1,052	KG
NTN	CM-UCP206D1	153,99	1	1,675	KG
NTN	CM-UCP207D1	169,15	1	2,065	KG
NTN	CM-UCP208D1	207,02	1	2,762	KG
NTN	CM-UCP209D1	224,69	1	3,02	KG
NTN	CM-UCP210D1	266,37	1	3,419	KG
NTN	CM-UCP211D1	326,92	1	4,54	KG
NTN	CM-UCP212D1	405,22	1	5,97	KG
NTN	CM-UCP213D1	468,32	1	7,8	KG
NTN	CM-UCP214D1	494,66	1	9,3	KG
NTN	CM-UCT207D1	175,50	1	2,14	KG
NTN	CM-UCT210D1	272,68	1	3,647	KG
NTN	CM-UCT212D1	419,08	1	6,287	KG

NTN	CM-UCT213D1	485,98	1	8,9	KG
NTN	CM-UCT214D1	673,80	1	9,785	KG
NTN	CM-UCT215D1	824,86	1	9,78	KG
NTN	CM-UCT316D1	1.545,65	1	20,67	KG
NTN	CM-UCT318D1	1.580,47	1	28,85	KG
NTN	CM-UKF207D1	164,13	1	1,735	KG
NTN	CM-UKF211D1	296,65	1	3,82	KG
NTN	CM-UKF213D1	417,83	1	6,957	KG
NTN	CM-UKFC209D1	213,31	1	3,1	KG
NTN	CM-UKFC212D1	377,43	1	5,77	KG
NTN	CM-UKFC215D1	824,86	1	8,67	KG
NTN	CM-UKFL210D1	237,30	1	2,543	KG
NTN	CM-UKP206D1	174,21	1	1,675	KG
NTN	CM-UKP207D1	190,60	1	2	KG
NTN	CM-UKP210D1	276,47	1	3,9	KG
NTN	CM-UKP211D1	360,99	1	4,405	KG
NTN	CM-UKP213D1	475,91	1	7	KG
NTN	CM-UKP215D1	725,25	1	9,4	KG
NTN	CM-UKP216D1	1.033,96	1	11	KG
NTN	CM-UKP218D1	1.425,09	1	15	KG
NTN	CM-UKT209D1	243,67	1	3,22	KG
NTN	CM-UKT215D1	824,86	1	9,215	KG
NTN	CM-UKT316D1	1.281,32	1	20,36	KG
NTN	CM-UKT318D1	1.600,69	1	20	KG
NTN	CM-UKT320D1	2.144,75	1	38,31	KG
SNR	CSFD207M10	137,85	1	0,857	KG
NTN	C-UCF205D1	108,45	1	0,96	KG
NTN	C-UCF207D1	146,43	1	1,845	KG
NTN	C-UCF209D1	196,90	1	2,7	KG
NTN	C-UCF210D1	227,24	1	3,175	KG
NTN	C-UCF211D1	290,33	1	4,105	KG
NTN	C-UCF212D1	354,73	1	5,14	KG
NTN	C-UCF213D1	407,76	1	6,53	KG
NTN	C-UCF214D1	570,75	1	7,645	KG
NTN	C-UCF215D1	665,01	1	8,15	KG
NTN	C-UCF310D1	535,08	1	5,92	KG
NTN	C-UCF311D1	644,18	1	7,07	KG
NTN	C-UCF314D1	797,82	1	11,915	KG
NTN	C-UCF315D1	927,84	1	13,4	KG
NTN	C-UCFC205D1	113,00	1	1,21	KG
NTN	C-UCFC206D1	130,04	1	1,675	KG
NTN	C-UCFC207D1	152,73	1	1,975	KG
NTN	C-UCFC208D1	192,26	1	2,5	KG
NTN	C-UCFC209D1	205,76	1	3,265	KG
NTN	C-UCFC210D1	236,03	1	3,623	KG
NTN	C-UCFC211D1	306,74	1	5,11	KG
NTN	C-UCFC212D1	369,83	1	6,24	KG
NTN	C-UCFC215D1	931,62	1	9,37	KG
NTN	C-UCFC216D1	1.067,96	1	10,92	KG
NTN	C-UCFC218D1	1.279,99	1	15,46	KG

NTN	C-UCFL206D1	126,15	1	1,19	KG
NTN	C-UCFL207D1	146,43	1	1,54	KG
NTN	C-UCFL208D1	180,50	1	2	KG
NTN	C-UCFL209D1	196,90	1	2,35	KG
NTN	C-UCFL210D1	227,24	1	2,75	KG
NTN	C-UCFL214D1	571,18	1	6,81	KG
NTN	C-UCFL215D1	665,01	1	9,48	KG
NTN	C-UCFL216D1	793,60	1	11	KG
NTN	C-UCFS309D1	428,61	1	4,71	KG
NTN	C-UCFS310D1	535,08	1	6,21	KG
NTN	C-UCFS312D1	774,09	1	8,558	KG
NTN	C-UCFS314D1	797,82	1	12	KG
NTN	C-UCP205D1	132,55	1	1,135	KG
NTN	C-UCP206D1	153,99	1	1,783	KG
NTN	C-UCP207D1	169,15	1	2,09	KG
NTN	C-UCP208D1	207,02	1	2,75	KG
NTN	C-UCP209D1	224,69	1	3,069	KG
NTN	C-UCP210D1	266,37	1	3,72	KG
NTN	C-UCP211D1	326,92	1	4,52	KG
NTN	C-UCP212D1	405,22	1	6,09	KG
NTN	C-UCP213D1	468,32	1	7,37	KG
NTN	C-UCP308D1	656,25	1	4,205	KG
NTN	C-UCP314D1	878,60	1	14,47	KG
NTN	C-UCP318D1	1.662,92	1	28,73	KG
NTN	C-UCP320D1	2.169,99	1	46	KG
NTN	C-UCT207D1	175,50	1	2,14	KG
NTN	C-UCT209D1	233,53	1	3,32	KG
NTN	C-UCT210D1	272,68	1	3,795	KG
NTN	C-UCT211D1	338,33	1	5,08	KG
NTN	C-UCT212D1	419,08	1	6,67	KG
NTN	C-UCT213D1	485,98	1	8,72	KG
NTN	C-UCT214D1	715,71	1	11	KG
NTN	C-UCT215D1	891,53	1	11	KG
NTN	C-UCT314D1	876,10	1	14,365	KG
NTN	C-UCT326D1	6.291,46	1	41	KG
NTN	C-UKF207D1	164,13	1	1,79	KG
NTN	C-UKF209D1	208,29	1	2,58	KG
NTN	C-UKF211D1	296,65	1	3,92	KG
NTN	C-UKF213D1	417,83	1	6,7	KG
NTN	C-UKFC209D1	213,31	1	3,165	KG
NTN	C-UKFC211D1	309,26	1	5	KG
NTN	C-UKFC215D1	941,09	1	10,78	KG
NTN	C-UKP207D1	190,60	1	2,05	KG
NTN	C-UKP209D1	251,24	1	3,7	KG
NTN	C-UKP211D1	360,99	1	4,46	KG
NTN	C-UKP212D1	408,96	1	5,751	KG
NTN	C-UKP213D1	475,91	1	7,07	KG
NTN	C-UKP218D1	1.308,47	1	15,45	KG
NTN	C-UKP322D1	2.975,39	1	50,28	KG
NTN	C-UKT211D1	344,62	1	4,955	KG

NTN	C-UKT213D1	511,25	1	8,28	KG
NTN	C-UKT322D1	3.075,11	1	50,825	KG
SNR	CV15	10,01	1	20	G
SNR	CV20	10,28	1	18	G
SNR	CV25	11,75	1	19	G
SNR	CV30	13,40	1	0,28	KG
SNR	CV35	16,18	1	35	G
SNR	CV40	17,17	1	44	G
SNR	ES.201.G2.T04	49,14	1	140	G
SNR	ES.202.G2.T04	49,14	1	130	G
SNR	ES.203.G2.T04	49,14	1	130	G
SNR	ES.204.G2.T04	54,37	1	0,15	KG
SNR	ES.205.G2.T04	58,99	1	0,21	KG
SNR	ES.206.G2.T04	72,65	1	0,321	KG
SNR	ES.207.G2.T04	86,67	1	0,516	KG
SNR	ES.208.G2.T04	100,92	1	0,66	KG
SNR	ES.209.G2.T04	129,27	1	0,682	KG
SNR	ES.210.G2.T04	141,48	1	0,764	KG
SNR	ES.211.G2.T04	152,52	1	1,058	KG
SNR	ESC.201	62,50	1	450	G
SNR	ESC.202	62,50	1	440	G
SNR	ESC.203	62,50	1	440	G
SNR	ESC.204	76,00	1	470	G
SNR	ESC.205	87,40	1	630	G
SNR	ESC.206	106,18	1	804	G
SNR	ESC.207	122,06	1	902	G
SNR	ESC.208	135,07	1	1210	G
SNR	ESC.209	167,90	1	1,492	KG
SNR	ESC.210	189,34	1	1845	G
SNR	ESC.211	207,10	1	2,156	KG
SNR	ESC.212	265,79	1	2344	G
SNR	ESF.201	62,50	1	454	G
SNR	ESF201N	149,15	1	447	G
SNR	ESF.202	62,50	1	444	G
SNR	ESF202N	149,15	1	437	G
SNR	ESF.203	62,50	1	444	G
SNR	ESF203N	149,15	1	437	G
SNR	ESF204N	147,66	1	559	G
SNR	ESF.20516	83,62	1	0,785	KG
SNR	ESF205N	96,18	1	0,769	KG
SNR	ESF.20619	101,60	1	1,11	KG
SNR	ESF206N	116,85	1	1,125	KG
SNR	ESF.206.T04	121,92	1	1,129	KG
SNR	ESF.20723	116,82	1	1,505	KG
SNR	ESF207N	134,34	1	1,515	KG
SNR	ESF208N	148,63	1	1,915	KG
SNR	ESF.208.T04	155,12	1	1,907	KG
SNR	ESF.20927	160,55	1	2,166	KG
SNR	ESF209N	184,75	1	2,164	KG
SNR	ESF.21031	181,21	1	2,505	KG

SNR	ESF210N	208,38	1	2,5	KG
SNR	ESF.210.T04	217,42	1	2,559	KG
SNR	ESF211N	238,16	1	3,1	KG
SNR	ESF.21238	265,79	1	4,3	KG
SNR	ESF212N	305,68	1	4,285	KG
SNR	ESFA.201	62,50	1	380	G
SNR	ESFA201N	153,03	1	490	G
SNR	ESFA202N	153,03	1	480	G
SNR	ESFA.203	62,50	1	370	G
SNR	ESFA203N	153,03	1	480	G
SNR	ESFA.204	76,00	1	430	G
SNR	ESFA204N	151,35	1	550	G
SNR	ESFA.205	87,40	1	620	G
SNR	ESFA205N	156,01	1	690	G
SNR	ESFA.206	106,18	1	0,938	KG
SNR	ESFA206N	163,38	1	1,17	KG
SNR	ESFA.207	122,06	1	1,3	KG
SNR	ESFA207N	172,74	1	1,6	KG
SNR	ESFA.208	135,07	1	1,66	KG
SNR	ESFA208N	185,17	1	2	KG
SNR	ESFA.209	167,90	1	2,3	KG
SNR	ESFA209N	193,34	1	2,29	KG
SNR	ESFA.210	189,34	1	2,22	KG
SNR	ESFA210N	217,74	1	2,7	KG
SNR	ESFA.211	207,10	1	3,3	KG
SNR	ESFA211N	238,16	1	3,27	KG
SNR	ESFA.212	265,79	1	3,9	KG
SNR	ESFA212N	305,68	1	3,9	KG
SNR	ESFC.201	73,09	1	510	G
SNR	ESFC201N	153,03	1	507	G
SNR	ESFC.202	73,09	1	500	G
SNR	ESFC202N	153,03	1	497	G
SNR	ESFC.203	73,09	1	500	G
SNR	ESFC203N	153,03	1	497	G
SNR	ESFC.204	87,40	1	650	G
SNR	ESFC204N	151,35	1	644	G
SNR	ESFC.205	97,07	1	950	G
SNR	ESFC205N	111,64	1	0,946	KG
SNR	ESFC.206	121,21	1	1310	G
SNR	ESFC206N	139,36	1	1,3	KG
SNR	ESFC.207	141,40	1	1840	G
SNR	ESFC207N	162,61	1	1,7	KG
SNR	ESFC.208	164,13	1	2123	G
SNR	ESFC208N	188,73	1	2,02	KG
SNR	ESFC.209	190,60	1	2593	G
SNR	ESFC209N	219,18	1	2,48	KG
SNR	ESFC.210	208,29	1	2970	G
SNR	ESFC210N	239,55	1	0,92	KG
SNR	ESFC.211	224,85	1	4004	G
SNR	ESFC211N	258,56	1	3,62	KG

SNR	ESFC.212	305,72	1	4906	G
SNR	ESFC212N	351,58	1	4,63	KG
SNR	ESFD.201	74,08	1	0,32	KG
SNR	ESFD.202	74,08	1	0,31	KG
SNR	ESFD.203	74,08	1	0,31	KG
SNR	ESFD.204	78,29	1	0,416	KG
SNR	ESFD.205	88,83	1	0,5	KG
SNR	ESFD.205CA	72,11	1	490	G
SNR	ESFD.206	106,95	1	0,782	KG
SNR	ESFD206M12	106,95	1	770	G
SNR	ESFD.207	124,97	1	1,002	KG
SNR	ESFD207M12	124,97	1	1	KG
SNR	ESFD.208	138,82	1	1,472	KG
SNR	ESFL.201	62,50	1	426	G
SNR	ESFL201N	149,15	1	417	G
SNR	ESFL.202	62,50	1	416	G
SNR	ESFL202N	149,15	1	0,407	KG
SNR	ESFL.203	62,50	1	416	G
SNR	ESFL203N	149,15	1	407	G
SNR	ESFL204N	147,66	1	420	G
SNR	ESFL.204.T04	87,25	1	470	G
SNR	ESFL.20516	83,62	1	0,63	KG
SNR	ESFL.205COE	169,55	1	600	G
SNR	ESFL205N	96,18	1	604	G
SNR	ESFL205T20	132,83	1	650	G
SNR	ESFL.206COE	132,06	1	960	G
SNR	ESFL206N	116,85	1	0,935	KG
SNR	ESFL.20720	116,82	1	1,225	KG
SNR	ESFL207N	134,34	1	1,15	KG
SNR	ESFL208N	148,63	1	1,5	KG
SNR	ESFL.209COE	208,85	1	1,952	KG
SNR	ESFL209N	184,75	1	1,87	KG
SNR	ESFL210N	208,38	1	2,2	KG
SNR	ESFL211N	316,35	1	2,73	KG
SNR	ESFL212N	305,68	1	3,53	KG
SNR	ESFLZ.201	80,44	1	500	G
SNR	ESFLZ.202	80,44	1	490	G
SNR	ESFLZ.203	80,44	1	490	G
SNR	ESFLZ.204	84,66	1	460	G
SNR	ESFLZ.205	96,23	1	660	G
SNR	ESFLZ.206	113,68	1	974	G
SNR	ESFLZ.207	134,01	1	1,235	KG
SNR	ESFLZ.208	155,49	1	1756	G
SNR	ESFLZ.209	179,01	1	1,8	KG
SNR	ESFLZ.210	197,10	1	2125	G
SNR	ESFLZ.212	291,28	1	3,2	KG
SNR	ESP.201	62,50	1	0,71	KG
SNR	ESP.201.N	184,68	1	700	G
SNR	ESP.202	62,50	1	0,7	KG
SNR	ESP.202.N	184,68	1	690	G

SNR	ESP.203	62,50	1	0,7	KG
SNR	ESP.203.N	184,68	1	690	G
SNR	ESP.20412	72,72	1	695	G
SNR	ESP.204.N	83,62	1	650	G
SNR	ESP.20514	83,62	1	800	G
SNR	ESP.20516	83,62	1	800	G
SNR	ESP.205.N	96,18	1	750	G
SNR	ESP.20619	101,60	1	1,46	KG
SNR	ESP.206.N	116,85	1	1,31	KG
SNR	ESP.20720	116,82	1	1760	G
SNR	ESP.20723	116,82	1	1,8	KG
SNR	ESP.207.N	134,34	1	1,66	KG
SNR	ESP.208.N	148,63	1	2,06	KG
SNR	ESP.209.N	184,75	1	2,34	KG
SNR	ESP.210.N	188,51	1	2,884	KG
SNR	ESP.211.N	238,16	1	3,5	KG
SNR	ESP.212.N	305,68	1	4,81	KG
SNR	ESPA.201	73,09	1	440	G
SNR	ESPA.202	73,09	1	430	G
SNR	ESPA.203	73,09	1	430	G
SNR	ESPA.204	76,65	1	520	G
SNR	ESPA.205	87,26	1	710	G
SNR	ESPA.206	105,05	1	1084	G
SNR	ESPA.207	121,90	1	1514	G
SNR	ESPA.208	146,18	1	1748	G
SNR	ESPA.20824	146,18	1	1806	G
SNR	ESPA.209	169,47	1	2200	G
SNR	ESPA.210	186,03	1	2566	G
SNR	ESPA.211	224,85	1	2,9	KG
SNR	ESPA.212	305,72	1	4062	G
SNR	ESPF.204	57,09	1	0,348	KG
SNR	ESPF.205	61,33	1	0,374	KG
SNR	ESPF.207	88,65	1	0,867	KG
SNR	ESPF.208	108,45	1	1,418	KG
SNR	ESPF.209	120,74	1	1,408	KG
SNR	ESPF.210	141,75	1	1,636	KG
SNR	ESPF.211	161,61	1	1,99	KG
SNR	ESPFE.206	86,42	1	0,852	KG
SNR	ESPFL.202	50,63	1	0,2	KG
SNR	ESPFL.204	53,12	1	0,256	KG
SNR	ESPFL.205	59,97	1	0,304	KG
SNR	ESPFL20514	59,97	1	0,325	KG
SNR	ESPFL.207	90,86	1	0,713	KG
SNR	ESPFL.208	107,67	1	0,942	KG
SNR	ESPFT.204	53,27	1	290	G
SNR	ESPFT.205	57,13	1	348	G
SNR	ESPFT.206	68,05	1	0,54	KG
SNR	ESPFT.207	84,17	1	647	G
SNR	ESPG.201	122,79	1	360	G
SNR	ESPG201N	189,94	1	360	G

SNR	ESPG.202	122,79	1	350	G
SNR	ESPG202N	189,94	1	350	G
SNR	ESPG.203	122,79	1	350	G
SNR	ESPG203N	189,94	1	350	G
SNR	ESPG.204	76,65	1	570	G
SNR	ESPG204N	189,35	1	570	G
SNR	ESPG.205	87,26	1	680	G
SNR	ESPG205N	191,83	1	680	G
SNR	ESPG206N	197,52	1	1,1	KG
SNR	ESPG.207	121,90	1	1,57	KG
SNR	ESPG207N	206,06	1	1,57	KG
SNR	ESPG.208	146,18	1	1920	G
SNR	ESPG208N	218,51	1	1,84	KG
SNR	ESPG.209	169,47	1	2,23	KG
SNR	ESPG209N	231,36	1	2,18	KG
SNR	ESPG.210	186,03	1	2,825	KG
SNR	ESPG210N	252,73	1	2,79	KG
SNR	ESPG.211	224,85	1	3,2	KG
SNR	ESPG211N	258,56	1	3,2	KG
SNR	ESPG.212	305,72	1	4480	G
SNR	ESPG212N	351,58	1	4,35	KG
SNR	ESPH.201	71,48	1	730	G
SNR	ESPH.201.N	189,75	1	700	G
SNR	ESPH.202	71,48	1	720	G
SNR	ESPH.202.N	189,75	1	700	G
SNR	ESPH.203	71,48	1	720	G
SNR	ESPH.203.N	189,75	1	700	G
SNR	ESPH.204	75,28	1	860	G
SNR	ESPH.204.N	188,16	1	900	G
SNR	ESPH.205	86,81	1	1270	G
SNR	ESPH.205.N	192,93	1	1,2	KG
SNR	ESPH.206	103,08	1	1812	G
SNR	ESPH.206.N	200,10	1	1,7	KG
SNR	ESPH.207	120,95	1	2345	G
SNR	ESPH.208	141,60	1	3000	G
SNR	ESPH.208.N	222,11	1	2,8	KG
SNR	ESPH.209	167,32	1	3,1	KG
SNR	ESPH.209.N	230,16	1	3,1	KG
SNR	ESPH.210	188,62	1	3872	G
SNR	ESPH.210.N	241,01	1	3,6	KG
SNR	ESPP.20108	53,40	1	1200	G
SNR	ESPP.202	53,40	1	0,192	KG
SNR	ESPP.20210	53,40	1	182	G
SNR	ESPP.203	53,40	1	0,19	KG
SNR	ESPP.204	59,06	1	0,316	KG
SNR	ESPP.205	63,34	1	0,362	KG
SNR	ESSP.201	132,17	1	1,584	KG
SNR	ESSP201N	282,30	1	1,64	KG
SNR	ESSP202N	282,30	1	1,63	KG
SNR	ESSP.203	129,27	1	1,6	KG

SNR	ESSP203N	282,30	1	1,63	KG
SNR	ESSP.204	129,27	1	2214	G
SNR	ESSP204N	282,30	1	1,65	KG
SNR	ESSP.205	141,75	1	1682	G
SNR	ESSP205N	371,94	1	1,505	KG
SNR	ESSP.206	172,87	1	1923	G
SNR	ESSP206N	307,26	1	1,93	KG
SNR	ESSP.207	201,14	1	1923	G
SNR	ESSP207N	321,20	1	2,1	KG
SNR	ESSP.208	280,16	1	4032	G
SNR	ESSP208N	425,79	1	4,2	KG
SNR	ESSP.209	310,63	1	4000	G
SNR	ESSP.20926	310,62	1	4,152	KG
SNR	ESSP209N	441,10	1	4,19	KG
SNR	ESSP.210	485,18	1	4342	G
SNR	ESSP210N	663,80	1	4,2	KG
SNR	EST.201	73,09	1	700	G
SNR	EST.202	73,09	1	700	G
SNR	EST.204	75,41	1	710	G
SNR	EST204N	333,26	1	710	G
SNR	EST.204.WB	776,74	1	5,605	KG
SNR	EST.205	87,40	1	790	G
SNR	EST205N	225,77	1	0,822	KG
SNR	EST.205.WB	778,12	1	5,742	KG
SNR	EST.206	108,31	1	1250	G
SNR	EST206N	124,56	1	1,22	KG
SNR	EST.206.WB	824,59	1	6698	G
SNR	EST.207	127,54	1	1632	G
SNR	EST207N	146,66	1	1,53	KG
SNR	EST.207.WB	931,26	1	8,324	KG
SNR	EST.208	178,01	1	2412	G
SNR	EST208N	204,70	1	2,38	KG
SNR	EST.208.WB	1.003,91	1	11724	G
SNR	EST.209	191,85	1	2370	G
SNR	EST209N	220,66	1	2,35	KG
SNR	EST.209.WB	1.006,59	1	2,4	KG
SNR	EST.210	200,73	1	2475	G
SNR	EST210N	230,84	1	2,367	KG
SNR	EST.210.WB	1.016,62	1	11800	G
SNR	EST.211	224,85	1	3816	G
SNR	EST211N	324,28	1	3,63	KG
SNR	EST.211.WB	1.244,21	1	3,6	KG
SNR	EST.212	305,72	1	4622	G
SNR	EST212N	352,13	1	4,4	KG
SNR	EST212WB	1.339,44	1	21,125	KG
SNR	EX.203.G2.L3	64,37	1	0,25	KG
SNR	EX.204.G2.L3	72,72	1	0,222	KG
SNR	EX.205.G2.L3	86,40	1	262	G
SNR	EX.211.G2.L3	224,56	1	1344	G
SNR	EXC.201	72,88	1	610	G

SNR	EXC.202	72,88	1	590	G
SNR	EXC.203	72,88	1	570	G
SNR	EXC.204	90,56	1	540	G
SNR	EXC.205	104,54	1	690	G
SNR	EXC.206	127,54	1	890	G
SNR	EXC.207	148,96	1	1,2	KG
SNR	EXC.208	159,08	1	1335	G
SNR	EXC.209	185,61	1	1,7	KG
SNR	EXC.210	213,31	1	2114	G
SNR	EXC.211	262,56	1	2440	G
SNR	EXC.212	321,88	1	2768	G
SNR	EXC.213	383,76	1	3,7	KG
SNR	EXC.214	487,26	1	5,8	KG
SNR	EXC.215	595,87	1	6,2	KG
SNR	EXC.216	666,70	1	6,7	KG
SNR	EXC.305	159,08	1	1020	G
SNR	EXC.306	193,16	1	1,41	KG
SNR	EXC.307	222,19	1	1,785	KG
SNR	EXC.308	266,37	1	2,25	KG
SNR	EXC.309	311,80	1	2870	G
SNR	EXC.310	390,04	1	3,49	KG
SNR	EXC.311	496,11	1	4,23	KG
SNR	EXC.312	584,49	1	5,05	KG
SNR	EXC.313	674,11	1	6,18	KG
SNR	EXC.314	843,25	1	7290	G
SNR	EXC.315	1.016,19	1	8,45	KG
SNR	EXC.316	1.524,53	1	10,28	KG
SNR	EXC.317	1.341,88	1	6,1	KG
SNR	EXC.318	1.521,13	1	14,29	KG
SNR	EXC.319	1.763,53	1	4	KG
SNR	EXC.320	2.065,25	1	4	KG
SNR	EXF.201	72,88	1	710	G
SNR	EXF201N	151,25	1	699	G
SNR	EXF.202	72,88	1	690	G
SNR	EXF202N	151,25	1	679	G
SNR	EXF.203	72,88	1	670	G
SNR	EXF203N	151,25	1	659	G
SNR	EXF.204	86,62	1	640	G
SNR	EXF204N	150,95	1	629	G
SNR	EXF.205	100,05	1	900	G
SNR	EXF205N	115,06	1	860	G
SNR	EXF.206	122,01	1	1202	G
SNR	EXF.206.L3	158,64	1	1,202	KG
SNR	EXF206N	140,30	1	1,22	KG
SNR	EXF.207	142,52	1	1635	G
SNR	EXF207N	163,92	1	1,64	KG
SNR	EXF.208	152,22	1	2082	G
SNR	EXF208N	175,07	1	2,07	KG
SNR	EXF.209	177,62	1	2342	G
SNR	EXF.20927	177,62	1	2426	G

SNR	EXF209N	188,55	1	2,32	KG
SNR	EXF.210	204,14	1	2735	G
SNR	EXF210N	234,76	1	2,71	KG
SNR	EXF.211	251,26	1	3666	G
SNR	EXF211N	288,97	1	3,62	KG
SNR	EXF.212	321,88	1	4710	G
SNR	EXF212N	370,16	1	4,664	KG
SNR	EXF.213	383,76	1	6090	G
SNR	EXF213N	441,33	1	6,1	KG
SNR	EXF.214	487,26	1	6906	G
SNR	EXF.215	631,17	1	6628	G
SNR	EXF.216	666,70	1	7702	G
SNR	EXF.217	887,11	1	9,1	KG
SNR	EXF.218	1.107,57	1	10788	G
SNR	EXF.305	152,22	1	1,155	KG
SNR	EXF.306	184,82	1	1,7	KG
SNR	EXF.307	212,64	1	2,13	KG
SNR	EXF.308	254,92	1	3015	G
SNR	EXF.309	298,33	1	3476	G
SNR	EXF.310	373,26	1	4636	G
SNR	EXF.311	474,76	1	5744	G
SNR	EXF.312	560,49	1	6768	G
SNR	EXF.313	674,11	1	8444	G
SNR	EXF.314	843,25	1	9,9	KG
SNR	EXF315	1.016,19	1	6000	G
SNR	EXF.316	1.208,07	1	13700	G
SNR	EXF.317	1.341,88	1	16,8	KG
SNR	EXF.318	1.521,13	1	19,202	KG
SNR	EXF319	1.763,53	1	22,81	KG
SNR	EXF.320	2.065,25	1	50000	G
SNR	EXFA.201	72,88	1	570	G
SNR	EXFA201N	155,13	1	590	G
SNR	EXFA.202	72,88	1	550	G
SNR	EXFA202N	155,13	1	570	G
SNR	EXFA.203	72,88	1	530	G
SNR	EXFA203N	155,13	1	550	G
SNR	EXFA.204	90,56	1	500	G
SNR	EXFA204N	154,72	1	620	G
SNR	EXFA.205	104,54	1	680	G
SNR	EXFA205N	157,71	1	750	G
SNR	EXFA.206	127,54	1	1,3	KG
SNR	EXFA206N	166,07	1	1,25	KG
SNR	EXFA.207	148,96	1	1,7	KG
SNR	EXFA207N	175,92	1	1,7	KG
SNR	EXFA.208	159,08	1	2,1	KG
SNR	EXFA208N	186,27	1	2,13	KG
SNR	EXFA.209	185,61	1	2,5	KG
SNR	EXFA209N	213,47	1	2,47	KG
SNR	EXFA.210	213,31	1	2430	G
SNR	EXFA210N	245,33	1	2,91	KG

SNR	EXFA.211	262,56	1	3,8	KG
SNR	EXFA211N	301,98	1	3,79	KG
SNR	EXFA.212	312,30	1	4,6	KG
SNR	EXFA212N	359,16	1	4,57	KG
SNR	EXFC.201	83,26	1	790	G
SNR	EXFC201N	95,72	1	784	G
SNR	EXFC.202	83,26	1	770	G
SNR	EXFC202N	95,72	1	764	G
SNR	EXFC.203	83,26	1	750	G
SNR	EXFC203N	95,72	1	744	G
SNR	EXFC.204	87,59	1	720	G
SNR	EXFC204N	100,71	1	714	G
SNR	EXFC.205	104,86	1	1,01	KG
SNR	EXFC205N	120,57	1	1	KG
SNR	EXFC.206	128,03	1	1427	G
SNR	EXFC206N	147,24	1	1,38	KG
SNR	EXFC.207	149,79	1	1860	G
SNR	EXFC207N	172,28	1	1,775	KG
SNR	EXFC.208	159,49	1	2248	G
SNR	EXFC208N	183,41	1	2,15	KG
SNR	EXFC.209	187,24	1	2684	G
SNR	EXFC209N	215,33	1	2,66	KG
SNR	EXFC.210	215,03	1	3186	G
SNR	EXFC210N	247,26	1	3,04	KG
SNR	EXFC.211	275,19	1	4308	G
SNR	EXFC211N	316,48	1	4,14	KG
SNR	EXFC.212	338,33	1	5450	G
SNR	EXFC212N	389,07	1	5,3	KG
SNR	EXFC.213	403,96	1	6140	G
SNR	EXFC213N	464,56	1	6,08	KG
SNR	EXFC.214	509,98	1	6830	G
SNR	EXFC.215	664,02	1	7760	G
SNR	EXFC.216	728,71	1	9,81	KG
SNR	EXFC.217	978,99	1	11	KG
SNR	EXFC.218	1.229,50	1	12945	G
SNR	EXFD.207L3	162,45	1	1196	G
SNR	EXFL.201	72,88	1	575	G
SNR	EXFL201N	151,25	1	560	G
SNR	EXFL.202	72,88	1	555	G
SNR	EXFL202N	151,25	1	540	G
SNR	EXFL.203	72,88	1	535	G
SNR	EXFL203N	151,25	1	520	G
SNR	EXFL.204	86,62	1	505	G
SNR	EXFL204N	150,95	1	478	G
SNR	EXFL.205	100,05	1	660	G
SNR	EXFL.20516	100,05	1	0,69	KG
SNR	EXFL205N	115,06	1	684	G
SNR	EXFL.206	122,01	1	1014	G
SNR	EXFL206N	140,30	1	1,01	KG
SNR	EXFL.207	142,52	1	1354	G

SNR	EXFL207N	163,92	1	1,285	KG
SNR	EXFL.208	152,22	1	1650	G
SNR	EXFL.20824	152,22	1	1,69	KG
SNR	EXFL208N	175,07	1	1,63	KG
SNR	EXFL.209	177,62	1	1918	G
SNR	EXFL.20927	177,62	1	2,14	KG
SNR	EXFL209N	204,23	1	2,05	KG
SNR	EXFL.210	204,14	1	2396	G
SNR	EXFL210N	234,76	1	2,34	KG
SNR	EXFL.211	251,26	1	1150	G
SNR	EXFL211N	319,06	1	3,25	KG
SNR	EXFL.212	321,88	1	4,062	KG
SNR	EXFL212N	370,16	1	4,11	KG
SNR	EXFL.213	383,76	1	5,3	KG
SNR	EXFL213N	441,33	1	5,34	KG
SNR	EXFL.214	487,26	1	5865	G
SNR	EXFL.215	631,17	1	5,19	KG
SNR	EXFL.216	666,70	1	7,4	KG
SNR	EXFL.217	887,11	1	8,9	KG
SNR	EXFL218	1.107,57	1	11,36	KG
SNR	EXFL.305	152,22	1	1	KG
SNR	EXFL.306	184,82	1	1,498	KG
SNR	EXFL.307	212,64	1	1,794	KG
SNR	EXFL.308	254,92	1	2420	G
SNR	EXFL.309	298,33	1	3305	G
SNR	EXFL.310	373,26	1	4,2	KG
SNR	EXFL.311	474,76	1	5	KG
SNR	EXFL.312	560,49	1	6110	G
SNR	EXFL.313	674,11	1	7,8	KG
SNR	EXFL.314	843,25	1	9,22	KG
SNR	EXFL.315	1.016,19	1	10,6	KG
SNR	EXFL.316	1.208,07	1	13,6	KG
SNR	EXFL.317	1.341,88	1	8,9	KG
SNR	EXFL.318	1.521,13	1	18,3	KG
SNR	EXFL.319	1.763,53	1	22,8	KG
SNR	EXFL.320	2.065,25	1	27,9	KG
SNR	EXFLZ.201	90,67	1	600	G
SNR	EXFLZ.202	90,67	1	580	G
SNR	EXFLZ.203	90,67	1	0,56	KG
SNR	EXFLZ.204	93,50	1	530	G
SNR	EXFLZ.205	105,26	1	720	G
SNR	EXFLZ.206	126,29	1	1064	G
SNR	EXFLZ.207	147,30	1	1390	G
SNR	EXFLZ.208	169,47	1	1886	G
SNR	EXFLZ.209	194,94	1	2070	G
SNR	EXFLZ.210	213,73	1	3340	G
SNR	EXFLZ210T20	313,33	1	2,365	KG
SNR	EXFLZ.212	337,84	1	4010	G
SNR	EXFS.305	152,22	1	1,304	KG
SNR	EXFS.306	184,82	1	1,905	KG

SNR	EXFS.307	212,64	1	2,345	KG
SNR	EXFS.308	254,92	1	3,25	KG
SNR	EXFS.309	298,33	1	4	KG
SNR	EXFS.310	373,26	1	5,145	KG
SNR	EXFS.311	474,76	1	6,1	KG
SNR	EXFS.312	560,49	1	8,04	G
SNR	EXFS.313	674,11	1	9,25	KG
SNR	EXFS.314	843,25	1	11,5	KG
SNR	EXFS.315	1.016,19	1	13,5	KG
SNR	EXFS.316	1.208,07	1	15,99	KG
SNR	EXFS.317	1.341,88	1	18,4	KG
SNR	EXFS.318	1.521,13	1	22405	G
SNR	EXFS.319	1.763,53	1	26,4	KG
SNR	EXFS.320	2.068,13	1	36,22	G
SNR	EXP.201	72,88	1	0,82	KG
SNR	EXP.201.COE	218,88	1	800	G
SNR	EXP.201.N	187,96	1	790	G
SNR	EXP.202	72,88	1	800	G
SNR	EXP.20210	72,88	1	962	G
SNR	EXP.202.COE	218,88	1	800	G
SNR	EXP.202.N	187,96	1	770	G
SNR	EXP.203	72,88	1	770	G
SNR	EXP.203.COE	218,33	1	800	G
SNR	EXP.203.N	187,96	1	750	G
SNR	EXP.204	86,62	1	0,75	KG
SNR	EXP.204.COE	199,00	1	0,81	KG
SNR	EXP.204.N	99,59	1	720	G
SNR	EXP.205	100,05	1	0,86	KG
SNR	EXP.20516	100,05	1	0,884	KG
SNR	EXP.205.COE	203,08	1	0,954	KG
SNR	EXP.205.N	115,06	1	810	G
SNR	EXP.205T20	148,83	1	0,914	KG
SNR	EXP.206	122,01	1	1,518	KG
SNR	EXP.20619	122,01	1	1,495	KG
SNR	EXP.206.COE	211,34	1	1,535	KG
SNR	EXP.206.N	140,30	1	1,435	KG
SNR	EXP.207	142,52	1	1,87	KG
SNR	EXP.20720	142,52	1	1850	G
SNR	EXP.20723	142,52	1	1864	G
SNR	EXP.207.COE	225,69	1	1,964	KG
SNR	EXP.207.N	163,92	1	1,745	KG
SNR	EXP.208	152,22	1	2,294	KG
SNR	EXP.208.N	175,07	1	2,276	KG
SNR	EXP.209	177,62	1	2,484	KG
SNR	EXP.20927	177,62	1	2,618	KG
SNR	EXP.209.N	204,23	1	2,485	KG
SNR	EXP.210	204,14	1	3,164	KG
SNR	EXP.21031	204,14	1	1,63	KG
SNR	EXP.210.N	234,76	1	3,03	KG
SNR	EXP.211	251,26	1	4,002	KG

SNR	EXP.21132	251,26	1	4214	G
SNR	EXP.21135	251,26	1	4,015	KG
SNR	EXP.211.N	288,97	1	3,825	KG
SNR	EXP.212	321,88	1	5,392	KG
SNR	EXP.21239	321,88	1	5,36	KG
SNR	EXP.212.N	370,16	1	5,165	KG
SNR	EXP.213	383,76	1	6,542	KG
SNR	EXP.213.N	441,33	1	6,48	KG
SNR	EXP.214	487,26	1	7,168	KG
SNR	EXP.21443	487,26	1	7,168	KG
SNR	EXP.215	631,17	1	8,065	KG
SNR	EXP.216	666,70	1	9,83	KG
SNR	EXP.217	887,11	1	11,568	KG
SNR	EXP.218	1.107,57	1	12,94	KG
SNR	EXP.305	152,22	1	1,556	KG
SNR	EXP.306	184,82	1	2,065	KG
SNR	EXP.307	212,64	1	2,814	KG
SNR	EXP.308	254,92	1	3,67	KG
SNR	EXP.309	298,33	1	5,006	KG
SNR	EXP.310	373,26	1	6,568	KG
SNR	EXP.311	474,76	1	8584	G
SNR	EXP.312	560,49	1	10,25	KG
SNR	EXP.313	674,11	1	11,6	KG
SNR	EXP.314	843,25	1	14,1	KG
SNR	EXP31444	740,03	1	13,6	KG
SNR	EXP.315	1.016,19	1	16,2	KG
SNR	EXP.316	1.208,07	1	24,74	KG
SNR	EXP.317	1.341,88	1	22,5	KG
SNR	EXP.318	1.521,13	1	32855	G
SNR	EXP.319	1.763,53	1	32	KG
SNR	EXP.320	2.065,25	1	40,02	KG
SNR	EXPA.201	83,26	1	700	G
SNR	EXPA.202	83,26	1	660	G
SNR	EXPA.203	83,26	1	600	G
SNR	EXPA.204	85,51	1	615	G
SNR	EXPA.205	96,39	1	800	G
SNR	EXPA.206	117,46	1	1154	G
SNR	EXPA.207	135,11	1	1624	G
SNR	EXPA.208	160,57	1	1886	G
SNR	EXPA.209	186,03	1	2,278	KG
SNR	EXPA.210	202,67	1	2870	G
SNR	EXPA.211	259,14	1	3,5	KG
SNR	EXPA.212	352,24	1	3,8	KG
SNR	EXPG.201	83,26	1	710	G
SNR	EXPG201N	192,93	1	710	G
SNR	EXPG.202	83,26	1	690	G
SNR	EXPG202N	192,93	1	690	G
SNR	EXPG.203	83,26	1	670	G
SNR	EXPG203N	192,93	1	670	G
SNR	EXPG.204	85,51	1	640	G

SNR	EXPG204N	192,73	1	640	G
SNR	EXPG.205	96,39	1	740	G
SNR	EXPG205N	229,66	1	740	G
SNR	EXPG.206	117,46	1	1196	G
SNR	EXPG206N	200,10	1	1,18	KG
SNR	EXPG.207	135,11	1	1655	G
SNR	EXPG207N	209,36	1	1,67	KG
SNR	EXPG.208	160,57	1	1960	G
SNR	EXPG208N	219,70	1	1,97	KG
SNR	EXPG.209	186,03	1	2,355	KG
SNR	EXPG209N	232,54	1	2,36	KG
SNR	EXPG.210	202,67	1	3	KG
SNR	EXPG210N	253,63	1	3	KG
SNR	EXPG.211	259,14	1	3,7	KG
SNR	EXPG211N	298,00	1	3,72	KG
SNR	EXPG.212	352,24	1	4,92	KG
SNR	EXPG212N	405,05	1	5,02	KG
SNR	EXPH.201	81,87	1	1	KG
SNR	EXPH.201.N	191,83	1	1	KG
SNR	EXPH.202	81,87	1	0,98	KG
SNR	EXPH.202.N	191,83	1	1	KG
SNR	EXPH.203	81,87	1	0,96	KG
SNR	EXPH203N	191,83	1	960	G
SNR	EXPH.204	84,17	1	930	G
SNR	EXPH.204.N	191,66	1	900	G
SNR	EXPH.205	95,72	1	1325	G
SNR	EXPH.205.N	194,52	1	1,2	KG
SNR	EXPH.206	115,64	1	1,8	KG
SNR	EXPH.206.N	202,99	1	1	KG
SNR	EXPH.207	134,25	1	2,38	KG
SNR	EXPH.207.N	212,73	1	2,4	KG
SNR	EXPH.208	155,59	1	3	KG
SNR	EXPH.208.N	223,08	1	3	KG
SNR	EXPH.209	183,31	1	3,3	KG
SNR	EXPH.209.N	231,36	1	3,3	KG
SNR	EXPH.210	205,10	1	3955	G
SNR	EXPH.210.N	241,89	1	3,8	KG
SNR	EXSP.201	138,13	1	1,8	KG
SNR	EXSP201N	285,88	1	1,79	KG
SNR	EXSP202N	285,88	1	1,77	KG
SNR	EXSP.203	138,13	1	1,7	KG
SNR	EXSP203N	285,88	1	1,75	KG
SNR	EXSP.204	138,13	1	1,62	KG
SNR	EXSP204N	285,68	1	1,72	KG
SNR	EXSP.205	150,74	1	1,7	KG
SNR	EXSP205N	295,72	1	1,75	KG
SNR	EXSP.206	185,59	1	1985	G
SNR	EXSP206N	310,04	1	2,01	KG
SNR	EXSP.207	214,40	1	2058	G
SNR	EXSP207N	324,37	1	2,2	KG

SNR	EXSP.208	294,19	1	4346	G
SNR	EXSP208N	401,01	1	4,33	KG
SNR	EXSP.209	326,53	1	4,4	KG
SNR	EXSP209N	442,40	1	4,37	KG
SNR	EXSP.210	486,07	1	4200	G
SNR	EXSP210N	664,59	1	4,41	KG
SNR	EXT.201	83,26	1	850	G
SNR	EXT201N	336,70	1	841	G
SNR	EXT.201.WB	778,32	1	5,808	KG
SNR	EXT.202	83,26	1	830	G
SNR	EXT202N	336,70	1	821	G
SNR	EXT.202.WB	778,32	1	800	G
SNR	EXT.203	83,26	1	810	G
SNR	EXT203N	336,70	1	801	G
SNR	EXT.203.WB	778,32	1	800	G
SNR	EXT.204	97,27	1	780	G
SNR	EXT204N	336,70	1	771	G
SNR	EXT.204.WB	778,12	1	800	G
SNR	EXT.205	104,86	1	850	G
SNR	EXT205N	227,52	1	828	G
SNR	EXT.205.WB	779,71	1	900	G
SNR	EXT.206	128,03	1	1324	G
SNR	EXT206N	147,24	1	1,32	KG
SNR	EXT.206.WB	826,98	1	6,894	KG
SNR	EXT.207	149,79	1	1690	G
SNR	EXT.20723	149,79	1	1,7	KG
SNR	EXT207N	155,37	1	1,665	KG
SNR	EXT.207.WB	934,35	1	8570	G
SNR	EXT.208	159,49	1	2458	G
SNR	EXT208N	183,41	1	2,25	KG
SNR	EXT.208.WB	1.004,89	1	11715	G
SNR	EXT.209	187,24	1	2444	G
SNR	EXT209N	215,33	1	2,38	KG
SNR	EXT.209.WB	1.007,78	1	2,5	KG
SNR	EXT.210	215,03	1	2680	G
SNR	EXT.21031	215,03	1	2,772	KG
SNR	EXT.21031WB	735,54	1	12,2	KG
SNR	EXT210L3	279,52	1	2740	G
SNR	EXT210N	233,05	1	2,555	KG
SNR	EXT.210.WB	1.017,64	1	11975	G
SNR	EXT.211	263,35	1	4075	G
SNR	EXT211N	307,07	1	4,048	KG
SNR	EXT.211.WB	1.246,70	1	19,95	KG
SNR	EXT.212	323,75	1	5042	G
SNR	EXT212N	372,30	1	5,07	KG
SNR	EXT.212.WB	1.343,21	1	21340	G
SNR	EXT.213	435,21	1	7014	G
SNR	EXT213N	500,50	1	7,33	KG
SNR	EXT.213.WB	1.401,12	1	7,3	KG
SNR	EXT.214	518,26	1	7224	G

SNR	EXT.215	644,53	1	7,776	KG
SNR	EXT.216	728,71	1	8905	G
SNR	EXT.217	978,99	1	11,1	KG
SNR	EXT305	159,08	1	1,365	KG
SNR	EXT.306	193,16	1	1,9	KG
SNR	EXT.307	222,19	1	2,4	KG
SNR	EXT.308	266,37	1	3230	G
SNR	EXT.309	311,80	1	4,2	KG
SNR	EXT.310	390,04	1	4,2	KG
SNR	EXT.311	496,11	1	6,5	KG
SNR	EXT.312	584,49	1	7,9	KG
SNR	EXT.313	674,11	1	9,9	KG
SNR	EXT.314	843,25	1	11,7	KG
SNR	EXT.315	1.016,19	1	13,5	KG
SNR	EXT.316	1.208,07	1	17,4	KG
SNR	EXT.317	1.341,88	1	20	KG
SNR	EXT.318	1.521,13	1	22,62	KG
SNR	EXT.319	1.763,53	1	27,4	KG
SNR	EXT.320	2.065,25	1	36,6	KG
SNR	LK.204.G2H	75,82	1	144	G
SNR	LK.205.G2H	80,95	1	172	G
SNR	LK.206.G2H	105,26	1	300	G
SNR	LK.207.G2H	116,17	1	236	G
SNR	LK.208.G2H	132,15	1	574	G
SNR	LK.209G2H	217,14	1	590	G
SNR	LK.210G2H	215,15	1	706	G
SNR	LKFD.205H	110,34	1	52	G
SNR	LKFD.206H	140,09	1	0,744	KG
SNR	LKP.207H	154,31	1	1,8	KG
SNR	LKPAE.204H	113,37	1	0,465	KG
SNR	LKPAE.205H	121,80	1	602	G
SNR	LKPE.205.H	105,34	1	746	G
SNR	LKPE.206.H	138,55	1	1,1	KG
SNR	LKPE.207.H	183,24	1	1,53	KG
SNR	LKPE208H	177,46	1	1,81	KG
SNR	LKPE.208HCC	218,00	1	1,882	KG
SNR	LKPE.208HCO	218,00	1	1,8	KG
SNR	LKPE.208HN	204,08	1	1,746	KG
NTN	M-AELFC208D1	164,13	1	2,045	KG
NTN	M-AELFC210	208,29	1	2,955	KG
NTN	M-AELFL205D1	83,62	1	0,602	KG
NTN	M-AELFL206D1	101,60	1	0,875	KG
NTN	M-AELFL207D1	116,82	1	1,205	KG
NTN	M-AELFL208D1	129,26	1	1,505	KG
NTN	M-AELFL210D1	181,21	1	2,055	KG
NTN	M-AELPF206	73,49	1	0,64	KG
NTN	M-AELPP205	63,34	1	0,335	KG
NTN	M-ASFB204	65,25	1	0,334	KG
NTN	M-ASFB205D1	72,97	1	0,34	KG
NTN	M-ASFB206D1	85,87	1	0,555	KG

NTN	M-ASFD201	74,08	1	0,31	KG
NTN	M-ASFD203	74,08	1	0,285	KG
NTN	M-ASFD204	78,29	1	0,4	KG
NTN	M-ASFD205	72,97	1	0,445	KG
NTN	M-ASFW202JD1	94,96	1	0,3	KG
NTN	M-ASFW204D1	94,96	1	0,4	KG
NTN	M-ASP208D1	107,44	1	1,905	KG
NTN	M-ASPF203	39,62	1	0,2	KG
NTN	M-ASPF204	42,66	1	0,3	KG
NTN	M-ASPF205	46,07	1	0,355	KG
NTN	M-ASPF206	57,33	1	0,5	KG
NTN	M-ASPF207	66,40	1	0,755	KG
NTN	M-ASPFL201	39,78	1	0,216	KG
NTN	M-ASPFL202	39,78	1	0,17	KG
NTN	M-ASPFL204	43,42	1	0,22	KG
NTN	M-ASPFL205	46,60	1	0,25	KG
NTN	M-ASPFL206	56,82	1	0,41	KG
NTN	M-ASPFL207	68,05	1	0,588	KG
NTN	M-ASPP201	40,92	1	0,175	KG
NTN	M-ASPP202	40,92	1	0,17	KG
NTN	M-ASPP203	40,92	1	0,14	KG
NTN	M-ASPP204	46,07	1	0,24	KG
NTN	M-ASPP205	49,13	1	0,306	KG
NTN	M-ASPP206	58,59	1	0,42	KG
NTN	M-ASPP207	67,01	1	0,6	KG
NTN	M-CM-UCF208D1	180,50	1	2,216	KG
NTN	M-CM-UCF210D1	227,24	1	3,135	KG
NTN	M-CM-UCFL205D1	108,45	1	0,815	KG
NTN	M-C-UCF208D1	180,50	1	2,25	KG
NTN	M-SM-UCF205D1	94,96	1	0,805	KG
NTN	M-SM-UCFL205D1	94,96	1	0,64	KG
NTN	M-SM-UCFL206D1	113,28	1	0,914	KG
NTN	M-SM-UCFL207D1	130,04	1	1,22	KG
NTN	M-SM-UCFL210D1	209,56	1	2,18	KG
NTN	M-SM-UCT210D1	236,03	1	3,2	KG
NTN	M-S-UCF204D1	88,13	1	0,635	KG
NTN	M-S-UCFC205D1	99,31	1	0,96	KG
NTN	M-S-UCFC206D1	119,38	1	1,385	KG
NTN	M-S-UCFC208D1	167,90	1	2,105	KG
NTN	M-S-UCFC210D1	218,40	1	3,054	KG
NTN	M-S-UCP206D1	124,36	1	1,43	KG
NTN	M-UCC204D1	77,41	1	0,505	KG
NTN	M-UCC205D1	90,60	1	0,655	KG
NTN	M-UCC206D1	109,82	1	0,835	KG
NTN	M-UCC207D1	129,26	1	0,925	KG
NTN	M-UCC208D1	140,11	1	1,23	KG
NTN	M-UCC209D1	164,30	1	1,505	KG
NTN	M-UCC210D1	186,04	1	1,96	KG
NTN	M-UCF201D1	63,70	1	0,65	KG
NTN	M-UCF202D1	63,70	1	0,639	KG

NTN	M-UCF203D1	63,70	1	0,62	KG
NTN	M-UCFA204D1	80,85	1	0,48	KG
NTN	M-UCFA205D1	94,66	1	0,684	KG
NTN	M-UCFA206D1	114,78	1	1,2	KG
NTN	M-UCFA207D1	135,07	1	1,195	KG
NTN	M-UCFA208D1	146,43	1	1,61	KG
NTN	M-UCFC203D1	77,41	1	0,782	KG
NTN	M-UCFC204D1	77,41	1	0,77	KG
NTN	M-UCFC205D1	91,25	1	1	KG
NTN	M-UCFC206D1	109,82	1	1,334	KG
NTN	M-UCFC207D1	129,26	1	1,67	KG
NTN	M-UCFC208D1	140,11	1	2,02	KG
NTN	M-UCFC209D1	164,30	1	2,68	KG
NTN	M-UCFC210D1	186,04	1	3	KG
NTN	M-UCFH204D1	72,79	1	0,582	KG
NTN	M-UCFH205D1	84,44	1	0,623	KG
NTN	M-UCFH206D1	115,27	1	0,95	KG
NTN	M-UCFL201D1	63,70	1	0,508	KG
NTN	M-UCFL202D1	63,70	1	0,46	KG
NTN	M-UCFL203D1	63,70	1	0,48	KG
SNR	MUCFPL202-10	186,21	1	346	G
SNR	MUCFPL204	186,21	1	0,3	KG
SNR	MUCFPL204-12	186,21	1	0,327	KG
SNR	MUCFPL205	206,70	1	0,383	KG
SNR	MUCFPL205-16	206,70	1	0,378	KG
SNR	MUCFPL206	240,35	1	0,524	KG
SNR	MUCFPL206-19	240,35	1	0,539	KG
SNR	MUCFPL206-20	240,35	1	0,511	KG
SNR	MUCFPL207	326,37	1	0,76	KG
SNR	MUCFPL207-20	326,37	1	800	G
SNR	MUCFPL207-23	326,37	1	755	G
SNR	MUCFPL208	360,97	1	1015	G
SNR	MUCFPL208-24	360,97	1	1065	G
NTN	M-UCHB204D1	88,09	1	0,654	KG
NTN	M-UCHB205D1	100,49	1	0,874	KG
NTN	M-UCHB206D1	126,83	1	0,884	KG
NTN	M-UCHB207D1	149,05	1	1,4	KG
NTN	M-UCHB208D1	176,15	1	1,5	KG
NTN	M-UCHB209D1	182,93	1	0,824	KG
NTN	M-UCHP204D1	80,50	1	0,896	KG
NTN	M-UCHP205D1	91,68	1	1,235	KG
NTN	M-UCHP206D1	108,43	1	1,803	KG
SNR	MUCNFL202-10	186,21	1	304	G
SNR	MUCNFL204	186,21	1	0,256	KG
SNR	MUCNFL204-12	186,21	1	0,265	KG
SNR	MUCNFL205	206,70	1	0,316	KG
SNR	MUCNFL205-16	206,70	1	0,322	KG
SNR	MUCNFL206	240,35	1	455	G
SNR	MUCNFL206-19	240,35	1	481	G
SNR	MUCNFL206-20	240,35	1	0,46	KG

SNR	MUCNFL207	326,37	1	0,684	KG
SNR	MUCNFL207-20	326,37	1	748	G
SNR	MUCNFL207-23	326,37	1	668	G
SNR	MUCNFL208	360,97	1	936	G
SNR	MUCNFL208-24	360,97	1	0,935	KG
NTN	M-UCP201D1	63,70	1	0,74	KG
NTN	M-UCP202D1	63,70	1	0,71	KG
NTN	M-UCP203D1	63,70	1	0,714	KG
SNR	MUCPPL202-10	186,21	1	345	G
SNR	MUCPPL204	186,21	1	0,308	KG
SNR	MUCPPL204-12	186,21	1	328	G
SNR	MUCPPL205	206,70	1	0,374	KG
SNR	MUCPPL205-16	206,70	1	0,38	KG
SNR	MUCPPL206	240,35	1	0,572	KG
SNR	MUCPPL206-19	240,35	1	598	G
SNR	MUCPPL206-20	240,35	1	0,6	KG
SNR	MUCPPL207	326,37	1	808	G
SNR	MUCPPL207-20	326,37	1	886	G
SNR	MUCPPL207-23	326,37	1	0,82	KG
SNR	MUCPPL208	360,97	1	1000	G
SNR	MUCPPL208-24	360,97	1	1090	G
NTN	M-UCT202D1	77,41	1	0,808	KG
NTN	M-UCT204D1	77,41	1	0,782	KG
NTN	M-UCT205D1	87,11	1	0,9	KG
NTN	M-UCT206D1	105,60	1	1,292	KG
NTN	M-UCT207D1	133,35	1	1,65	KG
NTN	M-UCT208D1	134,71	1	2,5	KG
NTN	M-UCT209D1	164,30	1	2,42	KG
NTN	M-UCT210D1	178,89	1	2,56	KG
NTN	M-UCUP202D1	91,78	1	0,6	KG
NTN	M-UCUP203D1	91,78	1	0,6	KG
NTN	M-UCUP204D1	91,78	1	0,569	KG
NTN	M-UCUP205D1	105,81	1	0,784	KG
NTN	M-UCUP206D1	119,19	1	1,17	KG
NTN	M-UCUP207D1	150,24	1	1,584	KG
NTN	M-UCUP208D1	160,32	1	1,842	KG
NTN	M-UCUP209D1	183,05	1	2,188	KG
NTN	M-UCUP210D1	212,07	1	2,666	KG
NTN	M-UELF206D1	122,01	1	1,145	KG
NTN	M-UELF207D1	142,52	1	1,685	KG
NTN	M-UELF208D1	152,22	1	1,993	KG
NTN	M-UELF210D1	204,14	1	2,66	KG
NTN	M-UELFC206D1	128,03	1	1,44	KG
NTN	M-UELFC207D1	149,79	1	1,885	KG
NTN	M-UELFC208D1	159,49	1	2,21	KG
NTN	M-UELFC210D1	215,03	1	3,205	KG
NTN	M-UELFL208D1	152,22	1	1,66	KG
NTN	M-UELP206D1	122,01	1	1,4	KG
NTN	M-UELP208D1	152,22	1	2,1	KG
NTN	M-UELP209D1	177,62	1	2,4	KG

NTN	M-UELP210D1	204,14	1	2,9	KG
SNR	PCC205	7,65	1	35	G
SNR	PCC208	11,55	1	0,075	KG
SNR	PF.203	9,20	1	0,128	KG
SNR	PF.204	10,33	1	0,158	KG
SNR	PF.205	10,79	1	0,176	KG
SNR	PF.206	12,78	1	0,296	KG
SNR	PF.207	16,42	1	370	G
SNR	PF.210	55,31	1	0,903	KG
SNR	PFL.203	9,20	1	0,079	KG
SNR	PFL.204	10,33	1	0,088	KG
SNR	PFL.205	10,79	1	0,09	KG
SNR	PFL.206	12,78	1	0,159	KG
SNR	PFL.207	16,43	1	0,182	KG
SNR	PFT.204	10,33	1	0,114	KG
SNR	PFT.205	10,79	1	0,122	KG
SNR	PFT.206	12,78	1	0,224	KG
SNR	PFT.207	18,91	1	0,233	KG
SNR	SCO.208-30	29,60	1	0,075	KG
SNR	SES201	170,24	1	150	G
SNR	SES202	170,24	1	247	G
SNR	SES.203	266,08	1	124	G
SNR	SES204	177,95	1	170	G
SNR	SES20412	177,95	1	175	G
SNR	SES205	179,28	1	0,205	KG
SNR	SES.206	217,39	1	326	G
SNR	SES.207	267,22	1	522	G
SNR	SES20723	267,22	1	490	G
SNR	SES208	338,28	1	0,652	KG
SNR	SES.20824	338,28	1	0,69	KG
SNR	SES209	398,74	1	0,68	KG
SNR	SES210	435,58	1	0,793	KG
SNR	SES.21032	435,58	1	1,18	KG
SNR	SES211	531,80	1	1,09	KG
SNR	SES212	710,31	1	1,376	KG
SNR	SESF204	273,60	1	0,63	KG
SNR	SESF.204-12.CCE	355,67	1	600	G
SNR	SESF.204-12.COE	355,67	1	600	G
SNR	SESF.204-12.N	314,63	1	600	G
SNR	SESF.204.CCE	355,67	1	642	G
SNR	SESF.204.COE	355,67	1	600	G
SNR	SESF.204.N	314,63	1	600	G
SNR	SESF205	292,41	1	828	G
SNR	SESF.205-16.CCE	380,12	1	800	G
SNR	SESF.205-16.COE	380,12	1	800	G
SNR	SESF.205-16.N	336,26	1	800	G
SNR	SESF.205.CCE	380,12	1	800	G
SNR	SESF.205.COE	380,12	1	800	G
SNR	SESF.205.N	336,26	1	835	G
SNR	SESF206	419,78	1	1,126	KG

SNR	SESF.206-19.CCE	545,73	1	1,1	KG
SNR	SESF.206-19.COE	545,73	1	1190	G
SNR	SESF.206-19.N	482,78	1	1,1	KG
SNR	SESF.206-20.CCE	545,73	1	1,1	KG
SNR	SESF.206-20.COE	545,73	1	1,1	KG
SNR	SESF.206-20.N	482,78	1	1,1	KG
SNR	SESF.206.CCE	545,73	1	1,205	KG
SNR	SESF.206.COE	545,73	1	1,198	KG
SNR	SESF.206.N	482,78	1	1115	G
SNR	SESF207	521,09	1	1,5	KG
SNR	SESF.207-22.CCE	677,39	1	1,5	KG
SNR	SESF.207-22.COE	677,39	1	1,5	KG
SNR	SESF.207-22.N	599,24	1	1,5	KG
SNR	SESF.207-23.CCE	677,39	1	1,5	KG
SNR	SESF.207-23.COE	677,39	1	1,5	KG
SNR	SESF.207-23.N	599,24	1	1,5	KG
SNR	SESF.207.CCE	677,39	1	1,575	KG
SNR	SESF.207.COE	677,39	1	1,56	KG
SNR	SESF.207.N	599,24	1	1,5	KG
SNR	SESF208	588,16	1	1955	G
SNR	SESF.208-24.CCE	764,62	1	1,9	KG
SNR	SESF.208-24.COE	764,62	1	1,9	KG
SNR	SESF.208-24.N	676,41	1	1,9	KG
SNR	SESF.208.CCE	764,62	1	1,99	KG
SNR	SESF.208.COE	764,62	1	1,9	KG
SNR	SESF.208.N	676,41	1	1,9	KG
SNR	SESF209	674,58	1	2,14	KG
SNR	SESF.209-28.CCE	876,98	1	2,1	KG
SNR	SESF.209-28.COE	876,98	1	2,1	KG
SNR	SESF.209-28.N	775,77	1	2,1	KG
SNR	SESF.209.CCE	876,98	1	2,1	KG
SNR	SESF.209.COE	876,98	1	2,1	KG
SNR	SESF.209.N	775,77	1	2,1	KG
SNR	SESF210	798,62	1	2604	G
SNR	SESF.210-31.CCE	1.038,22	1	2,5	KG
SNR	SESF.210-31.COE	1.038,22	1	2,5	KG
SNR	SESF.210-31.N	918,42	1	2,5	KG
SNR	SESF.210-32.CCE	1.038,22	1	2,5	KG
SNR	SESF.210-32.COE	1.038,22	1	2,5	KG
SNR	SESF.210-32.N	918,42	1	2,5	KG
SNR	SESF.210.COE	1.038,22	1	2,668	KG
SNR	SESF.210.N	918,42	1	2,5	KG
SNR	SESF.211	928,28	1	3928	G
SNR	SESF.211.CCE	1.206,77	1	3,1	KG
SNR	SESF.211.COE	1.206,77	1	3,1	KG
SNR	SESF.211.N	1.067,54	1	3,1	KG
SNR	SESF.212	1.099,28	1	5,115	KG
SNR	SESF.212.COE	1.539,38	1	5,57	KG
SNR	SESF.212.N	1.510,05	1	4,1	KG
SNR	SESF.204	273,60	1	468	G

SNR	SESFL.204-12	1.407,35	1	400	G
SNR	SESFL.204-12.CCE	355,67	1	400	G
SNR	SESFL.204-12.COE	355,67	1	400	G
SNR	SESFL.204-12.N	314,63	1	400	G
SNR	SESFL204CCE	355,67	1	0,4	KG
SNR	SESFL.204.COE	355,67	1	400	G
SNR	SESFL.204.N	314,63	1	400	G
SNR	SESFL.205	292,41	1	585	G
SNR	SESFL.205-16	292,41	1	0,58	KG
SNR	SESFL.205-16.CCE	380,12	1	600	G
SNR	SESFL.205-16.COE	380,12	1	600	G
SNR	SESFL.205-16.N	336,26	1	600	G
SNR	SESFL.205.CCE	380,12	1	600	G
SNR	SESFL.205.COE	380,12	1	598	G
SNR	SESFL.205.N	374,71	1	568	G
SNR	SESFL.206	419,78	1	866	G
SNR	SESFL.206-19	419,78	1	900	G
SNR	SESFL.206-19.COE	545,73	1	900	G
SNR	SESFL.206-19.N	482,78	1	900	G
SNR	SESFL.206-20	419,78	1	900	G
SNR	SESFL.206-20.CCE	545,73	1	900	G
SNR	SESFL.206-20.COE	545,73	1	600	G
SNR	SESFL.206-20.N	482,78	1	900	G
SNR	SESFL.206.CCE	545,73	1	0,9	KG
SNR	SESFL.206.COE	545,73	1	900	G
SNR	SESFL.206.N	482,78	1	900	G
SNR	SESFL.207	521,09	1	1195	G
SNR	SESFL.207-22	521,09	1	1,2	KG
SNR	SESFL.207-22.CCE	677,39	1	1,2	KG
SNR	SESFL.207-22.COE	677,39	1	1,2	KG
SNR	SESFL.207-22.N	599,24	1	1,2	KG
SNR	SESFL.207-23	521,09	1	1,2	KG
SNR	SESFL.207-23.CCE	677,39	1	1,2	KG
SNR	SESFL.207-23.COE	677,39	1	1,2	KG
SNR	SESFL.207-23.N	599,24	1	1,2	KG
SNR	SESFL.207.CCE	677,39	1	1,2	KG
SNR	SESFL.207.COE	677,39	1	1,2	KG
SNR	SESFL.207.N	599,24	1	1,2	KG
SNR	SESFL.208	588,16	1	1530	G
SNR	SESFL.208-24	588,16	1	1,566	KG
SNR	SESFL.208-24.CCE	764,62	1	1,5	KG
SNR	SESFL.208-24.COE	764,62	1	1,5	KG
SNR	SESFL.208-24.N	676,41	1	1,5	KG
SNR	SESFL.208.CCE	764,62	1	1,6	KG
SNR	SESFL.208.COE	764,62	1	1,5	KG
SNR	SESFL.208.N	676,41	1	1,5	KG
SNR	SESFL.209	674,58	1	1,725	KG
SNR	SESFL.209-28	674,58	1	900	G
SNR	SESFL.209-28.CCE	876,98	1	1,9	KG
SNR	SESFL.209-28.COE	876,98	1	1,9	KG

SNR	SESFL.209-28.N	775,77	1	1,9	KG
SNR	SESFL.209.CCE	876,98	1	1,9	KG
SNR	SESFL.209.COE	876,98	1	1,9	KG
SNR	SESFL.209.N	775,77	1	1,9	KG
SNR	SESFL.210	798,62	1	2095	G
SNR	SESFL.210-31	798,62	1	2,2	KG
SNR	SESFL.210-31.CCE	1.039,22	1	2,2	KG
SNR	SESFL.210-31.COE	1.039,22	1	2,2	KG
SNR	SESFL.210-31.N	918,42	1	2,2	KG
SNR	SESFL.210-32	798,62	1	2,2	KG
SNR	SESFL.210-32.CCE	1.039,22	1	2,2	KG
SNR	SESFL.210-32.COE	1.039,22	1	2,2	KG
SNR	SESFL.210-32.N	918,42	1	2,2	KG
SNR	SESFL.210.COE	1.039,22	1	2,215	KG
SNR	SESFL.210.N	918,42	1	2,05	KG
SNR	SESP204	273,60	1	0,808	KG
SNR	SESP20412	1.407,28	1	830	G
SNR	SESP.204-12.COE	355,67	1	700	G
SNR	SESP.204-12.N	314,76	1	700	G
SNR	SESP.204.COE	355,67	1	700	G
SNR	SESP.204.N	314,63	1	700	G
SNR	SESP205	292,41	1	0,944	KG
SNR	SESP20516	292,41	1	0,92	KG
SNR	SESP.205-16.COE	380,12	1	800	G
SNR	SESP.205-16.N	336,26	1	800	G
SNR	SESP.205.COE	380,12	1	800	G
SNR	SESP.205.N	336,26	1	800	G
SNR	SESP206	419,78	1	1,568	KG
SNR	SESP20619	419,78	1	1,57	KG
SNR	SESP.206-19.COE	545,73	1	1,4	KG
SNR	SESP.206-19.N	482,78	1	1,4	KG
SNR	SESP20620	419,78	1	1,57	KG
SNR	SESP.206-20.N	482,78	1	1,4	KG
SNR	SESP.206.COE	545,73	1	1,4	KG
SNR	SESP.206.N	482,78	1	1,4	KG
SNR	SESP207	521,09	1	1915	G
SNR	SESP20722	521,09	1	1,98	KG
SNR	SESP.207-22.COE	677,39	1	1,8	KG
SNR	SESP.207-22.N	599,24	1	1,8	KG
SNR	SESP20723	521,09	1	1,98	KG
SNR	SESP.207-23.COE	677,39	1	1,8	KG
SNR	SESP.207-23.N	599,24	1	1,8	KG
SNR	SESP.207.COE	677,39	1	1,8	KG
SNR	SESP.207.N	599,24	1	1,8	KG
SNR	SESP208	588,16	1	2,302	KG
SNR	SESP20824	588,16	1	2,4	KG
SNR	SESP.208-24.COE	764,62	1	2,1	KG
SNR	SESP.208-24.N	676,41	1	2,1	KG
SNR	SESP.208.COE	764,62	1	2,1	KG
SNR	SESP.208.N	650,77	1	2,1	KG

SNR	SESP209	674,58	1	2,592	KG
SNR	SESP20928	674,58	1	2,69	KG
SNR	SESP.209-28.CCE	876,98	1	2,4	KG
SNR	SESP.209-28.COE	876,98	1	2,4	KG
SNR	SESP.209-28.N	775,77	1	2,4	KG
SNR	SESP.209.CCE	876,98	1	2,4	KG
SNR	SESP.209.COE	876,98	1	2,4	KG
SNR	SESP.209.N	775,77	1	2,4	KG
SNR	SESP210	798,62	1	2,96	KG
SNR	SESP21031	798,62	1	3,26	KG
SNR	SESP.210-31.COE	1.038,22	1	3	KG
SNR	SESP.210-31.N	918,42	1	3	KG
SNR	SESP.210-32	798,62	1	3,2	KG
SNR	SESP.210-32.COE	1.038,22	1	3	KG
SNR	SESP.210-32.N	918,42	1	3	KG
SNR	SESP.210.COE	1.038,22	1	3	KG
SNR	SESP.210.N	918,42	1	3	KG
SNR	SESP211	928,28	1	4010	G
SNR	SESP.211.COE	1.206,77	1	3,4	KG
SNR	SESP.211.N	1.067,54	1	3,4	KG
SNR	SESP212	1.099,28	1	5478	G
SNR	SESP.212.COE	1.429,07	1	4,7	KG
SNR	SESP.212.N	1.264,17	1	4,7	KG
SNR	SESPA204	301,05	1	684	G
SNR	SESPA20412	1.432,17	1	690	G
SNR	SESPA.204-12.COE	391,39	1	500	G
SNR	SESPA.204-12.N	346,21	1	500	G
SNR	SESPA.204.COE	391,39	1	500	G
SNR	SESPA.204.N	346,21	1	500	G
SNR	SESPA205	321,70	1	750	G
SNR	SESPA20516	321,70	1	0,755	KG
SNR	SESPA.205-16.COE	418,22	1	7	KG
SNR	SESPA.205-16.N	369,95	1	700	G
SNR	SESPA.205.COE	418,22	1	700	G
SNR	SESPA.205.N	369,95	1	700	G
SNR	SESPA206	461,88	1	1270	G
SNR	SESPA20619	461,89	1	1,3	KG
SNR	SESPA.206-19.COE	600,44	1	1,1	KG
SNR	SESPA.206-19.N	531,18	1	1,1	KG
SNR	SESPA20620	461,89	1	1,3	KG
SNR	SESPA.206-20.COE	600,44	1	1,1	KG
SNR	SESPA.206-20.N	531,18	1	1,1	KG
SNR	SESPA.206.COE	600,44	1	1,1	KG
SNR	SESPA.206.N	531,18	1	0,984	KG
SNR	SESPA207	573,13	1	1,51	KG
SNR	SESPA20722	573,13	1	1,75	KG
SNR	SESPA.207-22.COE	745,07	1	1,5	KG
SNR	SESPA.207-22.N	659,10	1	1,5	KG
SNR	SESPA20723	573,13	1	1,75	KG
SNR	SESPA.207-23.COE	745,07	1	1,5	KG

SNR	SESPA.207-23.N	659,10	1	1,5	KG
SNR	SESPA.207.COE	745,07	1	1,5	KG
SNR	SESPA.207.N	659,10	1	1,5	KG
SNR	SESPA208	646,41	1	1950	G
SNR	SESPA20824	646,41	1	1,92	KG
SNR	SESPA.208-24.COE	840,34	1	1,8	KG
SNR	SESPA.208-24.N	743,36	1	1,8	KG
SNR	SESPA.208.COE	840,34	1	1,8	KG
SNR	SESPA.208.N	743,36	1	1,8	KG
SNR	SESPA209	742,25	1	2,1	KG
SNR	SESPA20928	742,25	1	2,3	KG
SNR	SESPA.209-28.CCE	964,93	1	2,1	KG
SNR	SESPA.209-28.COE	964,93	1	2,1	KG
SNR	SESPA.209-28.N	853,59	1	2,1	KG
SNR	SESPA.209.CCE	964,93	1	2,1	KG
SNR	SESPA.209.COE	964,93	1	2,11	KG
SNR	SESPA.209.N	853,59	1	2,1	KG
SNR	SESPA210	877,55	1	2770	G
SNR	SESPA21031	877,55	1	2,81	KG
SNR	SESPA.210-31.COE	1.140,82	1	2,6	KG
SNR	SESPA.210-31.N	1.009,18	1	2,6	KG
SNR	SESPA21032	877,55	1	2,81	KG
SNR	SESPA.210-32.COE	1.140,82	1	2,6	KG
SNR	SESPA.210-32.N	1.009,18	1	2,6	KG
SNR	SESPA.210.COE	1.140,82	1	2,6	KG
SNR	SESPA.210.N	1.009,18	1	2,6	KG
SNR	SEST.204	301,05	1	700	G
SNR	SEST.204-12	1.414,06	1	700	G
SNR	SEST.204-12.COE	391,39	1	800	G
SNR	SEST.204-12.N	346,21	1	700	G
SNR	SEST.204.COE	391,39	1	700	G
SNR	SEST204N	346,21	1	710	G
SNR	SEST.205	321,70	1	856	G
SNR	SEST.205-16	321,70	1	800	G
SNR	SEST.205-16.COE	418,22	1	800	G
SNR	SEST.205-16.N	369,95	1	900	G
SNR	SEST.205.COE	418,22	1	800	G
SNR	SEST.205.N	413,54	1	900	G
SNR	SEST.206	461,88	1	1324	G
SNR	SEST.206-19	461,88	1	1,2	KG
SNR	SEST.206-19.COE	600,44	1	1,2	KG
SNR	SEST.206-19.N	531,18	1	1,2	KG
SNR	SEST.206-20	461,88	1	1,2	KG
SNR	SEST.206-20.COE	600,44	1	1,2	KG
SNR	SEST.206-20.N	531,18	1	1,2	KG
SNR	SEST.206.COE	600,44	1	1,2	KG
SNR	SEST.206.N	531,18	1	1,2	KG
SNR	SEST.207	573,13	1	1715	G
SNR	SEST.207-22	573,13	1	1,6	KG
SNR	SEST.207-22.COE	745,07	1	1,6	KG

SNR	SEST.207-22.N	659,10	1	1,6	KG
SNR	SEST.207-23	573,13	1	1,6	KG
SNR	SEST.207-23.COE	745,07	1	1,6	KG
SNR	SEST.207-23.N	659,10	1	1,6	KG
SNR	SEST.207.COE	745,07	1	1,6	KG
SNR	SEST.207.N	659,10	1	1,6	KG
SNR	SEST.208	646,41	1	2484	G
SNR	SEST.208-24	646,41	1	2,3	KG
SNR	SEST.208-24.COE	840,34	1	2,3	KG
SNR	SEST.208-24.N	743,36	1	2,3	KG
SNR	SEST.208.COE	840,34	1	2,3	KG
SNR	SEST.208.N	743,36	1	2,3	KG
SNR	SEST.209	742,25	1	2445	G
SNR	SEST.209-28	742,25	1	2,4	KG
SNR	SEST.209-28.COE	964,93	1	2,3	KG
SNR	SEST.209-28.N	853,59	1	2,4	KG
SNR	SEST.209.COE	964,93	1	2,3	KG
SNR	SEST.209.N	853,59	1	2,4	KG
SNR	SEST.210	877,55	1	2755	G
SNR	SEST.210-31	877,55	1	2,5	KG
SNR	SEST.210-31.COE	1.140,82	1	2,5	KG
SNR	SEST.210-31.N	1.009,18	1	2,5	KG
SNR	SEST.210-32	877,55	1	2,5	KG
SNR	SEST.210-32.COE	1.140,82	1	2,5	KG
SNR	SEST.210-32.N	1.009,18	1	2,5	KG
SNR	SEST.210.COE	1.140,82	1	2,5	KG
SNR	SEST.210.N	1.009,18	1	2,5	KG
SNR	SF204	116,30	1	468	G
SNR	SF204N	133,73	1	455	G
SNR	SF205	137,26	1	642	G
SNR	SF205N	174,64	1	0,625	KG
SNR	SF206	246,06	1	0,828	KG
SNR	SF206N	282,97	1	0,82	KG
SNR	SF.207	261,61	1	0,886	KG
SNR	SF207N	365,06	1	985	G
SNR	SF208	335,01	1	1,338	KG
SNR	SF208N	385,23	1	1,305	KG
SNR	SF209	384,61	1	1,489	KG
SNR	SF209N	442,30	1	1,542	KG
SNR	SF210	446,75	1	1,617	KG
SNR	SF210N	513,76	1	1,83	KG
SNR	SF211	492,58	1	2331	G
SNR	SF211N	566,49	1	2825	G
SNR	SF212	688,38	1	4020	G
SNR	SF212N	1.124,10	1	3,81	KG
SNR	SFL204	120,98	1	302	G
SNR	SFL204N	173,24	1	290	G
SNR	SFL205	142,78	1	390	G
SNR	SFL205N	164,20	1	380	G
SNR	SFL206	255,89	1	568	G

SNR	SFL206N	294,28	1	525	G
SNR	SFL207	330,14	1	730	G
SNR	SFL207N	379,66	1	665	G
SNR	SFL208	348,43	1	916	G
SNR	SFL209	390,84	1	1086	G
SNR	SFL209N	459,83	1	1,04	KG
SNR	SFL210	464,63	1	1,35	KG
SNR	SFL210N	534,31	1	1,315	KG
NTN	SM-UCF204D1	88,13	1	0,62	KG
NTN	SM-UCF206D1	113,28	1	1,07	KG
NTN	SM-UCF207D1	136,05	1	1,535	KG
NTN	SM-UCF208D1	159,08	1	1,815	KG
NTN	SM-UCF209D1	178,01	1	2,245	KG
NTN	SM-UCF210D1	209,56	1	2,61	KG
NTN	SM-UCF211D1	266,37	1	3,53	KG
NTN	SM-UCF212D1	329,48	1	4,156	KG
NTN	SM-UCF213D1	391,33	1	5,96	KG
NTN	SM-UCFC204D1	87,22	1	0,79	KG
NTN	SM-UCFC205D1	99,31	1	1,03	KG
NTN	SM-UCFC206D1	119,38	1	1,39	KG
NTN	SM-UCFC207D1	144,21	1	1,74	KG
NTN	SM-UCFC208D1	167,90	1	2,07	KG
NTN	SM-UCFC209D1	184,30	1	2,795	KG
NTN	SM-UCFC210D1	218,40	1	3,055	KG
NTN	SM-UCFC211D1	278,97	1	4,33	KG
NTN	SM-UCFC212D1	342,08	1	5,195	KG
NTN	SM-UCFL203D1	105,35	1	0,485	KG
NTN	SM-UCFL204D1	84,20	1	0,47	KG
NTN	SM-UCFL207D1	130,04	1	1,23	KG
NTN	SM-UCFL208D1	159,08	1	1,555	KG
NTN	SM-UCFL209D1	185,26	1	1,92	KG
NTN	SM-UCFL211D1	266,37	1	3,055	KG
NTN	SM-UCFL212D1	329,48	1	4,135	KG
NTN	SM-UCP204D1	91,67	1	0,75	KG
NTN	SM-UCP205D1	103,01	1	0,88	KG
NTN	SM-UCP206D1	124,36	1	1,44	KG
NTN	SM-UCP207D1	140,11	1	1,8	KG
NTN	SM-UCP210D1	225,93	1	2,85	KG
NTN	SM-UCP212D1	356,01	1	5	KG
NTN	SM-UCP213D1	415,32	1	6,1	KG
NTN	SM-UCT205D1	107,03	1	0,9	KG
NTN	SM-UCT208D1	181,80	1	2,56	KG
NTN	SM-UCT209D1	202,57	1	2,575	KG
NTN	SM-UCT210D1	236,03	1	2,77	KG
NTN	SM-UKF207D1	147,70	1	1,45	KG
NTN	SM-UKF208D1	162,85	1	1,9	KG
NTN	SM-UKF209D1	186,82	1	2,07	KG
NTN	SM-UKF212D1	335,76	1	3,765	KG
NTN	SM-UKFC207D1	152,73	1	1,65	KG
NTN	SM-UKFC209D1	194,42	1	2,6	KG

NTN	SM-UKFC210D1	227,24	1	3,043	KG
NTN	SM-UKFC213D1	420,34	1	5,91	KG
NTN	SM-UKP208D1	176,72	1	1,945	KG
NTN	SM-UKP209D1	200,73	1	2,225	KG
NTN	SM-UKP211D1	295,41	1	3,44	KG
NTN	SM-UKP212D1	364,79	1	4,575	KG
NTN	SM-UKP213D1	420,34	1	5,505	KG
NTN	SM-UKT209D1	209,56	1	2,425	KG
NTN	SM-UKT210D1	244,88	1	2,54	KG
NTN	SM-UKT211D1	308,03	1	4	KG
SNR	SP203-205/52	110,84	1	1,58	KG
SNR	SP204	120,98	1	676	G
SNR	SP204N	150,04	1	650	G
SNR	SP205	142,78	1	641	G
SNR	SP205N	164,20	1	715	G
SNR	SP206	255,89	1	1168	G
SNR	SP206N	297,77	1	1200	G
SNR	SP207	330,14	1	1405	G
SNR	SP207N	346,13	1	1,395	KG
SNR	SP208	348,43	1	1568	G
SNR	SP208-210/80	286,80	1	3,36	KG
SNR	SP208N	400,69	1	1,671	KG
SNR	SP209	399,86	1	1568	G
SNR	SP209N	459,83	1	1,922	KG
SNR	SP210	464,63	1	2,507	KG
SNR	SP210N	623,20	1	2,46	KG
SNR	SP211N	655,95	1	2,903	KG
SNR	SP212N	705,27	1	4,12	KG
SNR	SPA.204	121,22	1	522	G
SNR	SPA204N	164,09	1	485	G
SNR	SPA.205	141,67	1	565	G
SNR	SPA205N	179,80	1	510	G
SNR	SPA.206	243,36	1	956	G
SNR	SPA206N	279,85	1	920	G
SNR	SPA.207	312,30	1	1250	G
SNR	SPA207N	359,16	1	1,157	KG
SNR	SPA.208	332,59	1	1320	G
SNR	SPA208N	382,49	1	1,214	KG
SNR	SPA209	380,72	1	1,6	KG
SNR	SPA209N	437,81	1	1545	G
SNR	SPA.210	445,16	1	2	KG
SNR	SPA210N	511,93	1	1,89	KG
SNR	SPR.14	216,62	1	0,834	KG
SNR	ST204	141,22	1	630	G
SNR	ST204N	162,40	1	602	G
SNR	ST205	142,44	1	678	G
SNR	ST205N	319,90	1	645	G
SNR	ST206	283,50	1	1900	G
SNR	ST206N	326,03	1	975	G
SNR	ST207	363,82	1	1,26	KG

SNR	ST207N	418,43	1	1,18	KG
SNR	ST208	387,53	1	1,86	KG
SNR	ST208N	445,67	1	1,81	KG
SNR	ST209	443,54	1	1,82	KG
SNR	ST209N	510,08	1	1,743	KG
SNR	ST210	518,63	1	1845	G
SNR	ST210N	596,41	1	1,56	KG
SNR	SUCF201	253,11	1	662	G
SNR	SUCF.201.CC	329,04	1	500	G
SNR	SUCF.201.CO	329,04	1	600	G
SNR	SUCF.201.N	291,10	1	600	G
SNR	SUCF202	253,11	1	662	G
SNR	SUCF.202.CC	329,04	1	500	G
SNR	SUCF.202.CO	329,04	1	600	G
SNR	SUCF.202.N	291,10	1	600	G
SNR	SUCF203	253,11	1	755	G
SNR	SUCF.203.CC	329,04	1	500	G
SNR	SUCF.203.CO	329,04	1	600	G
SNR	SUCF.203.N	291,10	1	600	G
SNR	SUCF204	253,11	1	620	G
SNR	SUCF.204-12.CC	329,04	1	630	G
SNR	SUCF.204-12.CO	329,04	1	455	G
SNR	SUCF.204-12.N	291,10	1	600	G
SNR	SUCF.204.CC	329,04	1	0,63	KG
SNR	SUCF.204.CO	329,04	1	0,626	KG
SNR	SUCF.204.N	291,10	1	0,548	KG
SNR	SUCF205	284,67	1	835	G
SNR	SUCF.20516	284,67	1	0,844	KG
SNR	SUCF.205-16.CC	370,09	1	0,824	KG
SNR	SUCF.205-16.CO	370,09	1	800	G
SNR	SUCF.205-16.N	327,35	1	1633	G
SNR	SUCF.205.CC	370,09	1	0,842	KG
SNR	SUCF.205.CO	370,09	1	0,831	KG
NTN	S-UCF205D1	95,97	1	0,815	KG
SNR	SUCF.205.N	327,35	1	808	G
SNR	SUCF206	405,50	1	1114	G
SNR	SUCF20619	405,50	1	1145	G
SNR	SUCF.206-19.CC	527,16	1	1,1	KG
SNR	SUCF.206-19.CO	527,16	1	1,1	KG
SNR	SUCF.206-19.N	466,33	1	1,1	KG
SNR	SUCF.20620	405,50	1	1,126	KG
SNR	SUCF.206-20.CC	527,16	1	1,118	KG
SNR	SUCF.206-20.CO	527,16	1	1,155	KG
SNR	SUCF.206-20.N	466,33	1	1118	G
SNR	SUCF.206.CC	527,16	1	1,166	KG
SNR	SUCF.206.CO	527,16	1	1,16	KG
SNR	SUCF.206.N	466,33	1	1,115	KG
SNR	SUCF207	507,94	1	1,51	KG
SNR	SUCF.20720	507,94	1	1,51	KG
SNR	SUCF.207-22.CC	660,32	1	1,49	KG

SNR	SUCF.207-22.CO	660,32	1	1,51	KG
SNR	SUCF.207-22.N	584,13	1	1875	G
SNR	SUCF.207-23.CC	660,32	1	1,475	KG
SNR	SUCF.207-23.CO	660,32	1	0,89	KG
SNR	SUCF.207-23.N	584,13	1	1400	G
SNR	SUCF.207.CC	660,32	1	1,502	KG
SNR	SUCF.207.CO	542,67	1	1,48	KG
NTN	S-UCF207D1	136,05	1	1,53	KG
SNR	SUCF.207.N	584,13	1	1425	G
SNR	SUCF208	572,93	1	1910	G
SNR	SUCF.20824	572,93	1	1,934	KG
SNR	SUCF.208-24.CC	744,81	1	2,008	KG
SNR	SUCF.208-24.CO	744,81	1	1,9	KG
SNR	SUCF.20824N	658,89	1	1904	G
SNR	SUCF.208.CC	744,81	1	1,926	KG
SNR	SUCF.208.CO	744,81	1	1,94	KG
NTN	S-UCF208D1	159,08	1	1,83	KG
SNR	SUCF.208.N	658,89	1	1871	G
SNR	SUCF209	648,29	1	2,13	KG
SNR	SUCF.209-28.CC	842,79	1	2,1	KG
SNR	SUCF.209-28.CO	842,79	1	2,1	KG
SNR	SUCF.209-28.N	745,54	1	2280	G
SNR	SUCF.209.CC	842,79	1	2,355	KG
SNR	SUCF.209.CO	842,79	1	2,355	KG
NTN	S-UCF209D1	178,01	1	2,24	KG
SNR	SUCF.209.N	745,54	1	2,215	KG
SNR	SUCF210	762,93	1	2520	G
SNR	SUCF.210-31.CC	991,81	1	2,5	KG
SNR	SUCF.210-31.CO	991,81	1	2,5	KG
SNR	SUCF.210-31.N	877,37	1	2545	G
SNR	SUCF.210-32.CC	991,81	1	2,616	KG
SNR	SUCF.210-32.CO	991,81	1	2,5	KG
SNR	SUCF.210-32.N	877,37	1	2,514	KG
SNR	SUCF.210.CC	991,81	1	2,65	KG
SNR	SUCF.210.CO	991,81	1	2,656	KG
NTN	S-UCF210D1	209,56	1	2,56	KG
SNR	SUCF.210.N	877,37	1	2515	G
SNR	SUCF211	890,72	1	3864	G
SNR	SUCF.21132	890,72	1	3,864	KG
SNR	SUCF.211-35.CC	1.157,92	1	3,4	KG
SNR	SUCF.211-35.CO	1.157,92	1	3,4	KG
SNR	SUCF.211-35.N	1.024,31	1	3,4	KG
SNR	SUCF.211.CC	1.157,92	1	3,4	KG
SNR	SUCF.211.CO	1.157,92	1	3,4	KG
NTN	S-UCF211D1	266,37	1	3,54	KG
SNR	SUCF.211.N	1.024,31	1	3,4	KG
SNR	SUCF212	1.052,31	1	5381	G
SNR	SUCF.21239	1.052,31	1	0,538	KG
SNR	SUCF212-39CC	1.459,40	1	4,4	KG
SNR	SUCF.212-39.CO	1.466,70	1	4,4	KG

SNR	SUCF.212-39.N	1.437,30	1	590	G
SNR	SUCF.212.CC	1.459,40	1	4,4	KG
SNR	SUCF.212.CO	1.463,77	1	5,5	KG
NTN	S-UCF212D1	329,48	1	4,22	KG
SNR	SUCF.212.N	1.437,28	1	5,37	KG
NTN	S-UCFC204D1	87,22	1	0,78	KG
NTN	S-UCFC205D1	99,31	1	1,015	KG
NTN	S-UCFC207D1	144,21	1	1,7	KG
NTN	S-UCFC209D1	184,30	1	2,8	KG
NTN	S-UCFC210D1	218,40	1	3,095	KG
NTN	S-UCFC211D1	278,97	1	4,3	KG
NTN	S-UCFC212D1	342,08	1	5,205	KG
NTN	S-UCFC213D1	411,55	1	6,295	KG
SNR	SUCFL.201	253,11	1	502	G
SNR	SUCFL.201.CC	329,04	1	500	G
SNR	SUCFL.201.CO	329,04	1	500	G
SNR	SUCFL.201.N	291,10	1	500	G
SNR	SUCFL.202	253,11	1	492	G
SNR	SUCFL.202.CC	329,04	1	500	G
SNR	SUCFL.202.CO	329,04	1	600	G
SNR	SUCFL.202.N	291,10	1	460	G
SNR	SUCFL.203	253,11	1	470	G
SNR	SUCFL.203.CC	329,04	1	400	G
SNR	SUCFL.203.CO	329,04	1	400	G
SNR	SUCFL.203.N	291,10	1	400	G
SNR	SUCFL.204	253,11	1	450	G
SNR	SUCFL.204-12.CC	329,04	1	0,46	KG
SNR	SUCFL.204-12.CO	329,04	1	400	G
SNR	SUCFL.204-12.N	291,10	1	440	G
SNR	SUCFL.204.CC	329,04	1	0,451	KG
SNR	SUCFL.204.CO	329,04	1	0,456	KG
NTN	S-UCFL204D1	84,20	1	0,465	KG
SNR	SUCFL.204.N	291,10	1	430	G
SNR	SUCFL.205	284,67	1	584	G
SNR	SUCFL.205-16	284,67	1	0,586	KG
SNR	SUCFL.205-16.CC	370,09	1	0,605	KG
SNR	SUCFL.205-16.CO	370,09	1	595	G
SNR	SUCFL.205-16.N	326,60	1	350	G
SNR	SUCFL.205.CC	370,09	1	600	G
SNR	SUCFL.205.CO	370,09	1	0,618	KG
NTN	S-UCFL205D1	94,96	1	0,7	KG
SNR	SUCFL.205.N	327,35	1	582	G
SNR	SUCFL.206	405,50	1	846	G
SNR	SUCFL20619	405,50	1	0,854	KG
SNR	SUCFL.206-19.CC	527,16	1	872	G
SNR	SUCFL.206-19.CO	527,16	1	900	G
SNR	SUCFL.206-19.N	466,33	1	702	G
SNR	SUCFL.206-20	401,26	1	0,85	KG
SNR	SUCFL.206-20.CC	527,16	1	2	KG
SNR	SUCFL.206-20.CO	527,16	1	0,85	KG

SNR	SUCFL.206-20.N	466,33	1	820	G
SNR	SUCFL.206.CC	527,16	1	0,002	KG
SNR	SUCFL.206.CO	527,16	1	0,88	KG
NTN	S-UCFL206D1	113,28	1	1	KG
SNR	SUCFL.206.N	466,33	1	0,83	KG
SNR	SUCFL.207	507,94	1	1160	G
SNR	SUCFL20720	507,94	1	1,18	KG
SNR	SUCFL.207-22.CC	660,32	1	1,2	KG
SNR	SUCFL.207-22.CO	660,32	1	1,175	KG
SNR	SUCFL.207-22.N	584,13	1	1135	G
SNR	SUCFL.207-23.CC	660,32	1	1,2	KG
SNR	SUCFL.207-23.CO	660,32	1	1,2	KG
SNR	SUCFL.207-23.N	584,13	1	1095	G
SNR	SUCFL.207.CC	660,32	1	1,17	KG
SNR	SUCFL.207.CO	660,32	1	1,175	KG
NTN	S-UCFL207D1	130,04	1	1,225	KG
SNR	SUCFL.207.N	584,13	1	1,11	KG
SNR	SUCFL.208	572,93	1	1485	G
SNR	SUCFL.20824	572,93	1	2,5	KG
SNR	SUCFL.208-24.CC	744,81	1	1,568	KG
SNR	SUCFL.208-24.CO	744,81	1	1,5	KG
SNR	SUCFL.208-24.N	658,89	1	1514	G
SNR	SUCFL.208.CC	744,81	1	1,5	KG
SNR	SUCFL.208.CO	744,81	1	1,5	KG
NTN	S-UCFL208D1	159,08	1	1,59	KG
SNR	SUCFL.208.N	658,89	1	1,42	KG
SNR	SUCFL209	648,29	1	1,9	KG
SNR	SUCFL.209-28.CC	842,79	1	1,9	KG
SNR	SUCFL.209-28.CO	842,79	1	1,9	KG
SNR	SUCFL.209-28.N	745,54	1	1,9	KG
SNR	SUCFL.209.CC	842,79	1	1,9	KG
SNR	SUCFL.209.CO	842,79	1	1,9	KG
NTN	S-UCFL209D1	185,26	1	1,94	KG
SNR	SUCFL.209.N	745,54	1	1720	G
SNR	SUCFL.210	762,93	1	2075	G
SNR	SUCFL.210-31.CC	991,81	1	2,2	KG
SNR	SUCFL.210-31.CO	991,81	1	2,2	KG
SNR	SUCFL.210-31.N	877,37	1	2,2	KG
SNR	SUCFL.210-32.CC	991,81	1	2,2	KG
SNR	SUCFL.210-32.CO	991,81	1	2,2	KG
SNR	SUCFL.210-32.N	877,37	1	2,2	KG
SNR	SUCFL.210.CC	991,81	1	2,17	KG
SNR	SUCFL.210.CO	991,81	1	2,16	KG
NTN	S-UCFL210D1	209,56	1	2,175	KG
SNR	SUCFL.210.N	877,37	1	1,9	KG
NTN	S-UCFL211D1	266,37	1	3,05	KG
NTN	S-UCFL212D1	329,48	1	4,035	KG
SNR	SUCP.201	253,11	1	860	G
SNR	SUCP.201.CC	369,38	1	700	G
SNR	SUCP.201.CO	369,38	1	700	G

SNR	SUCP.201.N	293,74	1	3,7	KG
SNR	SUCP202	253,11	1	842	G
SNR	SUCP.202.CC	329,04	1	0,86	KG
SNR	SUCP.202.CO	329,04	1	700	G
SNR	SUCP.202.N	291,54	1	700	G
SNR	SUCP203	253,11	1	830	G
SNR	SUCP.203.CC	329,04	1	700	G
SNR	SUCP.203.CO	329,04	1	700	G
SNR	SUCP.203.N	291,10	1	2	G
SNR	SUCP204	253,11	1	821	G
SNR	SUCP.20412	253,11	1	0,45	KG
SNR	SUCP204-12CC	329,04	1	700	G
SNR	SUCP.204-12.CO	329,04	1	700	G
SNR	SUCP.204-12.N	292,73	1	700	G
SNR	SUCP.204.CC	329,04	1	850	G
SNR	SUCP.204.CO	329,04	1	700	G
NTN	S-UCP204D1	91,67	1	0,75	KG
SNR	SUCP.204.N	291,10	1	780	G
SNR	SUCP205	284,67	1	916	G
SNR	SUCP.20516	284,67	1	0,91	KG
SNR	SUCP.205-16.CC	370,09	1	932	G
SNR	SUCP.205-16.CO	370,09	1	100	G
SNR	SUCP.205-16.N	327,35	1	1040	G
SNR	SUCP.205.CC	370,09	1	946	G
SNR	SUCP.205.CO	370,09	1	800	G
NTN	S-UCP205D1	103,01	1	0,8	KG
SNR	SUCP.205.N	326,50	1	896	G
SNR	SUCP206	405,50	1	1,544	KG
SNR	SUCP.20619	405,50	1	1,552	KG
SNR	SUCP.206-19.CC	527,16	1	1,4	KG
SNR	SUCP.206-19.CO	527,16	1	1,4	KG
SNR	SUCP.206-19.N	466,33	1	1,4	KG
SNR	SUCP.20620	405,50	1	1,535	KG
SNR	SUCP.206-20.CC	527,16	1	1592	G
SNR	SUCP.206-20.CO	527,16	1	1595	G
SNR	SUCP.206-20.N	407,97	1	300	G
SNR	SUCP.206.CC	527,16	1	1,6	KG
SNR	SUCP.206.CO	527,16	1	1,624	KG
NTN	S-UCP206D1	124,36	1	1,41	KG
SNR	SUCP.206.N	407,99	1	1456	G
SNR	SUCP207	507,94	1	1868	G
SNR	SUCP.20720	507,94	1	1,93	KG
SNR	SUCP.20722	507,94	1	1,869	KG
SNR	SUCP.207-22.CC	660,32	1	1970	G
SNR	SUCP.207-22.CO	660,32	1	1980	G
SNR	SUCP.207-22.N	584,13	1	1430	G
SNR	SUCP.20723	507,94	1	1,836	KG
SNR	SUCP.207-23.CC	660,32	1	1935	G
SNR	SUCP.207-23.CO	660,32	1	1935	G
SNR	SUCP.207-23.N	584,13	1	1820	G

SNR	SUCP.207.CC	660,32	1	1,946	KG
SNR	SUCP.207.CO	660,32	1	1,956	KG
NTN	S-UCP207D1	140,11	1	1,75	KG
SNR	SUCP.207.N	584,13	1	1828	G
SNR	SUCP208	572,93	1	2351	G
SNR	SUCP.20824	572,93	1	2,366	KG
SNR	SUCP.208-24.CC	744,81	1	2,496	KG
SNR	SUCP.208-24.CO	744,81	1	2,1	KG
SNR	SUCP.208-24.N	658,89	1	2,09	KG
SNR	SUCP.208.CC	744,81	1	2,48	KG
SNR	SUCP.208.CO	744,81	1	2,492	KG
NTN	S-UCP208D1	169,15	1	2,115	KG
SNR	SUCP.208.N	664,59	1	2270	G
SNR	SUCP209	648,29	1	2,4	KG
SNR	SUCP.20928	648,29	1	2,624	KG
SNR	SUCP.209-28.CC	842,79	1	2,758	KG
SNR	SUCP20928CO	842,79	1	2,72	KG
SNR	SUCP.209-28.N	745,54	1	2,4	KG
SNR	SUCP.209.CC	842,79	1	2,774	KG
SNR	SUCP.209.CO	842,79	1	2,774	KG
NTN	S-UCP209D1	190,60	1	2,42	KG
SNR	SUCP.209.N	745,54	1	2581	G
SNR	SUCP210	762,93	1	3256	G
SNR	SUCP.21031	762,93	1	3,262	KG
SNR	SUCP.210-31.CC	991,81	1	3	KG
SNR	SUCP.210-31.CO	991,81	1	3	KG
SNR	SUCP210-31N	877,37	1	3	KG
SNR	SUCP21032	762,93	1	3,2	KG
SNR	SUCP.210-32.CC	991,81	1	3	KG
SNR	SUCP.210-32.N	877,37	1	3110	G
SNR	SUCP.210.CC	991,81	1	3,44	KG
SNR	SUCP.210.CO	991,81	1	3,264	KG
SNR	SUCP.210.N	877,37	1	3,17	KG
SNR	SUCP211	890,72	1	4126	G
SNR	SUCP.21135	890,72	1	3,994	KG
SNR	SUCP.211-35.CC	1.157,92	1	3,7	KG
SNR	SUCP.211-35.CO	1.157,92	1	3,7	KG
SNR	SUCP.211-35.N	1.024,31	1	3,5	KG
SNR	SUCP.211.CC	1.157,92	1	4,18	KG
SNR	SUCP.211.CO	1.157,92	1	4,265	KG
NTN	S-UCP211D1	287,83	1	3,705	KG
SNR	SUCP.211.N	1.024,31	1	3,7	KG
SNR	SUCP212	1.052,31	1	5584	G
SNR	SUCP.21239	1.052,31	1	5,532	KG
SNR	SUCP.212-39.CC	1.367,98	1	5	KG
SNR	SUCP.212-39.CO	1.367,98	1	5	KG
SNR	SUCP.212-39.N	1.210,15	1	5	KG
SNR	SUCP.212.CC	1.367,98	1	5,854	KG
SNR	SUCP.212.CO	1.367,98	1	5,754	KG
NTN	S-UCP212D1	356,01	1	4,99	KG

SNR	SUCP.212.N	1.210,15	1	5450	G
NTN	S-UCP213D1	415,32	1	5,89	KG
SNR	SUCPA201	278,50	1	700	G
SNR	SUCPA.201.CC	362,04	1	600	G
SNR	SUCPA.201.CO	362,04	1	600	G
SNR	SUCPA.201.N	320,28	1	600	G
SNR	SUCPA202	278,50	1	690	G
SNR	SUCPA.202.CC	362,04	1	600	G
SNR	SUCPA.202.CO	362,04	1	600	G
SNR	SUCPA.202.N	320,28	1	600	G
SNR	SUCPA203	278,50	1	0,48	KG
SNR	SUCPA.203.CC	362,04	1	500	G
SNR	SUCPA.203.CO	362,04	1	500	G
SNR	SUCPA.203.N	320,29	1	500	G
SNR	SUCPA204	278,50	1	787	G
SNR	SUCPA20412	278,47	1	680	G
SNR	SUCPA.204-12.CC	362,04	1	500	G
SNR	SUCPA.204-12.CO	362,04	1	500	G
SNR	SUCPA.204-12.N	320,28	1	500	G
SNR	SUCPA.204.CC	362,99	1	696	G
SNR	SUCPA.204.CO	362,99	1	500	G
SNR	SUCPA.204.N	320,28	1	0,634	KG
SNR	SUCPA205	313,25	1	754	G
SNR	SUCPA20516	313,25	1	750	G
SNR	SUCPA.205-16.CC	407,21	1	766	G
SNR	SUCPA.205-16.CO	407,21	1	700	G
SNR	SUCPA.205-16.N	360,22	1	700	G
SNR	SUCPA.205.CC	407,21	1	700	G
SNR	SUCPA.205.CO	407,21	1	700	G
SNR	SUCPA.205.N	360,22	1	710	G
SNR	SUCPA206	446,09	1	1,09	KG
SNR	SUCPA20619	446,09	1	1,25	KG
SNR	SUCPA.206-19.CC	579,94	1	1,1	KG
SNR	SUCPA.206-19.CO	579,94	1	1,1	KG
SNR	SUCPA.206-19.N	513,02	1	1,1	KG
SNR	SUCPA20620	446,09	1	1,3	KG
SNR	SUCPA.206-20.CC	579,94	1	1,1	KG
SNR	SUCPA.206-20.CO	579,94	1	1,1	KG
SNR	SUCPA.206-20.N	513,02	1	1,1	KG
SNR	SUCPA.206.CC	579,94	1	1,1	KG
SNR	SUCPA.206.CO	579,94	1	1,272	KG
SNR	SUCPA.206.N	513,02	1	1,2	KG
SNR	SUCPA207	558,65	1	1,48	KG
SNR	SUCPA.207-20	605,83	1	1	KG
SNR	SUCPA20722	558,64	1	1,72	KG
SNR	SUCPA.207-22.CC	726,25	1	1,5	KG
SNR	SUCPA.207-22.CO	726,25	1	1,5	KG
SNR	SUCPA.207-22.N	642,45	1	1,5	KG
SNR	SUCPA20723	558,64	1	1,72	KG
SNR	SUCPA.207-23.CC	726,25	1	1,5	KG

SNR	SUCPA.207-23.CO	726,25	1	1,5	KG
SNR	SUCPA.207-23.N	642,45	1	1,5	KG
SNR	SUCPA.207.CC	726,25	1	1,5	KG
SNR	SUCPA.207.CO	726,25	1	1,5	KG
SNR	SUCPA.207.N	642,45	1	1,65	KG
SNR	SUCPA208	629,49	1	1,77	KG
SNR	SUCPA20824	629,49	1	1,955	KG
SNR	SUCPA.208-24.CC	818,34	1	1,8	KG
SNR	SUCPA20824CO	657,24	1	1,91	KG
SNR	SUCPA.208-24.N	723,92	1	1,8	KG
SNR	SUCPA.208.CC	818,34	1	2,014	KG
SNR	SUCPA.208.CO	818,34	1	1,992	KG
SNR	SUCPA.208.N	723,92	1	1,82	KG
SNR	SUCPA209	712,20	1	2238	G
SNR	SUCPA20928	712,20	1	2,33	KG
SNR	SUCPA.209-28.CC	925,87	1	2,1	KG
SNR	SUCPA.209-28.CO	925,87	1	1,8	KG
SNR	SUCPA.209-28.N	819,01	1	2,1	KG
SNR	SUCPA.209.CC	925,87	1	2,1	KG
SNR	SUCPA.209.CO	925,87	1	2,1	KG
SNR	SUCPA.209.N	819,01	1	2,1	KG
SNR	SUCPA210	839,98	1	2730	G
SNR	SUCPA21031	839,98	1	2,83	KG
SNR	SUCPA.210-31.CC	1.091,96	1	2,6	KG
SNR	SUCPA.210-31.CO	1.091,96	1	2,1	KG
SNR	SUCPA.210-31.N	965,96	1	2,6	KG
SNR	SUCPA21032	839,98	1	2,38	KG
SNR	SUCPA.210-32.CC	1.091,96	1	2,6	KG
SNR	SUCPA.210-32.CO	1.091,96	1	2,6	KG
SNR	SUCPA.210-32.N	965,96	1	2,6	KG
SNR	SUCPA.210.CC	1.091,96	1	2,6	KG
SNR	SUCPA.210.CO	1.091,96	1	2,6	KG
SNR	SUCPA.210.N	965,96	1	2,505	KG
SNR	SUCT.201	278,50	1	800	G
SNR	SUCT.201.CC	362,04	1	800	G
SNR	SUCT.201.CO	362,04	1	700	G
SNR	SUCT.201.N	320,28	1	500	G
SNR	SUCT.202	278,50	1	800	G
SNR	SUCT.202.CC	362,04	1	800	G
SNR	SUCT.202.CO	362,04	1	800	G
SNR	SUCT.202.N	320,28	1	700	G
SNR	SUCT.203	278,50	1	700	G
SNR	SUCT.203.CC	362,04	1	700	G
SNR	SUCT.203.CO	362,04	1	700	G
SNR	SUCT.203.N	320,28	1	700	G
SNR	SUCT.204	278,50	1	778	G
SNR	SUCT.204-12	278,50	1	0,795	KG
SNR	SUCT.204-12.CC	361,80	1	700	G
SNR	SUCT.204-12.CO	362,04	1	700	G
SNR	SUCT.204-12.N	320,28	1	700	G

SNR	SUCT.204.CC	362,04	1	700	G
SNR	SUCT.204.CO	362,04	1	700	G
SNR	SUCT.204.N	320,28	1	1,75	KG
SNR	SUCT.205	313,25	1	856	G
SNR	SUCT.205-16	313,25	1	0,85	KG
SNR	SUCT.205-16.CC	417,42	1	800	G
SNR	SUCT.205-16.CO	421,89	1	800	G
SNR	SUCT.205-16.N	397,74	1	800	G
SNR	SUCT.205.CC	415,65	1	800	G
SNR	SUCT.205.CO	418,37	1	800	G
SNR	SUCT.205.N	397,74	1	800	G
SNR	SUCT.206	446,09	1	1304	G
SNR	SUCT.206-19	446,09	1	1,2	KG
SNR	SUCT.206-19.CC	579,94	1	1,2	KG
SNR	SUCT.206-19.CO	579,94	1	1,2	KG
SNR	SUCT.206-19.N	513,02	1	1,2	KG
SNR	SUCT.206-20	446,09	1	1,275	KG
SNR	SUCT.206-20.CC	579,94	1	1,2	KG
SNR	SUCT.206-20.CO	579,94	1	1,2	KG
SNR	SUCT.206-20.N	513,02	1	1,2	KG
SNR	SUCT.206.CC	579,94	1	1,375	KG
SNR	SUCT.206.CO	579,94	1	1375	G
NTN	S-UCT206D1	128,79	1	1,36	KG
SNR	SUCT.206.N	513,02	1	1,25	KG
SNR	SUCT.207	558,65	1	1696	G
SNR	SUCT.207-22	558,65	1	1,66	KG
SNR	SUCT.207-22.CC	726,25	1	1,6	KG
SNR	SUCT.207-22.CO	726,25	1	1,6	KG
SNR	SUCT.207-22.N	642,45	1	1,6	KG
SNR	SUCT.207-23	558,65	1	1,65	KG
SNR	SUCT.207-23.CC	726,25	1	1,6	KG
SNR	SUCT.207-23.CO	726,25	1	1,6	KG
SNR	SUCT.207-23.N	642,45	1	1,6	KG
SNR	SUCT.207.CC	726,25	1	1,3	KG
SNR	SUCT.207.CO	726,25	1	1,6	KG
SNR	SUCT.207.N	770,60	1	1,672	KG
SNR	SUCT.208	629,49	1	2447	G
SNR	SUCT.208-24	629,49	1	2,47	KG
SNR	SUCT.208-24.CC	818,34	1	2,3	KG
SNR	SUCT.208-24.CO	818,34	1	2,5	KG
SNR	SUCT.208-24.N	723,92	1	2,3	KG
SNR	SUCT.208.CC	818,34	1	2,584	KG
SNR	SUCT.208.CO	818,34	1	2,3	KG
NTN	S-UCT208D1	181,80	1	2,59	KG
SNR	SUCT.208.N	723,92	1	2,38	KG
SNR	SUCT.209	712,20	1	2462	G
SNR	SUCT.209-28	712,20	1	2,3	KG
SNR	SUCT.209-28.CC	925,87	1	2,3	KG
SNR	SUCT.209-28.CO	925,87	1	2,3	KG
SNR	SUCT.209-28.N	819,01	1	2,3	KG

SNR	SUCT.209.CC	925,87	1	2,3	KG
SNR	SUCT.209.CO	925,87	1	2,3	KG
NTN	S-UCT209D1	202,57	1	2,62	KG
SNR	SUCT.209.N	818,99	1	2,3	KG
SNR	SUCT.210	839,98	1	2595	G
SNR	SUCT.210-31	839,98	1	2,5	KG
SNR	SUCT.210-31.CC	1.091,96	1	2,5	KG
SNR	SUCT.210-31.CO	1.091,96	1	2,5	KG
SNR	SUCT.210-31.N	965,96	1	2,5	KG
SNR	SUCT.210-32	839,98	1	2,5	KG
SNR	SUCT.210-32.CC	1.091,96	1	2,5	KG
SNR	SUCT.210-32.CO	1.091,96	1	2,5	KG
SNR	SUCT.210-32.N	965,96	1	2,5	KG
SNR	SUCT.210.CC	1.091,96	1	2,5	KG
SNR	SUCT.210.CO	1.091,96	1	2,5	KG
NTN	S-UCT210D1	236,03	1	2,6	KG
SNR	SUCT.210.N	965,96	1	2,5	KG
NTN	S-UKF210D1	218,40	1	2,385	KG
NTN	S-UKFC206D1	132,55	1	1,323	KG
NTN	S-UKFC209D1	194,42	1	2,655	KG
NTN	S-UKFC213D1	420,34	1	5,5	KG
NTN	S-UKP206D1	136,33	1	1,273	KG
NTN	S-UKP208D1	176,72	1	1,968	KG
NTN	S-UKP209D1	200,73	1	2,235	KG
NTN	S-UKP211D1	295,41	1	3,445	KG
NTN	S-UKP213D1	420,34	1	5,48	KG
NTN	UC1P208D1	197,86	1	3,56	KG
NTN	UC1P209D1	217,99	1	3,795	KG
NTN	UC1P210D1	243,64	1	4,395	KG
NTN	UC1P211D1	306,30	1	5,295	KG
NTN	UC1P212D1	391,15	1	7,21	KG
NTN	UC1P213D1	421,41	1	8,89	KG
SNR	UC.201.G2.T04	51,12	1	210	G
SNR	UC.202.G2.T04	51,12	1	200	G
SNR	UC.203.G2.T04	51,12	1	180	G
SNR	UC.204.G2.T04	52,61	1	0,166	KG
SNR	UC.205.G2.T04	58,44	1	0,205	KG
SNR	UC.207.G2.T04	84,02	1	0,52	KG
SNR	UC.208.G2.T04	101,70	1	0,658	KG
SNR	UC.209.G2.T04	116,73	1	0,695	KG
SNR	UC.210.G2.T04	129,02	1	0,715	KG
SNR	UC.211.G2.T04	169,10	1	1,12	KG
SNR	UC.212.G2.T04	226,13	1	1,455	KG
SNR	UC.214.G2.T04	342,17	1	2,05	KG
SNR	UC.215.G2.T04	417,27	1	2,21	KG
SNR	UC.216.G2.T04	495,29	1	2,79	KG
SNR	UC.217.G2.T04	611,60	1	3,38	KG
SNR	UC.218.G2.T04	741,30	1	4,45	KG
SNR	UC312G2L3	429,06	1	2,59	KG
SNR	UCC.201	80,85	1	530	G

SNR	UCC.202	80,85	1	520	G
NTN	UCC202D1	80,85	1	0,12	KG
SNR	UCC.203	80,85	1	500	G
NTN	UCC203D1	80,85	1	0,51	KG
SNR	UCC.204	77,41	1	490	G
SNR	UCC.205	90,60	1	659	G
SNR	UCC.206	109,82	1	814	G
SNR	UCC.207	129,26	1	928	G
SNR	UCC.208	140,11	1	1220	G
NTN	UCC208HT2D1	168,14	1	1,24	KG
SNR	UCC.208T20	218,83	1	1,22	KG
SNR	UCC.209	164,30	1	1514	G
SNR	UCC.210	186,04	1	1924	G
SNR	UCC.211	242,81	1	2166	G
NTN	UCC211D1	242,81	1	2,15	KG
SNR	UCC.212	293,53	1	2448	G
NTN	UCC212D1	293,53	1	2,482	KG
NTN	UCC212HT2D1	352,26	1	2,472	KG
SNR	UCC.212T20	598,67	1	2,49	KG
SNR	UCC.213	360,99	1	2968	G
NTN	UCC213D1	360,99	1	2,99	KG
SNR	UCC.214	449,66	1	5,3	KG
SNR	UCC.215	500,59	1	5,6	KG
SNR	UCC.216	580,46	1	6,4	KG
SNR	UCC.305	138,82	1	0,94	KG
SNR	UCC.306	180,50	1	1290	G
SNR	UCC.307	194,42	1	1700	G
SNR	UCC.308	233,53	1	2,13	KG
NTN	UCC308D1	233,53	1	2,16	KG
SNR	UCC.309	272,68	1	2700	G
SNR	UCC.310	349,70	1	3,3	KG
NTN	UCC310D1	349,70	1	3,345	KG
SNR	UCC.311	439,30	1	3,9	KG
SNR	UCC.312	523,84	1	5095	G
SNR	UCC.313	603,41	1	5,7	KG
SNR	UCC.314	685,46	1	6631	G
SNR	UCC.315	820,54	1	7,695	KG
SNR	UCC.316	1.480,43	1	9238	G
NTN	UCC316D1	993,45	1	9	KG
NTN	UCC316HT2D1	1.192,16	1	9,36	KG
SNR	UCC.317	1.146,27	1	11,3	KG
SNR	UCC.318	1.297,73	1	12,9	KG
SNR	UCC.319	1.514,81	1	15,9	KG
SNR	UCC.320	1.772,38	1	19,2	KG
SNR	UCC.321	2.166,23	1	20,2	KG
SNR	UCC.322	2.398,47	1	28,3	KG
SNR	UCC.324	3.213,97	1	33,5	KG
SNR	UCC.326	4.449,85	1	39	KG
SNR	UCC.328	5.380,15	1	45,5	KG
SNR	UCF.201	63,70	1	630	G

SNR	UCF.201-08	63,70	1	662	G
SNR	UCF.201-08.CC	153,03	1	600	G
SNR	UCF.201-08.N	70,34	1	600	G
SNR	UCF.201.CC	148,65	1	600	G
SNR	UCF.201.CO	156,96	1	600	G
SNR	UCF.201.N	73,24	1	619	G
SNR	UCF.201.T04	76,42	1	600	G
SNR	UCF.202	63,70	1	620	G
SNR	UCF.202-10	63,70	1	651	G
SNR	UCF.202-10.CC	162,97	1	600	G
SNR	UCF.202-10.N	70,34	1	600	G
SNR	UCF.202.CC	82,80	1	0,648	KG
SNR	UCF.202.CO	156,96	1	600	G
SNR	UCF.202.N	73,24	1	609	G
SNR	UCF.202.T04	76,42	1	600	G
SNR	UCF.203	63,70	1	600	G
SNR	UCF.203-11	63,70	1	625	G
SNR	UCF.203-11.CC	153,03	1	500	G
SNR	UCF.203-11.N	70,34	1	500	G
SNR	UCF.203.CC	148,65	1	500	G
SNR	UCF.203.CO	156,61	1	500	G
SNR	UCF.203.N	73,24	1	589	G
SNR	UCF.203.T04	76,42	1	500	G
SNR	UCF.204-12	63,70	1	617	G
SNR	UCF.204-12.CC	145,86	1	600	G
SNR	UCF.204-12.N	70,34	1	600	G
SNR	UCF.204.CC	145,86	1	0,64	KG
SNR	UCF.204.CO	84,20	1	0,655	KG
SNR	UCF.204.L4	89,18	1	620	G
SNR	UCF.204.N	73,24	1	579	G
SNR	UCF204NL3	92,34	1	598	G
SNR	UCF.204.T04	76,42	1	600	G
SNR	UCF.204T20	102,83	1	575	G
SNR	UCF.205-14	73,93	1	640	G
SNR	UCF.205-14.CC	149,75	1	800	G
SNR	UCF.205-14.N	84,82	1	800	G
SNR	UCF.205-15	73,93	1	795	G
SNR	UCF.205-15.CC	149,65	1	800	G
SNR	UCF.205-15.N	84,82	1	800	G
SNR	UCF.205-16	73,93	1	800	G
SNR	UCF.205-16.CC	149,75	1	800	G
SNR	UCF.205-16.N	84,82	1	794	G
SNR	UCF.205.CC	149,75	1	0,802	KG
SNR	UCF.205.CO	154,12	1	830	G
SNR	UCF.205.L4	103,50	1	822	G
SNR	UCF.205.N	85,01	1	789	G
SNR	UCF205NL3	107,01	1	0,81	KG
SNR	UCF.205.T04	88,70	1	800	G
SNR	UCF.205T20	114,50	1	0,821	KG
SNR	UCF.206-18	88,68	1	1,167	KG

SNR	UCF.206-18.CC	157,20	1	1,1	KG
SNR	UCF.206-18.N	99,40	1	1,1	KG
SNR	UCF.206-19	88,68	1	1,137	KG
SNR	UCF.206-19.CC	157,20	1	1,1	KG
SNR	UCF.206-19.N	99,40	1	1,1	KG
SNR	UCF.206-20	88,68	1	1,14	KG
SNR	UCF.206-20.CC	141,60	1	1,1	KG
SNR	UCF.206-20.N	99,40	1	1,1	KG
SNR	UCF.206.CC	156,91	1	1,17	KG
SNR	UCF.206.CO	159,50	1	1,19	KG
NTN	UCF206HT2D1	106,42	1	1,055	KG
SNR	UCF.206.L3	114,71	1	1,105	KG
SNR	UCF.206.L4	122,74	1	1,132	KG
SNR	UCF.206.N	101,98	1	1104	G
SNR	UCF206NL3	128,57	1	1,1	KG
SNR	UCF.206NPZ	291,18	1	1,154	KG
SNR	UCF206NT04	119,73	1	1,1	KG
SNR	UCF.206T04	106,42	1	1,145	KG
SNR	UCF.206.T20	142,33	1	1,13	KG
SNR	UCF.207-20	103,66	1	1,628	KG
SNR	UCF.207-20.CC	166,46	1	1,9	KG
SNR	UCF.207-20.N	115,61	1	1,5	KG
SNR	UCF.207-21	103,66	1	1,631	KG
SNR	UCF.207-21.CC	166,46	1	1,5	KG
SNR	UCF.207-21.N	115,61	1	1,5	KG
SNR	UCF.207-22	103,66	1	1,592	KG
SNR	UCF.207-22.CC	166,46	1	1,5	KG
SNR	UCF.207-22.N	115,61	1	1,5	KG
SNR	UCF.207-23	103,66	1	1,706	KG
SNR	UCF2.07-23.CC	166,46	1	1,5	KG
SNR	UCF.207-23.N	115,61	1	1,5	KG
SNR	UCF.207.CC	140,11	1	1,66	KG
SNR	UCF.207.CO	169,75	1	1,76	KG
NTN	UCF207HT2D1	124,38	1	1,487	KG
SNR	UCF.207.L4	139,40	1	1,54	KG
SNR	UCF.207.N	119,20	1	1546	G
SNR	UCF207NL3	150,29	1	1,556	KG
SNR	UCF.207.T04	124,38	1	1,61	KG
SNR	UCF207T20	186,67	1	1,618	KG
NTN	UCF208-108D1	150,78	1	1,815	KG
SNR	UCF.208-24	125,64	1	1,94	KG
SNR	UCF.208-24.CC	179,30	1	1,9	KG
SNR	UCF.208-24.N	131,19	1	1,9	KG
SNR	UCF.208-25	125,64	1	1,82	KG
SNR	UCF.208-25.CC	179,30	1	1,9	KG
SNR	UCF.208-25.N	131,19	1	1,9	KG
SNR	UCF.208.CC	179,30	1	1,892	KG
SNR	UCF.208.CCT04	173,42	1	1,9	KG
SNR	UCF.208.CCT20	242,33	1	1,9	KG
SNR	UCF.208.CO	182,59	1	1,972	KG

SNR	UCF.208.N	144,47	1	1901	G
SNR	UCF208NL3	182,18	1	1890	G
SNR	UCF.208.T04	150,77	1	1,9	KG
SNR	UCF.208T20	218,33	1	1,868	KG
NTN	UCF209-112D1	165,26	1	2,205	KG
SNR	UCF.209-26	137,72	1	2,254	KG
SNR	UCF.209-26.CC	185,09	1	2,1	KG
SNR	UCF.209-26.N	150,30	1	2,1	KG
SNR	UCF.209-27	137,72	1	2,179	KG
SNR	UCF.209-27.CC	185,09	1	2,1	KG
SNR	UCF.209-27.N	150,30	1	2,1	KG
SNR	UCF.209-28	137,72	1	2,23	KG
SNR	UCF.209-28.CC	185,09	1	2,1	KG
SNR	UCF.209-28.N	150,30	1	2,1	KG
SNR	UCF.209.CC	190,60	1	2,23	KG
SNR	UCF.209.CO	188,16	1	2,266	KG
SNR	UCF.209.L3	179,04	1	2,206	KG
SNR	UCF.209.N	158,36	1	2200	G
SNR	UCF209NL3	199,67	1	2,145	KG
SNR	UCF.209.T04	165,26	1	2,1	KG
SNR	UCF209T20	236,50	1	2,225	KG
NTN	UCF210-115D1	195,71	1	2,52	KG
NTN	UCF210-200D1	195,71	1	2,475	KG
SNR	UCF.210-30	163,10	1	2,68	KG
SNR	UCF.210-30.CC	196,42	1	2,5	KG
SNR	UCF.210-30.N	173,18	1	2,5	KG
SNR	UCF.210-31	163,10	1	2,485	KG
SNR	UCF.210-31.CC	196,42	1	2,5	KG
SNR	UCF.210-31.N	173,18	1	2,5	KG
SNR	UCF.2108.L3	163,10	1	1,94	KG
SNR	UCF.210.CC	225,93	1	2,58	KG
SNR	UCF.210.CO	209,56	1	2,594	KG
NTN	UCF210HT2D1	195,71	1	2,52	KG
SNR	UCF210L3	212,04	1	2,592	KG
SNR	UCF.210.N	187,55	1	2517	G
SNR	UCF210NL3	236,49	1	2485	G
SNR	UCF.210.T04	195,71	1	2,53	KG
SNR	UCF.210T20	264,83	1	2,572	KG
NTN	UCF211-200D1	356,59	1	3,595	KG
SNR	UCF.211-32	212,64	1	3,402	KG
SNR	UCF.211-32.CC	272,93	1	3,4	KG
SNR	UCF.21132L3	276,42	1	3582	G
SNR	UCF.211-32.N	226,67	1	4025	G
SNR	UCF.211-34	212,64	1	3,375	KG
SNR	UCF.211-34.CC	256,22	1	3,4	KG
SNR	UCF.21134L3	276,42	1	3,4	KG
SNR	UCF.211-34.N	226,67	1	3,4	KG
SNR	UCF.211-35	212,64	1	3378	G
SNR	UCF.211-35.CC	256,32	1	3,4	KG
SNR	UCF.21135L3	276,42	1	3380	G

SNR	UCF.211-35.N	226,67	1	3,4	KG
SNR	UCF.211.CC	266,37	1	3,43	KG
SNR	UCF.211.CO	266,37	1	3,44	KG
NTN	UCF211HT2D1	255,14	1	3,365	KG
SNR	UCF.211L3	276,42	1	3348	G
SNR	UCF.211.N	244,52	1	3345	G
SNR	UCF.211.NL3	308,31	1	3,35	KG
SNR	UCF.211.T04	255,14	1	3,4	KG
SNR	UCF.211T20	369,67	1	3,285	KG
SNR	UCF.212-36	256,11	1	4584	G
SNR	UCF.212-36.CC	322,56	1	4,4	KG
SNR	UCF.212-36.N	285,37	1	4,4	KG
SNR	UCF.212-38	256,11	1	4396	G
SNR	UCF.212-38.CC	322,56	1	4,4	KG
SNR	UCF.212-38.N	285,37	1	4,4	KG
SNR	UCF.212-39	256,11	1	4340	G
SNR	UCF.212-39.CC	322,56	1	4,4	KG
SNR	UCF.212-39.N	285,37	1	4,4	KG
SNR	UCF.212.CC	329,48	1	4,638	KG
SNR	UCF.212.CO	329,48	1	4,562	KG
SNR	UCF.212.N	294,53	1	4344	G
SNR	UCF.212.NL3	382,89	1	4,42	KG
SNR	UCF.212.T04	307,35	1	4,4	KG
SNR	UCF.212T20	544,50	1	4,35	KG
SNR	UCF.213	314,06	1	5510	G
NTN	UCF213-208D1	524,74	1	5,675	KG
SNR	UCF.213-40	314,06	1	5560	G
SNR	UCF.213-40.CC	453,53	1	5850	G
SNR	UCF.213-40.N	361,17	1	5,6	KG
SNR	UCF21340T20	606,83	1	5,565	KG
SNR	UCF.213.CC	391,33	1	5,708	KG
SNR	UCF.213.CO	391,33	1	5,61	KG
NTN	UCF213D1	314,06	1	5,5	KG
SNR	UCF213L3	371,91	1	5,47	KG
SNR	UCF.213.N	361,17	1	5420	G
SNR	UCF.213.T04	376,87	1	5,6	KG
SNR	UCF.213T20	606,83	1	5,58	KG
SNR	UCF.214	380,49	1	6260	G
SNR	UCF.214-43	380,49	1	6510	G
SNR	UCF.214-44	380,49	1	6,458	KG
NTN	UCF214D1	380,49	1	6,1	KG
SNR	UCF.214L3	494,67	1	6,2	KG
SNR	UCF.214.T04	456,60	1	6,3	KG
SNR	UCF.214T20	833,55	1	6,285	KG
SNR	UCF.215	443,34	1	6113	G
SNR	UCF.215-47	443,34	1	7523	G
SNR	UCF.215-48	443,34	1	5980	G
NTN	UCF215D1	443,34	1	6,81	KG
SNR	UCF.215L3	625,63	1	6,113	KG
SNR	UCF.215.T04	532,00	1	6,8	KG

SNR	UCF.216	529,06	1	7020	G
SNR	UCF21651	529,06	1	6,95	KG
NTN	UCF216D1	529,06	1	8,035	KG
SNR	UCF.216L3	687,79	1	7,098	KG
SNR	UCF.216.T04	634,87	1	6,92	KG
SNR	UCF.216T20	951,17	1	7,05	KG
SNR	UCF.217	646,30	1	8848	G
SNR	UCF.217-52	646,30	1	9090	G
NTN	UCF217D1	646,30	1	9,3	KG
SNR	UCF.217.T04	775,57	1	8,8	KG
SNR	UCF.218	799,73	1	11288	G
SNR	UCF.218-56	799,73	1	11163	G
NTN	UCF218D1	799,73	1	12,09	KG
SNR	UCF218N	799,73	1	0,001	KG
SNR	UCF.218.T04	959,66	1	11,6	KG
SNR	UCF.218T20	1.599,50	1	11	KG
SNR	UCF.305	141,32	1	1095	G
NTN	UCF305D1	141,32	1	1,115	KG
SNR	UCF.306	170,75	1	1626	G
NTN	UCF306D1	170,75	1	1,67	KG
SNR	UCF.307	202,26	1	2004	G
NTN	UCF307D1	202,26	1	2	KG
SNR	UCF308	242,44	1	2496	G
NTN	UCF308D1	242,44	1	2,7	KG
SNR	UCF.309	285,73	1	3370	G
NTN	UCF309D1	285,73	1	3,489	KG
SNR	UCF.310	356,73	1	4390	G
NTN	UCF310D1	356,73	1	4,072	KG
SNR	UCF.311	429,45	1	5496	G
NTN	UCF311D1	429,45	1	5,53	KG
SNR	UCF.312	516,04	1	6510	G
SNR	UCF.31239	516,04	1	6,285	KG
NTN	UCF312D1	516,04	1	6,325	KG
SNR	UCF312L3	670,87	1	6520	G
SNR	UCF.313	592,26	1	7622	G
NTN	UCF313D1	592,26	1	8,475	KG
SNR	UCF.314	654,56	1	9541	G
NTN	UCF314D1	654,56	1	9,5	KG
SNR	UCF.315	834,66	1	10637	G
NTN	UCF315D1	834,66	1	11,26	KG
SNR	UCF.316	1.007,79	1	12420	G
NTN	UCF316D1	1.007,79	1	14,265	KG
SNR	UCF.317	1.118,63	1	15266	G
NTN	UCF317D1	1.118,63	1	15,916	KG
SNR	UCF.318	1.267,55	1	17314	G
NTN	UCF318D1	1.267,55	1	19,675	KG
SNR	UCF.319	1.464,98	1	26600	G
NTN	UCF319D1	1.464,98	1	21,95	KG
SNR	UCF.320	1.748,98	1	29850	G
NTN	UCF320D1	1.748,98	1	28	KG

SNR	UCF.320T04	2.098,79	1	25,8	KG
SNR	UCF321	2.084,30	1	34,6	KG
SNR	UCF.322	2.365,45	1	38250	G
NTN	UCF322D1	2.365,45	1	36,82	KG
SNR	UCF.322.T04	2.838,54	1	41,3	KG
SNR	UCF.324	3.245,12	1	55700	G
NTN	UCF324D1	3.245,12	1	50	KG
SNR	UCF.324T04	3.894,17	1	49,2	KG
SNR	UCF326	4.294,51	1	67,75	KG
NTN	UCF326D1	4.294,51	1	65	KG
SNR	UCF.328	5.160,34	1	92100	G
NTN	UCF328D1	5.160,34	1	87,44	KG
SNR	UCFA.201	80,85	1	490	G
SNR	UCFA.201.CC	152,14	1	500	G
SNR	UCFA.201.CO	160,43	1	500	G
SNR	UCFA.201.N	153,53	1	500	G
SNR	UCFA.202	80,85	1	480	G
SNR	UCFA.202.CC	152,14	1	600	G
SNR	UCFA.202.CO	160,43	1	600	G
SNR	UCFA.202.N	153,53	1	600	G
SNR	UCFA.203	80,85	1	460	G
SNR	UCFA.203.CC	152,14	1	500	G
SNR	UCFA.203.CO	160,20	1	500	G
NTN	UCFA203D1	80,85	1	0,5	KG
SNR	UCFA.203.N	153,53	1	600	G
SNR	UCFA.204	80,85	1	450	G
SNR	UCFA.204.CC	149,57	1	475	G
SNR	UCFA.204.CO	152,94	1	500	G
SNR	UCFA.204.N	198,71	1	500	G
SNR	UCFA.205	94,66	1	640	G
SNR	UCFA.205.CC	154,44	1	685	G
SNR	UCFA.205.CO	158,81	1	686	G
SNR	UCFA.205L3	123,04	1	670	G
SNR	UCFA.205.N	182,49	1	630	G
SNR	UCFA.206	114,78	1	944	G
SNR	UCFA.206.CC	163,17	1	1,2	KG
SNR	UCFA.206.CO	165,57	1	1,2	KG
SNR	UCFA.206.N	152,55	1	0,914	KG
SNR	UCFA.207	135,07	1	1311	G
SNR	UCFA.207.CC	175,57	1	1,6	KG
SNR	UCFA.207.CO	177,50	1	1,6	KG
SNR	UCFA.207.N	171,85	1	1,6	KG
SNR	UCFA.208	146,43	1	1635	G
SNR	UCFA.208.CC	190,36	1	1,74	KG
SNR	UCFA.208.CO	190,37	1	1,735	KG
SNR	UCFA.208.N	170,46	1	1,42	KG
SNR	UCFA.209	171,68	1	1942	G
SNR	UCFA.209.CC	223,18	1	2,3	KG
SNR	UCFA.209.CO	223,18	1	2,3	KG
SNR	UCFA.209.N	197,42	1	1,735	KG

SNR	UCFA.210	194,42	1	2258	G
SNR	UCFA.210.CC	252,75	1	2,285	KG
SNR	UCFA.210.CO	252,75	1	2,7	KG
NTN	UCFA210D1	194,42	1	2,21	KG
SNR	UCFA.210.N	213,84	1	2,215	KG
SNR	UCFA.211	253,73	1	3,5	KG
SNR	UCFA.211.CC	329,84	1	3,5	KG
SNR	UCFA.211.CO	329,84	1	3,5	KG
SNR	UCFA.211.N	291,79	1	3,5	KG
SNR	UCFA.212	248,14	1	4,2	KG
SNR	UCFA.212.CC	322,56	1	4,2	KG
SNR	UCFA.212.CO	322,56	1	4,2	KG
SNR	UCFA.212.N	285,37	1	4,2	KG
SNR	UCFC.201	77,41	1	710	G
SNR	UCFC20108	77,41	1	761	G
SNR	UCFC.201.CC	152,14	1	700	G
SNR	UCFC.201.CO	160,43	1	700	G
NTN	UCFC201D1	77,41	1	0,795	KG
SNR	UCFC.201.N	89,03	1	704	G
SNR	UCFC.202	77,41	1	700	G
SNR	UCFC20210	77,41	1	750	G
SNR	UCFC.202.CC	152,14	1	700	G
SNR	UCFC.202.CO	160,43	1	700	G
NTN	UCFC202D1	77,41	1	0,795	KG
SNR	UCFC.202.N	89,03	1	694	G
SNR	UCFC.203	77,41	1	680	G
SNR	UCFC20311	69,51	1	600	G
SNR	UCFC.203.CC	152,14	1	600	G
SNR	UCFC.203.CO	160,20	1	600	G
SNR	UCFC.203.N	89,03	1	674	G
SNR	UCFC.204	77,41	1	670	G
SNR	UCFC20412	77,41	1	720	G
SNR	UCFC.204.CC	149,57	1	720	G
SNR	UCFC.204.CO	152,94	1	732	G
SNR	UCFC.204.N	89,03	1	664	G
SNR	UCFC204NL3	112,25	1	600	G
SNR	UCFC.204.T20	109,00	1	720	G
SNR	UCFC.205	91,25	1	1026	G
SNR	UCFC20514	91,25	1	1,052	KG
SNR	UCFC20515	91,25	1	1	KG
SNR	UCFC20516	91,25	1	1014	G
SNR	UCFC.205.CC	154,44	1	1048	G
SNR	UCFC.205.CO	158,81	1	1022	G
SNR	UCFC.205.N	104,92	1	0,975	KG
SNR	UCFC205NL3	118,63	1	1	KG
SNR	UCFC.205T20	122,83	1	1,05	KG
SNR	UCFC.206	109,82	1	1315	G
SNR	UCFC20618	109,82	1	1484	G
SNR	UCFC20619	109,82	1	1,325	KG
SNR	UCFC20620	109,82	1	1,285	KG

SNR	UCFC.206.CC	163,17	1	1390	G
SNR	UCFC.206.CO	165,57	1	1240	G
NTN	UCFC206HT2D1	131,80	1	1,294	KG
SNR	UCFC206L3	142,77	1	1,3	KG
SNR	UCFC.206.N	126,32	1	1,28	KG
SNR	UCFC206NL3	159,26	1	1,3	KG
SNR	UCFC.206T20	153,00	1	1370	G
SNR	UCFC.207	129,26	1	1709	G
SNR	UCFC20720	129,26	1	1804	G
SNR	UCFC20721	129,26	1	1,7	KG
SNR	UCFC20722	129,26	1	1720	G
SNR	UCFC20723	129,26	1	1742	G
SNR	UCFC.207.CC	174,43	1	1794	G
SNR	UCFC.207.CO	177,50	1	1794	G
SNR	UCFC.207.N	148,63	1	1640	G
SNR	UCFC.207.NL3	187,43	1	1,717	KG
SNR	UCFC207T20	200,83	1	1,786	KG
SNR	UCFC.208	140,11	1	1985	G
SNR	UCFC20824	140,11	1	2114	G
SNR	UCFC20825	140,11	1	2145	G
SNR	UCFC.208.CC	184,89	1	2,234	KG
SNR	UCFC.208.CO	188,16	1	2,069	KG
NTN	UCFC208HT2D1	172,53	1	2,06	KG
SNR	UCFC.208.N	161,13	1	2122	G
SNR	UCFC208NL3	209,47	1	2,035	KG
SNR	UCFC208NL4	225,58	1	1,3	KG
SNR	UCFC208T20	229,00	1	2,145	KG
SNR	UCFC.209	164,30	1	2600	G
SNR	UCFC.20926	164,30	1	2,682	KG
SNR	UCFC20927	164,30	1	2,658	KG
SNR	UCFC20928	164,30	1	2605	G
SNR	UCFC.209.CC	194,93	1	2,602	KG
SNR	UCFC.209.CO	197,92	1	2,634	KG
SNR	UCFC209L4	213,59	1	2,485	KG
SNR	UCFC.209.N	188,94	1	2,5	KG
SNR	UCFC.210	186,04	1	2833	G
SNR	UCFC21030	186,04	1	3082	G
SNR	UCFC.210.CC	218,40	1	3038	G
SNR	UCFC.210.CO	218,40	1	3014	G
NTN	UCFC210HT2D1	223,25	1	3,01	KG
SNR	UCFC210L3	241,86	1	2,92	KG
SNR	UCFC.210.N	213,96	1	2782	G
SNR	UCFC.210T20	279,00	1	3,065	KG
SNR	UCFC.211	242,81	1	4160	G
SNR	UCFC21132	213,73	1	4062	G
SNR	UCFC21134	213,73	1	4,138	KG
SNR	UCFC21135	213,73	1	4,032	KG
SNR	UCFC.211.CC	278,97	1	4,1	KG
SNR	UCFC.211.CO	278,97	1	4,2	KG
NTN	UCFC211D1	242,81	1	4,206	KG

SNR	UCFC.211.N	279,24	1	4015	G
SNR	UCFC.212	293,53	1	4880	G
SNR	UCFC21236	293,53	1	5226	G
SNR	UCFC21238	293,53	1	5,084	KG
SNR	UCFC21239	293,53	1	5,104	KG
SNR	UCFC.212.CC	342,08	1	1968	G
SNR	UCFC212CO	342,08	1	5,126	KG
NTN	UCFC212D1	293,53	1	5,3	KG
SNR	UCFC212.L3	381,58	1	5,085	KG
SNR	UCFC.212.N	337,55	1	4,49	KG
SNR	UCFC.212T20	567,33	1	5,1	KG
SNR	UCFC.213	360,99	1	5520	G
SNR	UCFC21340	360,71	1	5738	G
SNR	UCFC.213.CC	411,55	1	5790	G
SNR	UCFC.213.CO	411,55	1	5,75	KG
NTN	UCFC213D1	360,99	1	5,875	KG
SNR	UCFC.213.N	415,14	1	5640	G
SNR	UCFC213R1/8	384,29	1	5500	G
SNR	UCFC.214	498,62	1	6385	G
SNR	UCFC21443	498,62	1	6,4	KG
SNR	UCFC21444	498,62	1	6,47	KG
NTN	UCFC214D1	498,62	1	7,27	KG
SNR	UCFC214.L3	648,22	1	6,599	KG
SNR	UCFC.214T04	598,35	1	6,4	KG
SNR	UCFC.215	621,08	1	7220	G
SNR	UCFC21547	621,08	1	7,2	KG
SNR	UCFC21548	621,08	1	7240	G
NTN	UCFC215D1	621,08	1	7,81	KG
NTN	UCFC215HT2D1	745,19	1	7,81	KG
SNR	UCFC.216	711,97	1	9087	G
SNR	UCFC21651	711,97	1	9,275	KG
NTN	UCFC216D1	711,97	1	2,6	KG
SNR	UCFC216.L3	925,56	1	842	G
SNR	UCFC.216.T20	992,17	1	9	KG
SNR	UCFC.217	840,75	1	10804	G
SNR	UCFC21752	840,75	1	10,6	KG
NTN	UCFC217D1	840,75	1	11,22	KG
SNR	UCFC217T20	1.232,67	1	11,05	KG
SNR	UCFC.218	984,59	1	13040	G
SNR	UCFC21856	984,59	1	13,01	KG
NTN	UCFC218D1	984,59	1	13	KG
SNR	UCFC.218T04	1.181,55	1	13,2	KG
NTN	UCFCX05D1	122,91	1	1,18	KG
NTN	UCFCX06D1	135,43	1	1,585	KG
NTN	UCFCX07D1	151,82	1	1,95	KG
NTN	UCFCX08-108D1	195,95	1	2,01	KG
NTN	UCFCX08D1	178,13	1	1,968	KG
NTN	UCFCX09D1	189,80	1	2,618	KG
NTN	UCFCX10D1	223,49	1	3,2	KG
NTN	UCFCX11D1	255,86	1	4,315	KG

NTN	UCFCX12D1	367,10	1	5,7	KG
NTN	UCFCX13D1	422,33	1	5,337	KG
NTN	UCFCX14D1	454,33	1	7,9	KG
NTN	UCFCX15D1	519,19	1	7,7	KG
NTN	UCFCX16D1	729,91	1	12,45	KG
NTN	UCFCX18D1	1.033,82	1	13,27	KG
NTN	UCFCX20D1	1.661,33	1	18,92	KG
SNR	UCFD.201	60,84	1	450	G
SNR	UCFD.202	59,48	1	0,44	KG
SNR	UCFD.203	59,48	1	0,42	KG
SNR	UCFD204	61,28	1	410	G
SNR	UCFD205	73,85	1	480	G
SNR	UCFD.20516	73,85	1	0,485	KG
SNR	UCFD.206	86,54	1	774	G
SNR	UCFD.207	101,28	1	1068	G
SNR	UCFD.208	115,01	1	1474	G
SNR	UCFD208T04	132,88	1	1	G
NTN	UCFG212D1	1.238,82	1	5,8	KG
NTN	UCFG216D1	3.067,57	1	10,5	KG
NTN	UCFH202D1	72,79	1	0,605	KG
NTN	UCFH207D1	122,35	1	1,375	KG
NTN	UCFH208D1	133,83	1	1,81	KG
NTN	UCFH209D1	163,24	1	2,16	KG
NTN	UCFH210D1	178,10	1	2,5	KG
SNR	UCFL.201	63,70	1	495	G
SNR	UCFL.201-08	63,70	1	0,49	KG
SNR	UCFL.201-08.CC	162,97	1	500	G
SNR	UCFL.201-08.N	73,24	1	500	G
SNR	UCFL.201.CC	79,49	1	518	G
SNR	UCFL.201.CO	156,96	1	400	G
SNR	UCFL.201.N	73,24	1	480	G
SNR	UCFL.201.T04	76,42	1	500	G
SNR	UCFL.202	63,70	1	485	G
SNR	UCFL.202-10	63,70	1	0,47	KG
SNR	UCFL.202-10.CC	162,97	1	500	G
SNR	UCFL.202-10.N	70,34	1	500	G
SNR	UCFL.202.CC	148,65	1	476	G
SNR	UCFL.202.CO	156,96	1	500	G
SNR	UCFL.202.N	73,24	1	0,47	KG
SNR	UCFL202T04	76,42	1	460	G
SNR	UCFL.203	63,70	1	465	G
SNR	UCFL.203-11	63,70	1	400	G
SNR	UCFL.203-11.CC	162,97	1	400	G
SNR	UCFL.203-11.N	70,34	1	400	G
SNR	UCFL.203.CC	148,65	1	455	G
SNR	UCFL.203.CO	156,61	1	400	G
SNR	UCFL.203.L3	82,81	1	474	G
SNR	UCFL.203.N	73,24	1	450	G
SNR	UCFL.203.T04	76,42	1	400	G
SNR	UCFL.204-12	63,70	1	0,445	KG

SNR	UCFL.204-12.CC	155,42	1	400	G
SNR	UCFL.204-12.N	70,34	1	400	G
SNR	UCFL.20412T20	102,67	1	0,462	KG
SNR	UCFL.204CC	145,86	1	452	G
SNR	UCFL.204.CO	149,44	1	452	G
NTN	UCFL204HT2D1	76,43	1	0,455	KG
SNR	UCFL.204.N	73,24	1	440	G
SNR	UCFL204NL3	92,34	1	324	G
SNR	UCFL.204.T04	76,42	1	0,436	KG
SNR	UCFL.204T20	102,67	1	445	G
NTN	UCFL205-100D1	88,71	1	0,615	KG
SNR	UCFL.205-14	73,93	1	0,627	KG
SNR	UCFL.205-14.CC	159,50	1	600	G
SNR	UCFL.205-14.N	84,82	1	600	G
SNR	UCFL.205-15	73,93	1	0,626	KG
SNR	UCFL.205-15.CC	159,30	1	600	G
SNR	UCFL.205-15.N	84,82	1	600	G
SNR	UCFL.205-16	73,93	1	0,639	KG
SNR	UCFL.205-16.CC	159,50	1	600	G
SNR	UCFL.205-16.N	84,82	1	592	G
SNR	UCFL.20516T20	114,17	1	0,616	KG
SNR	UCFL.205.CC	149,75	1	614	G
SNR	UCFL.205.CO	154,12	1	618	G
SNR	UCFL.205.N	85,01	1	644	G
SNR	UCFL205NL3	107,01	1	0,59	KG
SNR	UCFL.205.T04	88,70	1	600	G
SNR	UCFL.205T04CC	113,99	1	0,685	KG
SNR	UCFL.205T04CO	113,99	1	0,685	KG
SNR	UCFL205T20	114,17	1	0,636	KG
SNR	UCFL.206-18	88,68	1	0,918	KG
SNR	UCFL.206-18.CC	167,47	1	900	G
SNR	UCFL.206-18.N	99,40	1	900	G
SNR	UCFL.206-19	88,68	1	0,902	KG
SNR	UCFL.206-19.CC	167,47	1	900	G
SNR	UCFL.206-19.N	99,40	1	900	G
SNR	UCFL.206-20	88,68	1	0,88	KG
SNR	UCFL.206-20.CC	167,47	1	900	G
SNR	UCFL.206-20.N	99,40	1	900	G
SNR	UCFL.206.CC	156,91	1	911	G
SNR	UCFL.206.CO	159,50	1	930	G
NTN	UCFL206G-5HT2D1	178,16	1	0,925	KG
NTN	UCFL206HT2D1	106,42	1	0,9	KG
SNR	UCFL.206L3	115,26	1	0,946	KG
SNR	UCFL.206.N	101,98	1	0,914	KG
SNR	UCFL206NL3	128,57	1	0,88	KG
SNR	UCFL.206NT20	142,33	1	0,4	KG
SNR	UCFL.206.T04	106,42	1	0,885	KG
SNR	UCFL206T20	142,00	1	0,915	KG
NTN	UCFL207-107D1	124,38	1	1,17	KG
SNR	UCFL.207-20	103,66	1	1,28	KG

SNR	UCFL.207-20.CC	177,32	1	1,2	KG
SNR	UCFL.207-20.N	115,61	1	1,2	KG
SNR	UCFL.207-21	103,66	1	1,22	KG
SNR	UCFL.207-21.CC	177,32	1	1,2	KG
SNR	UCFL.207-21.N	115,61	1	1,2	KG
SNR	UCFL.207-22	103,66	1	1,205	KG
SNR	UCFL.207-22.CC	177,32	1	1,2	KG
SNR	UCFL.207-22.N	115,61	1	1,2	KG
SNR	UCFL.207-23	103,66	1	1,194	KG
SNR	UCFL.207-23.CC	177,32	1	1,2	KG
SNR	UCFL.207-23.N	115,61	1	1,2	KG
SNR	UCFL.207.CC	166,46	1	1240	G
SNR	UCFL.207.CO	169,75	1	1260	G
SNR	UCFL.207.N	119,20	1	1190	G
SNR	UCFL.207.T04	124,38	1	1,245	KG
SNR	UCFL207T20	187,00	1	1,23	KG
NTN	UCFL208-108D1	150,78	1	1,575	KG
SNR	UCFL.208-24	125,64	1	1,6	KG
SNR	UCFL.208-24.CC	190,94	1	1,5	KG
SNR	UCFL.208-24.N	131,19	1	1,2	KG
SNR	UCFL.208-25	125,64	1	1,5	KG
SNR	UCFL.208-25.CC	190,94	1	1,5	KG
SNR	UCFL.208-25.N	131,19	1	1,5	KG
SNR	UCFL.208CC	179,30	1	1604	G
SNR	UCFL208CO	182,59	1	1,6	KG
SNR	UCFL.208L3	163,33	1	1,475	KG
SNR	UCFL.208.N	144,47	1	1470	G
SNR	UCFL.208.NL3	182,18	1	1,465	KG
SNR	UCFL.208.T04	150,77	1	1,5	KG
SNR	UCFL208T20	179,83	1	1,5	KG
SNR	UCFL.209-26	137,72	1	1,919	KG
SNR	UCFL.209-26.CC	197,21	1	1,9	KG
SNR	UCFL.209-26.N	150,30	1	1,9	KG
SNR	UCFL.209-27	137,72	1	0,002	KG
SNR	UCFL.209-27.CC	197,21	1	1,9	KG
SNR	UCFL.209-27.N	150,30	1	1,9	KG
SNR	UCFL.209-28	137,72	1	1,849	KG
SNR	UCFL.209-28.CC	185,09	1	1975	G
SNR	UCFL.209-28.N	150,30	1	1,9	KG
SNR	UCFL.209CC	185,09	1	1,96	KG
SNR	UCFL.209.CO	188,16	1	1,9	KG
SNR	UCFL.209L3	179,04	1	1,9	KG
SNR	UCFL.209.N	158,36	1	1,7	KG
SNR	UCFL.209.T04	165,26	1	1,9	KG
SNR	UCFL.210-30	163,10	1	2,245	KG
SNR	UCFL.210-30.CC	209,14	1	2,2	KG
SNR	UCFL.210-30.N	173,18	1	2,2	KG
SNR	UCFL.210-31	163,10	1	2,18	KG
SNR	UCFL.210-31.CC	209,14	1	2,2	KG
SNR	UCFL.210-31.N	173,18	1	2,2	KG

SNR	UCFL.210CC	209,56	1	2240	G
SNR	UCFL.210.CO	209,56	1	2,198	KG
SNR	UCFL.210L3	220,49	1	2,193	KG
SNR	UCFL.210.N	187,55	1	2130	G
SNR	UCFL.210NL3	244,24	1	2,18	KG
SNR	UCFL.210.T04	195,71	1	2,2	KG
SNR	UCFL210T20	265,33	1	2,2	KG
SNR	UCFL.211-32	212,64	1	3,13	KG
SNR	UCFL.211-32.CC	329,74	1	3	KG
SNR	UCFL.211-32.N	310,04	1	3,038	KG
SNR	UCFL.211-34	212,64	1	3,035	KG
SNR	UCFL.211-34.CC	329,74	1	3	KG
SNR	UCFL.211-34.N	310,13	1	3	KG
SNR	UCFL.211-35	212,64	1	2,882	KG
SNR	UCFL.211-35.CC	329,74	1	3	KG
SNR	UCFL.211-35.N	310,13	1	3	KG
SNR	UCFL.211.CC	266,37	1	3	KG
SNR	UCFL211CO	266,37	1	2,98	KG
SNR	UCFL.211.N	244,52	1	2,96	KG
SNR	UCFL.211.T04	255,14	1	3	KG
SNR	UCFL.212-36	256,11	1	3,77	KG
SNR	UCFL.212-36.CC	322,56	1	3,9	KG
SNR	UCFL.212-36.N	285,37	1	3,9	KG
SNR	UCFL.212-38	256,11	1	3,684	KG
SNR	UCFL.212-38.CC	322,56	1	3,9	KG
SNR	UCFL.212-38.N	285,37	1	3,9	KG
SNR	UCFL.212-39	256,11	1	3680	G
SNR	UCFL.212-39.CC	322,56	1	3,9	KG
SNR	UCFL.212-39.N	285,37	1	3,9	KG
SNR	UCFL.212.CC	329,48	1	3,838	KG
SNR	UCFL.212.CO	329,48	1	3750	G
SNR	UCFL.212.N	294,53	1	400	G
SNR	UCFL.212.T04	307,34	1	3,9	KG
SNR	UCFL212T20	544,50	1	3,762	KG
SNR	UCFL.213	314,06	1	4812	G
SNR	UCFL.213-40	314,06	1	4875	G
SNR	UCFL.213-40.CC	453,53	1	4,8	KG
SNR	UCFL.213-40.N	401,20	1	4,8	KG
SNR	UCFL.213.CC	391,33	1	4,8	KG
SNR	UCFL.213.CO	391,33	1	4,8	KG
NTN	UCFL213D1	314,06	1	5	KG
SNR	UCFL.213.N	361,17	1	4,795	KG
SNR	UCFL.213.T04	376,87	1	4,8	KG
SNR	UCFL.214	380,49	1	5520	G
SNR	UCFL.214-43	380,49	1	5,4	KG
SNR	UCFL.214-44	380,49	1	5,414	KG
NTN	UCFL214D1	380,49	1	5,6	KG
SNR	UCFL.214.T04	456,60	1	5,4	KG
SNR	UCFL.214.T20	795,00	1	5,372	KG
SNR	UCFL.215	443,34	1	5444	G

SNR	UCFL.215-47	443,34	1	5395	G
SNR	UCFL.215-48	443,34	1	5,375	KG
NTN	UCFL215D1	443,34	1	6,165	KG
SNR	UCFL.215.T04	585,21	1	5,4	KG
SNR	UCFL.216	529,06	1	6994	G
NTN	UCFL216D1	529,06	1	7,785	KG
SNR	UCFL.216.T04	634,87	1	7,1	KG
SNR	UCFL.216.T20	1.000,67	1	3,827	KG
SNR	UCFL.217	646,30	1	8517	G
SNR	UCFL.217-52	646,30	1	8,5	KG
NTN	UCFL217D1	646,30	1	8,92	KG
SNR	UCFL.217.T04	775,57	1	8,5	KG
SNR	UCFL.218	799,73	1	10622	G
SNR	UCFL.218-56	799,73	1	10,802	KG
NTN	UCFL218D1	799,73	1	11,005	KG
SNR	UCFL.218.T04	959,66	1	10,9	KG
SNR	UCFL.305	141,32	1	900	G
NTN	UCFL305D1	141,32	1	1,1	KG
SNR	UCFL.306	170,75	1	1400	G
NTN	UCFL306D1	170,75	1	1,475	KG
SNR	UCFL.307	202,26	1	1705	G
NTN	UCFL307D1	202,26	1	1,765	KG
SNR	UCFL.308	242,44	1	2242	G
NTN	UCFL308D1	242,44	1	2,5	KG
SNR	UCFL.309	285,73	1	3094	G
NTN	UCFL309D1	285,73	1	2,87	KG
SNR	UCFL.310	356,73	1	4112	G
NTN	UCFL310D1	356,73	1	4,155	KG
SNR	UCFL311	429,45	1	4,884	KG
NTN	UCFL311D1	429,45	1	4,815	KG
SNR	UCFL.312	516,04	1	5912	G
NTN	UCFL312D1	516,04	1	5,91	KG
SNR	UCFL.313	592,26	1	7,4	KG
NTN	UCFL313D1	592,26	1	7,598	KG
SNR	UCFL.314	654,56	1	8926	G
NTN	UCFL314D1	654,56	1	8,78	KG
SNR	UCFL.315	834,66	1	9,86	KG
NTN	UCFL315D1	834,66	1	10,23	KG
SNR	UCFL.316	1.007,79	1	12,761	KG
NTN	UCFL316D1	1.007,79	1	13,3	KG
SNR	UCFL.317	1.118,63	1	14,4	KG
SNR	UCFL.318	1.267,55	1	20690	G
SNR	UCFL.319	1.464,98	1	21,3	KG
SNR	UCFL.320	1.748,98	1	26,1	KG
NTN	UCFL320D1	1.748,98	1	25,945	KG
SNR	UCFL.321	2.084,30	1	25	KG
SNR	UCFL.322	2.365,45	1	38,5	KG
NTN	UCFL322D1	2.365,45	1	33,87	KG
SNR	UCFL.324	3.245,12	1	45	KG
SNR	UCFL.326	4.294,51	1	70	KG

SNR	UCFL.328	5.160,34	1	77,6	KG
NTN	UCFLX05D1	89,40	1	0,99	KG
NTN	UCFLX06D1	124,11	1	1,43	KG
NTN	UCFLX07D1	153,66	1	1,835	KG
NTN	UCFLX08D1	155,45	1	2,12	KG
NTN	UCFLX09D1	194,94	1	2,23	KG
NTN	UCFLX10D1	208,10	1	3,16	KG
SNR	UCFLZ.201	79,21	1	520	G
SNR	UCFLZ.202	79,21	1	510	G
SNR	UCFLZ.203	79,21	1	490	G
SNR	UCFLZ.204	79,68	1	480	G
SNR	UCFLZ.205	94,27	1	680	G
SNR	UCFLZ.206	109,94	1	962	G
SNR	UCFLZ.207	128,73	1	1,282	KG
SNR	UCFLZ.208	145,10	1	1738	G
SNR	UCFLZ.209	161,86	1	1,928	KG
SNR	UCFLZ.210	181,82	1	2,168	KG
SNR	UCFLZ.212	272,46	1	3,732	KG
SNR	UCFS.305	141,32	1	1206	G
NTN	UCFS305D1	141,32	1	1,24	KG
SNR	UCFS.306	170,75	1	1862	G
NTN	UCFS306D1	170,75	1	1,83	KG
SNR	UCFS.307	202,26	1	2270	G
NTN	UCFS307D1	202,26	1	2,4	KG
SNR	UCFS.308	242,44	1	3131	G
NTN	UCFS308D1	242,44	1	0,331	KG
SNR	UCFS.309	285,73	1	3896	G
NTN	UCFS309D1	285,73	1	4	KG
SNR	UCFS310	356,73	1	4,883	KG
NTN	UCFS310D1	356,73	1	5,084	KG
SNR	UCFS.311	429,45	1	5900	G
NTN	UCFS311D1	429,45	1	6,14	KG
SNR	UCFS.312	516,04	1	7561	G
NTN	UCFS312D1	516,04	1	7,059	KG
SNR	UCFS.313	592,26	1	8882	G
NTN	UCFS313D1	592,26	1	8,82	KG
SNR	UCFS.314	654,56	1	10918	G
NTN	UCFS314D1	654,56	1	10,53	KG
SNR	UCFS.315	834,66	1	12940	G
NTN	UCFS315D1	834,66	1	12,5	KG
SNR	UCFS.316	1.007,79	1	14758	G
NTN	UCFS316D1	1.007,79	1	15	KG
SNR	UCFS317	1.118,63	1	17,23	KG
NTN	UCFS317D1	1.118,63	1	17,37	KG
SNR	UCFS.318	1.267,55	1	20766	G
NTN	UCFS318D1	1.267,55	1	21	KG
SNR	UCFS.319	1.464,98	1	31100	G
SNR	UCFS.320	1.748,98	1	35000	G
NTN	UCFS320D1	1.748,98	1	29,625	KG
SNR	UCFS.321	2.072,94	1	34300	G

SNR	UCFS.322	2.365,45	1	45500	G
NTN	UCFS322D1	2.365,45	1	40,6	KG
SNR	UCFS.324	3.245,12	1	55000	G
NTN	UCFS324D1	3.245,12	1	54	KG
SNR	UCFS.326	4.294,51	1	67,9	KG
NTN	UCFS326D1	4.294,51	1	75	KG
SNR	UCFS.328	5.160,34	1	101000	G
NTN	UCFS328D1	5.160,34	1	102,5	KG
NTN	UCFX05D1	104,67	1	1,13	KG
NTN	UCFX06D1	124,11	1	1,63	KG
NTN	UCFX07D1	124,11	1	2,1	KG
NTN	UCFX08D1	135,63	1	2,39	KG
NTN	UCFX09D1	174,21	1	2,555	KG
NTN	UCFX10D1	208,10	1	3,9	KG
NTN	UCFX11D1	262,19	1	4,84	KG
NTN	UCFX12D1	321,96	1	5,2	KG
NTN	UCFX13-208D1	609,21	1	7,125	KG
NTN	UCFX13D1	445,44	1	6,95	KG
NTN	UCFX14D1	490,75	1	7,3	KG
NTN	UCFX15-215D1	569,91	1	8,77	KG
NTN	UCFX15D1	562,68	1	8,1	KG
NTN	UCFX16D1	626,24	1	11,265	KG
NTN	UCFX17D1	826,30	1	12,32	KG
NTN	UCFX18D1	886,16	1	13,74	KG
NTN	UCFX20D1	1.329,08	1	20,445	KG
NTN	UCHB206D1	126,83	1	0,86	KG
NTN	UCHB207D1	149,05	1	1,205	KG
NTN	UCHB210D1	214,90	1	2,29	KG
NTN	UCHB211D1	252,92	1	2,815	KG
NTN	UCHB212D1	342,86	1	3,78	KG
NTN	UCHB213D1	432,82	1	5,73	KG
NTN	UCHP206D1	108,43	1	1,771	KG
NTN	UCHP207D1	115,64	1	2,345	KG
NTN	UCHP208D1	135,18	1	3,255	KG
NTN	UCHP210D1	173,27	1	3,97	KG
SNR	UCP.201	63,70	1	740	G
SNR	UCP.201-08	63,70	1	773	G
SNR	UCP.201-08.N	70,34	1	700	G
SNR	UCP.201.CC	194,34	1	700	G
SNR	UCP.201.CO	204,19	1	700	G
SNR	UCP.201.N	73,24	1	710	G
SNR	UCP.201.T04	76,42	1	700	G
SNR	UCP.202	63,70	1	0,73	KG
SNR	UCP.202-10	63,70	1	758	G
SNR	UCP.202-10.N	70,34	1	700	G
SNR	UCP.202.CC	194,34	1	700	G
SNR	UCP.202.CO	204,11	1	700	G
SNR	UCP.202.N	73,24	1	700	G
SNR	UCP.202.T04	76,42	1	700	G
SNR	UCP.203	63,70	1	0,71	KG

SNR	UCP.203-11	63,70	1	755	G
SNR	UCP.203-11.N	70,34	1	700	G
SNR	UCP.203.CC	194,34	1	700	G
SNR	UCP.203.CO	203,75	1	700	G
SNR	UCP.203.N	73,24	1	680	G
SNR	UCP.203.T04	76,42	1	700	G
NTN	UCP204-012D1	102,64	1	0,73	KG
SNR	UCP.204-12	63,70	1	740	G
SNR	UCP.204-12.N	70,34	1	0,712	KG
SNR	UCP.20412T20	102,67	1	0,73	KG
SNR	UCP.204.CC	191,83	1	0,742	KG
SNR	UCP.204.CO	195,23	1	0,744	KG
NTN	UCP204HT2D1	76,43	1	0,725	KG
SNR	UCP.204.N	73,24	1	0,67	KG
SNR	UCP204NL3	92,34	1	686	G
SNR	UCP.204.T04	76,42	1	716	G
SNR	UCP.204T20	102,67	1	0,66	KG
NTN	UCP205-100D1	88,71	1	0,845	KG
SNR	UCP.205-14	73,93	1	880	G
SNR	UCP.205-14.N	84,82	1	800	G
SNR	UCP.205-15	73,93	1	862	G
SNR	UCP.205-15.N	84,82	1	800	G
SNR	UCP.205-16	73,93	1	825	G
SNR	UCP.20516T20	112,67	1	0,866	KG
SNR	UCP.205.CC	196,42	1	0,854	KG
SNR	UCP205CO	200,79	1	0,875	KG
NTN	UCP205HT2D1	88,71	1	0,85	KG
SNR	UCP.205L3	96,09	1	858	G
SNR	UCP.205.N	85,01	1	770	G
SNR	UCP.205NL3	97,53	1	798	G
SNR	UCP.205.T04	88,70	1	800	G
SNR	UCP.205T20	112,67	1	0,844	KG
NTN	UCP206-102D1	106,42	1	1,435	KG
NTN	UCP206-103D1	106,42	1	1,347	KG
NTN	UCP206-104D1	106,42	1	1,31	KG
SNR	UCP.206-18	88,68	1	1432	G
SNR	UCP.206-18.N	99,40	1	1,375	KG
SNR	UCP.20618T20	143,83	1	1490	G
SNR	UCP.206-19	88,68	1	1440	G
SNR	UCP.206-19.N	99,40	1	1,4	KG
SNR	UCP.20619T20	143,83	1	1486	G
SNR	UCP.206-20	88,68	1	1428	G
SNR	UCP.206-20.N	99,40	1	1,4	KG
SNR	UCP.206.CC	205,48	1	1,486	KG
SNR	UCP.206.CO	207,87	1	1,463	KG
NTN	UCP206HT2D1	106,42	1	1,435	KG
SNR	UCP.206L3	115,27	1	1,4	KG
SNR	UCP.206.L4	119,37	1	1,47	KG
SNR	UCP.206.N	101,98	1	1354	G
SNR	UCP206NL3	128,57	1	1398	G

SNR	UCP.206.T04	106,42	1	1,38	KG
SNR	UCP.206.T20	143,83	1	1448	G
NTN	UCP207-107D1	124,38	1	1,6	KG
SNR	UCP.207-20	103,66	1	1800	G
SNR	UCP.207-20.N	115,61	1	1745	G
SNR	UCP.20720T20	189,33	1	1780	G
SNR	UCP.207-21	103,66	1	1776	G
SNR	UCP.207-21.N	115,61	1	1,8	KG
SNR	UCP.207-22	103,66	1	1762	G
SNR	UCP.207-22.N	115,61	1	1,8	KG
SNR	UCP.207-23	103,66	1	1690	G
SNR	UCP.207-23.N	115,61	1	1,8	KG
SNR	UCP.20723T20	189,33	1	1706	G
SNR	UCP.207.CC	218,70	1	1,8	KG
SNR	UCP.207.CO	221,80	1	1,808	KG
NTN	UCP207HT2D1	124,38	1	1,685	KG
SNR	UCP.207L3CC	165,72	1	1,76	KG
SNR	UCP.207L3CO	165,72	1	1,8	KG
SNR	UCP.207.N	119,20	1	1,672	KG
SNR	UCP207NL3	150,29	1	1660	G
SNR	UCP.207.T04	124,38	1	1,7	KG
SNR	UCP.207T20	189,33	1	1,738	KG
NTN	UCP208-108D1	150,78	1	2,065	KG
SNR	UCP.208-24	125,64	1	2166	G
SNR	UCP.208-24.N	131,19	1	2,26	KG
SNR	UCP.20824T20	218,17	1	2242	G
SNR	UCP.208-25	125,64	1	2154	G
SNR	UCP.208-25.N	131,19	1	2,1	KG
SNR	UCP.208.CC	231,64	1	2,33	KG
SNR	UCP.208.CO	234,94	1	2,132	KG
NTN	UCP208HT2D1	150,78	1	2,01	KG
SNR	UCP.208L3	157,04	1	2,105	KG
SNR	UCP.208.N	144,47	1	2,06	KG
SNR	UCP208NL3	182,18	1	2065	G
SNR	UCP.208.T04	150,77	1	2,135	KG
SNR	UCP.208T20	218,17	1	2,105	KG
NTN	UCP209-112D1	165,26	1	2,265	KG
SNR	UCP.209-26	130,70	1	2560	G
SNR	UCP.209-26.N	150,30	1	2,4	KG
SNR	UCP.20926T20	236,50	1	2584	G
SNR	UCP.209-27	137,72	1	2560	G
SNR	UCP.209-27.N	150,30	1	2,4	KG
SNR	UCP.20927T20	236,50	1	2562	G
SNR	UCP.209-28	137,72	1	2382	G
SNR	UCP.209-28.N	150,30	1	2,44	KG
SNR	UCP.20928T20	236,50	1	2464	G
SNR	UCP.209.CC	238,90	1	2,53	KG
SNR	UCP.209.CO	242,11	1	2,486	KG
SNR	UCP209L3	172,18	1	2,465	KG
SNR	UCP.209.N	158,36	1	2300	G

SNR	UCP209NL3	199,67	1	2,36	KG
SNR	UCP.209.T04	165,26	1	2,4	KG
SNR	UCP.209T20	236,50	1	2,5	KG
NTN	UCP210-114D1	195,71	1	2,79	KG
NTN	UCP210-115D1	195,71	1	2,76	KG
SNR	UCP.210-30	163,10	1	3090	G
SNR	UCP.210-30.N	173,18	1	3	KG
SNR	UCP.210-31	163,10	1	3,01	KG
SNR	UCP.210-31.N	173,18	1	2,9	KG
SNR	UCP.21031T20	270,33	1	3044	G
SNR	UCP.210.CC	254,52	1	3,086	KG
SNR	UCP.210.CO	258,01	1	3,118	KG
NTN	UCP210HT2D1	195,71	1	2,765	KG
SNR	UCP.210.L3	212,04	1	2,956	KG
SNR	UCP.210.N	187,55	1	2,886	KG
SNR	UCP210NL3	236,49	1	2,81	KG
SNR	UCP210NT20	318,00	1	0,001	KG
SNR	UCP.210.T04	195,71	1	3	KG
SNR	UCP.210T20	270,33	1	3,008	KG
SNR	UCP210T20CO	244,65	1	0,001	KG
NTN	UCP211-200D1	325,31	1	3,695	KG
NTN	UCP211-203D1	325,31	1	3,52	KG
SNR	UCP.211-32	212,64	1	3,799	KG
SNR	UCP.211-32.N	226,67	1	3,7	KG
SNR	UCP.21132T20	370,00	1	3876	G
SNR	UCP.211-34	212,64	1	3,454	KG
SNR	UCP.211-34.N	226,67	1	3,7	KG
SNR	UCP.211-35	212,64	1	3,629	KG
SNR	UCP.211-35.N	226,67	1	3,6	KG
SNR	UCP.211.CC	287,83	1	3,878	KG
SNR	UCP.211.CO	287,83	1	3,875	KG
SNR	UCP.211.N	244,52	1	3,574	KG
SNR	UCP.211.T04	255,14	1	3,7	KG
SNR	UCP211T20	370,00	1	3,73	KG
NTN	UCP212-207D1	395,19	1	4,69	KG
SNR	UCP.212-36	256,11	1	5,22	KG
SNR	UCP.212-36.N	285,37	1	5	KG
SNR	UCP.212-38	256,11	1	5,034	KG
SNR	UCP.212-38.N	285,37	1	5	KG
SNR	UCP.212-39	253,28	1	5	KG
SNR	UCP.212-39.N	285,37	1	5	KG
SNR	UCP.212.CC	356,01	1	5,25	KG
SNR	UCP.212.CO	359,90	1	5,256	KG
SNR	UCP212L3	332,95	1	5,05	KG
SNR	UCP.212.N	294,53	1	4,861	KG
SNR	UCP212NL3	371,35	1	4918	G
SNR	UCP.212.T04	307,34	1	5	KG
SNR	UCP.212T20	558,17	1	5,09	KG
SNR	UCP.213	314,06	1	5,945	KG
NTN	UCP213-208D1	471,08	1	5,8	KG

SNR	UCP.213-40	314,06	1	6,2	KG
SNR	UCP.213-40.N	401,20	1	5,96	KG
SNR	UCP21340T20	619,33	1	6,235	KG
SNR	UCP.213.CC	415,32	1	6,392	KG
SNR	UCP.213.CO	415,32	1	6,42	KG
NTN	UCP213D1	314,06	1	5,8	KG
SNR	UCP.213.N	361,17	1	5,996	KG
SNR	UCP.213.T04	376,87	1	6,1	KG
SNR	UCP.214	380,49	1	6,51	KG
SNR	UCP.214-43	380,49	1	6,65	KG
SNR	UCP.214-44	380,49	1	6,686	KG
NTN	UCP214D1	380,49	1	6,52	KG
SNR	UCP.214.T04	456,60	1	6,6	KG
SNR	UCP.214.T20	802,00	1	6,795	KG
SNR	UCP.215	443,34	1	1,37	KG
NTN	UCP215-215D1	576,34	1	7,43	KG
SNR	UCP.215-47	443,34	1	7,608	KG
SNR	UCP.215-48	443,34	1	7,26	KG
NTN	UCP215D1	443,34	1	7,398	KG
SNR	UCP.215.T04	532,00	1	7,3	KG
SNR	UCP215T20	842,83	1	7,466	KG
SNR	UCP.216	529,06	1	9,015	KG
SNR	UCP21651	515,31	1	8,92	KG
NTN	UCP216D1	529,06	1	8,97	KG
SNR	UCP.216.T04	634,87	1	8,9	KG
SNR	UCP.216T20	962,00	1	9,14	KG
SNR	UCP.217	646,30	1	11,12	KG
SNR	UCP.217-52	646,30	1	11,198	KG
NTN	UCP217D1	646,30	1	10,97	KG
SNR	UCP.217.T04	775,57	1	10,8	KG
SNR	UCP.218	799,73	1	13,2	KG
SNR	UCP.218-56	799,73	1	13,308	KG
NTN	UCP218D1	799,73	1	13,29	KG
SNR	UCP.218.T04	959,66	1	13,5	KG
SNR	UCP.218.T20	1.639,67	1	13690	G
SNR	UCP.305	141,32	1	1,47	KG
NTN	UCP305D1	141,32	1	1,41	KG
SNR	UCP.306	170,75	1	2060	G
SNR	UCP.30618	170,75	1	1,9	KG
NTN	UCP306D1	170,75	1	1,795	KG
SNR	UCP.307	202,26	1	2663	G
SNR	UCP.30723	185,47	1	2695	G
NTN	UCP307D1	202,26	1	2,195	KG
SNR	UCP.308	242,44	1	3430	G
SNR	UCP.308-24	242,44	1	3,628	KG
NTN	UCP308D1	242,44	1	3,16	KG
SNR	UCP.309	285,73	1	4679	G
NTN	UCP309-111D1	342,85	1	4,28	KG
NTN	UCP309D1	285,73	1	4,22	KG
SNR	UCP.310	356,73	1	6220	G

NTN	UCP310D1	356,73	1	5,7	KG
SNR	UCP.311	429,45	1	7840	G
NTN	UCP311-203D1	576,98	1	7,5	KG
SNR	UCP.31135	429,45	1	8,206	KG
NTN	UCP311D1	429,45	1	7,7	KG
SNR	UCP.312	516,04	1	9690	G
NTN	UCP312D1	516,04	1	9,3	KG
SNR	UCP.313	592,26	1	11592	G
NTN	UCP313D1	592,26	1	10,798	KG
SNR	UCP.314	654,56	1	13200	G
NTN	UCP314D1	654,56	1	12	KG
SNR	UCP.315	834,66	1	20655	G
SNR	UCP.31547	834,66	1	20,222	KG
NTN	UCP315D1	834,66	1	14,406	KG
SNR	UCP.316	1.007,79	1	20756	G
NTN	UCP316D1	1.007,79	1	17,385	KG
SNR	UCP.317	1.118,63	1	24,55	KG
NTN	UCP317D1	1.118,63	1	19,36	KG
SNR	UCP.318	1.267,55	1	28050	G
NTN	UCP318D1	1.267,55	1	22,56	KG
SNR	UCP.319	1.464,98	1	36150	G
NTN	UCP319D1	1.464,98	1	29	KG
SNR	UCP.320	1.748,98	1	43,2	KG
NTN	UCP320D1	1.748,98	1	34,05	KG
SNR	UCP.320T04	2.098,79	1	38,1	KG
SNR	UCP320T20	4.947,83	1	38,1	KG
SNR	UCP.321	2.072,94	1	54000	G
SNR	UCP.322	2.365,45	1	54	KG
NTN	UCP322D1	2.365,45	1	45	KG
SNR	UCP.324	3.245,12	1	66650	G
NTN	UCP324D1	3.245,12	1	55	KG
SNR	UCP.326	4.294,51	1	89100	G
NTN	UCP326D1	4.294,51	1	68,5	KG
SNR	UCP.328	5.160,34	1	99200	G
NTN	UCP328D1	5.160,34	1	85,3	KG
SNR	UCPA.201	91,78	1	580	G
SNR	UCPA.202	91,78	1	570	G
SNR	UCPA.203	91,78	1	550	G
SNR	UCPA.204	91,78	1	0,54	KG
SNR	UCPA.204CC	91,67	1	500	G
SNR	UCPA.204CO	91,67	1	500	G
SNR	UCPA.204N	73,24	1	500	G
SNR	UCPA.205	105,81	1	0,733	KG
SNR	UCPA.205T04	126,98	1	700	G
SNR	UCPA.205T20	126,98	1	0,725	KG
SNR	UCPA.206	119,19	1	1,098	KG
SNR	UCPA.206T20	153,00	1	1,1	KG
SNR	UCPA.207	150,24	1	1,522	KG
SNR	UCPA.207.CC	231,51	1	99,999	KG
SNR	UCPA.207.L3	195,29	1	1,55	KG

SNR	UCPA.207T20CC	239,06	1	1,576	KG
SNR	UCPA.207T20CO	250,85	1	1,588	KG
SNR	UCPA.208	160,32	1	1754	G
SNR	UCPA.209	183,05	1	2142	G
SNR	UCPA.210	212,07	1	2621	G
SNR	UCPA210CC	275,70	1	2,6	KG
SNR	UCPA.211	213,73	1	3286	G
SNR	UCPA.212	287,99	1	4054	G
SNR	UCPAE204T04	85,91	1	0,49	KG
SNR	UCPG.201	71,60	1	630	G
SNR	UCPG.201.CC	219,44	1	600	G
SNR	UCPG.201.CO	209,23	1	4,1	KG
SNR	UCPG.201.N	191,66	1	600	G
SNR	UCPG.202	71,60	1	620	G
SNR	UCPG.202.CC	219,44	1	600	G
SNR	UCPG.202.CO	209,23	1	600	G
SNR	UCPG.202.N	191,66	1	600	G
SNR	UCPG.203	71,60	1	600	G
SNR	UCPG.203.CC	219,44	1	400	G
SNR	UCPG.203.CO	208,55	1	400	G
SNR	UCPG.203.N	191,66	1	400	G
SNR	UCPG.204	71,60	1	590	G
SNR	UCPG.204.CC	219,63	1	600	G
SNR	UCPG.204.CO	222,54	1	600	G
SNR	UCPG.204.N	188,75	1	600	G
SNR	UCPG204T20	154,50	1	0,6	KG
SNR	UCPG.205	85,29	1	700	G
SNR	UCPG.205.CC	255,46	1	700	G
SNR	UCPG.205.CO	258,17	1	700	G
SNR	UCPG.205.L3	102,29	1	706	G
SNR	UCPG.205.N	190,94	1	657	G
SNR	UCPG.206	100,99	1	1100	G
SNR	UCPG.206CC	231,04	1	1,1	KG
SNR	UCPG.206.CO	216,62	1	1,1	KG
SNR	UCPG.206.N	184,57	1	1010	G
SNR	UCPG.206T20	148,33	1	1,1	KG
SNR	UCPG.207	116,31	1	1581	G
SNR	UCPG.207.CC	228,37	1	1,5	KG
SNR	UCPG.207.CO	248,09	1	1,5	KG
SNR	UCPG.207.N	192,73	1	1,47	KG
SNR	UCPG.207.T04	139,58	1	1,5	KG
SNR	UCPG.208	136,26	1	1882	G
SNR	UCPG.208.CC	240,80	1	1,8	KG
SNR	UCPG.208.CO	244,27	1	1,8	KG
SNR	UCPG.208.N	201,80	1	1,78	KG
SNR	UCPG208T20	270,00	1	0,001	KG
SNR	UCPG.209	152,87	1	2205	G
SNR	UCPG.209.CC	314,28	1	2,2	KG
SNR	UCPG.209.CO	317,46	1	2,2	KG
SNR	UCPG.209.N	228,16	1	2,2	KG

SNR	UCPG.210	171,67	1	2906	G
SNR	UCPG.210.CC	294,94	1	2,8	KG
SNR	UCPG.210.CO	298,25	1	2,8	KG
SNR	UCPG.210.L3	223,16	1	2,916	KG
SNR	UCPG.210.N	232,05	1	2685	G
SNR	UCPG.211	213,73	1	3425	G
SNR	UCPG.211.CC	298,35	1	3,5	KG
SNR	UCPG.211.CO	302,46	1	3,5	KG
SNR	UCPG.211.N	245,80	1	3,5	KG
SNR	UCPG.212	287,99	1	4668	G
SNR	UCPG.212.CC	409,54	1	4,7	KG
SNR	UCPG.212CO	414,43	1	4,6	KG
NTN	UCPG212D1	2.464,80	1	4,6	KG
SNR	UCPG.212.N	339,89	1	4,41	KG
SNR	UCPH.201	70,27	1	920	G
SNR	UCPH.201.CC	198,10	1	900	G
SNR	UCPH.201.C.O	208,11	1	900	G
SNR	UCPH.201.N	190,44	1	900	G
SNR	UCPH.202	70,27	1	910	G
SNR	UCPH.202.CC	198,10	1	900	G
SNR	UCPH.202.C.O	208,11	1	1	KG
SNR	UCPH.202.N	190,44	1	900	G
SNR	UCPH.203	70,27	1	890	G
SNR	UCPH.203.CC	198,10	1	800	G
SNR	UCPH.203.C.O	207,33	1	800	G
SNR	UCPH.203.N	190,44	1	800	G
SNR	UCPH.204	70,27	1	880	G
SNR	UCPH.204.CC	195,42	1	900	G
SNR	UCPH.204.C.O	198,81	1	900	G
SNR	UCPH.204.N	187,56	1	900	G
SNR	UCPH.205	84,83	1	1214	G
SNR	UCPH.205-16	84,83	1	1,225	KG
SNR	UCPH.205.CC	202,09	1	1,2	KG
SNR	UCPH.205.C.O	206,17	1	1,2	KG
SNR	UCPH.205.N	192,05	1	1,2	KG
SNR	UCPH205T20	153,50	1	1,2	KG
SNR	UCPH.206	99,40	1	1775	G
SNR	UCPH.206.CC	210,75	1	1,7	KG
SNR	UCPH.206.C.O	213,03	1	1,895	KG
SNR	UCPH206N	199,22	1	1,72	KG
SNR	UCPH.207	115,64	1	2310	G
SNR	UCPH.207.CC	407,86	1	2,2	KG
SNR	UCPH.207.C.O	435,04	1	2,2	KG
SNR	UCPH.207.N	232,73	1	1,7	KG
SNR	UCPH208	131,16	1	2908	G
SNR	UCPH.208.CC	237,20	1	2,8	KG
SNR	UCPH.208.CO	240,50	1	3,065	KG
SNR	UCPH.208.N	204,96	1	2,914	KG
SNR	UCPH.209	150,33	1	3239	G
SNR	UCPH.209.CC	248,55	1	3,1	KG

SNR	UCPH.209.C.O	251,85	1	3,1	KG
SNR	UCPH.209.N	227,06	1	3,1	KG
SNR	UCPH210	173,27	1	3,737	KG
SNR	UCPH.210.CC	259,30	1	3,6	KG
SNR	UCPH.210.C.O	262,69	1	3,6	KG
SNR	UCPH.210.N	235,43	1	3,6	KG
SNR	UCPP205	55,25	1	0,36	KG
NTN	UCPX05D1	96,72	1	1,45	KG
NTN	UCPX06D1	124,11	1	1,81	KG
NTN	UCPX07D1	123,32	1	2,25	KG
NTN	UCPX08-108D1	154,29	1	2,97	KG
NTN	UCPX08D1	144,94	1	3	KG
NTN	UCPX09D1	174,21	1	2,4	KG
NTN	UCPX10-200D1	228,88	1	4,11	KG
NTN	UCPX10D1	208,09	1	4,245	KG
NTN	UCPX11D1	262,03	1	5,48	KG
NTN	UCPX12D1	316,70	1	6,9	KG
NTN	UCPX13-208D1	489,99	1	7,21	KG
NTN	UCPX13D1	445,44	1	7,6	KG
NTN	UCPX14D1	490,75	1	9,96	KG
NTN	UCPX15-215D1	564,59	1	10,371	KG
NTN	UCPX15-300D1	564,59	1	10,25	KG
NTN	UCPX15D1	513,25	1	11	KG
NTN	UCPX16D1	613,42	1	15,12	KG
NTN	UCPX17D1	826,30	1	15,75	KG
NTN	UCPX18D1	986,39	1	17,56	KG
NTN	UCPX20D1	1.329,08	1	25	KG
SNR	UCSP.201	124,30	1	1,87	KG
SNR	UCSP.201.CC	294,87	1	1,7	KG
SNR	UCSP.201.CO	299,13	1	1,7	KG
SNR	UCSP.201.N	284,59	1	1,7	KG
SNR	UCSP.202.CC	294,87	1	1,7	KG
SNR	UCSP.202.CO	299,13	1	1,7	KG
SNR	UCSP.202.N	284,59	1	1,7	KG
SNR	UCSP.203	129,05	1	1,7	KG
SNR	UCSP.203.CC	294,87	1	1,7	KG
SNR	UCSP.203.CO	298,33	1	1,7	KG
SNR	UCSP.203.N	284,59	1	1,7	KG
SNR	UCSP.204	126,37	1	1,663	KG
SNR	UCSP.204.CC	292,07	1	1,661	KG
SNR	UCSP.204.CO	295,76	1	1,7	KG
SNR	UCSP.204.N	264,58	1	1600	G
SNR	UCSP.205	139,80	1	1608	G
SNR	UCSP.205.CC	305,61	1	1600	G
SNR	UCSP.205.CO	310,21	1	1,7	KG
SNR	UCSP.205.N	293,23	1	1,7	KG
SNR	UCSP.206	169,21	1	1937	G
SNR	UCSP.206.CC	353,75	1	2048	G
SNR	UCSP.206.CO	313,75	1	1,9	KG
SNR	UCSP.206.N	287,67	1	1800	G

SNR	UCSP.207	195,82	1	2003	G
SNR	UCSP.20722	190,09	1	1,54	KG
SNR	UCSP.207.CC	331,49	1	1,996	KG
SNR	UCSP207CO	334,78	1	2,1	KG
SNR	UCSP.207.N	300,80	1	2100	G
SNR	UCSP.208	269,85	1	4106	G
SNR	UCSP.208.CC	441,19	1	4,1	KG
SNR	UCSP.208.CO	444,65	1	4,2	KG
SNR	UCSP.208.N	310,34	1	3,916	KG
SNR	UCSP.209.CC	459,89	1	2,76	KG
SNR	UCSP.209.CO	463,13	1	4,2	KG
SNR	UCSP.209.N	438,11	1	4,2	KG
SNR	UCSP.210	480,11	1	4026	G
SNR	UCSP.210.CC	656,23	1	4,2	KG
SNR	UCSP.210.CO	659,61	1	3,97	KG
SNR	UCSP.210.N	618,32	1	3886	G
SNR	UCT.201	77,41	1	770	G
SNR	UCT20108	77,41	1	833	G
SNR	UCT.201.CC	349,79	1	800	G
SNR	UCT.201.CC.WB	934,35	1	5,2	KG
SNR	UCT.201.CO	212,04	1	800	G
SNR	UCT.201.CO.WB	938,34	1	5,2	KG
NTN	UCT201D1	77,41	1	0,79	KG
SNR	UCT.201.N	335,40	1	761	G
SNR	UCT.201.N.WB	831,76	1	5,2	KG
SNR	UCT.201.WB	776,91	1	5,672	KG
SNR	UCT.202	77,41	1	760	G
SNR	UCT20210	77,41	1	810	G
SNR	UCT.202.CC	349,79	1	800	G
SNR	UCT.202.CC.WB	934,35	1	5,2	KG
SNR	UCT.202.CO	212,04	1	800	G
SNR	UCT.202.CO.WB	938,34	1	5,2	KG
SNR	UCT.202.N	335,40	1	751	G
SNR	UCT.202.N.WB	831,76	1	5,2	KG
SNR	UCT.202.WB	776,91	1	5,69	KG
SNR	UCT.203	77,41	1	740	G
SNR	UCT.203.CC	349,79	1	700	G
SNR	UCT203CCWB	934,35	1	5,2	KG
SNR	UCT.203.CO	211,48	1	700	G
SNR	UCT.203.CO.WB	937,93	1	5,2	KG
NTN	UCT203D1	77,41	1	0,775	KG
SNR	UCT.203.N	335,40	1	731	G
SNR	UCT.203.N.WB	831,76	1	5,2	KG
SNR	UCT.203.WB	776,91	1	5713	G
SNR	UCT.204	77,41	1	730	G
SNR	UCT20412	77,41	1	0,762	KG
NTN	UCT204-15D1	392,68	1	5,225	KG
SNR	UCT.204.CC	349,98	1	700	G
SNR	UCT.204.CC.WB	931,85	1	5,2	KG
SNR	UCT.204.CO	352,89	1	700	G

SNR	UCT.204.CO.WB	935,25	1	5,2	KG
SNR	UCT.204.N	332,65	1	721	G
SNR	UCT.204.N.WB	778,53	1	5,2	KG
SNR	UCT.204.WB	774,34	1	5,6	KG
SNR	UCT.205	87,11	1	810	G
SNR	UCT20514	90,45	1	0,862	KG
SNR	UCT20515	90,45	1	0,838	KG
NTN	UCT205-15D1	384,71	1	6,5	KG
SNR	UCT.205.16	90,45	1	860	G
SNR	UCT.205.CC	242,82	1	2,022	KG
SNR	UCT.205.CC.WB	937,14	1	5,71	KG
SNR	UCT.205.CO	245,17	1	800	G
SNR	UCT.205.CO.WB	941,42	1	5,73	KG
SNR	UCT.205.N	224,90	1	788	G
SNR	UCT.205.N.WB	781,51	1	5,686	KG
SNR	UCT.205.WB	777,33	1	5,686	KG
SNR	UCT.206	105,60	1	1274	G
NTN	UCT206-15D1	427,29	1	6,19	KG
SNR	UCT20618	109,82	1	1,277	KG
SNR	UCT20619	109,82	1	1,258	KG
SNR	UCT20620	109,82	1	1,238	KG
SNR	UCT.206.CC	128,79	1	1,312	KG
SNR	UCT.206.CC.WB	985,40	1	6,755	KG
SNR	UCT.206.CO	213,93	1	1,306	KG
SNR	UCT.206.CO.WB	987,79	1	6,2	KG
SNR	UCT.206.N	126,32	1	1,135	KG
SNR	UCT.206.N.WB	881,81	1	6,2	KG
SNR	UCT.206.WB	823,61	1	6327	G
SNR	UCT.207	133,35	1	1624	G
SNR	UCT207-20	129,26	1	1,642	KG
SNR	UCT20721	129,26	1	1,65	KG
SNR	UCT20722	129,26	1	1,616	KG
SNR	UCT20723	129,26	1	1,586	KG
NTN	UCT207-23D1	517,34	1	6,8	KG
SNR	UCT.207.CC	227,27	1	1,705	KG
SNR	UCT.207.CC.WB	1.097,93	1	8,4	KG
SNR	UCT.207.CO	230,35	1	1,666	KG
SNR	UCT.207.CO.WB	1.100,92	1	8,4	KG
SNR	UCT.207.N	148,63	1	1,565	KG
SNR	UCT.207.N.WB	995,94	1	8,4	KG
SNR	UCT207T20	204,83	1	1,615	KG
SNR	UCT.207.WB	930,58	1	8111	G
SNR	UCT.208	134,71	1	2,42	KG
SNR	UCT208-24	140,11	1	2,439	KG
SNR	UCT20825	136,26	1	2,4	KG
NTN	UCT208-30D1	618,25	1	11,4	KG
SNR	UCT.208.CC	245,09	1	2,3	KG
SNR	UCT.208.CC.WB	1.170,78	1	11,774	KG
SNR	UCT.208.CO	248,26	1	2,492	KG
SNR	UCT.208.CO.WB	1.174,16	1	11,7	KG

SNR	UCT.208.N	161,13	1	2,36	KG
SNR	UCT208NL3	203,16	1	2115	G
SNR	UCT.208.N.WB	1.070,57	1	11,7	KG
SNR	UCT.208T20	243,00	1	2,3	KG
SNR	UCT.208.WB	810,77	1	11800	G
SNR	UCT.209	164,30	1	2360	G
SNR	UCT20926	164,30	1	2,412	KG
SNR	UCT20927	164,30	1	2,418	KG
SNR	UCT20928	164,30	1	2,322	KG
NTN	UCT209-30D1	624,59	1	11,335	KG
SNR	UCT.209.CC	251,36	1	2,42	KG
SNR	UCT.209.CC.WB	1.177,24	1	11,8	KG
SNR	UCT.209.CO	254,52	1	2,48	KG
SNR	UCT.209.CO.WB	1.180,32	1	11,755	KG
SNR	UCT.209.N	188,94	1	2,425	KG
SNR	UCT209NL3	238,24	1	2230	G
SNR	UCT.209.N.WB	1.074,05	1	11,8	KG
SNR	UCT.209.WB	734,16	1	11,208	KG
SNR	UCT.210	178,89	1	2460	G
SNR	UCT21030	186,04	1	2,592	KG
NTN	UCT210-30D1	701,95	1	11,6	KG
SNR	UCT210-31	186,04	1	2,562	KG
SNR	UCT.210.CC	236,03	1	2,662	KG
SNR	UCT.210.CC.WB	1.187,89	1	11,88	KG
SNR	UCT.210.CO	265,48	1	2,652	KG
SNR	UCT.210.CO.WB	1.191,26	1	12,035	KG
SNR	UCT.210.N	213,96	1	2458	G
SNR	UCT210NL3	269,77	1	2,5	KG
SNR	UCT210NT20	325,00	1	0,001	KG
SNR	UCT.210.N.WB	1.017,04	1	12	KG
SNR	UCT.210T20	283,83	1	2,52	KG
SNR	UCT.210.WB	754,98	1	11330	G
SNR	UCT.211	242,81	1	3770	G
NTN	UCT211-30D1	851,13	1	19,2	KG
SNR	UCT21132	242,81	1	3,795	KG
SNR	UCT21134	242,81	1	3,92	KG
SNR	UCT21135	242,81	1	3,815	KG
SNR	UCT.211.CC	345,17	1	3,962	KG
SNR	UCT.211.CC.WB	1.464,41	1	18,4	KG
SNR	UCT.211.CO	349,27	1	3,97	KG
SNR	UCT.211.CO.WB	1.468,49	1	18,4	KG
NTN	UCT211D1	242,81	1	4,1	KG
SNR	UCT.211.N	298,42	1	3,9	KG
SNR	UCT.211.N.WB	1.509,68	1	18,4	KG
SNR	UCT211T20	409,67	1	3,9	KG
SNR	UCT.211.WB	1.238,13	1	19,7	KG
SNR	UCT.212	292,36	1	4775	G
NTN	UCT212-30D1	940,52	1	25,06	KG
SNR	UCT21236	292,36	1	4,81	KG
SNR	UCT21238	292,36	1	4,694	KG

SNR	UCT21239	292,36	1	4,682	KG
SNR	UCT.212.CC	377,22	1	4,99	KG
SNR	UCT.212.CC.WB	1.565,52	1	1,755	KG
SNR	UCT.212.CO	382,00	1	4,93	KG
SNR	UCT.212.CO.WB	1.570,37	1	21,18	KG
NTN	UCT212D1	292,36	1	4,877	KG
SNR	UCT.212.N	336,18	1	4540	G
SNR	UCT.212.N.WB	1.512,76	1	20,2	KG
SNR	UCT.212T04	350,82	1	4,7	KG
SNR	UCT212T20	598,00	1	4,76	KG
SNR	UCT.212.WB	1.333,07	1	21400	G
SNR	UCT.213	345,49	1	6600	G
NTN	UCT213-30D1	1.139,98	1	24	KG
SNR	UCT21340	345,49	1	6925	G
SNR	UCT.213.CC	434,12	1	6,99	KG
SNR	UCT.213.CC.WB	1.312,77	1	25,3	KG
SNR	UCT.213.CO	438,95	1	6,8	KG
SNR	UCT.213.CO.WB	1.456,05	1	25,188	KG
NTN	UCT213D1	345,49	1	7	KG
SNR	UCT.213.N	397,29	1	6,615	KG
SNR	UCT.213.N.WB	1.401,12	1	24,746	KG
SNR	UCT.213.WB	1.401,12	1	25000	G
SNR	UCT.214	477,14	1	6865	G
SNR	UCT21444	477,14	1	6,848	KG
NTN	UCT214D1	477,14	1	7	KG
SNR	UCT.215	594,35	1	7330	G
SNR	UCT.215-47	594,35	1	7,31	KG
SNR	UCT21548	594,35	1	7324	G
NTN	UCT215D1	594,35	1	7,525	KG
SNR	UCT.216	681,31	1	8534	G
NTN	UCT216D1	681,31	1	8,4	KG
SNR	UCT216T20	1.032,00	1	2,01	KG
SNR	UCT.217	804,57	1	11000	G
NTN	UCT217D1	804,57	1	11,295	KG
SNR	UCT.305	146,16	1	1278	G
SNR	UCT.306	173,95	1	1784	G
NTN	UCT306D1	173,95	1	1,778	KG
SNR	UCT307	204,14	1	2,342	KG
NTN	UCT307D1	204,14	1	2,4	KG
SNR	UCT.308	244,00	1	3070	G
NTN	UCT308D1	244,00	1	3,01	KG
SNR	UCT.309	309,25	1	4094	G
NTN	UCT309D1	309,25	1	4	KG
SNR	UCT.310	374,50	1	5190	G
NTN	UCT310D1	374,50	1	5	KG
SNR	UCT.311	467,50	1	6366	G
NTN	UCT311D1	467,50	1	6,46	KG
SNR	UCT.312	533,92	1	7716	G
NTN	UCT312D1	533,92	1	7,68	KG
SNR	UCT.313	614,90	1	9600	G

NTN	UCT313D1	614,90	1	9,765	KG
SNR	UCT.314	709,12	1	11006	G
NTN	UCT314D1	709,12	1	11	KG
SNR	UCT.315	851,66	1	12858	G
NTN	UCT315D1	851,66	1	13,645	KG
SNR	UCT.316	1.030,43	1	16120	G
NTN	UCT316D1	1.030,43	1	16,11	KG
SNR	UCT.317	1.183,85	1	2400	G
NTN	UCT317D1	1.183,85	1	19,67	KG
SNR	UCT.318	1.340,91	1	21114	G
NTN	UCT318D1	1.340,91	1	21,9	KG
SNR	UCT.319	1.623,54	1	25400	G
SNR	UCT.320	1.901,40	1	35450	G
NTN	UCT320D1	1.901,40	1	31,36	KG
SNR	UCT320T20	5.194,67	1	35700	G
SNR	UCT.321	2.417,43	1	31,6	KG
NTN	UCT321D1	2.417,43	1	31,188	KG
SNR	UCT322	2.688,86	1	45	KG
SNR	UCT.324	3.652,03	1	53,9	KG
NTN	UCT324D1	3.652,03	1	55,56	KG
SNR	UCT.326	4.839,91	1	67,8	KG
SNR	UCT.328	5.746,28	1	90900	G
NTN	UCT328D1	5.746,28	1	84	KG
NTN	UCTX10D1	246,56	1	4,52	KG
NTN	UCTX15D1	593,49	1	8,51	KG
NTN	UCTX16D1	973,42	1	12,08	KG
NTN	UCUP201D1	91,78	1	0,61	KG
NTN	UCUP209D1	183,05	1	2,2	KG
NTN	UELF210D1W3	204,14	1	2,67	KG
NTN	UELF211D1W3	251,26	1	3,654	KG
NTN	UELF212D1W3	332,29	1	4,372	KG
NTN	UELFC205-100D1W3	136,31	1	1,65	KG
NTN	UELFC205D1	104,86	1	0,01	KG
NTN	UELFC212D1	338,33	1	5,48	KG
NTN	UELFL204D1	86,62	1	0,505	KG
NTN	UELFL205D1	100,05	1	0,68	KG
NTN	UELFL206D1W3	122,01	1	0,962	KG
NTN	UELFL207D1W3	142,52	1	1,345	KG
NTN	UELFL209D1W3	177,62	1	1,985	KG
NTN	UELFL211D1	251,26	1	3,23	KG
NTN	UELFL212D1W3	321,88	1	4,285	KG
NTN	UELP204D1	86,62	1	0,77	KG
NTN	UELP205D1	100,05	1	0,92	KG
NTN	UELP207-107D1W3	171,36	1	1,74	KG
NTN	UELP209-111D1W3	213,14	1	2,448	KG
NTN	UELP209-112D1W3	213,14	1	2,375	KG
NTN	UELP209D1W3	177,62	1	2,39	KG
NTN	UELP210D1W3	204,14	1	2,87	KG
NTN	UELP211-203D1W3	301,51	1	3,785	KG
NTN	UELP212D1	321,88	1	5	KG

NTN	UELP213D1	383,76	1	6,33	KG
NTN	UELP308D1	254,92	1	3,32	KG
NTN	UELP309-111D1W3	388,31	1	4,41	KG
NTN	UELP309D1	298,33	1	4,32	KG
NTN	UELP310D1W3	373,26	1	5,78	KG
NTN	UELP311-203D1W3	732,68	1	7,84	KG
NTN	UELP311D1	537,19	1	7,89	KG
NTN	UELP312D1W3	560,49	1	9,91	KG
NTN	UELT210D1	215,03	1	2,7	KG
NTN	UELT212D1	323,75	1	5,255	KG
NTN	UK1P209D1	217,99	1	3,61	KG
NTN	UK1P210D1	243,64	1	4,2	KG
NTN	UK1P211D1	306,30	1	5,022	KG
NTN	UK1P212D1	391,15	1	6,725	KG
SNR	UKC.205H	111,54	1	680	G
SNR	UKC.206H	141,23	1	0,86	KG
NTN	UKC207D1	117,43	1	0,825	KG
SNR	UKC.207H	164,39	1	0,98	KG
SNR	UKC208	136,33	1	1,06	KG
NTN	UKC208D1	136,33	1	1,085	KG
SNR	UKC.208H	190,88	1	1,278	KG
NTN	UKC209D1	153,99	1	1,345	KG
SNR	UKC.209H	215,58	1	1,624	KG
NTN	UKC210D1	179,21	1	1,793	KG
SNR	UKC.210H	250,91	1	2,092	KG
NTN	UKC211D1	225,93	1	2,4	KG
SNR	UKC.211H	271,14	1	2,314	KG
NTN	UKC212D1	276,47	1	2,05	KG
SNR	UKC.212H	331,76	1	2,508	KG
SNR	UKC.213H	402,95	1	3,03	KG
SNR	UKC.215H	600,71	1	4	KG
SNR	UKC.216H	696,56	1	6,8	KG
SNR	UKC305	147,69	1	1,4	KG
SNR	UKC.305H	177,21	1	1,5	KG
SNR	UKC.306H	214,15	1	1,7	KG
SNR	UKC.307H	253,63	1	1,9	KG
SNR	UKC.308H	303,97	1	2,23	KG
SNR	UKC.309H	363,56	1	2,785	KG
SNR	UKC.310H	447,32	1	3,3	KG
SNR	UKC.311H	522,14	1	4,12	KG
SNR	UKC.312H	647,13	1	4,6	KG
SNR	UKC.313H	742,67	1	5,7	KG
SNR	UKC.315H	1.046,62	1	7,93	KG
SNR	UKC.316H	1.541,26	1	9,336	KG
SNR	UKC.317H	1.402,78	1	11,4	KG
SNR	UKC.318H	1.589,52	1	12,9	KG
SNR	UKC.319H	1.837,11	1	16,2	KG
SNR	UKC.320H	2.193,24	1	19	KG
SNR	UKC.322H	2.966,27	1	31,6	KG
SNR	UKC.324H	4.091,60	1	36,2	KG

SNR	UKC326H	5.385,28	1	43,9	KG
SNR	UKC.328H	6.471,04	1	51,5	KG
SNR	UKF205CO	167,32	1	710	G
NTN	UKF205D1	76,25	1	0,745	KG
SNR	UKF.205H	106,73	1	820	G
SNR	UKF.205.H.CC	160,40	1	800	G
SNR	UKF.205.H.CO	163,38	1	800	G
SNR	UKF.205.H.N	118,16	1	800	G
NTN	UKF206D1	93,22	1	0,964	KG
SNR	UKF.206H	130,56	1	1,18	KG
SNR	UKF206H306	130,56	1	1,216	KG
SNR	UKF.206.H.CC	169,96	1	1210	G
SNR	UKF.206.H.CO	172,25	1	1,2	KG
SNR	UKF.206.H.N	144,53	1	1,2	KG
NTN	UKF207D1	112,36	1	1,6	KG
SNR	UKF.207H	157,31	1	1,646	KG
SNR	UKF.207H307	157,31	1	1,578	KG
SNR	UKF.207.H.CC	191,02	1	1,67	KG
SNR	UKF.207.H.CO	191,02	1	1,6	KG
SNR	UKF.207.H.N	174,18	1	1,6	KG
NTN	UKF208D1	130,47	1	1,9	KG
SNR	UKF.208H	182,64	1	1,99	KG
SNR	UKF.208H308	182,64	1	1930	G
SNR	UKF.208.H.CC	221,77	1	2030	G
SNR	UKF.208.H.CO	247,87	1	2	KG
SNR	UKF.208.H.N	202,23	1	1,97	KG
SNR	UKF.209	147,37	1	2,118	KG
SNR	UKF.209.COT04	216,29	1	2,02	KG
NTN	UKF209D1	147,37	1	1,965	KG
SNR	UKF.209H	206,31	1	2,314	KG
SNR	UKF.209H309	206,31	1	2,276	KG
SNR	UKF.209.H.CC	250,53	1	2400	G
SNR	UKF.209.H.CO	250,53	1	2420	G
SNR	UKF.209.H.N	228,43	1	2,265	KG
SNR	UKF.209.N	169,47	1	1,9	KG
NTN	UKF210D1	171,56	1	2,268	KG
SNR	UKF.210H	240,18	1	2,674	KG
SNR	UKF.210H310	239,79	1	2,268	KG
SNR	UKF.210.H.CC	291,62	1	2830	G
SNR	UKF.210.H.CO	291,62	1	2848	G
SNR	UKF.210.H.N	265,91	1	2,6	KG
NTN	UKF211D1	216,25	1	3,061	KG
SNR	UKF.211H	259,47	1	3,394	KG
SNR	UKF.211H311	259,47	1	3,498	KG
SNR	UKF.211.H.CC	324,35	1	3648	G
SNR	UKF.211.H.CO	324,35	1	3620	G
SNR	UKF.211.H.N	291,90	1	3,365	KG
SNR	UKF.211.N	248,67	1	2,645	KG
NTN	UKF212D1	276,47	1	3,507	KG
SNR	UKF.212H	331,76	1	4,59	KG

SNR	UKF.212H312	331,76	1	4,524	KG
SNR	UKF.212.H.CC	414,69	1	4,4	KG
SNR	UKF.212.H.CO	414,69	1	4,4	KG
SNR	UKF.212.H.N	373,22	1	4,4	KG
NTN	UKF213D1	335,76	1	4,96	KG
SNR	UKF.213H	402,95	1	5,56	KG
SNR	UKF213H313	402,95	1	5,604	KG
SNR	UKF.213.H.CC	503,66	1	5,6	KG
SNR	UKF.213.H.CO	503,66	1	5,6	KG
SNR	UKF.213.H.N	453,28	1	5,6	KG
SNR	UKF.213.N	386,12	1	5102	G
NTN	UKF215D1	483,49	1	6,21	KG
SNR	UKF.215H	628,54	1	6,488	KG
NTN	UKF216D1	573,10	1	7,39	KG
SNR	UKF.216H	745,03	1	7,568	KG
SNR	UKF.216H316	745,03	1	7410	G
SNR	UKF216N	659,07	1	6,15	KG
NTN	UKF217D1	686,76	1	9,09	KG
SNR	UKF.217H	892,80	1	9,18	KG
NTN	UKF218D1	872,31	1	10,815	KG
SNR	UKF.218H	1.134,02	1	11,46	KG
NTN	UKF305D1	141,32	1	1,08	KG
SNR	UKF.305H	183,73	1	1,145	KG
NTN	UKF306D1	170,75	1	1,56	KG
SNR	UKF.306H	221,97	1	1,6	KG
SNR	UKF.307H	262,94	1	2,042	KG
NTN	UKF308D1	242,44	1	2,585	KG
SNR	UKF.308H	315,17	1	2,778	KG
NTN	UKF309D1	289,91	1	3,195	KG
SNR	UKF.309H	376,88	1	3,4	KG
NTN	UKF310D1	356,73	1	4,21	KG
SNR	UKF310H	463,74	1	4498	G
NTN	UKF311D1	429,45	1	5,5	KG
SNR	UKF.311H	559,73	1	5,462	KG
NTN	UKF312D1	516,04	1	5,935	KG
SNR	UKF.312H	670,86	1	6,398	KG
NTN	UKF313D1	592,26	1	7,7	KG
SNR	UKF.313H	769,92	1	7,726	KG
NTN	UKF315D1	834,66	1	10,54	KG
SNR	UKF.315H	1.085,04	1	10,895	KG
NTN	UKF316D1	1.007,79	1	15	KG
SNR	UKF.316H	1.310,14	1	12,868	KG
NTN	UKF317D1	1.118,63	1	16	KG
SNR	UKF.317H	1.454,21	1	15,388	KG
NTN	UKF318D1	1.267,55	1	18,27	KG
SNR	UKF.318H	1.647,82	1	17,636	KG
NTN	UKF319D1	1.465,21	1	20,785	KG
SNR	UKF319H	1.904,74	1	21,6	KG
NTN	UKF320D1	1.748,98	1	33,97	KG
SNR	UKF.320H	2.273,68	1	30,7	KG

NTN	UKF322D1	2.365,45	1	38	KG
SNR	UKF.322H	3.075,09	1	40,8	KG
NTN	UKF324D1	3.262,81	1	48,2	KG
SNR	UKF.324H	4.241,66	1	51,9	KG
NTN	UKF326D1	4.545,57	1	62,4	KG
SNR	UKF.326H	5.582,85	1	68,5	KG
SNR	UKF.328H	6.708,44	1	100	KG
SNR	UKFA.205H	103,28	1	700	G
SNR	UKFA.205.H.CC	165,08	1	700	G
SNR	UKFA.205.H.CO	168,08	1	700	G
SNR	UKFA.205.H.N	166,57	1	700	G
SNR	UKFA.206H	121,02	1	1,2	KG
SNR	UKFA.206.H.CC	176,12	1	1,2	KG
SNR	UKFA.206.H.CO	178,50	1	1,2	KG
SNR	UKFA.206.H.N	176,12	1	1,2	KG
SNR	UKFA.207H	140,75	1	1,325	KG
SNR	UKFA.207.H.CC	189,44	1	1,6	KG
SNR	UKFA.207.H.CO	192,55	1	1,6	KG
SNR	UKFA.207.H.N	187,96	1	1,6	KG
SNR	UKFA.208H	159,68	1	2,1	KG
SNR	UKFA.208.H.CC	203,08	1	2,1	KG
SNR	UKFA.208.H.CO	206,57	1	2,1	KG
SNR	UKFA.208.H.N	200,91	1	2,1	KG
SNR	UKFA.209H	182,97	1	2,11	KG
SNR	UKFA.209.H.CC	222,20	1	2,4	KG
SNR	UKFA.209.H.CO	222,20	1	2,4	KG
SNR	UKFA.209.H.N	213,54	1	2,4	KG
SNR	UKFA.210H	210,81	1	2,9	KG
SNR	UKFA.210.H.CC	256,03	1	2,9	KG
SNR	UKFA.210.H.CO	256,03	1	2,9	KG
SNR	UKFA.210.H.N	233,41	1	2,9	KG
SNR	UKFA.211H	256,22	1	3,6	KG
SNR	UKFA.211.H.CC	315,35	1	3,6	KG
SNR	UKFA.211.H.CO	315,35	1	3,6	KG
SNR	UKFA.211.H.N	285,82	1	3,6	KG
SNR	UKFA.212H	322,56	1	4,2	KG
SNR	UKFA.212.H.CC	397,02	1	4,2	KG
SNR	UKFA.212.H.CO	397,02	1	4,2	KG
SNR	UKFA.212.H.N	359,81	1	4,2	KG
NTN	UKFC205D1	94,96	1	0,946	KG
SNR	UKFC.205H	132,93	1	1,04	KG
SNR	UKFC.205.H.CC	165,08	1	1	KG
SNR	UKFC.205.H.CO	168,08	1	1	KG
SNR	UKFC.205.H.N	147,19	1	1	KG
NTN	UKFC206D1	112,86	1	1,31	KG
SNR	UKFC.206H	158,01	1	1,385	KG
SNR	UKFC.206.H.CC	191,85	1	1,3	KG
SNR	UKFC.206.H.CO	191,85	1	1,3	KG
SNR	UKFC.206.H.N	174,93	1	1,3	KG
NTN	UKFC207D1	132,55	1	1,546	KG

SNR	UKFC.207H	185,57	1	1,821	KG
SNR	UKFC.207.H.CC	225,31	1	1,775	KG
SNR	UKFC.207.H.CO	225,31	1	1,7	KG
SNR	UKFC.207.H.N	205,43	1	1,7	KG
NTN	UKFC208D1	156,56	1	1,862	KG
SNR	UKFC.208H	219,18	1	2,196	KG
SNR	UKFC.208.H.CC	266,14	1	2,1	KG
SNR	UKFC.208.H.CO	266,14	1	2,1	KG
SNR	UKFC.208.H.N	242,66	1	2,1	KG
NTN	UKFC209D1	181,80	1	2,606	KG
SNR	UKFC.209H	254,50	1	2,672	KG
SNR	UKFC.209.H.CC	309,03	1	2,748	KG
SNR	UKFC.209.H.CO	309,04	1	2,744	KG
SNR	UKFC.209.H.N	281,79	1	2,645	KG
NTN	UKFC210D1	202,00	1	2,835	KG
SNR	UKFC.210H	232,27	1	3,107	KG
SNR	UKFC.210.H.CC	292,89	1	3,18	KG
SNR	UKFC.210.H.CO	292,89	1	3,178	KG
SNR	UKFC.210.H.N	262,59	1	3	KG
NTN	UKFC211D1	251,24	1	3,94	KG
SNR	UKFC.211H	326,61	1	4,16	KG
SNR	UKFC.211.H.CC	401,98	1	4,286	KG
SNR	UKFC.211.H.CO	401,98	1	4,272	KG
SNR	UKFC.211.H.N	364,29	1	3,9	KG
NTN	UKFC212D1	315,60	1	4,64	KG
SNR	UKFC.212H	410,27	1	5,19	KG
SNR	UKFC.212.H.CC	504,95	1	5,194	KG
SNR	UKFC.212.H.CO	504,95	1	4,9	KG
SNR	UKFC.212.H.N	457,61	1	4,9	KG
NTN	UKFC213D1	368,58	1	5,475	KG
SNR	UKFC.213H	479,21	1	0,006	KG
SNR	UKFC213H313	534,85	1	5,65	KG
SNR	UKFC.213.H.CC	589,77	1	5,6	KG
SNR	UKFC.213.H.CO	589,77	1	5906	G
SNR	UKFC.213.H.N	534,49	1	5,6	KG
NTN	UKFC215D1	627,40	1	6,81	KG
SNR	UKFC.215H	815,62	1	7,614	KG
NTN	UKFC216D1	704,40	1	8,805	KG
SNR	UKFC.216H	915,71	1	9,588	KG
NTN	UKFC217D1	843,25	1	10,295	KG
SNR	UKFC.217H	1.096,23	1	11,344	KG
NTN	UKFC218D1	961,93	1	3,08	KG
SNR	UKFC.218H	1.250,53	1	13,55	KG
SNR	UKFC.218H318	1.255,57	1	13,196	KG
SNR	UKFL205CO	167,32	1	580	G
NTN	UKFL205D1	76,25	1	0,585	KG
SNR	UKFL.205H	106,73	1	0,648	KG
SNR	UKFL.205.H.CC	160,40	1	770	G
SNR	UKFL.205.H.CO	163,38	1	668	G
SNR	UKFL.205.H.N	118,16	1	0,666	KG

NTN	UKFL206D1	93,22	1	0,885	KG
SNR	UKFL.206H	130,56	1	0,954	KG
SNR	UKFL.206.H.CC	169,96	1	986	G
SNR	UKFL.206.H.CO	172,25	1	1	KG
SNR	UKFL.206.H.N	144,53	1	1,1	KG
NTN	UKFL207D1	112,36	1	1,1	KG
SNR	UKFL.207H	157,31	1	1,262	KG
SNR	UKFL.207.H.CC	191,02	1	645	G
SNR	UKFL.207.H.CO	191,02	1	1,2	KG
SNR	UKFL.207.H.N	174,18	1	1,2	KG
NTN	UKFL208D1	130,47	1	1,6	KG
SNR	UKFL.208H	182,64	1	1,56	KG
SNR	UKFL208H308	182,64	1	1585	G
SNR	UKFL.208.H.CC	221,77	1	1,602	KG
SNR	UKFL.208.H.CO	220,70	1	1,6	KG
SNR	UKFL.208.H.N	202,23	1	1,6	KG
NTN	UKFL209D1	147,37	1	1,69	KG
SNR	UKFL.209H	182,64	1	2,07	KG
SNR	UKFL.209.H.CC	250,53	1	2076	G
SNR	UKFL.209.H.CO	250,53	1	2060	G
SNR	UKFL.209.H.N	228,43	1	2	KG
NTN	UKFL210D1	171,56	1	1,9	KG
SNR	UKFL.210H	240,18	1	2,37	KG
SNR	UKFL210H310CC	312,22	1	2365	G
SNR	UKFL.210.H.CC	291,62	1	2,4	KG
SNR	UKFL.210.H.CO	291,62	1	2,4	KG
SNR	UKFL.210.H.N	265,91	1	2,4	KG
NTN	UKFL211D1	216,25	1	2,659	KG
SNR	UKFL.211H	281,10	1	3,035	KG
SNR	UKFL.211.H.CC	360,49	1	3,13	KG
SNR	UKFL.211.H.CO	364,58	1	3,1	KG
SNR	UKFL.211.H.N	447,08	1	3,1	KG
NTN	UKFL212D1	276,47	1	3,605	KG
SNR	UKFL.212H	359,39	1	3,808	KG
SNR	UKFL.212.H.CC	442,32	1	3,8	KG
SNR	UKFL.212.H.CO	442,32	1	3,8	KG
SNR	UKFL.212.H.N	400,85	1	3,8	KG
NTN	UKFL213D1	335,76	1	4,47	KG
SNR	UKFL.213H	436,50	1	4,695	KG
SNR	UKFL.213.H.CC	537,23	1	4,8	KG
SNR	UKFL.213.H.CO	537,23	1	4,8	KG
SNR	UKFL.213.H.N	486,86	1	4,8	KG
SNR	UKFL.215H	628,54	1	5,7	KG
NTN	UKFL216D1	573,10	1	6,62	KG
SNR	UKFL.216H	745,03	1	7,28	KG
SNR	UKFL.217H	892,80	1	8,764	KG
SNR	UKFL.218H	1.134,02	1	10,96	KG
SNR	UKFL.305H	183,73	1	946	G
SNR	UKFL.306H	221,97	1	1,41	KG
SNR	UKFL307H	262,94	1	1,795	KG

NTN	UKFL308D1	242,44	1	2,1	KG
SNR	UKFL.308H	258,85	1	2,316	KG
SNR	UKFL.309H	376,88	1	2	KG
SNR	UKFL.310H	463,74	1	4,082	KG
NTN	UKFL311D1	429,45	1	4,28	KG
SNR	UKFL.311H	558,29	1	4,838	KG
SNR	UKFL.312H	670,86	1	5,7	KG
SNR	UKFL.313H	769,92	1	7,256	KG
SNR	UKFL.315H	1.085,04	1	9,968	KG
SNR	UKFL.316H	1.310,14	1	12,8	KG
SNR	UKFL.317H	1.454,21	1	14,4	KG
SNR	UKFL.318H	1.647,82	1	17,1	KG
SNR	UKFL.319H	1.904,74	1	21,65	KG
SNR	UKFL.320H	2.273,68	1	25,9	KG
SNR	UKFL.322H	3.074,16	1	38,5	KG
SNR	UKFL.324H	4.241,66	1	47,7	KG
SNR	UKFL.326H	5.582,85	1	61,3	KG
SNR	UKFL.328H	6.708,44	1	83,6	KG
SNR	UKFLZ.205H	131,96	1	500	G
SNR	UKFLZ.206H	153,90	1	1	KG
SNR	UKFLZ.207H	180,25	1	1,2	KG
SNR	UKFLZ.208H	203,13	1	1,7	KG
SNR	UKFLZ.209H	226,62	1	1,9	KG
SNR	UKFLZ.210H	254,51	1	2,26	KG
SNR	UKFLZ.212H	354,20	1	3,5	KG
SNR	UKFS.305H	183,73	1	1,244	KG
SNR	UKFS.306H	221,97	1	1,845	KG
NTN	UKFS307D1	202,26	1	2,155	KG
SNR	UKFS.307H	262,94	1	2,34	KG
NTN	UKFS308D1	242,44	1	2,97	KG
SNR	UKFS308H	315,17	1	3,155	KG
NTN	UKFS309D1	289,91	1	3,625	KG
SNR	UKFS.309H	376,88	1	3,974	KG
NTN	UKFS310D1	356,73	1	4,85	KG
SNR	UKFS.310H	463,74	1	4,985	KG
NTN	UKFS311D1	429,45	1	5,585	KG
SNR	UKFS311H	415,92	1	6010	G
NTN	UKFS312D1	516,04	1	6,675	KG
SNR	UKFS.312H	670,86	1	0,05	KG
NTN	UKFS313D1	592,26	1	8,275	KG
SNR	UKFS.313H	769,92	1	8,715	KG
NTN	UKFS315D1	834,66	1	11,935	KG
SNR	UKFS315H	1.085,04	1	13114	G
NTN	UKFS316D1	1.007,79	1	13,97	KG
SNR	UKFS.316H	1.310,14	1	14,906	KG
NTN	UKFS317D1	1.118,63	1	16,21	KG
SNR	UKFS.317H	1.454,21	1	16,95	KG
NTN	UKFS318D1	1.267,55	1	19,55	KG
SNR	UKFS.318H	1.647,82	1	21,101	KG
NTN	UKFS319D1	1.465,21	1	23,56	KG

SNR	UKFS.319H	1.904,74	1	25,2	KG
NTN	UKFS320D1	1.748,98	1	27,975	KG
SNR	UKFS.320H	2.273,68	1	34,3	KG
NTN	UKFS322D1	2.365,45	1	37,645	KG
SNR	UKFS.322H	3.074,16	1	43,8	KG
NTN	UKFS324D1	3.262,81	1	40,26	KG
SNR	UKFS.324H	4.241,66	1	54,4	KG
SNR	UKFS.326H	5.582,85	1	72,8	KG
SNR	UKFS.328H	6.708,44	1	97,74	KG
NTN	UKFX10D1	247,68	1	3,55	KG
NTN	UKFX11D1	326,73	1	4,328	KG
NTN	UKFX12D1	350,90	1	5,95	KG
NTN	UKHB210D1	229,97	1	2,075	KG
NTN	UKP205D1	76,25	1	0,822	KG
SNR	UKP.205H	106,73	1	0,896	KG
SNR	UKP.205.H.CC	205,77	1	800	G
SNR	UKP.205.H.CO	208,55	1	800	G
SNR	UKP.205.H.N	118,16	1	800	G
SNR	UKP.20616H	168,63	1	1,4	KG
NTN	UKP206D1	93,22	1	1,376	KG
SNR	UKP.206H	130,56	1	1,545	KG
SNR	UKP.206.H.CC	218,41	1	1,4	KG
SNR	UKP.206.H.CO	220,71	1	1,4	KG
SNR	UKP.206.H.N	144,53	1	1,37	KG
NTN	UKP207D1	112,36	1	1,598	KG
SNR	UKP.207H	157,31	1	1,781	KG
SNR	UKP.207.H.CC	233,62	1	1,8	KG
SNR	UKP.207.H.CO	236,72	1	1,848	KG
SNR	UKP.207.H.N	174,18	1	1,73	KG
NTN	UKP208D1	130,47	1	0,181	KG
SNR	UKP.208H	182,64	1	2,172	KG
SNR	UKP.208H308	182,64	1	2,23	KG
SNR	UKP.208.H.CC	249,86	1	2,33	KG
SNR	UKP.208.H.CO	253,04	1	1,13	KG
SNR	UKP.208.H.N	202,23	1	2,135	KG
NTN	UKP209D1	147,37	1	2,075	KG
SNR	UKP.209H	206,31	1	2,509	KG
SNR	UKP.209.H.CC	268,44	1	2,5	KG
SNR	UKP.209.H.CO	263,99	1	2595	G
SNR	UKP.209.H.N	228,43	1	2,485	KG
NTN	UKP210D1	171,56	1	2,56	KG
SNR	UKP.210H	240,18	1	3,19	KG
SNR	UKP.210.H.CC	291,62	1	3,325	KG
SNR	UKP.210.H.CO	291,62	1	3,1	KG
SNR	UKP.210.H.N	265,91	1	3,045	KG
NTN	UKP211D1	216,25	1	3,2	KG
SNR	UKP.211H	281,10	1	3,93	KG
SNR	UKP.211H311	281,10	1	3,822	KG
SNR	UKP.211.H.CC	345,94	1	4,042	KG
SNR	UKP.211.H.CO	345,94	1	3964	G

SNR	UKP.211.H.N	313,12	1	3,808	KG
NTN	UKP212D1	276,47	1	4,385	KG
SNR	UKP.212H	359,39	1	5,14	KG
SNR	UKP.212.H.CC	442,32	1	5	KG
SNR	UKP.212.H.CO	442,32	1	5272	G
SNR	UKP.212.H.N	400,85	1	5	KG
NTN	UKP213D1	335,76	1	5,11	KG
SNR	UKP.213H	436,50	1	6,338	KG
SNR	UKP.213.H.CC	537,23	1	6,388	KG
SNR	UKP.213.H.CO	537,23	1	6,4	KG
SNR	UKP.213.H.N	486,86	1	5,94	KG
NTN	UKP215D1	483,49	1	6,53	KG
SNR	UKP.215H	628,54	1	7,852	KG
NTN	UKP216D1	573,10	1	8,29	KG
SNR	UKP.216H	745,03	1	9,46	KG
NTN	UKP217D1	686,76	1	10,035	KG
SNR	UKP.217H	892,80	1	11,738	KG
NTN	UKP218D1	872,31	1	11,96	KG
SNR	UKP.218H	1.134,02	1	13,73	KG
NTN	UKP305D1	141,32	1	1,375	KG
SNR	UKP.305H	183,73	1	1,544	KG
NTN	UKP306D1	170,75	1	1,716	KG
SNR	UKP.306H	221,97	1	2,034	KG
SNR	UKP.307	202,26	1	2,62	KG
NTN	UKP307D1	202,26	1	2,44	KG
SNR	UKP.307H	262,94	1	2,72	KG
NTN	UKP308D1	242,44	1	2,95	KG
SNR	UKP.308H	315,17	1	3,588	KG
NTN	UKP309D1	289,91	1	3,642	KG
SNR	UKP.309H	376,88	1	4,828	KG
NTN	UKP310D1	356,73	1	5,605	KG
SNR	UKP.310H	463,74	1	6,442	KG
NTN	UKP311D1	429,45	1	7,3	KG
SNR	UKP311H	558,29	1	8040	G
NTN	UKP312D1	516,04	1	9,22	KG
SNR	UKP.312H	670,86	1	9,7	KG
NTN	UKP313D1	592,26	1	9,76	KG
SNR	UKP.313H	769,92	1	11,648	KG
NTN	UKP315D1	834,66	1	13,645	KG
SNR	UKP.315H	1.085,04	1	19,77	KG
NTN	UKP316D1	1.007,79	1	16,325	KG
SNR	UKP316H	1.310,14	1	19178	G
NTN	UKP317D1	1.118,63	1	18,6	KG
SNR	UKP.317H	1.454,21	1	26,9	KG
NTN	UKP318D1	1.267,55	1	21,195	KG
SNR	UKP.318H	1.647,82	1	31	KG
NTN	UKP319D1	1.465,21	1	26,03	KG
SNR	UKP.319H	1.904,74	1	0,037	KG
SNR	UKP.320	1.748,98	1	30	KG
NTN	UKP320D1	1.748,98	1	32,5	KG

SNR	UKP.320H	2.273,68	1	40,6	KG
NTN	UKP322D1	2.365,45	1	45,6	KG
SNR	UKP.322H	3.075,09	1	55,2	KG
SNR	UKP.324H	4.241,66	1	67,1	KG
NTN	UKP326D1	4.294,51	1	64,06	KG
SNR	UKP.326H	4.409,33	1	79,13	KG
NTN	UKP328D1	5.160,34	1	76,1	KG
SNR	UKP.328H	6.708,44	1	9,8	KG
SNR	UKPA.205H	119,40	1	0,79	KG
SNR	UKPA.206H	141,43	1	1,1	KG
SNR	UKPA.207H	162,85	1	1,595	KG
SNR	UKPA.208H	190,77	1	1,8	KG
SNR	UKPA.209H	214,01	1	2,314	KG
SNR	UKPA.210H	240,30	1	2,7	KG
SNR	UKPA.211H	277,86	1	3,45	KG
SNR	UKPA.212H	374,38	1	4,1	KG
SNR	UKPG.205H	119,40	1	700	G
SNR	UKPG.205.H.CC	266,46	1	700	G
SNR	UKPG.205.H.CO	269,18	1	700	G
SNR	UKPG.205.H.N	248,53	1	700	G
SNR	UKPG.206H	141,43	1	1,16	KG
SNR	UKPG.206.H.CC	244,11	1	1,1	KG
SNR	UKPG.206.H.CO	246,66	1	1,1	KG
SNR	UKPG.206.H.N	222,98	1	1,1	KG
SNR	UKPG.207H	162,85	1	1,615	KG
SNR	UKPG.207.H.CC	260,69	1	1,6	KG
SNR	UKPG.207.H.CO	264,26	1	1,6	KG
SNR	UKPG.207.H.N	233,76	1	1,6	KG
SNR	UKPG.208H	190,77	1	1,965	KG
SNR	UKPG208H308	190,77	1	1855	G
SNR	UKPG.208.H.CC	277,17	1	1,9	KG
SNR	UKPG.208.H.CO	280,52	1	1,9	KG
SNR	UKPG.208.H.N	247,23	1	1,9	KG
SNR	UKPG.209H	214,01	1	2,26	KG
SNR	UKPG.209.H.CC	337,31	1	2,3	KG
SNR	UKPG.209.H.CO	340,51	1	2,3	KG
SNR	UKPG.209.H.N	304,29	1	2,3	KG
SNR	UKPG.210	171,67	1	2,68	KG
SNR	UKPG.210H	240,30	1	2,9	KG
SNR	UKPG.210.H.CC	322,01	1	2,9	KG
SNR	UKPG.210.H.CO	308,08	1	2,9	KG
SNR	UKPG.210.H.N	286,72	1	2,9	KG
SNR	UKPG.211H	277,86	1	3,565	KG
SNR	UKPG.211.H.CC	342,01	1	3,5	KG
SNR	UKPG.211.H.CO	342,01	1	3,5	KG
SNR	UKPG.211.H.N	309,93	1	3,5	KG
SNR	UKPG.212H	374,38	1	4,8	KG
SNR	UKPG.212.H.CC	460,77	1	4,7	KG
SNR	UKPG.212.H.CO	460,77	1	4,97	KG
SNR	UKPG.212.H.N	417,59	1	4,7	KG

SNR	UKPH205CC	231,62	1	1,13	KG
SNR	UKPH.205H	118,79	1	1,32	KG
SNR	UKPH.205.H.CC	205,77	1	1,2	KG
SNR	UKPH.205.H.CO	208,55	1	1,2	KG
SNR	UKPH.205.H.N	203,40	1	1,2	KG
SNR	UKPH.206H	139,16	1	1,8	KG
SNR	UKPH.206.H.CC	218,41	1	1,8	KG
SNR	UKPH.206.H.CO	220,71	1	1,8	KG
SNR	UKPH.206.H.N	212,95	1	1,8	KG
SNR	UKPH.207H	161,93	1	2,3	KG
SNR	UKPH.207.H.CC	233,62	1	2,3	KG
SNR	UKPH.207.H.CO	236,72	1	2,3	KG
SNR	UKPH.207.H.N	224,68	1	2,3	KG
SNR	UKPH.208H	183,62	1	2,955	KG
SNR	UKPH.208.H.CC	249,86	1	2,9	KG
SNR	UKPH.208.H.CO	253,04	1	2,9	KG
SNR	UKPH.208.H.N	237,62	1	2,9	KG
SNR	UKPH.209H	210,48	1	3,36	KG
SNR	UKPH.209.H.CC	260,80	1	3,3	KG
SNR	UKPH.209.H.CO	263,99	1	3,3	KG
SNR	UKPH.209.H.N	250,26	1	3,3	KG
SNR	UKPH.210H	242,57	1	3,875	KG
SNR	UKPH.210.H.CC	294,57	1	3,8	KG
SNR	UKPH210.H.CO	294,57	1	3,8	KG
SNR	UKPH.210.H.N	268,59	1	3,8	KG
SNR	UKSP.205H	160,77	1	1,61	KG
SNR	UKSP.205.H.CC	315,25	1	1,7	KG
SNR	UKSP.205.H.CO	318,38	1	1,7	KG
SNR	UKSP.205.H.N	313,57	1	1,7	KG
SNR	UKSP.206H	194,59	1	2	KG
SNR	UKSP.206.H.CC	324,19	1	2	KG
SNR	UKSP.206.H.CO	326,46	1	2	KG
SNR	UKSP.206.H.N	320,10	1	1,965	KG
SNR	UKSP.207H	274,14	1	2,1	KG
SNR	UKSP.207.H.CC	347,38	1	2,1	KG
SNR	UKSP.207.H.CO	350,95	1	2,1	KG
SNR	UKSP.207.H.N	336,44	1	2,1	KG
SNR	UKSP.208H	377,79	1	4,17	KG
SNR	UKSP.208.H.CC	459,99	1	4,3	KG
SNR	UKSP.208.H.CO	463,47	1	4,3	KG
SNR	UKSP.208.H.N	454,51	1	4,3	KG
SNR	UKSP.209H	410,94	1	4,3	KG
SNR	UKSP.209.H.CC	498,99	1	4,3	KG
SNR	UKSP.209.H.CO	498,99	1	4,3	KG
SNR	UKSP.209.H.N	474,95	1	4,3	KG
SNR	UKSP.210H	505,57	1	4,4	KG
SNR	UKSP.210.H.CC	681,91	1	4,4	KG
SNR	UKSP.210.H.CO	685,29	1	4,4	KG
SNR	UKSP.210.H.N	685,48	1	4,4	KG
SNR	UKT.205H	114,16	1	0,895	KG

SNR	UKT.205.H.CC	253,83	1	800	G
SNR	UKT.205.H.CC.WB	946,49	1	1,4	KG
SNR	UKT.205.H.CO	256,53	1	800	G
SNR	UKT205HCOWB	949,59	1	5,2	KG
SNR	UKT.205.H.N	235,89	1	800	G
SNR	UKT.205.H.N.WB	843,50	1	5,2	KG
SNR	UKT.205HWB	787,98	1	5,8	KG
NTN	UKT206D1	102,83	1	1,23	KG
SNR	UKT.206H	143,95	1	1,315	KG
SNR	UKT206HCC	224,48	1	1,286	KG
SNR	UKT.206.H.CC.WB	998,33	1	1,8	KG
SNR	UKT.206.H.CO	226,78	1	1,3	KG
SNR	UKT.206.H.CO.WB	1.000,71	1	6,3	KG
SNR	UKT.206.H.N	161,65	1	1,3	KG
SNR	UKT.206.H.N.WB	895,54	1	6,3	KG
SNR	UKT.206HWB	836,53	1	6,815	KG
NTN	UKT207D1	120,77	1	1,55	KG
SNR	UKT.207H	169,08	1	1,67	KG
SNR	UKT.207.H.CC	242,19	1	1,6	KG
SNR	UKT.207.H.CC.WB	1.112,86	1	8,65	KG
SNR	UKT.207.H.CO	245,37	1	1,6	KG
SNR	UKT.207.H.CO.WB	1.115,94	1	8,4	KG
SNR	UKT.207.H.N	184,11	1	1,6	KG
SNR	UKT.207.H.N.WB	1.011,86	1	8,4	KG
SNR	UKT.207HWB	945,69	1	8,575	KG
NTN	UKT208D1	134,09	1	2,27	KG
SNR	UKT.208H	187,70	1	2,39	KG
SNR	UKT.208.H.CC	263,18	1	2,4	KG
SNR	UKT.208.H.CC.WB	1.189,17	1	2,5	KG
SNR	UKT.208.H.CO	266,58	1	2,4	KG
SNR	UKT.208.H.CO.WB	1.192,45	1	11	KG
SNR	UKT.208.H.N	208,86	1	2380	G
SNR	UKT.208.H.N.WB	1.090,07	1	11,8	KG
SNR	UKT.208HWB	1.018,71	1	11,422	KG
NTN	UKT209D1	155,84	1	2,212	KG
SNR	UKT.209H	218,19	1	2,47	KG
SNR	UKT.209H309	202,31	1	2392	G
SNR	UKT.209.H.CC	273,33	1	2,61	KG
SNR	UKT.209.H.CC.WB	1.199,14	1	2,5	KG
SNR	UKT.209.H.CO	276,32	1	2568	G
SNR	UKT.209.H.N	239,68	1	2430	G
SNR	UKT.209.H.N.WB	1.097,34	1	11,9	KG
SNR	UKT.209HWB	1.025,70	1	11,89	KG
NTN	UKT210D1	182,38	1	2,39	KG
SNR	UKT.210H	255,35	1	2,65	KG
SNR	UKT.210H310	255,18	1	2,578	KG
SNR	UKT.210.H.CC	298,28	1	2,715	KG
SNR	UKT.210.H.CC.WB	1.213,66	1	4,1	KG
SNR	UKT.210.H.CO	298,28	1	2785	G
SNR	UKT.210.H.CO.WB	1.217,04	1	12,2	KG

SNR	UKT.210.H.N	263,86	1	2,7	KG
SNR	UKT.210.H.N.WB	1.110,19	1	12,2	KG
SNR	UKT.210HWB	1.037,22	1	12,2	KG
NTN	UKT211D1	229,49	1	3,78	KG
SNR	UKT.211H	298,35	1	3,978	KG
SNR	UKT.211H311	269,54	1	3880	G
SNR	UKT.211.H.CC	374,04	1	4,086	KG
SNR	UKT.211.H.CC.WB	1.493,26	1	4,165	KG
SNR	UKT.211.H.CO	377,92	1	3,977	KG
SNR	UKT.211.H.CO.WB	1.497,25	1	18,5	KG
SNR	UKT.211HN	332,79	1	3,942	KG
SNR	UKT.211.H.N.WB	1.540,33	1	18,52	KG
SNR	UKT.211HWB	1.266,89	1	20,392	KG
NTN	UKT212D1	275,41	1	4,5	KG
SNR	UKT.212H	361,46	1	4,79	KG
SNR	UKT.212.H.CC	447,50	1	4,956	KG
SNR	UKT.212.H.CC.WB	1.597,95	1	4,7	KG
SNR	UKT.212.H.CO	447,50	1	4,97	KG
SNR	UKT.212.H.CO.WB	1.602,83	1	20,2	KG
SNR	UKT.212.H.N	415,66	1	4,7	KG
SNR	UKT.212HWB	1.365,49	1	20,2	KG
NTN	UKT213D1	350,92	1	6,59	KG
SNR	UKT.213H	456,17	1	6,67	KG
SNR	UKT.213.H.CC	561,46	1	6,834	KG
SNR	UKT213HCCWB	1.336,06	1	25,317	KG
SNR	UKT.213.H.CO	561,46	1	6,962	KG
SNR	UKT213HCOWB	1.336,06	1	25,3	KG
SNR	UKT.213.H.N	508,83	1	6,7	KG
SNR	UKT.213.H.N.WB	1.367,50	1	25,3	KG
SNR	UKT.213HWB	1.401,12	1	25,055	KG
NTN	UKT215D1	530,17	1	6,832	KG
SNR	UKT.215H	689,21	1	7,595	KG
SNR	UKT.216	650,14	1	7,4	KG
NTN	UKT216D1	650,14	1	7,53	KG
SNR	UKT.216H	845,18	1	0,21	KG
NTN	UKT217D1	781,45	1	9,99	KG
SNR	UKT.217H	1.015,92	1	11,268	KG
SNR	UKT.305H	183,73	1	1,4	KG
SNR	UKT.306H	221,97	1	1,8	KG
NTN	UKT307D1	227,07	1	2,25	KG
SNR	UKT.307H	262,94	1	2,4	KG
SNR	UKT.308H	315,17	1	3	KG
NTN	UKT309D1	289,91	1	3,805	KG
SNR	UKT.309H	376,88	1	4,136	KG
SNR	UKT.310H	463,74	1	4,1	KG
NTN	UKT311D1	429,45	1	6,055	KG
SNR	UKT.311H	558,29	1	6,39	KG
SNR	UKT.312H	637,57	1	7,5	KG
NTN	UKT313D1	592,26	1	8,78	KG
SNR	UKT.313H	769,92	1	9,42	KG

NTN	UKT315D1	834,66	1	12,852	KG
SNR	UKT.315H	1.085,04	1	13,38	KG
SNR	UKT.316H	1.310,14	1	16,895	KG
NTN	UKT317D1	1.118,63	1	18,38	KG
SNR	UKT.317H	1.454,21	1	23,68	KG
NTN	UKT318D1	1.267,55	1	19,83	KG
SNR	UKT.318H	1.647,82	1	26,2	KG
SNR	UKT.319H	1.904,46	1	26,2	KG
SNR	UKT.320H	2.273,68	1	34,775	KG
SNR	UKT.322H	3.075,09	1	45,695	KG
SNR	UKT.324H	3.262,81	1	56,13	KG
SNR	UKT.326H	5.582,85	1	72,7	KG
NTN	UKT328D1	5.857,93	1	80	KG
SNR	UKT.328H	6.708,44	1	89,2	KG
SNR	USC.201	56,76	1	400	G
SNR	USC.202	56,76	1	390	G
SNR	USC.203	56,76	1	410	G
SNR	USC.204	56,03	1	470	G
SNR	USC.205	62,36	1	629	G
SNR	USC.206	81,30	1	759	G
SNR	USC.207	87,49	1	0,854	KG
SNR	USC.208	107,44	1	1,074	KG
SNR	USC.209	137,61	1	1420	G
SNR	USC.210	160,32	1	1,9	KG
SNR	USC.211	192,71	1	2015	G
SNR	USC.212	237,07	1	2,212	KG
SNR	USF.201	56,76	1	404	G
SNR	USF.20108	56,76	1	400	G
SNR	USF.201.CC	148,65	1	400	G
SNR	USF.201.CO	151,35	1	400	G
SNR	USF.201.N	148,85	1	397	G
SNR	USF.202	56,76	1	394	G
SNR	USF.20210	56,76	1	400	G
SNR	USF.202.CC	148,65	1	400	G
SNR	USF.202.CO	151,35	1	400	G
SNR	USF.202.N	148,85	1	387	G
SNR	USF.203	56,76	1	414	G
SNR	USF.20311	56,76	1	400	G
SNR	USF.203.CC	148,65	1	400	G
SNR	USF.203CO	150,95	1	400	G
SNR	USF203N	148,85	1	407	G
SNR	USF.204	56,03	1	575	G
SNR	USF.20412	56,03	1	554	G
SNR	USF.204.CC	144,59	1	600	G
SNR	USF.204.CO	147,87	1	600	G
SNR	USF.204.N	64,43	1	600	G
SNR	USF.205	62,36	1	755	G
SNR	USF.20514	62,36	1	800	G
SNR	USF.20515	62,36	1	800	G
SNR	USF20516	62,36	1	755	G

SNR	USF.205.CC	149,57	1	774	G
SNR	USF.205.CO	153,84	1	800	G
SNR	USF.205.N	71,71	1	800	G
SNR	USF.206	81,30	1	1106	G
SNR	USF.20618	81,30	1	1,1	KG
SNR	USF.20619	81,30	1	1,052	KG
SNR	USF.20620	81,30	1	1,1	KG
SNR	USF.206.CC	156,91	1	1,1	KG
SNR	USF.206.CO	159,20	1	1,1	KG
SNR	USF.206.N	93,48	1	1,1	KG
SNR	USF.207	87,49	1	1502	G
SNR	USF.20720	87,49	1	1,5	KG
SNR	USF.20721	87,49	1	1,5	KG
SNR	USF.20722	87,49	1	1,5	KG
SNR	USF.20723	87,49	1	1,444	KG
SNR	USF.207.CC	164,67	1	1,5	KG
SNR	USF.207.CO	167,77	1	1,5	KG
SNR	USF.207.N	100,61	1	1,5	KG
SNR	USF.208	107,44	1	1814	G
SNR	USF.20824	107,44	1	1,9	KG
SNR	USF.20825	107,44	1	1,9	KG
SNR	USF.208.CC	177,71	1	1,9	KG
SNR	USF.208CO	180,99	1	1,9	KG
SNR	USF.208.N	123,56	1	1,9	KG
SNR	USF.209	137,61	1	2090	G
SNR	USF.20926	137,61	1	2,1	KG
SNR	USF.20927	137,61	1	2,15	KG
SNR	USF.20928	137,61	1	2,1	KG
SNR	USF.209CC	183,98	1	2,1	KG
SNR	USF.209CO	187,27	1	2,1	KG
SNR	USF.209.N	158,25	1	2,1	KG
SNR	USF.210	160,32	1	2492	G
SNR	USF.21030	160,32	1	2,5	KG
SNR	USF.21031	160,32	1	2,5	KG
SNR	USF.210.CC	208,41	1	2,5	KG
SNR	USF.210.CO	208,41	1	2,5	KG
SNR	USF.210.N	184,35	1	2,5	KG
SNR	USF.211	192,71	1	3240	G
SNR	USF.21132	192,71	1	3,3	KG
SNR	USF.21134	192,71	1	3,3	KG
SNR	USF.21135	192,71	1	3,3	KG
SNR	USF.211.CC	253,74	1	3,3	KG
SNR	USF211CO	257,72	1	3,23	KG
SNR	USF.211.N	221,62	1	3,3	KG
SNR	USF.212	237,07	1	4250	G
SNR	USF.21236	237,07	1	4,2	KG
SNR	USF.21238	237,07	1	4,2	KG
SNR	USF.21239	237,07	1	4,16	KG
SNR	USF.212.CC	308,17	1	4,2	KG
SNR	USF212CO	308,17	1	4,4	KG

SNR	USF.212.N	272,60	1	4,2	KG
SNR	USFA.201	56,76	1	330	G
SNR	USFA.201.CC	152,55	1	400	G
SNR	USFA.201.CO	155,22	1	400	G
SNR	USFA.201.N	152,94	1	500	G
SNR	USFA.202	56,76	1	320	G
SNR	USFA.202.CC	152,55	1	400	G
SNR	USFA.202.CO	155,22	1	400	G
SNR	USFA.202.N	152,94	1	400	G
SNR	USFA.203	56,76	1	340	G
SNR	USFA.203.CC	152,55	1	500	G
SNR	USFA.203.CO	154,52	1	500	G
SNR	USFA.203.N	152,94	1	500	G
SNR	USFA.204	56,03	1	410	G
SNR	USFA.204.CC	148,05	1	500	G
SNR	USFA.204.CO	151,35	1	500	G
SNR	USFA.204.N	149,27	1	500	G
SNR	USFA.205	62,62	1	618	G
SNR	USFA.205.CC	154,22	1	700	G
SNR	USFA.205.CO	158,70	1	700	G
SNR	USFA.205.N	155,13	1	700	G
SNR	USFA.206	81,30	1	0,902	KG
SNR	USFA.206.CC	162,99	1	1,1	KG
SNR	USFA.206.CO	165,37	1	1,2	KG
SNR	USFA.206.N	162,28	1	1,1	KG
SNR	USFA.207	87,49	1	1,25	KG
SNR	USFA.207.CC	172,62	1	1,5	KG
SNR	USFA.207.CO	175,61	1	1,5	KG
SNR	USFA.207.N	169,96	1	1,5	KG
SNR	USFA.208	107,44	1	1,525	KG
SNR	USFA.208.CC	183,17	1	2	KG
SNR	USFA.208.CO	186,37	1	2	KG
SNR	USFA.208.N	179,71	1	2	KG
SNR	USFA.209	137,61	1	2,3	KG
SNR	USFA.209.CC	193,75	1	2,3	KG
SNR	USFA.209.CO	196,73	1	2,3	KG
SNR	USFA.209.N	189,16	1	3,5	KG
SNR	USFA.210	160,32	1	2,16	KG
SNR	USFA.210.CC	208,41	1	2,7	KG
SNR	USFA.210.CO	208,41	1	2,7	KG
SNR	USFA.210.N	197,61	1	2,7	KG
SNR	USFA.211	192,71	1	3,5	KG
SNR	USFA.211.CC	250,54	1	3,4	KG
SNR	USFA.211.CO	250,54	1	3,5	KG
SNR	USFA.211.N	221,62	1	3,5	KG
SNR	USFA.212	237,07	1	4	KG
SNR	USFA.212.CC	308,17	1	4	KG
SNR	USFA.212.CO	308,17	1	4	KG
SNR	USFA.212.N	272,60	1	4	KG
SNR	USFC.201	67,41	1	460	G

SNR	USFC.201.CC	152,55	1	500	G
SNR	USFC201CO	155,22	1	500	G
SNR	USFC.201.N	152,94	1	457	G
SNR	USFC.202	67,41	1	450	G
SNR	USFC.202.CC	152,55	1	500	G
SNR	USFC.202.CO	155,22	1	500	G
SNR	USFC.202.N	152,94	1	447	G
SNR	USFC.203	67,41	1	470	G
SNR	USFC.203.CC	152,55	1	500	G
SNR	USFC.203.CO	154,52	1	500	G
SNR	USFC.203.N	152,94	1	467	G
SNR	USFC.204	67,41	1	700	G
SNR	USFC.204.CC	148,05	1	600	G
SNR	USFC.204.CO	151,35	1	500	G
SNR	USFC.204.N	77,52	1	600	G
SNR	USFC.205	79,49	1	950	G
SNR	USFC.205.CC	154,22	1	1	KG
SNR	USFC.205.CO	158,70	1	800	G
SNR	USFC.205.N	91,40	1	900	G
SNR	USFC.206	96,59	1	1320	G
SNR	USFC.206.CC	162,99	1	1,2	KG
SNR	USFC.206.CO	165,37	1	900	G
SNR	USFC.206.N	111,08	1	1,2	KG
SNR	USFC.207	110,77	1	1664	G
SNR	USFC.207.CC	172,62	1	1,6	KG
SNR	USFC.207.CO	175,61	1	1,2	KG
SNR	USFC.207.N	127,38	1	1,6	KG
SNR	USFC.208	129,56	1	1954	G
SNR	USFC.208.CC	183,17	1	2	KG
SNR	USFC.208.CO	186,37	1	2	KG
SNR	USFC.208.N	149,01	1	2	KG
SNR	USFC.209	146,18	1	2,4	KG
SNR	USFC.209.CC	193,75	1	2,4	KG
SNR	USFC.209.CO	196,73	1	2,4	KG
SNR	USFC.209.N	168,13	1	2,4	KG
SNR	USFC.210	162,85	1	2,8	KG
SNR	USFC.210.CC	211,68	1	2,8	KG
SNR	USFC.210.CO	211,68	1	2,9	KG
SNR	USFC.210.N	187,27	1	2,8	KG
SNR	USFC.211	210,47	1	3,8	KG
SNR	USFC.211.CC	273,63	1	3,8	KG
SNR	USFC.211.CO	273,63	1	3,8	KG
SNR	USFC.211.N	242,03	1	3,8	KG
SNR	USFC.212	276,88	1	4,775	KG
SNR	USFC.212.CC	359,93	1	4,7	KG
SNR	USFC.212.CO	359,93	1	4,7	KG
SNR	USFC.212.N	318,41	1	4,7	KG
SNR	USFC.212T20	666,00	1	4,7	KG
SNR	USFD.202M6	61,41	1	0,31	KG
SNR	USFD.206	85,87	1	0,714	KG

SNR	USFD206M12	85,87	1	0,5	KG
SNR	USFD.207	99,31	1	0,96	KG
SNR	USFD207M10	112,36	1	0,957	KG
SNR	USFD207M12	99,31	1	0,965	KG
SNR	USFD.208M12	129,01	1	1,335	KG
SNR	USFD.208T20	254,17	1	1,3	KG
SNR	USFL.201	56,76	1	376	G
SNR	USFL.20108	86,76	1	380	G
SNR	USFL.201.CC	148,65	1	400	G
SNR	USFL201CO	151,35	1	350	G
SNR	USFL.201.N	148,85	1	367	G
SNR	USFL.202	56,76	1	366	G
SNR	USFL.20210	56,76	1	300	G
SNR	USFL.202.CC	148,65	1	300	G
SNR	USFL.202.CO	151,35	1	300	G
SNR	USFL.202.N	148,85	1	357	G
SNR	USFL.203	56,76	1	386	G
SNR	USFL.20311	56,76	1	400	G
SNR	USFL.203.CC	148,65	1	400	G
SNR	USFL.203.CO	150,95	1	400	G
SNR	USFL.203.N	148,85	1	377	G
SNR	USFL.204	56,03	1	415	G
SNR	USFL.20412	56,76	1	400	G
SNR	USFL.204.CC	144,59	1	400	G
SNR	USFL.204.CO	147,87	1	400	G
SNR	USFL.204.N	64,43	1	400	G
SNR	USFL.205	62,36	1	578	G
SNR	USFL.20514	62,36	1	600	G
SNR	USFL.20515	62,36	1	600	G
SNR	USFL.20516	62,36	1	596	G
SNR	USFL.205.CC	149,57	1	610	G
SNR	USFL.205.CO	153,84	1	624	G
SNR	USFL.205.N	71,71	1	600	G
SNR	USFL.206	81,30	1	840	G
SNR	USFL.20618	81,30	1	900	G
SNR	USFL.20619	81,30	1	900	G
SNR	USFL.20620	81,30	1	865	G
SNR	USFL.206.CC	156,91	1	895	G
SNR	USFL.206.CO	159,20	1	900	G
SNR	USFL.206.N	93,48	1	900	G
SNR	USFL.207	87,49	1	1135	G
SNR	USFL.20720	87,49	1	1,1	KG
SNR	USFL.20721	87,49	1	1,1	KG
SNR	USFL.20722	87,49	1	1,1	KG
SNR	USFL.20723	87,49	1	1,1	KG
SNR	USFL.207.CC	164,67	1	1154	G
SNR	USFL.207.CO	167,77	1	1,1	KG
SNR	USFL.207.N	100,61	1	1,1	KG
SNR	USFL.208	107,44	1	1414	G
SNR	USFL.20824	107,44	1	1,5	KG

SNR	USFL.20825	107,44	1	1,5	KG
SNR	USFL.208.CC	177,71	1	1,48	KG
SNR	USFL.208.CO	180,99	1	1,5	KG
SNR	USFL.208.N	123,56	1	1,5	KG
SNR	USFL.209	137,61	1	1,766	KG
SNR	USFL.20926	137,61	1	1,8	KG
SNR	USFL.20927	137,61	1	1,8	KG
SNR	USFL.209.CC	183,98	1	1,8	KG
SNR	USFL.209.CO	187,27	1	1,8	KG
SNR	USFL.209.N	158,25	1	1,8	KG
SNR	USFL.210	160,32	1	2,13	KG
SNR	USFL.21030	160,32	1	2,2	KG
SNR	USFL.21031	160,32	1	2,2	KG
SNR	USFL.210.CC	208,41	1	2,19	KG
SNR	USFL210CO	208,41	1	2,16	KG
SNR	USFL.210.N	184,35	1	2,2	KG
SNR	USFL.211	192,71	1	2,9	KG
SNR	USFL.21132	192,71	1	2,9	KG
SNR	USFL.21134	192,71	1	2,9	KG
SNR	USFL.21135	192,71	1	2,9	KG
SNR	USFL.211.CC	327,11	1	2,9	KG
SNR	USFL.211.CO	331,21	1	2,9	KG
SNR	USFL.211.N	307,52	1	2,9	KG
SNR	USFL.212	237,07	1	3,6	KG
SNR	USFL.21236	237,07	1	3,6	KG
SNR	USFL.21238	237,07	1	3,6	KG
SNR	USFL.21239	237,07	1	3,6	KG
SNR	USFL.212.CC	308,17	1	3,6	KG
SNR	USFL.212.CO	308,17	1	3,6	KG
SNR	USFL.212.N	272,60	1	3,6	KG
SNR	USFLZ.201	74,70	1	450	G
SNR	USFLZ.202	74,70	1	440	G
SNR	USFLZ.203	74,70	1	460	G
SNR	USFLZ.204	75,07	1	440	G
SNR	USFLZ.205	88,53	1	640	G
SNR	USFLZ.206	105,32	1	944	G
SNR	USFLZ.207	123,37	1	1,1	KG
SNR	USFLZ.208	138,68	1	1600	G
SNR	USFLZ.209	154,86	1	1,795	KG
SNR	USFLZ.210	173,83	1	1,97	KG
SNR	USFLZ210T20	318,50	1	2,095	KG
SNR	USFLZ.212	262,52	1	3,3	KG
SNR	USP.201	56,76	1	0,66	KG
SNR	USP.20108	56,76	1	700	G
SNR	USP.201.CC	193,93	1	700	G
SNR	USP.201.CO	196,51	1	700	G
SNR	USP.201.N	184,57	1	650	G
SNR	USP.202	56,76	1	650	G
SNR	USP.20210	56,76	1	700	G
SNR	USP.202.CC	193,93	1	600	G

SNR	USP.202.CO	196,51	1	600	G
SNR	USP.202.N	184,57	1	640	G
SNR	USP.203	56,76	1	670	G
SNR	USP.20311	56,76	1	700	G
SNR	USP.203.CC	193,34	1	600	G
SNR	USP.203.CO	195,42	1	600	G
SNR	USP.203.N	184,57	1	660	G
SNR	USP.204	56,03	1	0,66	KG
SNR	USP.20412	56,03	1	665	G
SNR	USP.204.CC	190,35	1	0,73	KG
SNR	USP.204.CO	193,75	1	700	G
SNR	USP.204.N	64,43	1	630	G
SNR	USP.205	62,36	1	0,812	KG
SNR	USP.20514	62,36	1	800	G
SNR	USP.20515	62,36	1	800	G
SNR	USP.20516	62,36	1	800	G
SNR	USP.205.CC	196,32	1	0,856	KG
SNR	USP.205.CO	200,49	1	0,856	KG
SNR	USP.205.N	71,71	1	730	G
SNR	USP.206	81,30	1	1,372	KG
SNR	USP.20618	81,30	1	1,3	KG
SNR	USP.20619	81,30	1	1,3	KG
SNR	USP.20620	81,30	1	1,3	KG
SNR	USP.206.CC	205,38	1	1,3	KG
SNR	USP.206.CO	207,66	1	1,4	KG
SNR	USP.206.N	93,48	1	1,3	KG
SNR	USP.207	87,49	1	1,632	KG
SNR	USP.20720	87,49	1	1,7	KG
SNR	USP.20721	87,49	1	1,7	KG
SNR	USP.20722	87,49	1	1,7	KG
SNR	USP.20723	87,49	1	1,7	KG
SNR	USP.207.CC	216,81	1	1,7	KG
SNR	USP.207.CO	220,01	1	1,655	KG
SNR	USP.207.N	100,61	1	1,595	KG
SNR	USP.208	107,44	1	2,04	KG
SNR	USP.20824	107,44	1	2,055	KG
SNR	USP.20825	107,44	1	2,1	KG
SNR	USP.208.CC	230,04	1	2,1	KG
SNR	USP.208.CO	233,14	1	2,1	KG
SNR	USP.208.N	123,56	1	2,1	KG
SNR	USP.209	137,61	1	2,355	KG
SNR	USP.20926	137,61	1	2,4	KG
SNR	USP.20927	137,61	1	2,4	KG
SNR	USP.20928	137,61	1	2,4	KG
SNR	USP.209.CC	237,80	1	2,4	KG
SNR	USP.209.CO	241,01	1	2,4	KG
SNR	USP.209.N	158,25	1	2,4	KG
SNR	USP.210	160,32	1	2,9	KG
SNR	USP.21030	160,32	1	2,9	KG
SNR	USP.21031	160,32	1	2,9	KG

SNR	USP.210.CC	253,63	1	2,9	KG
SNR	USP.210.CO	257,03	1	2,9	KG
SNR	USP.210.N	184,35	1	2,9	KG
SNR	USP.211	192,71	1	3,555	KG
SNR	USP.21132	192,71	1	3,6	KG
SNR	USP.21134	192,71	1	3,6	KG
SNR	USP.21135	192,71	1	1,215	KG
SNR	USP.211.CC	250,54	1	3,6	KG
SNR	USP.211.CO	250,54	1	3,6	KG
SNR	USP.211.N	221,62	1	3,6	KG
SNR	USP.212	237,07	1	4,87	KG
SNR	USP.21236	237,07	1	4,8	KG
SNR	USP.21238	237,07	1	4,8	KG
SNR	USP.21239	237,07	1	4,8	KG
SNR	USP.212.CC	351,37	1	0,11	KG
SNR	USP.212.CO	356,32	1	4,8	KG
SNR	USP.212.N	272,60	1	4,8	KG
SNR	USP.212T20	656,83	1	4,8	KG
SNR	USPA.201	78,41	1	390	G
SNR	USPA.202	78,41	1	380	G
SNR	USPA.203	78,41	1	400	G
SNR	USPA.204	82,07	1	0,5	KG
SNR	USPA.205	91,27	1	0,7	KG
SNR	USPA.206	105,69	1	1022	G
SNR	USPA.206T20	155,67	1	1	KG
SNR	USPA.207	127,54	1	1,418	KG
SNR	USPA.208	137,61	1	1600	G
SNR	USPA.209	186,82	1	2,1	KG
SNR	USPA.210	162,85	1	2,5	KG
SNR	USPA.211	210,47	1	3,054	KG
SNR	USPA.212	276,88	1	3,914	KG
SNR	USPF.202	39,62	1	200	G
SNR	USPF.203	39,62	1	0,22	KG
SNR	USPF.205	46,07	1	0,38	KG
SNR	USPF.206	57,33	1	0,59	KG
SNR	USPF.207	66,40	1	0,74	KG
SNR	USPF.209	96,59	1	1,3	KG
SNR	USPF.210	153,66	1	1,52	KG
SNR	USPFE.206	176,59	1	810	G
SNR	USPFL.201	39,78	1	0,187	KG
SNR	USPFL202	39,78	1	0,2	KG
SNR	USPFL204	43,42	1	1	G
SNR	USPFL.205	46,60	1	0,27	KG
SNR	USPFL.206	56,82	1	0,438	KG
SNR	USPFL.207	68,05	1	0,573	KG
SNR	USPFL.208	84,98	1	824	G
SNR	USPFT205	49,41	1	0,003	KG
SNR	USPFT.206	59,86	1	0,49	KG
SNR	USPG.201	122,59	1	310	G
SNR	USPG.201.CC	223,89	1	300	G

SNR	USPG.201.CO	228,79	1	300	G
SNR	USPG.201.N	189,75	1	300	G
SNR	USPG.202	117,67	1	300	G
SNR	USPG.202.CC	223,89	1	300	G
SNR	USPG.202.CO	228,79	1	300	G
SNR	USPG.202.N	189,75	1	300	G
SNR	USPG.203	96,59	1	320	G
SNR	USPG.203.CC	223,16	1	300	G
SNR	USPG.203.CO	227,31	1	300	G
SNR	USPG.203.N	189,75	1	300	G
SNR	USPG.204	67,41	1	0,55	KG
SNR	USPG.204.CC	218,13	1	600	G
SNR	USPG.204.CO	221,04	1	600	G
SNR	USPG.204.N	187,17	1	600	G
SNR	USPG.205	79,49	1	0,678	KG
SNR	USPG.205.CC	255,18	1	700	G
SNR	USPG.205.CO	257,89	1	700	G
SNR	USPG.205.N	237,25	1	0,634	KG
SNR	USPG.206	96,59	1	1,055	KG
SNR	USPG.206.CC	230,66	1	1	KG
SNR	USPG.206.CO	233,22	1	1,1	KG
SNR	USPG.206.N	196,42	1	1	KG
SNR	USPG.206T20	151,00	1	1	KG
SNR	USPG.207	110,77	1	1,5	KG
SNR	USPG.207.CA	110,77	1	1,5	KG
SNR	USPG.207.CC	243,03	1	1,5	KG
SNR	USPG.207.CO	246,32	1	1,5	KG
SNR	USPG.207.N	203,40	1	1,5	KG
SNR	USPG.208	129,56	1	1,71	KG
SNR	USPG.208.CC	256,11	1	1,8	KG
SNR	USPG.208.CO	259,46	1	1,8	KG
SNR	USPG.208.N	212,95	1	1,635	KG
SNR	USPG.209	146,18	1	2,1	KG
SNR	USPG.209.CC	313,16	1	2,1	KG
SNR	USPG.209.CO	316,33	1	2,1	KG
SNR	USPG.209.N	227,06	1	2,2	KG
SNR	USPG.210	162,85	1	2,72	KG
SNR	USPG.210.CC	294,10	1	2,8	KG
SNR	USPG.210.CO	297,40	1	2,8	KG
SNR	USPG.210.N	246,08	1	2,8	KG
SNR	USPG.211	210,47	1	3,4	KG
SNR	USPG.211.CC	295,81	1	3,4	KG
SNR	USPG.211.CO	299,92	1	3,4	KG
SNR	USPG.211.N	242,03	1	3,5	KG
SNR	USPG.212	276,88	1	4,5	KG
SNR	USPG.212.CC	405,80	1	4,5	KG
SNR	USPG.212.CO	410,66	1	4,7	KG
SNR	USPG.212.N	336,03	1	4,7	KG
SNR	USPH.201	65,78	1	680	G
SNR	USPH.201.CC	198,71	1	700	G

SNR	USPH.201.C.O	201,30	1	700	G
SNR	USPH.201.N	189,65	1	700	G
SNR	USPH.202	65,78	1	670	G
SNR	USPH.202.CC	198,71	1	700	G
SNR	USPH.202.C.O	201,30	1	700	G
SNR	USPH.202.N	189,65	1	700	G
SNR	USPH.203	65,78	1	690	G
SNR	USPH.203.CC	198,10	1	70	G
SNR	USPH203CO	200,19	1	690	G
SNR	USPH.203.N	189,65	1	700	G
SNR	USPH.204	65,78	1	840	G
SNR	USPH.204.CC	193,93	1	800	G
SNR	USPH.204.C.O	197,33	1	800	G
SNR	USPH.204.N	185,98	1	800	G
SNR	USPH.205	79,03	1	1,195	KG
SNR	USPH.205.CC	201,80	1	1,2	KG
SNR	USPH.205.C.O	205,98	1	1,2	KG
SNR	USPH.205.N	191,83	1	1,2	KG
SNR	USPH.206	94,72	1	1,7	KG
SNR	USPH.206.CC	210,55	1	1,7	KG
SNR	USPH.206.C.O	212,95	1	1,7	KG
SNR	USPH.206.N	199,10	1	1,7	KG
SNR	USPH.207	110,30	1	2,29	KG
SNR	USPH.207.CC	223,19	1	2,2	KG
SNR	USPH.207.C.O	226,37	1	2,2	KG
SNR	USPH.207.N	206,76	1	2,2	KG
SNR	USPH.208	124,79	1	2,79	KG
SNR	USPH.208.CC	235,43	1	2,8	KG
SNR	USPH.208.CO	238,81	1	2,8	KG
SNR	USPH.208.N	216,42	1	2,8	KG
SNR	USPH.209	143,19	1	3,1	KG
SNR	USPH.209.CC	247,56	1	3,21	KG
SNR	USPH.209.C.O	250,64	1	3,1	KG
SNR	USPH.209.N	225,87	1	3,1	KG
SNR	USPH.210	165,26	1	3,644	KG
SNR	USPH.210CC	258,32	1	3,6	KG
SNR	USPH210CO	261,69	1	3,6	KG
SNR	USPH.210.N	234,35	1	3,6	KG
SNR	USPP.201	40,92	1	0,19	KG
SNR	USPP202	40,92	1	0,182	KG
SNR	USPP203	40,92	1	0,2	KG
SNR	USPP204	46,07	1	1	G
SNR	USPP.20516	49,13	1	0,318	KG
SNR	USPP.207	67,01	1	0,645	KG
SNR	USSP.201	126,97	1	1,6	KG
SNR	USSP.201.CC	294,09	1	1,6	KG
SNR	USSP.201.CO	296,66	1	1,6	KG
SNR	USSP.201.N	282,18	1	1,6	KG
SNR	USSP.202.CC	294,09	1	1,7	KG
SNR	USSP.202.CO	296,66	1	1,56	KG

SNR	USSP.202.N	264,99	1	1,42	KG
SNR	USSP.203	126,97	1	1,6	KG
SNR	USSP.203.CC	293,42	1	1,6	KG
SNR	USSP.203.CO	295,66	1	1,7	KG
SNR	USSP.203.N	282,18	1	1,6	KG
SNR	USSP.204	124,97	1	1495	G
SNR	USSP.204.CC	290,63	1	1,6	KG
SNR	USSP.204.CO	294,21	1	1,7	KG
SNR	USSP.204.N	280,19	1	1,6	KG
SNR	USSP.205	138,39	1	1614	G
SNR	USSP.205.CC	305,50	1	1,53	KG
SNR	USSP.205.CO	309,99	1	0,01	KG
SNR	USSP.205.N	377,63	1	1,7	KG
SNR	USSP.206	164,62	1	1845	G
SNR	USSP.206.CC	311,14	1	1,9	KG
SNR	USSP.206.CO	313,54	1	1,9	KG
SNR	USSP.206.N	306,17	1	1,9	KG
SNR	USSP.207	190,54	1	2528	G
SNR	USSP.207.CC	329,72	1	1,906	KG
SNR	USSP.207.CO	333,00	1	2	KG
SNR	USSP.207.N	318,40	1	2	KG
SNR	USSP.208	263,34	1	4,095	KG
SNR	USSP.208.CC	439,39	1	4,2	KG
SNR	USSP.208.CO	442,74	1	4,2	KG
SNR	USSP.208.N	420,21	1	4,2	KG
SNR	USSP.209	286,48	1	4,2	KG
SNR	USSP.209.CC	458,76	1	4,2	KG
SNR	USSP.209.CO	462,01	1	4,2	KG
SNR	USSP.209.N	436,93	1	4,2	KG
SNR	USSP.210	479,11	1	4,2	KG
SNR	USSP.210.CC	655,25	1	4,2	KG
SNR	USSP.210.CO	658,71	1	4,16	KG
SNR	USSP.210.N	657,33	1	4,2	KG
SNR	UST.201	67,41	1	700	G
SNR	UST.201.CC	207,44	1	700	G
SNR	UST.201.CO	211,70	1	800	G
SNR	UST.202	67,41	1	600	G
SNR	UST.202.CC	207,44	1	600	G
SNR	UST.202.CO	211,70	1	800	G
SNR	UST.203.CC	207,44	1	700	G
SNR	UST.203.CO	211,12	1	700	G
SNR	UST.204	67,41	1	722	G
SNR	UST.204.CC	348,47	1	700	G
SNR	UST.204.CC.WB	930,36	1	5,1	KG
SNR	UST.204.CO	351,39	1	700	G
SNR	UST.204.CO.WB	933,66	1	5,1	KG
SNR	UST.204.N	331,12	1	700	G
SNR	UST.204.N.WB	827,49	1	5,1	KG
SNR	UST.204.WB	772,86	1	700	G
SNR	UST.205	79,49	1	802	G

SNR	UST.205.CC	242,54	1	800	G
SNR	UST.205.CC.WB	936,83	1	5,2	KG
SNR	UST.205.CO	245,26	1	800	G
SNR	UST.205.CO.WB	941,32	1	5,2	KG
SNR	UST.205.N	224,66	1	800	G
SNR	UST.205.N.WB	831,96	1	5,2	KG
SNR	UST.205.WB	777,05	1	5,696	KG
SNR	UST.206	96,59	1	1210	G
SNR	UST.206.CC	211,45	1	1,2	KG
SNR	UST.206.CC.WB	985,20	1	6,2	KG
SNR	UST.206.CO	213,82	1	1,2	KG
SNR	UST.206.CO.WB	987,69	1	6,2	KG
SNR	UST.206.N	111,08	1	1,2	KG
SNR	UST.206.N.WB	881,71	1	6,2	KG
SNR	UST.206.WB	823,61	1	6,55	KG
SNR	UST.207	110,77	1	1,5	KG
SNR	UST.20723	110,77	1	1,512	KG
SNR	UST207CC	225,56	1	1,53	KG
SNR	UST.207.CC.WB	1.096,15	1	8,3	KG
SNR	UST.207.CO	228,55	1	1,5	KG
SNR	UST.207.CO.WB	1.099,22	1	8,4	KG
SNR	UST.207.N	127,38	1	1,5	KG
SNR	UST.207.N.WB	993,95	1	8,4	KG
SNR	UST.207.WB	928,78	1	1,5	KG
SNR	UST.208	129,56	1	2204	G
SNR	UST.208.CC	243,39	1	2,3	KG
SNR	UST.208.CC.WB	1.169,18	1	11,7	KG
SNR	UST.208.CO	246,57	1	2,3	KG
SNR	UST.208.CO.WB	1.172,28	1	11,7	KG
SNR	UST.208.N	148,99	1	2,25	KG
SNR	UST.208.N.WB	1.068,87	1	11,7	KG
SNR	UST.208.WB	998,63	1	11545	G
SNR	UST.209	146,18	1	2,27	KG
SNR	UST.209.CC	250,26	1	2,3	KG
SNR	UST.209.CC.WB	1.176,15	1	11,8	KG
SNR	UST.209.CO	253,54	1	2,3	KG
SNR	UST.209.CO.WB	1.179,23	1	11,8	KG
SNR	UST.209.N	168,13	1	2,245	KG
SNR	UST.209.N.WB	1.073,05	1	11,8	KG
SNR	UST.209.WB	1.002,51	1	2,3	KG
SNR	UST.210	162,85	1	2335	G
SNR	UST.210.CC	261,00	1	2,48	KG
SNR	UST.210.CC.WB	1.186,88	1	12	KG
SNR	UST.210.CO	264,49	1	2,5	KG
SNR	UST.210.CO.WB	1.190,37	1	12,2	KG
SNR	UST.210.N	187,27	1	2,362	KG
SNR	UST.210.N.WB	1.081,82	1	12	KG
SNR	UST.210.WB	1.010,67	1	2,5	KG
SNR	UST.211	210,47	1	3,743	KG
SNR	UST.211.CC	342,50	1	3,8	KG

SNR	UST.211.CC.WB	1.461,93	1	18,4	KG
SNR	UST.211.CO	346,58	1	3,8	KG
SNR	UST.211.CO.WB	1.465,80	1	18,4	KG
SNR	UST.211.N	315,04	1	3,8	KG
SNR	UST.211.N.WB	1.506,90	1	18,4	KG
SNR	UST.211.WB	1.235,65	1	3,9	KG
SNR	UST.212	276,88	1	4485	G
SNR	UST.212.CC	373,45	1	4,5	KG
SNR	UST.212.CC.WB	1.562,02	1	20	KG
SNR	UST.212.CO	378,22	1	4,5	KG
SNR	UST.212.CO.WB	1.566,70	1	21055	G
SNR	UST.212.N	341,39	1	4,5	KG
SNR	UST.212.N.WB	1.606,80	1	20	KG
SNR	UST.212.WB	1.329,39	1	4,7	KG
SNR	ZUC204FG	94,80	1	0,16	KG
SNR	ZUC205FG	116,44	1	0,195	KG
SNR	ZUC206FG	98,98	1	0,3	KG
SNR	ZUC207FG	160,87	1	0,45	KG
SNR	ZUC208FG	201,24	1	0,63	KG
SNR	EHE203	37,57	1	0,46	KG
SNR	EHE204	37,57	1	0,38	KG
SNR	EHE205	45,63	1	0,47	KG
SNR	EHE206	55,06	1	0,786	KG
SNR	EHE207	60,14	1	0,748	KG
SNR	EHE208	68,74	1	0,946	KG
SNR	EHE209	77,72	1	1,27	KG
SNR	EHE210	86,34	1	1,066	KG
SNR	ESEHE.201	73,09	1	600	G
SNR	ESEHE.202	73,09	1	590	G
SNR	ESEHE.203	73,09	1	590	G
SNR	ESEHE.204	76,65	1	530	G
SNR	ESEHE.205	87,26	1	660	G
SNR	ESEHE.205.CA	91,63	1	680	G
SNR	ESEHE205N	228,00	1	650	G
SNR	ESEHE.206	105,05	1	1063	G
SNR	ESEHE.207	121,90	1	1215	G
SNR	ESEHE.208	146,18	1	1588	G
SNR	ESEHE208N	331,88	1	1475	G
SNR	ESEHE.209	169,47	1	1990	G
SNR	ESEHE.210	186,03	1	1750	G
SNR	ESFAE.204	66,24	1	462	G
SNR	ESFAE.205	75,72	1	620	G
SNR	ESFAE.206	90,37	1	870	G
SNR	ESFAE.207	106,09	1	1154	G
SNR	ESFCE.201	73,09	1	570	G
SNR	ESFCE.202	73,09	1	560	G
SNR	ESFCE.203	73,09	1	560	G
SNR	ESFCE.204	76,65	1	510	G
SNR	ESFCE.205	87,26	1	760	G
SNR	ESFCE.206	105,05	1	990	G

SNR	ESFCE.207	121,90	1	1318	G
SNR	ESFCE.208	146,18	1	1662	G
SNR	ESFCE.209	169,47	1	1930	G
SNR	ESFCE.210	186,03	1	2253	G
SNR	ESFCE.211	224,85	1	3248	G
SNR	ESFCE.212	305,72	1	3775	G
SNR	ESFE201	62,50	1	0,48	KG
SNR	ESFE201N	153,03	1	0,47	KG
SNR	ESFE202	62,50	1	0,47	KG
SNR	ESFE202N	153,03	1	460	G
SNR	ESFE203	62,50	1	0,47	KG
SNR	ESFE203N	153,03	1	460	G
SNR	ESFE204N	415,54	1	0,63	KG
SNR	ESFE205N	147,06	1	0,77	KG
SNR	ESFE206N	153,53	1	1,174	KG
SNR	ESFE207N	162,20	1	1,565	KG
SNR	ESFE.207T20	204,67	1	1,654	KG
SNR	ESFE208N	142,63	1	2,08	KG
SNR	ESFE209N	184,98	1	2,24	KG
SNR	ESFE.210.CA	165,09	1	2,545	KG
SNR	ESFE210N	192,73	1	2,485	KG
SNR	ESFE211N	274,82	1	3,42	KG
SNR	ESFE212N	305,67	1	4,655	KG
SNR	ESFEE.205	97,07	1	0,865	KG
SNR	ESFEE.206	121,21	1	1,242	KG
SNR	ESFEE.207	141,40	1	1,566	KG
SNR	ESFEE.208	164,13	1	1,976	KG
SNR	ESFEE.209	190,60	1	2,134	KG
SNR	ESFEE.210	208,29	1	2,504	KG
SNR	ESFEE.212	305,72	1	4,404	KG
SNR	ESFLE.201	62,50	1	400	G
SNR	ESFLE.20108	62,50	1	0,434	KG
SNR	ESFLE201N	153,03	1	392	G
SNR	ESFLE.202	62,50	1	390	G
SNR	ESFLE202N	153,03	1	0,382	KG
SNR	ESFLE.203	62,50	1	390	G
SNR	ESFLE203N	153,03	1	382	G
SNR	ESFLE204N	153,03	1	439	G
SNR	ESFLE.204.T20	124,00	1	0,6	G
SNR	ESFLE.205COE	169,75	1	0,645	KG
SNR	ESFLE205N	146,46	1	574	G
SNR	ESFLE.205.T04	90,86	1	638	G
SNR	ESFLE206CA	134,91	1	0,001	KG
SNR	ESFLE206N	152,73	1	866	G
SNR	ESFLE207N	170,93	1	1,145	KG
SNR	ESFLE208N	142,63	1	1652	G
SNR	ESFLE.208.T04	148,83	1	1,59	KG
SNR	ESFLE.208T20	250,17	1	1,66	KG
SNR	ESFLE209N	272,96	1	1802	G
SNR	ESFLE210N	189,85	1	2095	G

SNR	ESFLE211N	272,65	1	3,17	KG
SNR	ESFLE212N	305,67	1	3578	G
SNR	ESFTE.201	80,44	1	460	G
SNR	ESFTE.202	80,44	1	0,45	KG
SNR	ESFTE.203	80,44	1	0,45	KG
SNR	ESFTE.204	84,66	1	560	G
SNR	ESFTE.205	96,23	1	620	G
SNR	ESFTE.206	113,68	1	1090	G
SNR	ESFTE.207	134,01	1	1513	G
SNR	ESFTE.208	155,49	1	1761	G
SNR	ESFTE.209	179,01	1	2,151	KG
SNR	ESFTE.209.T04	214,80	1	2,151	KG
SNR	ESFTE.210	197,10	1	2,036	KG
SNR	ESPAE.201	73,09	1	0,4	KG
SNR	ESPAE201N	188,07	1	390	G
SNR	ESPAE.202	73,09	1	0,39	KG
SNR	ESPAE202N	283,83	1	385	G
SNR	ESPAE.203	73,09	1	390	G
SNR	ESPAE203N	188,07	1	0,385	KG
SNR	ESPAE.204	76,65	1	440	G
SNR	ESPAE.204N	201,33	1	0,466	KG
SNR	ESPAE.205	87,26	1	570	G
SNR	ESPAE205N	100,35	1	0,56	KG
SNR	ESPAE.206	105,05	1	984	G
SNR	ESPAE.206N	185,86	1	0,925	KG
SNR	ESPAE.207	121,90	1	1416	G
SNR	ESPAE.208	146,18	1	1700	G
SNR	ESPAE208N	218,82	1	1,64	KG
SNR	ESPAE.209	169,47	1	1909	G
SNR	ESPAE.20927	169,47	1	1,9	KG
SNR	ESPAE209N	227,78	1	1,9	KG
SNR	ESPAE.210	186,03	1	2438	G
SNR	ESPAE210N	243,39	1	2,45	KG
SNR	ESPAE.211	224,85	1	3139	G
SNR	ESPAE211N	258,58	1	2,97	KG
SNR	ESPAE.212	305,72	1	4122	G
SNR	ESPAE212N	361,00	1	4	KG
SNR	ESPE.201	62,50	1	0,48	KG
SNR	ESPE201N	192,25	1	470	G
SNR	ESPE.202	62,50	1	0,47	KG
SNR	ESPE202N	192,25	1	460	G
SNR	ESPE.203	62,50	1	0,47	KG
SNR	ESPE203N	192,25	1	460	G
SNR	ESPE.20412	66,24	1	500	G
SNR	ESPE204N	192,25	1	0,56	KG
SNR	ESPE.204NM	71,81	1	0,632	KG
SNR	ESPE.20514	75,72	1	784	G
SNR	ESPE.20516	75,72	1	744	G
SNR	ESPE205N	195,42	1	690	G
SNR	ESPE.205NM	78,94	1	0,764	KG

SNR	ESPE.206N	191,95	1	1,538	KG
SNR	ESPE.206NM	100,80	1	1,203	KG
SNR	ESPE.20720	106,09	1	1674	G
SNR	ESPE.20723	106,09	1	1600	G
SNR	ESPE207N	121,97	1	1,534	KG
SNR	ESPE.207NM	121,97	1	1,5	KG
SNR	ESPE.207T04SG107	127,30	1	1,61	KG
SNR	ESPE.207T20	208,17	1	1,6	KG
SNR	ESPE208N	142,63	1	1,834	KG
SNR	ESPE.208NM	164,12	1	1,967	KG
SNR	ESPE.208T04	148,83	1	1960	G
SNR	ESPE.208.T20	265,17	1	1,894	KG
SNR	ESPE.20928	148,46	1	2,2	KG
SNR	ESPE209N	425,62	1	2,18	KG
SNR	ESPE210N	189,85	1	2,715	KG
SNR	ESPE.210NM	189,85	1	2,81	KG
SNR	ESPE.210T04	198,10	1	2,7	KG
SNR	ESPE.21132	207,10	1	3750	G
SNR	ESPE211N	495,93	1	3,19	KG
SNR	ESPE212N	304,26	1	4665	G
SNR	ESPE.212NM	304,26	1	4,76	KG
SNR	ESPG.206	105,05	1	1090	G
SNR	ESPLE.201	62,50	1	498	G
SNR	ESPLE.202	62,50	1	476	G
SNR	ESPLE.203	62,50	1	462	G
SNR	ESPLE.204	66,24	1	0,659	KG
SNR	ESPLE.20412	66,24	1	680	G
SNR	ESPLE.205	75,72	1	0,82	KG
SNR	ESPLE.20516	75,72	1	798	G
SNR	ESPLE.206	90,37	1	1,175	KG
SNR	ESPLE.207	106,09	1	1,67	KG
SNR	ESPLE.208	124,04	1	2,03	KG
SNR	ESPLE.209	177,91	1	2443	G
SNR	ESPLE.210	165,09	1	2940	G
SNR	ESPLE.211	207,10	1	3,855	KG
SNR	ESPLE.212	265,79	1	5,881	KG
SNR	EX.207.B129	107,59	1	440	G
SNR	EXEHE.201	83,26	1	670	G
SNR	EXEHE.202	83,26	1	650	G
SNR	EXEHE.203	83,26	1	630	G
SNR	EXEHE.204	85,51	1	600	G
SNR	EXEHE.205	96,39	1	754	G
SNR	EXEHE.206	117,46	1	1126	G
SNR	EXEHE.207	135,11	1	1376	G
SNR	EXEHE.208	160,57	1	1730	G
SNR	EXEHE.209	186,03	1	2070	G
SNR	EXEHE.210	202,67	1	2072	G
SNR	EXFCE.201	83,26	1	650	G
SNR	EXFCE.202	83,26	1	630	G
SNR	EXFCE.203	83,26	1	610	G

SNR	EXFCE.204	85,51	1	580	G
SNR	EXFCE204T20	146,67	1	590	G
SNR	EXFCE.205	96,39	1	866	G
SNR	EXFCE.205L3	108,64	1	800	G
SNR	EXFCE.206	117,46	1	1080	G
SNR	EXFCE.206L3	132,55	1	1,085	KG
SNR	EXFCE.207	135,11	1	1418	G
SNR	EXFCE.207L3	153,26	1	1,335	KG
SNR	EXFCE.208	160,57	1	1826	G
SNR	EXFCE208L3	208,74	1	1,76	KG
SNR	EXFCE.209	186,03	1	2,076	KG
SNR	EXFCE.209L3	212,26	1	2,072	KG
SNR	EXFCE.210	202,67	1	2380	G
SNR	EXFCE.21031	202,67	1	2,488	KG
SNR	EXFCE.210L3	263,47	1	2,385	KG
SNR	EXFCE.211	259,14	1	3530	G
SNR	EXFCE.211L3	336,87	1	3,5	KG
SNR	EXFCE.212	352,24	1	4212	G
SNR	EXFCE.213	403,96	1	5,5	KG
SNR	EXFCE.214	518,26	1	5668	G
SNR	EXFCE.215	644,53	1	6112	G
SNR	EXFCE.216	728,71	1	6390	G
SNR	EXFCE.218	1.229,50	1	9384	G
SNR	EXFE.201	72,88	1	780	G
SNR	EXFE201N	157,11	1	770	G
SNR	EXFE.202	72,88	1	760	G
SNR	EXFE202N	157,11	1	750	G
SNR	EXFE203	72,88	1	740	G
SNR	EXFE203N	157,11	1	730	G
SNR	EXFE204	75,07	1	710	G
SNR	EXFE204N	156,83	1	700	G
SNR	EXFE.205	84,66	1	850	G
SNR	EXFE205N	158,30	1	0,83	KG
SNR	EXFE.206	102,97	1	1245	G
SNR	EXFE.20619	102,97	1	1,24	KG
SNR	EXFE.206L3	133,88	1	1,235	KG
SNR	EXFE206N	156,01	1	1,25	KG
SNR	EXFE.207	119,62	1	1746	G
SNR	EXFE.20722	119,62	1	1,7	KG
SNR	EXFE.20723	119,62	1	1,71	KG
SNR	EXFE.207L3	138,19	1	1,7	KG
SNR	EXFE.207.N	165,27	1	1,668	KG
SNR	EXFE.208	139,54	1	2179	G
SNR	EXFE.208L3	162,40	1	2,23	KG
SNR	EXFE208N	174,51	1	2,266	KG
SNR	EXFE.209	163,95	1	2464	G
SNR	EXFE.20927	163,95	1	2,558	KG
SNR	EXFE209L3	202,38	1	2,4	KG
SNR	EXFE209N	188,55	1	2,385	KG
SNR	EXFE.210	182,74	1	2820	G

SNR	EXFE.21031	182,74	1	2,825	KG
SNR	EXFE.210L3	211,73	1	2,761	KG
SNR	EXFE210N	210,16	1	2,748	KG
SNR	EXFE210T04	210,03	1	2,7	KG
SNR	EXFE.211	241,51	1	3900	G
SNR	EXFE.21135	241,51	1	3,945	KG
SNR	EXFE211N	277,62	1	3,94	KG
SNR	EXFE.212	312,30	1	5155	G
SNR	EXFE.21239	312,30	1	5,06	KG
SNR	EXFE212N	359,16	1	3,35	KG
SNR	EXFE.213	399,86	1	6858	G
SNR	EXFE213N	459,83	1	6,855	KG
SNR	EXFE.214	487,26	1	6816	G
SNR	EXFE.215	595,87	1	6975	G
SNR	EXFE.216	666,70	1	7892	G
SNR	EXFE.218	1.107,57	1	9990	G
SNR	EXFEE212	428,42	1	4886	G
SNR	EXFL.20720CCE	186,74	1	1,3	KG
SNR	EXFL.20723CCE	186,74	1	1,3	KG
SNR	EXFL209L3	230,90	1	2	KG
SNR	EXFLE.201	72,88	1	590	G
SNR	EXFLE201N	156,61	1	579	G
SNR	EXFLE.202	72,88	1	570	G
SNR	EXFLE202N	156,61	1	559	G
SNR	EXFLE.203	72,88	1	550	G
SNR	EXFLE203N	156,61	1	539	G
SNR	EXFLE.204	75,07	1	520	G
SNR	EXFLE204N	114,09	1	0,509	KG
SNR	EXFLE.205	84,66	1	650	G
SNR	EXFLE205N	157,61	1	634	G
SNR	EXFLE.206	102,97	1	930	G
SNR	EXFLE.20619	102,97	1	952	G
SNR	EXFLE.206L3	118,48	1	0,95	KG
SNR	EXFLE206N	155,32	1	0,934	KG
SNR	EXFLE206T20	156,50	1	0,87	KG
SNR	EXFLE.207	119,62	1	1300	G
SNR	EXFLE.207L3	138,19	1	1,28	KG
SNR	EXFLE207N	174,23	1	1,2	KG
SNR	EXFLE.208	139,54	1	1761	G
SNR	EXFLE.208L3	162,40	1	1,76	KG
SNR	EXFLE208N	160,46	1	1,76	KG
SNR	EXFLE208T20	251,40	1	1761	G
SNR	EXFLE.209	163,95	1	2006	G
SNR	EXFLE209N	274,18	1	1,965	KG
SNR	EXFLE.210	182,74	1	2374	G
SNR	EXFLE.210L3	212,79	1	0,16	KG
SNR	EXFLE210N	210,16	1	2,3	KG
SNR	EXFLE.210.T20	294,17	1	2,3	KG
SNR	EXFLE.211	241,51	1	3582	G
SNR	EXFLE211N	277,71	1	3,69	KG

SNR	EXFLE.212	312,30	1	3616	G
SNR	EXFLE212N	359,16	1	4,02	KG
SNR	EXFLE.213	399,86	1	5958	G
SNR	EXFLE213N	459,83	1	4,56	KG
SNR	EXFLE.214	487,26	1	5880	G
SNR	EXFLE.215L3	820,53	1	5940	G
SNR	EXPAE.201	83,26	1	598	G
SNR	EXPAE201N	191,35	1	580	G
SNR	EXPAE.202	83,26	1	0,575	KG
SNR	EXPAE202N	191,35	1	560	G
SNR	EXPAE.203	83,26	1	540	G
SNR	EXPAE203N	191,35	1	540	G
SNR	EXPAE.204	85,51	1	510	G
SNR	EXPAE204N	191,05	1	510	G
SNR	EXPAE.205	96,39	1	630	G
SNR	EXPAE.205.L3	125,31	1	600	G
SNR	EXPAE205N	192,25	1	630	G
SNR	EXPAE.206	117,46	1	1072	G
SNR	EXPAE206L3	152,69	1	1065	G
SNR	EXPAE.206N	188,37	1	0,998	KG
SNR	EXPAE.207	135,11	1	1496	G
SNR	EXPAE.207L3	175,64	1	1,43	KG
SNR	EXPAE207N	211,16	1	1,36	KG
SNR	EXPAE.208	160,57	1	1840	G
SNR	EXPAE.208.L3	208,74	1	1740	G
SNR	EXPAE208N	206,66	1	1,754	KG
SNR	EXPAE.209	186,03	1	2054	G
SNR	EXPAE.209L3	241,84	1	2,062	KG
SNR	EXPAE209N	229,15	1	2,08	KG
SNR	EXPAE.210	202,67	1	2666	G
SNR	EXPAE.210.L3	263,47	1	2,7	KG
SNR	EXPAE210N	244,27	1	2,565	KG
SNR	EXPAE.211	259,14	1	3415	G
SNR	EXPAE.211L3	297,01	1	3,408	KG
SNR	EXPAE211N	298,00	1	3,49	KG
SNR	EXPAE.212	352,24	1	4512	G
SNR	EXPAE212N	405,05	1	4,33	KG
SNR	EXPE.201	72,88	1	720	G
SNR	EXPE201N	195,83	1	700	G
SNR	EXPE.202	72,88	1	0,7	KG
SNR	EXPE202N	195,83	1	0,68	KG
SNR	EXPE.203	72,88	1	680	G
SNR	EXPE203N	195,83	1	660	G
SNR	EXPE.204	75,07	1	0,65	KG
SNR	EXPE.20412	75,07	1	680	G
SNR	EXPE.20412CCE	252,44	1	726	G
SNR	EXPE.20412COE	97,57	1	600	G
SNR	EXPE204N	195,53	1	630	G
SNR	EXPE.205	84,66	1	0,83	KG
SNR	EXPE.20514	84,66	1	858	G

SNR	EXPE.20515	84,66	1	822	G
SNR	EXPE.20516	84,66	1	798	G
SNR	EXPE.205L3	110,05	1	0,845	KG
SNR	EXPE205N	197,12	1	750	G
SNR	EXPE.206	102,97	1	1,244	KG
SNR	EXPE.20619	102,97	1	1226	G
SNR	EXPE206N	194,43	1	1,22	KG
SNR	EXPE.206T20	166,00	1	1,275	KG
SNR	EXPE.207	119,62	1	1,723	KG
SNR	EXPE.20720	119,62	1	1776	G
SNR	EXPE.20723	119,62	1	1698	G
SNR	EXPE207N	137,57	1	1,62	KG
SNR	EXPE.207T04	133,43	1	1,73	KG
SNR	EXPE.208	139,54	1	2,03	KG
SNR	EXPE208N	160,46	1	1,99	KG
SNR	EXPE.208T20	264,83	1	2	KG
SNR	EXPE.209	163,95	1	2,411	KG
SNR	EXPE.20927	163,95	1	2466	G
SNR	EXPE.209L3	190,85	1	2,4	KG
SNR	EXPE209N	426,82	1	2,305	KG
SNR	EXPE.210	182,74	1	2,992	KG
SNR	EXPE.21031	182,74	1	3,104	KG
SNR	EXPE.210L3	211,73	1	2,9	KG
SNR	EXPE210N	210,16	1	2,815	KG
SNR	EXPE.211	241,51	1	3,92	KG
SNR	EXPE.21135	241,51	1	3,85	KG
SNR	EXPE211N	277,71	1	3,8	KG
SNR	EXPE.212	312,30	1	5,272	KG
SNR	EXPE.21236	312,30	1	5,1	KG
SNR	EXPE.21239	312,30	1	5,15	KG
SNR	EXPE.212L3	364,58	1	5,18	KG
SNR	EXPE212N	359,16	1	5,136	KG
SNR	EXPE.212NL3	452,85	1	5,1	KG
SNR	EXPE.213	399,86	1	6,902	KG
SNR	EXPE213N	459,83	1	6,61	KG
SNR	EXPE.214	487,26	1	6,764	KG
SNR	EXPE.215	595,87	1	7,721	KG
SNR	EXPE.216	666,70	1	9,93	KG
SNR	EXPE.218	1.107,57	1	13,372	KG
SNR	EXPLE.201	72,88	1	600	G
SNR	EXPLE.202	72,88	1	600	G
SNR	EXPLE.203	72,88	1	600	G
SNR	EXPLE.204	75,07	1	600	G
SNR	EXPLE.20412	72,86	1	716	G
SNR	EXPLE.20412CCE	97,57	1	600	G
SNR	EXPLE.20412COE	97,57	1	600	G
SNR	EXPLE.205	84,66	1	0,675	KG
SNR	EXPLE.205-16	84,66	1	826	G
SNR	EXPLE.206	102,97	1	1,25	KG
SNR	EXPLE.20618	102,97	1	1270	G

SNR	EXPLE.20619	102,97	1	1,236	KG
SNR	EXPLE.207	119,62	1	1,69	KG
SNR	EXPLE20720	119,62	1	1,7	KG
SNR	EXPLE.20723	119,62	1	1,736	KG
SNR	EXPLE.208	139,54	1	2,174	KG
SNR	EXPLE.20824	139,54	1	2	KG
SNR	EXPLE.209	179,13	1	2,55	KG
SNR	EXPLE.210	182,74	1	3,11	KG
SNR	EXPLE.21031	182,74	1	3,226	KG
SNR	EXPLE.211	241,51	1	4,15	KG
SNR	EXPLE.212	312,30	1	6,262	KG
SNR	FAE204	26,03	1	0,28	KG
SNR	FAE205	32,84	1	0,406	KG
SNR	FAE206	38,90	1	0,552	KG
SNR	FAE207	43,35	1	655	G
SNR	FCE203	37,57	1	0,43	KG
SNR	FCE204	37,57	1	0,36	KG
SNR	FCE204N	43,18	1	0,001	KG
SNR	FCE205	45,63	1	0,608	KG
SNR	FCE205N	105,16	1	0,001	KG
SNR	FCE206	55,06	1	0,653	KG
SNR	FCE207	60,14	1	0,822	KG
SNR	FCE208	68,74	1	0,999	KG
SNR	FCE209	77,72	1	1,218	KG
SNR	FCE210	86,34	1	1,516	KG
SNR	FD203	26,03	1	0,213	KG
SNR	FD204	26,03	1	0,26	KG
SNR	FD205	32,84	1	0,28	KG
SNR	FD206	38,90	1	0,56	KG
SNR	FD208	45,02	1	1	KG
SNR	FD208N	64,18	1	0,79	KG
SNR	FE.203	27,83	1	340	G
SNR	FE.203.N	32,00	1	300	G
SNR	FE.204	27,83	1	490	G
SNR	FE.204.N	32,00	1	520	G
SNR	FE.205	35,16	1	654	G
SNR	FE.205.N	40,44	1	644	G
SNR	FE.206	41,72	1	865	G
SNR	FE.206.N	47,95	1	870	G
SNR	FE.207	45,68	1	1116	G
SNR	FE.207.N	52,51	1	1110	G
SNR	FE.208	47,24	1	1490	G
SNR	FE.208.N	57,80	1	1484	G
SNR	FE.209	56,91	1	1599	G
SNR	FE.209.N	88,75	1	1570	G
SNR	FE.210	67,50	1	1799	G
SNR	FE.210.N	77,65	1	1843	G
SNR	FE.211	90,31	1	2684	G
SNR	FE.211.N	142,43	1	2660	G
SNR	FE.212	105,07	1	3400	G

SNR	FE.212.N	120,82	1	3624	G
SNR	FE.213	158,07	1	4470	G
SNR	FE.213.N	181,75	1	4575	G
SNR	FE.215	229,92	1	4040	G
SNR	FE216	246,50	1	4240	G
SNR	FE.218	478,39	1	6278	G
SNR	FEE205	45,63	1	0,682	KG
SNR	FEE206	55,27	1	0,922	KG
SNR	FEE207	59,91	1	1,056	KG
SNR	FEE208	68,52	1	1,318	KG
SNR	FEE209	78,16	1	1,47	KG
SNR	FEE210	85,28	1	1,772	KG
SNR	FEE212	140,98	1	3,088	KG
SNR	FLE.203	27,83	1	296	G
SNR	FLE.203.N	32,00	1	275	G
SNR	FLE.204	27,83	1	0,338	KG
SNR	FLE.204.N	78,97	1	0,318	KG
SNR	FLE.205	35,16	1	0,438	KG
SNR	FLE.205.N	57,22	1	0,408	KG
SNR	FLE.206	41,72	1	0,55	KG
SNR	FLE.206.N	47,95	1	0,556	KG
SNR	FLE.207	45,68	1	0,69	KG
SNR	FLE.207.N	75,90	1	0,617	KG
SNR	FLE.208	47,24	1	1,056	KG
SNR	FLE.208.N	54,32	1	1	KG
SNR	FLE.209	56,91	1	1,206	KG
SNR	FLE.209.N	222,70	1	1,17	KG
SNR	FLE.210	67,50	1	1,025	KG
SNR	FLE.210.N	77,65	1	1,376	KG
SNR	FLE.211	90,31	1	2,224	KG
SNR	FLE.211.N	103,88	1	2,095	KG
SNR	FLE.212	105,07	1	2312	G
SNR	FLE.212.N	120,82	1	2,195	KG
SNR	FLE.213	158,07	1	3852	G
SNR	FLE.213.N	181,75	1	2,2	KG
SNR	FLE.214	211,30	1	3484	G
SNR	FTE202	46,03	1	0,32	KG
SNR	FTE204	46,46	1	0,41	KG
SNR	FTE205	55,71	1	0,43	KG
SNR	FTE206	65,05	1	0,781	KG
SNR	FTE207	73,97	1	1,004	KG
SNR	FTE208	78,66	1	1,144	KG
SNR	FTE209	87,82	1	1,39	KG
SNR	FTE210	97,55	1	1,23	KG
SNR	LKFCE.206H	154,57	1	0,98	KG
SNR	LKFCE.208H	193,79	1	1,48	KG
SNR	LKFD.207.H	164,61	1	0,99	KG
SNR	LKFE.205H	111,18	1	798	G
SNR	LKFL207H	122,28	1	1,125	KG
SNR	LKFLE206H	131,34	1	0,822	KG

SNR	LKFLE.207H	146,74	1	1,14	KG
SNR	LKFTE.206.H	163,20	1	1,078	KG
SNR	LKPAE.206.H	140,07	1	0,001	KG
SNR	LKPAE.208H	181,62	1	2	KG
SNR	LKPAE.210.H	240,38	1	2,378	KG
SNR	LKSP.205H	170,13	1	0,15	KG
SNR	PAE203	37,57	1	0,308	KG
SNR	PAE203N	259,71	1	220	G
SNR	PAE204	37,57	1	0,383	KG
SNR	PAE204N	174,64	1	0,31	KG
SNR	PAE205	45,63	1	0,48	KG
SNR	PAE.205N	231,45	1	0,365	KG
SNR	PAE206	55,06	1	0,68	KG
SNR	PAE206N	128,46	1	0,666	KG
SNR	PAE207	60,14	1	1	KG
SNR	PAE.207N	185,86	1	0,779	KG
SNR	PAE208	68,74	1	1	KG
SNR	PAE208N	188,16	1	1,03	KG
SNR	PAE209	77,72	1	1,268	KG
SNR	PAE209N	196,23	1	1,22	KG
SNR	PAE210	86,34	1	1,752	KG
SNR	PAE210N	332,44	1	1,65	KG
SNR	PAE211	160,89	1	2,156	KG
SNR	PAE211N	154,22	1	1,945	KG
SNR	PAE212	142,25	1	2,72	KG
SNR	PAE212N	276,51	1	2,47	KG
SNR	PE.203	27,83	1	390	G
SNR	PE.203.N	32,00	1	346	G
SNR	PE.204	27,83	1	460	G
SNR	PE.204.N	140,28	1	0,444	KG
SNR	PE.205	35,16	1	0,554	KG
SNR	PE.205.N	40,44	1	0,556	KG
SNR	PE.206	41,72	1	0,866	KG
SNR	PE.206N	64,03	1	0,845	KG
SNR	PE.207	45,68	1	1,11	KG
SNR	PE.207.N	52,51	1	1,115	KG
SNR	PE.208	47,24	1	1,25	KG
SNR	PE.208.N	54,32	1	1200	G
SNR	PE.209	56,91	1	1618	G
SNR	PE.209.N	375,36	1	1530	G
SNR	PE.210	67,50	1	2070	G
SNR	PE.210.N	120,04	1	1965	G
SNR	PE.211	90,31	1	2590	G
SNR	PE.211.N	429,36	1	2415	G
SNR	PE.212	105,07	1	3,442	KG
SNR	PE.212.N	254,13	1	3370	G
SNR	PE.213	158,07	1	4480	G
SNR	PE.213.N	181,75	1	4,2	KG
SNR	PE.214	211,30	1	4130	G
SNR	PE.215	229,92	1	5006	G

SNR	PE216	246,50	1	6580	G
SNR	PE.218	478,39	1	9,592	KG
SNR	PLE203	25,90	1	0,37	KG
SNR	PLE203N	167,88	1	320	G
SNR	PLE204	27,36	1	0,48	KG
SNR	PLE205	32,71	1	0,601	KG
SNR	PLE206	38,81	1	0,868	KG
SNR	PLE206N	44,64	1	0,796	KG
SNR	PLE207	42,46	1	1,17	KG
SNR	PLE207N	178,94	1	1,63	KG
SNR	PLE208	43,98	1	1,372	KG
SNR	PLE208N	187,56	1	1,16	KG
SNR	PLE209	124,37	1	1,786	KG
SNR	PLE209N	196,70	1	1,52	KG
SNR	PLE210	63,74	1	2,222	KG
SNR	PLE210N	225,77	1	2,136	KG
SNR	PLE211	84,07	1	2,85	KG
SNR	PLE211N	96,66	1	2,28	KG
SNR	PLE212	97,77	1	4,478	KG
SNR	PLE212N	285,22	1	3,27	KG
SNR	UC.201-08.G2.L3	49,34	1	210	G
SNR	UC.201-08.G2.T20	103,59	1	210	G
SNR	UC.201EG2	41,22	1	0,13	KG
SNR	UCEHE.201	71,60	1	590	G
SNR	UCEHE.202	88,09	1	580	G
SNR	UCEHE.203	88,09	1	560	G
SNR	UCEHE.204	88,09	1	550	G
SNR	UCEHE.205	100,49	1	680	G
SNR	UCEHE.206	126,83	1	1036	G
SNR	UCEHE.207	149,05	1	1193	G
SNR	UCEHE207-20	149,05	1	1,288	KG
SNR	UCEHE.20722	149,05	1	1,215	KG
SNR	UCEHE207L3	170,04	1	1	G
SNR	UCEHE.208	176,15	1	1530	G
SNR	UCEHE20824	202,82	1	1,626	KG
SNR	UCEHE208L3	201,31	1	1	G
SNR	UCEHE.209	182,93	1	1870	G
SNR	UCEHE.20928	182,93	1	1,94	KG
SNR	UCEHE209L3	211,21	1	1	G
SNR	UCEHE.210	214,90	1	1810	G
SNR	UCEHE.21031	166,68	1	1,832	KG
SNR	UCEHE210L3	246,93	1	1	G
SNR	UCFCE.201	71,60	1	570	G
SNR	UCFCE.202	71,60	1	560	G
SNR	UCFCE.203	71,60	1	540	G
SNR	UCFCE.204	71,60	1	530	G
SNR	UCFCE.205	85,29	1	780	G
SNR	UCFCE.206	100,99	1	1025	G
SNR	UCFCE.207	116,31	1	1294	G
SNR	UCFCE.208	136,26	1	1695	G

SNR	UCFCE.209	152,87	1	1934	G
SNR	UCFCE.210	171,67	1	2250	G
SNR	UCFCE.210N	197,41	1	2,2	KG
SNR	UCFCE.211	213,73	1	3172	G
SNR	UCFCE.212	276,92	1	3921	G
SNR	UCFCE.214	480,68	1	5216	G
SNR	UCFCE.215	552,67	1	5602	G
SNR	UCFCE.216	640,21	1	5670	G
SNR	UCFCE.218	1.081,06	1	9720	G
SNR	UCFE.201	60,01	1	700	G
SNR	UCFE.201-08	61,15	1	746	G
SNR	UCFE.201-08.CC	158,63	1	700	G
SNR	UCFE.201-08.N	160,26	1	700	G
SNR	UCFE.201.CC	154,12	1	700	G
SNR	UCFE.201.CO	162,55	1	700	G
SNR	UCFE.201.N	155,62	1	690	G
SNR	UCFE.202	60,01	1	690	G
SNR	UCFE.202-10	61,15	1	0,73	KG
SNR	UCFE.202-10.CC	158,63	1	700	G
SNR	UCFE.202-10.N	160,26	1	700	G
SNR	UCFE.202.CC	154,12	1	700	G
SNR	UCFE.202.CO	162,55	1	700	G
SNR	UCFE.202.N	155,62	1	680	G
SNR	UCFE.203	60,01	1	670	G
SNR	UCFE.203-11	61,15	1	700	G
SNR	UCFE.203-11.CC	158,63	1	500	G
SNR	UCFE.203-11.N	160,26	1	500	G
SNR	UCFE.203.CC	154,12	1	500	G
SNR	UCFE.203.CO	162,10	1	500	G
SNR	UCFE.203.N	155,62	1	660	G
SNR	UCFE.204-12	61,15	1	697	G
SNR	UCFE.204-12.CC	151,35	1	700	G
SNR	UCFE.204-12.N	152,94	1	700	G
SNR	UCFE.204.CC	151,35	1	700	G
SNR	UCFE.204.CO	155,03	1	0,692	KG
SNR	UCFE.204.N	171,66	1	650	G
SNR	UCFE.205-14	73,78	1	870	G
SNR	UCFE.205-14.CC	155,13	1	800	G
SNR	UCFE.205-14.N	155,83	1	700	G
SNR	UCFE.205-15	73,78	1	858	G
SNR	UCFE.205-15.CC	155,03	1	800	G
SNR	UCFE.205-15.N	155,62	1	800	G
SNR	UCFE.205-16	73,78	1	840	G
SNR	UCFE.205-16.CC	155,13	1	800	G
SNR	UCFE.205-16.N	155,83	1	800	G
SNR	UCFE.205.CC	155,13	1	854	G
SNR	UCFE.205.CO	159,20	1	856	G
SNR	UCFE205L3	88,95	1	1	G
SNR	UCFE.205.N	146,36	1	0,842	KG
SNR	UCFE.206-18	86,42	1	1208	G

SNR	UCFE.206-18.CC	174,13	1	1,2	KG
SNR	UCFE.206-18.N	162,70	1	1,2	KG
SNR	UCFE.206-19	86,42	1	1200	G
SNR	UCFE.206-19.CC	163,49	1	1,2	KG
SNR	UCFE.206-19.N	162,70	1	1,2	KG
SNR	UCFE.206-20	86,42	1	1,196	KG
SNR	UCFE.206-20.CC	163,49	1	1,2	KG
SNR	UCFE.206-20.N	162,70	1	1,2	KG
SNR	UCFE.206.CC	163,38	1	1,245	KG
SNR	UCFE.206.CO	165,78	1	1,226	KG
SNR	UCFE.206.N	152,73	1	1,2	KG
SNR	UCFE.207-20	100,52	1	1,66	KG
SNR	UCFE.207-20.CC	174,43	1	1,6	KG
SNR	UCFE.207-20.N	171,85	1	1,6	KG
SNR	UCFE.207-21	100,52	1	1,644	KG
SNR	UCFE.207-21.CC	174,43	1	1,6	KG
SNR	UCFE.207-21.N	171,85	1	1,6	KG
SNR	UCFE.207-22	100,52	1	1,652	KG
SNR	UCFE.207-22.CC	174,43	1	1,6	KG
SNR	UCFE.207-22.N	171,85	1	1,6	KG
SNR	UCFE.207-23	100,52	1	1,606	KG
SNR	UCFE.207-23.CC	174,43	1	1,6	KG
SNR	UCFE.207-23.N	171,85	1	1,6	KG
SNR	UCFE.207.CC	174,43	1	1,684	KG
SNR	UCFE.207.CO	177,50	1	1,64	KG
SNR	UCFE207L3	121,52	1	1	G
SNR	UCFE.207.N	161,38	1	1,598	KG
SNR	UCFE.208-24	114,07	1	2,19	KG
SNR	UCFE.208-24.CC	184,39	1	2,1	KG
SNR	UCFE.208-24.N	180,91	1	2,1	KG
SNR	UCFE.208-25	114,07	1	2,142	KG
SNR	UCFE.208-25.CC	184,39	1	2,1	KG
SNR	UCFE.208-25.N	180,91	1	2,1	KG
SNR	UCFE.208.CC	184,39	1	2,144	KG
SNR	UCFE.208.CO	187,77	1	2,192	KG
SNR	UCFE208L3	131,19	1	2,088	KG
SNR	UCFE.208.N	131,19	1	2,094	KG
SNR	UCFE208T20	227,83	1	2,08	KG
SNR	UCFE.209-26	130,70	1	2,364	KG
SNR	UCFE.209-26.CC	210,95	1	2,2	KG
SNR	UCFE.209-26.N	193,93	1	2,2	KG
SNR	UCFE.209-27	130,70	1	2,35	KG
SNR	UCFE.209-27.CC	198,10	1	2,2	KG
SNR	UCFE.209-27.N	193,93	1	2,2	KG
SNR	UCFE.209-28	130,70	1	2,302	KG
SNR	UCFE.209-28.CC	198,10	1	2,2	KG
SNR	UCFE.209-28.N	193,93	1	2,2	KG
SNR	UCFE.209.CC	198,10	1	2,34	KG
SNR	UCFE.209.CO	201,30	1	2,315	KG
SNR	UCFE.209.N	182,19	1	2,244	KG

SNR	UCFE.210-30	150,57	1	2,756	KG
SNR	UCFE.210-30.CC	204,58	1	2,6	KG
SNR	UCFE.210-30.N	199,60	1	2,6	KG
SNR	UCFE.210-31	150,57	1	2,686	KG
SNR	UCFE.210-31.CC	204,58	1	2,6	KG
SNR	UCFE.210-31.N	199,60	1	2,6	KG
SNR	UCFE.210.CC	204,96	1	2,66	KG
SNR	UCFE.210.CO	208,37	1	2,66	KG
SNR	UCFE210L4	195,76	1	2585	G
SNR	UCFE.210.N	173,20	1	2,509	KG
SNR	UCFE.210T20	280,67	1	2,624	KG
SNR	UCFE.211-32	197,10	1	3,886	KG
SNR	UCFE.211-32.CC	273,44	1	3,7	KG
SNR	UCFE.211-32.N	236,52	1	3865	G
SNR	UCFE.211-34	197,10	1	3,724	KG
SNR	UCFE.211-34.CC	273,15	1	307	KG
SNR	UCFE.211-34.N	267,96	1	3,7	KG
SNR	UCFE.211-35	197,10	1	3,708	KG
SNR	UCFE.211-35.CC	273,44	1	3,7	KG
SNR	UCFE.211-35.N	268,46	1	3,7	KG
SNR	UCFE.211.CC	273,44	1	3,7	KG
SNR	UCFE.211.CO	277,42	1	3,7	KG
SNR	UCFE.211.N	252,14	1	3,712	KG
SNR	UCFE.212-36	248,14	1	5,1	KG
SNR	UCFE.212-36.CC	322,56	1	4,9	KG
SNR	UCFE.212-36.N	296,53	1	4,9	KG
SNR	UCFE.212-38	248,14	1	4,984	KG
SNR	UCFE.212-38.CC	322,56	1	4,9	KG
SNR	UCFE.212-38.N	295,93	1	4,85	KG
SNR	UCFE.212-39	248,14	1	4,888	KG
SNR	UCFE.212-39.CC	322,56	1	4,9	KG
SNR	UCFE.212-39.N	295,93	1	4,9	KG
SNR	UCFE.212.CC	322,56	1	4,945	KG
SNR	UCFE.212.CO	322,56	1	4,9	KG
SNR	UCFE.212.N	285,37	1	4,916	KG
SNR	UCFE.212T20	590,00	1	4,865	KG
SNR	UCFE.213	335,47	1	6459	G
SNR	UCFE.213-40	348,88	1	6,51	KG
SNR	UCFE.213-40.CC	453,53	1	6	KG
SNR	UCFE.213-40.N	401,20	1	6	KG
SNR	UCFE.213.CC	453,53	1	6	KG
SNR	UCFE.213.CO	453,53	1	6	KG
SNR	UCFE.213.N	401,20	1	6,33	KG
SNR	UCFE.214	449,66	1	6400	G
SNR	UCFE.214-43	449,66	1	6,54	KG
SNR	UCFE.214-44	449,66	1	6,419	KG
SNR	UCFE.215	500,59	1	6518	G
SNR	UCFE.215-47	500,59	1	6,61	KG
SNR	UCFE.215-48	500,59	1	6,557	KG
SNR	UCFE.216	580,46	1	7145	G

SNR	UCFE216T20	1.022,00	1	7,1	KG
SNR	UCFE.218	959,08	1	10250	G
SNR	UCFE.218-56	959,08	1	10,516	KG
SNR	UCFEX08	135,63	1	2,47	KG
SNR	UCFEX08-24	149,20	1	2,44	KG
SNR	UCFEX09	174,21	1	2,75	KG
SNR	UCFEX09-28	181,42	1	2,77	KG
SNR	UCFEX10	208,10	1	3,96	KG
SNR	UCFEX10-32	228,88	1	3,9	KG
SNR	UCFEX11	262,19	1	4,88	KG
SNR	UCFEX12	321,96	1	6,27	KG
SNR	UCFEX13	445,44	1	7,33	KG
SNR	UCFEX14	490,75	1	7	KG
SNR	UCFEX15	562,68	1	8	KG
SNR	UCFEX15-48	569,91	1	7,95	KG
SNR	UCFEX16	626,24	1	10,15	KG
SNR	UCFLE201	61,15	1	0,51	KG
SNR	UCFLE.201-08	61,15	1	0,55	KG
SNR	UCFLE.201-08.CC	168,43	1	500	G
SNR	UCFLE.201-08.N	159,62	1	500	G
SNR	UCFLE.201.CC	153,62	1	560	G
SNR	UCFLE.201.CO	161,99	1	500	G
SNR	UCFLE.201.N	155,13	1	499	G
SNR	UCFLE202	61,15	1	0,53	KG
SNR	UCFLE.202-10	61,15	1	0,53	KG
SNR	UCFLE.202-10.CC	168,43	1	500	G
SNR	UCFLE.202-10.N	159,62	1	500	G
SNR	UCFLE.202.CC	153,62	1	500	G
SNR	UCFLE.202.CO	161,99	1	500	G
SNR	UCFLE.202.N	145,68	1	489	G
SNR	UCFLE.203	61,15	1	480	G
SNR	UCFLE.203-11	61,15	1	500	G
SNR	UCFLE.203-11.CC	168,43	1	500	G
SNR	UCFLE.203-11.N	159,62	1	500	G
SNR	UCFLE.203.CC	153,62	1	500	G
SNR	UCFLE.203.CO	161,55	1	500	G
SNR	UCFLE.203.N	155,13	1	469	G
SNR	UCFLE.204-12	61,15	1	0,508	KG
SNR	UCFLE.204-12.CC	160,60	1	500	G
SNR	UCFLE.204-12.N	152,24	1	500	G
SNR	UCFLE.20412T20	111,67	1	0,425	KG
SNR	UCFLE.204.CC	150,95	1	490	G
SNR	UCFLE.204.CO	154,34	1	505	G
SNR	UCFLE.204.N	125,08	1	0,459	KG
SNR	UCFLE.205-14	73,78	1	0,658	KG
SNR	UCFLE.205-14.CC	164,37	1	600	G
SNR	UCFLE.205-14.N	155,13	1	600	G
SNR	UCFLE.205-15	73,78	1	0,648	KG
SNR	UCFLE.205-15.CC	164,18	1	600	G
SNR	UCFLE.205-15.N	155,13	1	600	G

SNR	UCFLE.205-16	73,78	1	0,63	KG
SNR	UCFLE.205-16.CC	164,37	1	600	G
SNR	UCFLE.205-16.N	155,13	1	600	G
SNR	UCFLE.205.CC	154,34	1	645	G
SNR	UCFLE.205.CO	158,70	1	640	G
SNR	UCFLE.205.L3	95,91	1	0,648	KG
SNR	UCFLE.205.L4	103,29	1	640	G
SNR	UCFLE.205.N	89,25	1	0,594	KG
SNR	UCFLE.206-18	86,42	1	0,906	KG
SNR	UCFLE.206-18.CC	173,15	1	800	G
SNR	UCFLE.206-18.N	161,79	1	800	G
SNR	UCFLE.206-19	86,42	1	0,878	KG
SNR	UCFLE.206-19.CC	173,15	1	800	G
SNR	UCFLE.206-19.N	161,79	1	800	G
SNR	UCFLE.206-20	86,42	1	0,85	KG
SNR	UCFLE.206-20.CC	173,15	1	800	G
SNR	UCFLE.206-20.N	99,40	1	800	G
SNR	UCFLE.206.CC	162,40	1	907	G
SNR	UCFLE.206.CO	164,87	1	900	G
SNR	UCFLE.206.L3	108,03	1	0,87	KG
SNR	UCFLE.206.N	151,84	1	0,866	KG
SNR	UCFLE.206T20	151,50	1	0,87	KG
SNR	UCFLE.207-20	100,52	1	1,24	KG
SNR	UCFLE.207-20.CC	183,89	1	1,1	KG
SNR	UCFLE.207-20.N	170,04	1	1,1	KG
SNR	UCFLE.207-21	100,52	1	1,1	KG
SNR	UCFLE.207-21.CC	183,89	1	1,1	KG
SNR	UCFLE.207-21.N	170,04	1	1,1	KG
SNR	UCFLE.207-22	100,52	1	1,164	KG
SNR	UCFLE.207-22.CC	183,89	1	1,1	KG
SNR	UCFLE.207-22.N	170,04	1	1,1	KG
SNR	UCFLE.207-23	100,52	1	1,148	KG
SNR	UCFLE.207-23.CC	183,89	1	1,1	KG
SNR	UCFLE.207-23.N	170,04	1	1,1	KG
SNR	UCFLE.207.CC	172,84	1	1200	G
SNR	UCFLE.207.CO	175,92	1	1180	G
SNR	UCFLE.207.N	159,80	1	1,132	KG
SNR	UCFLE.208-24	114,07	1	1,695	KG
SNR	UCFLE.208-24.CC	196,73	1	1,6	KG
SNR	UCFLE.208-24.N	131,19	1	1,6	KG
SNR	UCFLE.208-25	114,07	1	1,675	KG
SNR	UCFLE.208-25.CC	196,73	1	1,6	KG
SNR	UCFLE.208-25.N	131,19	1	1,6	KG
SNR	UCFLE.208.CC	184,78	1	1,6	KG
SNR	UCFLE.208.CO	188,07	1	2,07	KG
SNR	UCFLE.208.N	131,19	1	1,616	KG
SNR	UCFLE.208T20	228,83	1	1,652	KG
SNR	UCFLE.209-26	130,70	1	1,96	KG
SNR	UCFLE.209-26.CC	284,77	1	1,8	KG
SNR	UCFLE.209-26.N	269,89	1	1,8	KG

SNR	UCFLE.209-27	130,70	1	1,922	KG
SNR	UCFLE.209-27.CC	284,77	1	1,8	KG
SNR	UCFLE.209-27.N	269,89	1	1,8	KG
SNR	UCFLE.209-28	130,70	1	1,9	KG
SNR	UCFLE.209-28.CC	284,77	1	1,8	KG
SNR	UCFLE.209-28.N	269,89	1	1,8	KG
SNR	UCFLE.209.CC	284,86	1	1,908	KG
SNR	UCFLE.209.CO	288,03	1	1,8	KG
SNR	UCFLE.209.N	269,95	1	1,821	KG
SNR	UCFLE.210-30	150,57	1	2,262	KG
SNR	UCFLE.210-30.CC	220,49	1	2,1	KG
SNR	UCFLE.210-30.N	173,18	1	2,1	KG
SNR	UCFLE.210-31	150,57	1	2,212	KG
SNR	UCFLE.210-31.CC	220,49	1	2,1	KG
SNR	UCFLE.210-31.N	173,20	1	2,1	KG
SNR	UCFLE.210.CC	207,36	1	2,224	KG
SNR	UCFLE.210.CO	210,75	1	2,234	KG
SNR	UCFLE.210.N	173,20	1	2,085	KG
SNR	UCFLE.210T20	285,17	1	2,115	KG
SNR	UCFLE.211-32	197,10	1	3,384	KG
SNR	UCFLE.211-32.CC	288,97	1	3,4	KG
SNR	UCFLE.211-32.N	266,37	1	3,4	KG
SNR	UCFLE.211-34	197,10	1	3,4	KG
SNR	UCFLE.211-34.CC	288,55	1	3,4	KG
SNR	UCFLE.211-34.N	265,87	1	3,4	KG
SNR	UCFLE.211-35	197,10	1	3,214	KG
SNR	UCFLE.211-35.CC	288,97	1	3,4	KG
SNR	UCFLE.211-35.N	266,37	1	3,4	KG
SNR	UCFLE.211.CC	271,44	1	3,4	KG
SNR	UCFLE.211.CO	275,54	1	3,4	KG
SNR	UCFLE.211.N	266,37	1	3,4	KG
SNR	UCFLE.212-36	248,14	1	3,9	KG
SNR	UCFLE.212-36.CC	322,56	1	3,7	KG
SNR	UCFLE.212-36.N	288,67	1	3,7	KG
SNR	UCFLE.212-38	248,14	1	3,69	KG
SNR	UCFLE.212-38.CC	322,56	1	3,7	KG
SNR	UCFLE.212-38.N	288,07	1	3,7	KG
SNR	UCFLE.212-39	248,14	1	3,658	KG
SNR	UCFLE.212-39.CC	322,56	1	3,7	KG
SNR	UCFLE.212-39.N	288,07	1	3,7	KG
SNR	UCFLE.212.CC	322,56	1	3,7	KG
SNR	UCFLE.212.CO	322,56	1	3,7	KG
SNR	UCFLE.212.N	288,67	1	3,635	KG
SNR	UCFLE.213	348,88	1	5610	G
SNR	UCFLE.213-40	348,88	1	5,68	KG
SNR	UCFLE.213-40.CC	453,53	1	4	KG
SNR	UCFLE.213-40.N	401,20	1	4	KG
SNR	UCFLE.213.CC	453,53	1	4	KG
SNR	UCFLE.213.CO	453,53	1	4	KG
SNR	UCFLE.213.N	401,20	1	4	KG

SNR	UCFLE.214	449,66	1	5452	G
SNR	UCFLE.214-43	449,66	1	5,588	KG
SNR	UCFLE.214-44	449,66	1	5,474	KG
SNR	UCFTE204	79,57	1	610	G
SNR	UCFTE205	94,34	1	682	G
SNR	UCFTE206	109,94	1	1082	G
SNR	UCFTE207	128,73	1	1504	G
SNR	UCFTE208	145,18	1	1804	G
SNR	UCFTE209	161,86	1	2,155	KG
SNR	UCFTE210	181,72	1	2,04	KG
SNR	UCPAE.201	71,60	1	0,5	KG
SNR	UCPAE.201.CC	217,86	1	500	G
SNR	UCPAE.201.CO	207,66	1	500	G
SNR	UCPAE.201.N	189,94	1	500	G
SNR	UCPAE.202	71,60	1	490	G
SNR	UCPAE.202.CC	217,86	1	500	G
SNR	UCPAE.202.CO	207,66	1	500	G
SNR	UCPAE.202.N	189,94	1	500	G
SNR	UCPAE.203	71,60	1	470	G
SNR	UCPAE.203.CC	217,86	1	400	G
SNR	UCPAE.203.CO	207,00	1	400	G
SNR	UCPAE.203.N	189,94	1	400	G
SNR	UCPAE.204	68,83	1	460	G
SNR	UCPAE20412	95,83	1	0,5	KG
SNR	UCPAE.204.CC	218,05	1	500	G
SNR	UCPAE.204.CO	220,96	1	500	G
SNR	UCPAE.204.N	187,17	1	500	G
SNR	UCPAE.205	82,00	1	590	G
SNR	UCPAE.20514	85,29	1	600	G
SNR	UCPAE20516	105,98	1	0,598	KG
SNR	UCPAE.205.CC	274,70	1	646	G
SNR	UCPAE.205.CO	210,23	1	662	G
SNR	UCPAE.205.N	178,21	1	594	G
SNR	UCPAE.206	97,12	1	971	G
SNR	UCPAE20619	111,54	1	976	G
SNR	UCPAE.20619T20	149,33	1	1	KG
SNR	UCPAE20620	110,75	1	955	G
SNR	UCPAE.206.CC	208,46	1	1025	G
SNR	UCPAE.206.CO	210,84	1	1	KG
SNR	UCPAE206L3	118,48	1	1	KG
SNR	UCPAE.206.N	184,98	1	930	G
SNR	UCPAE206T20	149,33	1	1000	G
SNR	UCPAE.207	112,81	1	1358	G
SNR	UCPAE20720	116,31	1	1,414	KG
SNR	UCPAE.20722	116,31	1	1,39	KG
SNR	UCPAE.20723	116,31	1	1,3	KG
SNR	UCPAE.207.CC	246,59	1	1,3	KG
SNR	UCPAE.207.CO	249,87	1	1402	G
SNR	UCPAE.207.N	219,96	1	1,3	KG
SNR	UCPAE.208	135,54	1	1669	G

SNR	UCPAE.208.CC	257,88	1	320	G
SNR	UCPAE.208.CO	261,53	1	1,756	KG
SNR	UCPAE.208.N	201,99	1	1633	G
SNR	UCPAE208T20	235,17	1	0,001	KG
SNR	UCPAE.209	157,01	1	1928	G
SNR	UCPAE.209.CC	270,80	1	1,998	KG
SNR	UCPAE.209.CO	273,33	1	1974	G
SNR	UCPAE.209.N	224,68	1	1,9	KG
SNR	UCPAE.210	170,98	1	2495	G
SNR	UCPAE.210.CC	420,95	1	2594	G
SNR	UCPAE.210.CO	423,91	1	2598	G
SNR	UCPAE.210.N	385,98	1	2362	G
SNR	UCPAE.211	213,73	1	3220	G
SNR	UCPAE.211.CC	277,86	1	3,2	KG
SNR	UCPAE.211.CO	277,86	1	3,2	KG
SNR	UCPAE.211.N	245,80	1	3,2	KG
SNR	UCPAE.212	287,99	1	4256	G
SNR	UCPAE.212.CC	403,41	1	4	KG
SNR	UCPAE.212.CO	408,29	1	4	KG
SNR	UCPAE.212.N	354,33	1	4070	G
SNR	UCPE.201	61,15	1	0,64	KG
SNR	UCPE.201-08	61,15	1	650	G
SNR	UCPE.201-08.N	200,04	1	500	G
SNR	UCPE.201.CC	201,99	1	500	G
SNR	UCPE.201.CO	211,92	1	500	G
SNR	UCPE.201.N	194,34	1	620	G
SNR	UCPE.202	61,15	1	0,63	KG
SNR	UCPE.202-10	61,15	1	652	G
SNR	UCPE.202-10.N	200,04	1	500	G
SNR	UCPE.202.CC	201,99	1	500	G
SNR	UCPE.202.CO	211,92	1	500	G
SNR	UCPE.202.N	194,34	1	610	G
SNR	UCPE.203	61,15	1	0,61	KG
SNR	UCPE.203-11	61,15	1	500	G
SNR	UCPE.203-11.N	200,04	1	500	G
SNR	UCPE.203.CC	201,99	1	500	G
SNR	UCPE.203.CO	211,34	1	500	G
SNR	UCPE.203.N	194,34	1	590	G
SNR	UCPE.204-12	61,15	1	624	G
SNR	UCPE.204-12.N	191,66	1	500	G
SNR	UCPE.204.CC	199,10	1	500	G
SNR	UCPE.204.CO	202,58	1	500	G
SNR	UCPE.204.N	191,66	1	580	G
SNR	UCPE204T20	111,17	1	0,622	KG
SNR	UCPE.205-14	73,78	1	0,78	KG
SNR	UCPE.205-14.N	194,52	1	700	G
SNR	UCPE.205-15	73,78	1	788	G
SNR	UCPE.205-15.N	194,34	1	700	G
SNR	UCPE.205-16	73,78	1	756	G
SNR	UCPE.205-16.N	194,52	1	700	G

SNR	UCPE.205.CC	204,37	1	700	G
SNR	UCPE.205.CO	208,55	1	700	G
SNR	UCPE.205.N	194,52	1	700	G
SNR	UCPE.205T20	127,67	1	0,796	KG
SNR	UCPE.206-18	86,42	1	1193	G
SNR	UCPE.206-18.N	203,59	1	1,1	KG
SNR	UCPE.206-19	86,42	1	1156	G
SNR	UCPE.206-19.N	203,59	1	1,1	KG
SNR	UCPE.206-20	86,42	1	1143	G
SNR	UCPE.206-20.N	203,59	1	1,1	KG
SNR	UCPE.206.CC	214,53	1	1,1	KG
SNR	UCPE.206.CO	217,12	1	1214	G
SNR	UCPE.206L3	99,40	1	1,1	KG
SNR	UCPE.206.N	191,05	1	1,116	KG
SNR	UCPE.206T20	161,00	1	1,225	KG
SNR	UCPE.207-20	100,52	1	1640	G
SNR	UCPE.207-20.N	115,61	1	1,5	KG
SNR	UCPE.207-21	100,52	1	1628	G
SNR	UCPE.207-21.N	115,61	1	1,5	KG
SNR	UCPE.207-22	100,52	1	1,6	KG
SNR	UCPE.207-22.N	115,61	1	1,5	KG
SNR	UCPE.207-23	100,52	1	1,586	KG
SNR	UCPE.207-23.N	115,61	1	1,5	KG
SNR	UCPE.207.CC	226,45	1	1,662	KG
SNR	UCPE.207.CO	229,57	1	1660	G
SNR	UCPE.207L3CC	160,83	1	1,67	KG
SNR	UCPE.207L3CO	160,83	1	1,5	KG
SNR	UCPE.207.N	115,61	1	1,534	KG
SNR	UCPE207T20	204,33	1	1,645	KG
SNR	UCPE.208-24	114,07	1	1,922	KG
SNR	UCPE.208-24.N	131,19	1	1,8	KG
SNR	UCPE.208-25	114,07	1	1,908	KG
SNR	UCPE.208-25.N	131,19	1	1,8	KG
SNR	UCPE.208.CC	244,79	1	1,8	KG
SNR	UCPE.208.CO	247,96	1	2,042	KG
SNR	UCPE.208L3	148,31	1	1,8	KG
SNR	UCPE.208.N	131,19	1	1,824	KG
SNR	UCPE.208T20	243,83	1	1,93	KG
SNR	UCPE.209-26	130,70	1	2,362	KG
SNR	UCPE.209-26.N	422,55	1	2,2	KG
SNR	UCPE.209-27	130,70	1	2,348	KG
SNR	UCPE.209-27.N	422,55	1	2,2	KG
SNR	UCPE.209-28	130,70	1	2,294	KG
SNR	UCPE.209-28.N	422,55	1	2,2	KG
SNR	UCPE.209.CC	455,27	1	2,696	KG
SNR	UCPE.209.CO	458,79	1	1,67	KG
SNR	UCPE.209.N	422,55	1	2,2	KG
SNR	UCPE.209T20	264,83	1	2302	G
SNR	UCPE.210-30	150,57	1	2,952	KG
SNR	UCPE.210-30.N	173,56	1	2,7	KG

SNR	UCPE.210-31	150,57	1	2,84	KG
SNR	UCPE.210-31.N	173,56	1	2,7	KG
SNR	UCPE.21031NL3	195,77	1	2,73	KG
SNR	UCPE.210.CC	268,67	1	2980	G
SNR	UCPE.210.CO	272,04	1	2942	G
SNR	UCPE.210L3	195,77	1	2,86	KG
SNR	UCPE.210.N	173,59	1	2,738	KG
SNR	UCPE.210T20	297,67	1	2,8	KG
SNR	UCPE.211-32	197,10	1	3764	G
SNR	UCPE.211-34	197,10	1	3680	G
SNR	UCPE.211-34.N	489,72	1	3,4	KG
SNR	UCPE.211-35	197,10	1	3601	G
SNR	UCPE.211-35.N	489,72	1	3,4	KG
SNR	UCPE.211.CC	532,95	1	3770	G
SNR	UCPE.211.CO	537,05	1	3,745	KG
SNR	UCPE.211.N	489,72	1	3,51	KG
SNR	UCPE.211T20	413,83	1	3,582	KG
SNR	UCPE.212-36	248,14	1	5184	G
SNR	UCPE.212-36.N	317,32	1	4910	G
SNR	UCPE.212-38	248,14	1	4934	G
SNR	UCPE.212-38.N	337,32	1	4,8	KG
SNR	UCPE.212-39	248,14	1	4870	G
SNR	UCPE.212-39.N	337,32	1	4,8	KG
SNR	UCPE.212.CC	370,24	1	5,116	KG
SNR	UCPE.212.CO	375,03	1	5,095	KG
SNR	UCPE.212.N	317,32	1	4,855	KG
SNR	UCPE.212T04	297,77	1	4,97	KG
SNR	UCPE.213	348,88	1	6,55	KG
SNR	UCPE.213-40	348,88	1	6626	G
SNR	UCPE.213-40.N	401,20	1	6,1	KG
SNR	UCPE.213.CC	453,53	1	6,1	KG
SNR	UCPE.213.CO	453,53	1	6,65	KG
SNR	UCPE.213.N	401,19	1	6,1	KG
SNR	UCPE.214	449,66	1	6400	G
SNR	UCPE.214-43	449,66	1	6458	G
SNR	UCPE.214-44	449,66	1	6312	G
SNR	UCPE.215	500,59	1	7,205	KG
SNR	UCPE.215-47	500,59	1	7166	G
SNR	UCPE.215-48	500,59	1	5545	G
SNR	UCPE.216	580,46	1	9281	G
SNR	UCPE.216L3	754,61	1	9	KG
SNR	UCPE216T20	1.031,33	1	9,515	KG
SNR	UCPE.218	959,08	1	13,718	KG
SNR	UCPE.218-56	959,08	1	13988	G
SNR	UCPEX08	144,94	1	3,38	KG
SNR	UCPEX08-24	154,29	1	3,43	KG
SNR	UCPEX09	174,21	1	3,27	KG
SNR	UCPEX09-28	181,42	1	3,27	KG
SNR	UCPEX10	208,09	1	4,06	KG
SNR	UCPEX10-32	228,88	1	4,02	KG

SNR UCPEX11	262,03	1	5,48	KG
SNR UCPEX12	316,70	1	6,77	KG
SNR UCPEX13	445,44	1	11,23	KG
SNR UCPEX13-40	489,99	1	11,32	KG
SNR UCPEX14	490,75	1	10,9	KG
SNR UCPEX15	513,25	1	11,9	KG
SNR UCPEX15-48	564,59	1	11,85	KG
SNR UCPEX16	613,42	1	16,05	KG
SNR UCPL201	61,15	1	0,66	KG
SNR UCPL201CC	314,30	1	540	G
SNR UCPL201CO	211,92	1	540	G
SNR UCPL202	61,15	1	0,65	KG
SNR UCPL202CC	314,30	1	530	G
SNR UCPL202CO	211,92	1	530	G
SNR UCPL203	61,15	1	0,63	KG
SNR UCPL203CC	314,30	1	510	G
SNR UCPL203CO	211,34	1	510	G
SNR UCPL204	61,15	1	0,62	KG
SNR UCPL20412	61,15	1	0,658	KG
SNR UCPL204CC	314,49	1	500	G
SNR UCPL204CO	317,40	1	500	G
SNR UCPL204T04	73,40	1	0,645	KG
SNR UCPL204.T20	115,67	1	0,5	KG
SNR UCPL205	73,78	1	770	G
SNR UCPL20516	73,78	1	0,79	KG
SNR UCPL205CC	451,58	1	824	G
SNR UCPL205CO	454,54	1	816	G
SNR UCPL205N	433,61	1	0,78	KG
SNR UCPL206	86,42	1	1,13	KG
SNR UCPL20618	86,42	1	1,21	KG
SNR UCPL20619	86,42	1	1,17	KG
SNR UCPL206CC	214,53	1	1,13	KG
SNR UCPL206CO	217,12	1	1,2	KG
SNR UCPL206L3	103,91	1	99,999	KG
SNR UCPL206N	272,43	1	1,18	KG
SNR UCPL207	100,52	1	1,66	KG
SNR UCPL20723	100,52	1	1,626	KG
SNR UCPL207CC	245,00	1	1,52	KG
SNR UCPL207CO	248,29	1	1,71	KG
SNR UCPL207N	226,87	1	1,595	KG
SNR UCPL208	114,07	1	2,02	KG
SNR UCPL20824	114,07	1	2,076	KG
SNR UCPL208CC	257,62	1	2,11	KG
SNR UCPL208CO	260,98	1	2,14	KG
SNR UCPL209	130,70	1	2,43	KG
SNR UCPL20927	174,85	1	2,52	KG
SNR UCPL209CC	276,93	1	2,17	KG
SNR UCPL209CO	280,12	1	2,17	KG
SNR UCPL210	150,57	1	2,98	KG
SNR UCPL21031	150,57	1	1	KG

SNR	UCPLE210CC	307,79	1	3,196	KG
SNR	UCPLE210CO	310,74	1	3,055	KG
SNR	UCPLE210L3	182,59	1	2,93	KG
SNR	UCPLE.211	197,10	1	3,823	KG
SNR	UCPLE211CC	256,22	1	3,44	KG
SNR	UCPLE211CO	256,22	1	3,44	KG
SNR	UCPLE.212	248,14	1	5,961	KG
SNR	UCPLE.21239	248,14	1	5,87	KG
SNR	UCPLE212CC	420,05	1	4,78	KG
SNR	UCPLE212CO	424,93	1	4,78	KG
SNR	UKEHE.205H	119,40	1	0,738	KG
SNR	UKEHE.206H	141,43	1	1,13	KG
SNR	UKEHE.207H	162,85	1	1,326	KG
SNR	UKEHE.208H	190,77	1	1,61	KG
SNR	UKEHE.209H	214,01	1	1,955	KG
SNR	UKEHE.210H	240,30	1	1,97	KG
SNR	UKFCE.205H	119,40	1	0,854	KG
SNR	UKFCE.206H	141,43	1	1	KG
SNR	UKFCE.207H	162,85	1	1,31	KG
SNR	UKFCE.208H	190,77	1	1,7	KG
SNR	UKFCE.209H	214,01	1	2,06	KG
SNR	UKFCE.210H	240,30	1	2,405	KG
SNR	UKFCE.211H	277,86	1	3,242	KG
SNR	UKFCE.212H	374,38	1	3,9	KG
SNR	UKFCE.215H	718,45	1	5,8	KG
SNR	UKFCE.216H	832,28	1	6,1	KG
SNR	UKFCE.218H	1.405,38	1	10,065	KG
SNR	UKFE.205H	103,28	1	868	G
SNR	UKFE.205.H.CC	165,78	1	800	G
SNR	UKFE.205.H.CO	168,56	1	800	G
SNR	UKFE.205.H.N	167,17	1	800	G
SNR	UKFE.206H	121,02	1	1230	G
SNR	UKFE.206.H.CC	176,22	1	1,2	KG
SNR	UKFE.206.H.CO	178,61	1	1,2	KG
SNR	UKFE.206.H.N	176,32	1	1,2	KG
SNR	UKFE.207H	140,75	1	1655	G
SNR	UKFE.207.H.CC	189,44	1	1,6	KG
SNR	UKFE.207.H.CO	192,55	1	1,6	KG
SNR	UKFE.207.H.N	187,96	1	1,6	KG
SNR	UKFE.208H	159,68	1	2204	G
SNR	UKFE.208.H.CC	202,58	1	2,1	KG
SNR	UKFE.208.H.CO	205,87	1	2,1	KG
SNR	UKFE.208.H.N	200,19	1	2,1	KG
SNR	UKFE.209H	182,97	1	2450	G
SNR	UKFE.209.H.CC	222,20	1	2,4	KG
SNR	UKFE.209.H.CO	223,29	1	2,4	KG
SNR	UKFE.209.H.N	217,21	1	2,4	KG
SNR	UKFE.210H	210,81	1	2846	G
SNR	UKFE.210.H.CC	256,03	1	2,7	KG
SNR	UKFE.210.H.CO	256,03	1	2,7	KG

SNR	UKFE.210.H.N	233,41	1	2,7	KG
SNR	UKFE.211H	256,22	1	3900	G
SNR	UKFE.211.H.CC	315,36	1	3,7	KG
SNR	UKFE.211.H.CO	315,35	1	3,7	KG
SNR	UKFE.211.H.N	285,81	1	3,814	KG
SNR	UKFE.212H	322,56	1	4,9	KG
SNR	UKFE.212.H.CC	397,02	1	5,08	KG
SNR	UKFE.212.H.CO	397,02	1	5,065	KG
SNR	UKFE.212.H.N	359,81	1	4,9	KG
SNR	UKFE.213H	453,53	1	6,466	KG
SNR	UKFE.213.H.CC	558,20	1	0,32	KG
SNR	UKFE.213.H.CO	558,20	1	6,1	KG
SNR	UKFE.213.H.N	505,87	1	6,1	KG
SNR	UKFE.215H	650,75	1	6,928	KG
SNR	UKFE.216H	754,61	1	7,705	KG
SNR	UKFE.218H	1.246,81	1	10,64	KG
SNR	UKFLE.205H	103,28	1	660	G
SNR	UKFLE.205.H.CC	164,97	1	600	G
SNR	UKFLE.205.H.CO	168,08	1	600	G
SNR	UKFLE.205.H.N	166,38	1	600	G
SNR	UKFLE.206H	121,02	1	0,938	KG
SNR	UKFLE.206.H.CC	175,33	1	900	G
SNR	UKFLE.206.H.CO	177,71	1	900	G
SNR	UKFLE.206.H.N	175,42	1	0,91	KG
SNR	UKFLE.207H	140,75	1	1,238	KG
SNR	UKFLE.207.H.CC	187,86	1	1,2	KG
SNR	UKFLE.207.H.CO	190,94	1	1,2	KG
SNR	UKFLE.207.H.N	186,08	1	1,2	KG
SNR	UKFLE.208H	159,68	1	1,745	KG
SNR	UKFLE.208.H.CC	202,99	1	1,7	KG
SNR	UKFLE.208.H.CO	206,17	1	1,7	KG
SNR	UKFLE.208.H.N	176,81	1	1,695	KG
SNR	UKFLE.209H	182,97	1	1,965	KG
SNR	UKFLE.209.H.CC	307,90	1	1,9	KG
SNR	UKFLE.209.H.CO	310,74	1	1,9	KG
SNR	UKFLE.209.H.N	292,94	1	1,9	KG
SNR	UKFLE.210H	210,81	1	2,3	KG
SNR	UKFLE.210.H.CC	256,03	1	2,3	KG
SNR	UKFLE.210.H.CO	256,03	1	2,3	KG
SNR	UKFLE.210.H.N	233,41	1	2,3	KG
SNR	UKFLE.211H	256,22	1	3,415	KG
SNR	UKFLE.211.H.CC	315,36	1	3,5	KG
SNR	UKFLE.211.H.CO	315,35	1	3,5	KG
SNR	UKFLE.211.H.N	296,82	1	3,5	KG
SNR	UKFLE.212H	322,56	1	3,79	KG
SNR	UKFLE.212.H.CC	397,02	1	3,7	KG
SNR	UKFLE.212.H.CO	397,02	1	3,7	KG
SNR	UKFLE.212.H.N	359,81	1	3,7	KG
SNR	UKFLE.213H	453,53	1	4,1	KG
SNR	UKFLE.213.H.CC	558,20	1	4,14	KG

SNR	UKFLE.213.H.CO	558,20	1	4,1	KG
SNR	UKFLE.213.H.N	505,87	1	4,1	KG
SNR	UKPAE.205H	119,40	1	0,664	KG
SNR	UKPAE.205.H.CC	285,69	1	600	G
SNR	UKPAE.205.H.CO	288,41	1	600	G
SNR	UKPAE.206H	141,43	1	1	KG
SNR	UKPAE.206.H.CC	221,39	1	1	KG
SNR	UKPAE.206.H.CO	223,79	1	1	KG
SNR	UKPAE.206.H.N	210,65	1	1	KG
SNR	UKPAE.207H	162,62	1	1,425	KG
SNR	UKPAE.207.H.CC	262,47	1	1,4	KG
SNR	UKPAE.207.H.CO	266,03	1	1,4	KG
SNR	UKPAE.207.H.N	235,52	1	1,4	KG
SNR	UKPAE.208H	190,77	1	1,718	KG
SNR	UKPAE.208.H.CC	277,45	1	1,7	KG
SNR	UKPAE.208.H.CO	280,80	1	1,7	KG
SNR	UKPAE.208.H.N	247,50	1	1,7	KG
SNR	UKPAE.209H	214,01	1	2,028	KG
SNR	UKPAE.209.H.CC	293,83	1	2	KG
SNR	UKPAE.209.H.CO	297,02	1	2	KG
SNR	UKPAE.209.H.N	260,80	1	2	KG
SNR	UKPAE.210H	240,30	1	2,692	KG
SNR	UKPAE.210.H.CC	448,38	1	2,6	KG
SNR	UKPAE.210.H.CO	451,69	1	2,6	KG
SNR	UKPAE.210.H.N	413,07	1	2,6	KG
SNR	UKPAE.211H	277,86	1	3,3	KG
SNR	UKPAE.211.H.CO	342,00	1	3,3	KG
SNR	UKPAE.211.H.N	309,91	1	3,3	KG
SNR	UKPAE.212H	374,38	1	4,374	KG
SNR	UKPAE.212.H.CC	460,77	1	4	KG
SNR	UKPAE.212.H.CO	460,77	1	4	KG
SNR	UKPAE.212.H.N	417,59	1	4	KG
SNR	UKPE.205H	103,28	1	0,82	KG
SNR	UKPE.205.H.CC	213,74	1	800	G
SNR	UKPE.205.H.CO	216,73	1	800	G
SNR	UKPE.205.H.N	205,87	1	800	G
SNR	UKPE.206H	121,02	1	1,235	KG
SNR	UKPE.206.H.CC	227,65	1	1,2	KG
SNR	UKPE.206.H.CO	230,04	1	1,2	KG
SNR	UKPE.206.H.N	217,21	1	1,2	KG
SNR	UKPE.207H	140,75	1	1,626	KG
SNR	UKPE.207.H.CC	241,38	1	1,6	KG
SNR	UKPE.207.H.CO	244,79	1	1,728	KG
SNR	UKPE.207.H.N	155,83	1	1,6	KG
SNR	UKPE.208H	159,68	1	1,972	KG
SNR	UKPE.208.H.CC	263,00	1	1,9	KG
SNR	UKPE.208.H.CO	266,27	1	1,9	KG
SNR	UKPE.208.H.N	176,81	1	1,9	KG
SNR	UKPE.209H	182,97	1	2382	G
SNR	UKPE.209.H.CC	478,62	1	2,3	KG

SNR	UKPE.209.H.CO	481,82	1	2,468	KG
SNR	UKPE.209.H.N	445,60	1	2,3	KG
SNR	UKPE.210H	210,81	1	3020	G
SNR	UKPE.210.H.CC	294,33	1	2,9	KG
SNR	UKPE.210.H.CO	297,81	1	2,9	KG
SNR	UKPE.210.H.N	233,41	1	2,9	KG
SNR	UKPE.211H	256,22	1	3790	G
SNR	UKPE.211.H.CC	563,79	1	3,5	KG
SNR	UKPE.211.H.CO	567,89	1	3,5	KG
SNR	UKPE.211.H.N	520,47	1	3,5	KG
SNR	UKPE.212H	322,56	1	4910	G
SNR	UKPE.212.H.CC	402,58	1	4,8	KG
SNR	UKPE.212.H.CO	407,28	1	4,8	KG
SNR	UKPE.212.H.N	372,65	1	4,8	KG
SNR	UKPE.213H	453,53	1	6474	G
SNR	UKPE.213.H.CC	558,20	1	6,8	KG
SNR	UKPE.213.H.CO	558,20	1	7,3	KG
SNR	UKPE.213.H.N	505,87	1	7,3	KG
SNR	UKPE.215H	650,75	1	7620	G
SNR	UKPE.216H	754,61	1	9900	G
SNR	UKPE.218H	1.246,81	1	14202	G
SNR	UKPLE.205H	111,23	1	818	G
SNR	UKPLE205HCC	462,59	1	757	G
SNR	UKPLE205HCO	465,30	1	757	G
SNR	UKPLE.206H	125,92	1	1,215	KG
SNR	UKPLE206HCC	227,65	1	1,186	KG
SNR	UKPLE206HCO	230,04	1	1,186	KG
SNR	UKPLE.207H	144,42	1	1,696	KG
SNR	UKPLE207HCC	260,88	1	1,585	KG
SNR	UKPLE207HCO	264,45	1	1,585	KG
SNR	UKPLE.208H	159,47	1	2,052	KG
SNR	UKPLE208HCC	276,89	1	1,894	KG
SNR	UKPLE208HCO	280,23	1	1,894	KG
SNR	UKPLE.209H	197,94	1	2560	G
SNR	UKPLE209HCC	299,96	1	2,3	KG
SNR	UKPLE209HCO	303,15	1	2,3	KG
SNR	UKPLE.210H	208,41	1	3,096	KG
SNR	UKPLE210HCC	353,05	1	2,872	KG
SNR	UKPLE210HCO	338,52	1	2,872	KG
SNR	UKPLE.211H	261,10	1	4,03	KG
SNR	UKPLE211HCC	326,89	1	3,51	KG
SNR	UKPLE211HCO	326,89	1	3,51	KG
SNR	UKPLE.212H	321,53	1	6	KG
SNR	UKPLE212HCC	454,18	1	4,761	KG
SNR	UKPLE212HCO	459,05	1	4,761	KG
SNR	USEHE.201	67,41	1	550	G
SNR	USEHE.202	67,41	1	400	G
SNR	USEHE.203	67,41	1	500	G
SNR	USEHE.204	67,41	1	538	G
SNR	USEHE.205	79,49	1	672	G

SNR	USEHE.206	96,59	1	1015	G
SNR	USEHE.207	110,77	1	1160	G
SNR	USEHE.208	129,56	1	1434	G
SNR	USEHE.209	146,18	1	1815	G
SNR	USEHE.210	162,85	1	1712	G
SNR	USFAE.204	56,76	1	0,41	KG
SNR	USFAE.205	68,05	1	0,554	KG
SNR	USFAE.206	81,93	1	805	G
SNR	USFAE.207	95,93	1	1,035	KG
SNR	USFCE.201	67,41	1	520	G
SNR	USFCE.202	67,41	1	510	G
SNR	USFCE.203	67,41	1	530	G
SNR	USFCE.204	67,41	1	490	G
SNR	USFCE.205	79,49	1	740	G
SNR	USFCE.206	96,59	1	966	G
SNR	USFCE.207	110,77	1	1180	G
SNR	USFCE.208	129,56	1	1541	G
SNR	USFCE.209	146,18	1	1825	G
SNR	USFCE.210	162,85	1	2160	G
SNR	USFCE210T20	307,83	1	2,175	KG
SNR	USFCE.211	210,47	1	3000	G
SNR	USFCE.212	276,88	1	3605	G
SNR	USFD.201	61,53	1	0,27	KG
SNR	USFD.202	61,53	1	0,26	KG
SNR	USFD.203	61,53	1	0,28	KG
SNR	USFD.203M6	61,41	1	0,292	KG
SNR	USFD.204	65,25	1	0,389	KG
SNR	USFD.205	72,97	1	0,458	KG
SNR	USFD205M12	74,82	1	442	G
SNR	USFD205M8	73,48	1	0,46	KG
SNR	USFD.208	110,32	1	1,3	KG
SNR	USFE.201	56,76	1	430	G
SNR	USFE.201.CC	152,55	1	400	G
SNR	USFE.201.CO	155,22	1	400	G
SNR	USFE.201.N	152,94	1	420	G
SNR	USFE.202	56,76	1	420	G
SNR	USFE.202.CC	152,55	1	400	G
SNR	USFE.202.CO	155,22	1	400	G
SNR	USFE.202.N	152,94	1	410	G
SNR	USFE.203	56,76	1	440	G
SNR	USFE.203.CC	152,55	1	400	G
SNR	USFE.203.CO	154,52	1	400	G
SNR	USFE.203.N	152,94	1	430	G
SNR	USFE.204	56,76	1	660	G
SNR	USFE.204.CC	149,86	1	600	G
SNR	USFE.204.CO	153,33	1	692	G
SNR	USFE.204.N	151,25	1	610	G
SNR	USFE.205	68,05	1	829	G
SNR	USFE.205.CC	154,72	1	800	G
SNR	USFE.205.CO	158,99	1	800	G

SNR	USFE.205.N	155,53	1	800	G
SNR	USFE.206	81,93	1	1128	G
SNR	USFE.206.CC	163,17	1	0,115	KG
SNR	USFE.206.CO	165,57	1	1,1	KG
SNR	USFE.206.N	162,49	1	1,1	KG
SNR	USFE.207	95,93	1	1520	G
SNR	USFE.207.CC	172,62	1	1,5	KG
SNR	USFE.207.CO	175,61	1	1,5	KG
SNR	USFE.207.N	169,96	1	1,5	KG
SNR	USFE.208	108,52	1	1975	G
SNR	USFE.208.CC	182,59	1	2028	G
SNR	USFE.208.CO	185,86	1	2032	G
SNR	USFE.208.N	124,80	1	1,936	KG
SNR	USFE.209	124,04	1	2184	G
SNR	USFE.209.CC	197,21	1	2,2	KG
SNR	USFE.209.CO	200,19	1	2,2	KG
SNR	USFE.209.N	192,73	1	2,2	KG
SNR	USFE.210	141,75	1	2516	G
SNR	USFE.210.CC	203,90	1	2,5	KG
SNR	USFE.210.CO	207,36	1	2,5	KG
SNR	USFE.210.N	198,81	1	2,465	KG
SNR	USFE.211	192,71	1	3555	G
SNR	USFE.211.CC	270,65	1	3,6	KG
SNR	USFE.211.CO	274,82	1	3,6	KG
SNR	USFE.211.N	265,57	1	3,6	KG
SNR	USFE.212	237,07	1	4808	G
SNR	USFE.212.CC	308,16	1	4824	G
SNR	USFE.212.CO	308,17	1	4852	G
SNR	USFE.212.N	274,73	1	3,35	KG
SNR	USFEE.205	79,49	1	0,839	KG
SNR	USFEE.206	96,59	1	1,174	KG
SNR	USFEE.207	110,77	1	1,41	KG
SNR	USFEE.208	129,56	1	1,812	KG
SNR	USFEE.209	146,18	1	2,052	KG
SNR	USFEE.210	162,85	1	2,402	KG
SNR	USFEE.212	276,88	1	4,275	KG
SNR	USFLE.201	56,76	1	350	G
SNR	USFLE.201.CC	152,43	1	400	G
SNR	USFLE.201.CO	155,13	1	400	G
SNR	USFLE.201.N	152,73	1	342	G
SNR	USFLE.201T20	132,83	1	500	G
SNR	USFLE.202	56,76	1	340	G
SNR	USFLE.202.CC	152,43	1	400	G
SNR	USFLE.202.CO	155,13	1	400	G
SNR	USFLE.202.N	152,73	1	332	G
SNR	USFLE.203	56,76	1	360	G
SNR	USFLE.203.CC	152,43	1	382	G
SNR	USFLE.203.CO	154,44	1	400	G
SNR	USFLE.203.N	152,73	1	352	G
SNR	USFLE.204	56,76	1	430	G

SNR	USFLE.204.CC	149,44	1	400	G
SNR	USFLE.204.CO	152,84	1	400	G
SNR	USFLE.204.N	150,63	1	419	G
SNR	USFLE.205	68,05	1	570	G
SNR	USFLE.205.CC	154,12	1	600	G
SNR	USFLE.205.CO	158,52	1	600	G
SNR	USFLE.205.N	180,10	1	554	G
SNR	USFLE.206	81,93	1	824	G
SNR	USFLE.206.CC	162,40	1	800	G
SNR	USFLE.206.CO	164,67	1	800	G
SNR	USFLE.206.N	161,60	1	772	G
SNR	USFLE.207	95,93	1	1061	G
SNR	USFLE.207.CC	170,85	1	1,1	KG
SNR	USFLE.207.CO	174,13	1	1,1	KG
SNR	USFLE.207.N	168,16	1	1,1	KG
SNR	USFLE207T04	106,10	1	1,061	KG
SNR	USFLE.208	108,52	1	1488	G
SNR	USFLE.208.CC	183,17	1	1,56	KG
SNR	USFLE.208.CO	186,27	1	1,6	KG
SNR	USFLE.208.N	124,80	1	1,6	KG
SNR	USFLE.209	124,04	1	1734	G
SNR	USFLE.209.CC	283,73	1	1,8	KG
SNR	USFLE.209.CO	286,91	1	1,8	KG
SNR	USFLE.209.N	268,78	1	1,8	KG
SNR	USFLE.210	141,75	1	2058	G
SNR	USFLE.210.CC	206,57	1	2,1	KG
SNR	USFLE.210.CO	209,75	1	2,1	KG
SNR	USFLE.210.N	163,03	1	2,1	KG
SNR	USFLE.211	192,71	1	3090	G
SNR	USFLE.211.CC	268,76	1	3,4	KG
SNR	USFLE.211.CO	272,75	1	3,4	KG
SNR	USFLE.211.N	263,38	1	3,4	KG
SNR	USFLE.212	237,07	1	3410	G
SNR	USFLE.212.CC	308,16	1	3,5	KG
SNR	USFLE.212.CO	308,17	1	3,5	KG
SNR	USFLE.212.N	272,60	1	3,5	KG
SNR	USFTE.201	74,70	1	410	G
SNR	USFTE.202	74,70	1	400	G
SNR	USFTE.203	74,70	1	0,42	KG
SNR	USFTE.204	75,07	1	540	G
SNR	USFTE.205	88,53	1	600	G
SNR	USFTE.206	105,32	1	1020	G
SNR	USFTE.207	123,37	1	1427	G
SNR	USFTE.208	138,68	1	1675	G
SNR	USFTE.209	154,86	1	2,085	KG
SNR	USFTE.210	173,83	1	1,97	KG
SNR	USPAE.201	67,41	1	0,35	KG
SNR	USPAE.201.CC	304,36	1	300	G
SNR	USPAE.201.CO	309,25	1	300	G
SNR	USPAE.201.N	187,77	1	300	G

SNR	USPAE.202	67,41	1	0,34	KG
SNR	USPAE.202.CC	304,36	1	300	G
SNR	USPAE.202.CO	309,25	1	300	G
SNR	USPAE.202.N	187,77	1	300	G
SNR	USPAE.203	67,41	1	360	G
SNR	USPAE.203.CC	303,60	1	386	G
SNR	USPAE.203.CO	307,75	1	400	G
SNR	USPAE.203.N	176,32	1	400	G
SNR	USPAE.204	67,41	1	420	G
SNR	USPAE.204.CC	216,55	1	400	G
SNR	USPAE.204.CO	219,45	1	400	G
SNR	USPAE.204.N	185,58	1	500	G
SNR	USPAE.205	79,49	1	550	G
SNR	USPAE.205.CC	274,41	1	600	G
SNR	USPAE.205.CO	277,11	1	600	G
SNR	USPAE.205.N	189,57	1	540	G
SNR	USPAE.206	96,59	1	940	G
SNR	USPAE.206.CC	208,37	1	956	G
SNR	USPAE.206.CO	210,84	1	1	KG
SNR	USPAE.206.N	184,89	1	0,89	KG
SNR	USPAE206T20	152,00	1	0,68	KG
SNR	USPAE.207	110,77	1	1264	G
SNR	USPAE.207.CC	244,79	1	1,3	KG
SNR	USPAE.207.CO	248,07	1	1,3	KG
SNR	USPAE.207.N	205,09	1	1,21	KG
SNR	USPAE.208	129,56	1	1530	G
SNR	USPAE.208.CC	256,40	1	1,6	KG
SNR	USPAE.208.CO	259,74	1	1,6	KG
SNR	USPAE.208.N	213,14	1	1,6	KG
SNR	USPAE.209	146,18	1	1,825	KG
SNR	USPAE.209.CC	269,68	1	1,9	KG
SNR	USPAE.209.CO	272,85	1	1,9	KG
SNR	USPAE.209.N	223,59	1	1,9	KG
SNR	USPAE.210	162,85	1	2340	G
SNR	USPAE.210.CC	420,44	1	2,4	KG
SNR	USPAE.210.CO	423,76	1	2,4	KG
SNR	USPAE.210.N	236,92	1	2,5	KG
SNR	USPAE.211	210,47	1	3050	G
SNR	USPAE.211.CC	273,60	1	3,2	KG
SNR	USPAE.211.CO	273,63	1	3,2	KG
SNR	USPAE.211.N	242,03	1	3,2	KG
SNR	USPAE.212	276,88	1	4088	G
SNR	USPAE.212.CC	399,66	1	3,8	KG
SNR	USPAE.212.CO	404,52	1	3,8	KG
SNR	USPAE.212.N	329,75	1	3,8	KG
SNR	USPE201	56,76	1	430	G
SNR	USPE.201.CC	201,00	1	400	G
SNR	USPE.201.CO	203,68	1	500	G
SNR	USPE.201.N	192,05	1	420	G
SNR	USPE.202	56,76	1	420	G

SNR	USPE.202.CC	201,00	1	400	G
SNR	USPE.202.CO	203,68	1	500	G
SNR	USPE.202.N	192,05	1	410	G
SNR	USPE.203	56,76	1	0,44	KG
SNR	USPE.203.CC	200,32	1	400	G
SNR	USPE.203.CO	202,48	1	500	G
SNR	USPE.203.N	192,05	1	430	G
SNR	USPE.204	56,76	1	0,56	KG
SNR	USPE.20412	56,76	1	500	G
SNR	USPE.204.CC	197,61	1	500	G
SNR	USPE.204.CO	201,09	1	500	G
SNR	USPE.204.N	189,94	1	540	G
SNR	USPE.205	68,05	1	0,71	KG
SNR	USPE.205.CC	204,18	1	700	G
SNR	USPE.205.CO	208,46	1	700	G
SNR	USPE.205.N	194,34	1	686	G
SNR	USPE.206	81,93	1	1,115	KG
SNR	USPE.20618	81,93	1	1,1	KG
SNR	USPE.20620	81,93	1	1,1	KG
SNR	USPE.206.CC	214,53	1	1200	G
SNR	USPE.206.CO	217,03	1	1,1	KG
SNR	USPE.206.N	203,40	1	1,07	KG
SNR	USPE.207	95,93	1	1,524	KG
SNR	USPE.20723	95,93	1	1,5	KG
SNR	USPE.207.CC	224,68	1	1,5	KG
SNR	USPE.207.CO	227,87	1	1,5	KG
SNR	USPE.207.N	110,31	1	1,5	KG
SNR	USPE.208	108,52	1	1,752	KG
SNR	USPE.20824	108,52	1	1,8	KG
SNR	USPE.208.CC	242,87	1	1,8	KG
SNR	USPE.208.CO	246,29	1	1,8	KG
SNR	USPE.208.N	124,80	1	1,8	KG
SNR	USPE.209	124,04	1	2,161	KG
SNR	USPE.209.CC	454,47	1	11,62	KG
SNR	USPE.209.CO	457,64	1	2,1	KG
SNR	USPE.209.N	421,43	1	2,1	KG
SNR	USPE.210	141,75	1	2,74	KG
SNR	USPE.21031	141,75	1	2,7	KG
SNR	USPE.210.CC	267,65	1	2,7	KG
SNR	USPE.210.CO	271,15	1	2,7	KG
SNR	USPE.210.N	172,73	1	2,635	KG
SNR	USPE211	192,71	1	3,433	KG
SNR	USPE.211.CC	530,41	1	3,4	KG
SNR	USPE.211.CO	534,52	1	3,4	KG
SNR	USPE.211.N	487,12	1	3,4	KG
SNR	USPE.212	237,07	1	4,742	KG
SNR	USPE.212.CC	366,67	1	4,6	KG
SNR	USPE.212.CO	371,35	1	4,6	KG
SNR	USPE.212.N	334,23	1	4,6	KG
SNR	USPLE.201	56,76	1	0,454	KG

SNR	USPLE201CC	220,09	1	420	G
SNR	USPLE201CO	224,97	1	420	G
SNR	USPLE.202	61,99	1	458	G
SNR	USPLE202CC	220,09	1	410	G
SNR	USPLE202CO	224,97	1	410	G
SNR	USPLE.203	56,76	1	400	G
SNR	USPLE203CC	219,35	1	430	G
SNR	USPLE203CO	223,49	1	430	G
SNR	USPLE.204	56,76	1	0,62	KG
SNR	USPLE204CC	312,99	1	0,635	KG
SNR	USPLE204CO	315,89	1	460	G
SNR	USPLE.205	68,05	1	0,765	KG
SNR	USPLE205CC	451,30	1	690	G
SNR	USPLE205CO	454,27	1	690	G
SNR	USPLE.206	81,93	1	1,106	KG
SNR	USPLE206CC	214,53	1	1,08	KG
SNR	USPLE206CO	217,03	1	1,08	KG
SNR	USPLE.207	95,93	1	1,54	KG
SNR	USPLE207CC	243,21	1	1,47	KG
SNR	USPLE207CO	246,50	1	1,47	KG
SNR	USPLE.208	108,52	1	1,88	KG
SNR	USPLE208CC	255,84	1	1,79	KG
SNR	USPLE208CO	259,18	1	1,79	KG
SNR	USPLE.209	173,78	1	2,34	KG
SNR	USPLE209CC	275,81	1	2,14	KG
SNR	USPLE209CO	278,98	1	2,14	KG
SNR	USPLE.210	141,75	1	2,829	KG
SNR	USPLE210CC	307,29	1	2,68	KG
SNR	USPLE210CO	310,60	1	2,68	KG
SNR	USPLE.211	192,71	1	3,632	KG
SNR	USPLE211CC	250,53	1	3,39	KG
SNR	USPLE211CO	250,54	1	3,39	KG
SNR	USPLE.212	237,07	1	5,792	KG
SNR	USPLE212CC	416,29	1	4,55	KG
SNR	USPLE212CO	421,16	1	4,55	KG
SNR	C203	25,90	1	286	G
SNR	C204	25,90	1	0,34	KG
SNR	C205	32,71	1	0,46	KG
SNR	C206	38,81	1	0,502	KG
SNR	C207	42,46	1	0,46	KG
SNR	C208	43,98	1	0,6	KG
SNR	C209	52,98	1	0,836	KG
SNR	C210	62,82	1	1,16	KG
SNR	C211	84,07	1	1,05	KG
SNR	C212	97,77	1	0,95	KG
SNR	C213	192,05	1	1,1	KG
SNR	C214	196,58	1	1,6	KG
SNR	C215	213,93	1	2,05	KG
SNR	C216	236,24	1	3,61	KG
SNR	C305	34,31	1	0,59	KG

SNR	C306	55,58	1	0,73	KG
SNR	C307	50,04	1	0,99	KG
SNR	C308	58,99	1	1,228	KG
SNR	C309	72,45	1	1,485	KG
SNR	C310	108,26	1	1,65	KG
SNR	C311	136,50	1	2,032	KG
SNR	C312	175,40	1	2510	G
SNR	CSFL.209	113,93	1	1670	G
SNR	ESPAE210CCE	430,99	1	2,5	KG
SNR	ESPAE210COE	253,93	1	2,7	KG
SNR	ESPE206T04	121,68	1	1,13	KG
SNR	F.203	27,83	1	314	G
SNR	F.203.N	32,00	1	307	G
SNR	F.204	27,83	1	420	G
SNR	F.204.N	46,28	1	409	G
SNR	F.205	35,16	1	594	G
SNR	F.205.N	40,44	1	579	G
SNR	F.206	41,72	1	868	G
SNR	F.206.N	47,95	1	808	G
SNR	F.207	45,68	1	1055	G
SNR	F.207.N	52,51	1	1120	G
SNR	F.208	47,24	1	1280	G
SNR	F.208.N	54,32	1	1300	G
SNR	F.209	56,91	1	1265	G
SNR	F209N	65,45	1	1455	G
SNR	F.210	67,50	1	1700	G
SNR	F.210.N	77,65	1	1772	G
SNR	F.211	90,31	1	2265	G
SNR	F.211.N	103,88	1	2274	G
SNR	F.212	105,07	1	2725	G
SNR	F.212.N	120,82	1	2998	G
SNR	F.213	158,07	1	3800	G
SNR	F.213.N	181,75	1	3854	G
SNR	F.214	211,30	1	4220	G
SNR	F.215	229,92	1	3871	G
SNR	F216	246,50	1	4,466	KG
SNR	F216N	283,48	1	4320	G
SNR	F.217	366,09	1	5536	G
SNR	F.218	478,39	1	7132	G
SNR	F218N	550,18	1	6,94	KG
SNR	F305	42,90	1	0,746	KG
SNR	F306	53,60	1	1,116	KG
SNR	F307	66,64	1	1,33	KG
SNR	F308	78,37	1	1,834	KG
SNR	F309	97,89	1	2,15	KG
SNR	F310	130,93	1	2,856	KG
SNR	F311	145,84	1	3,406	KG
SNR	F312	190,40	1	3,868	KG
SNR	F313	180,73	1	4,71	KG
SNR	F314	170,36	1	5,758	KG

SNR	F315	344,39	1	6,3	KG
SNR	F316	311,99	1	7,34	KG
SNR	F317	347,44	1	8,812	KG
SNR	F318	358,14	1	10,432	KG
SNR	F319	429,25	1	18,05	KG
SNR	F320	664,05	1	19,556	KG
SNR	F321	540,69	1	18	KG
SNR	F322	631,50	1	26,38	KG
SNR	F324	1.369,40	1	36,9	KG
SNR	F326	1.631,94	1	40,6	KG
SNR	F328	1.787,38	1	56,2	KG
SNR	FA203N	29,78	1	320	G
SNR	FA204	25,90	1	0,298	KG
SNR	FA204N	29,78	1	330	G
SNR	FA205	32,71	1	0,454	KG
SNR	FA205N	61,79	1	0,445	KG
SNR	FA206	38,81	1	0,648	KG
SNR	FA206N	44,64	1	880	G
SNR	FA207	42,46	1	0,828	KG
SNR	FA207N	48,86	1	1,13	KG
SNR	FA208	44,87	1	1,012	KG
SNR	FA208N	97,19	1	1	KG
SNR	FA209	52,98	1	1,274	KG
SNR	FA209N	60,92	1	1,22	KG
SNR	FA210	62,82	1	1,522	KG
SNR	FA210N	72,28	1	1,9	KG
SNR	FA211	84,07	1	2,38	KG
SNR	FA211N	96,66	1	2,38	KG
SNR	FA212	97,77	1	2,67	KG
SNR	FA212N	112,42	1	2,67	KG
SNR	FC203	37,57	1	0,408	KG
SNR	FC203N	43,18	1	420	G
SNR	FC204	37,97	1	0,56	KG
SNR	FC204N	37,57	1	0,56	KG
SNR	FC205	45,89	1	0,782	KG
SNR	FC205N	52,48	1	765	G
SNR	FC206	55,06	1	1,043	KG
SNR	FC206N	63,33	1	980	G
SNR	FC207	60,46	1	1,31	KG
SNR	FC207N	69,14	1	1,3	KG
SNR	FC208	67,43	1	1,59	KG
SNR	FC208N	79,04	1	1,53	KG
SNR	FC209	82,30	1	1,94	KG
SNR	FC209N	89,39	1	1,81	KG
SNR	FC210	85,62	1	2,125	KG
SNR	FC210N	99,29	1	2,172	KG
SNR	FC211	99,97	1	2,84	KG
SNR	FC211N	117,98	1	2,895	KG
SNR	FC212	136,78	1	3,815	KG
SNR	FC212N	163,60	1	3,72	KG

SNR	FC.213	184,85	1	3814	G
SNR	FC213N	221,07	1	3,935	KG
SNR	FC214	231,21	1	4,35	KG
SNR	FC215	272,03	1	5,284	KG
SNR	FC216	302,95	1	6,466	KG
SNR	FC217	442,17	1	7,362	KG
SNR	FC218	581,25	1	8,966	KG
SNR	FCE211	102,59	1	2,125	KG
SNR	FCE212	142,25	1	2,38	KG
SNR	FCE214	231,21	1	3195	G
SNR	FCE215	272,03	1	3648	G
SNR	FCE216	302,95	1	3106	G
SNR	FCE218	581,25	1	5950	G
SNR	FD207	43,35	1	0,574	KG
SNR	FE.214	211,30	1	4140	G
SNR	FEE208A01	68,52	1	1,2	KG
SNR	FEX08	52,34	1	1,57	KG
SNR	FEX13-14	204,28	1	4,42	KG
SNR	FEX15	197,73	1	4,84	KG
SNR	FEX16	208,26	1	6,16	KG
SNR	FL.203	27,83	1	276	G
SNR	FL.203.N	50,92	1	277	G
SNR	FL.204	35,16	1	283	G
SNR	FL.204.N	32,00	1	270	G
SNR	FL.205	35,16	1	428	G
SNR	FL.205.N	40,44	1	438	G
SNR	FL.206	41,72	1	601	G
SNR	FL.206.N	47,95	1	594	G
SNR	FL206RAL9005	43,80	1	630	G
SNR	FL.207	45,68	1	728	G
SNR	FL.207.N	52,51	1	708	G
SNR	FL.208	47,24	1	864	G
SNR	FL.208.N	54,32	1	0,879	KG
SNR	FL.209	56,91	1	1149	G
SNR	FL.209.N	87,61	1	1,14	KG
SNR	FL.210	67,50	1	1449	G
SNR	FL.210.N	77,65	1	1,4	KG
SNR	FL.211	90,31	1	1970	G
SNR	FL.211.N	237,38	1	1,79	KG
SNR	FL.212	105,07	1	2280	G
SNR	FL.212.N	120,82	1	2,37	KG
SNR	FL.213	158,07	1	2880	G
SNR	FL.213.N	181,75	1	2,842	KG
SNR	FL.214	211,30	1	3390	G
SNR	FL.215	229,92	1	3184	G
SNR	FL216	246,50	1	4,538	KG
SNR	FL.217	366,09	1	5206	G
SNR	FL.218	478,39	1	6418	G
SNR	FL.305	16,67	1	0,592	KG
SNR	FL306	27,36	1	0,55	KG

SNR	FL307	32,37	1	1038	G
SNR	FL308	39,71	1	1260	G
SNR	FL309	46,75	1	1860	G
SNR	FL310	81,30	1	2264	G
SNR	FL311	65,22	1	2915	G
SNR	FL312	88,52	1	3430	G
SNR	FL.313	100,57	1	4,212	KG
SNR	FL.314	130,21	1	5,355	KG
SNR	FL.315	224,86	1	5,535	KG
SNR	FL.316	348,47	1	6950	G
SNR	FL317	460,45	1	7,56	KG
SNR	FL318	609,35	1	9,14	KG
SNR	FL319	805,01	1	12,39	KG
SNR	FL320	800,89	1	15880	G
SNR	FL321	830,82	1	12,8	KG
SNR	FL322	829,62	1	18,3	KG
SNR	FL324	1.372,73	1	26,5	KG
SNR	FL326	1.583,16	1	33,4	KG
SNR	FL328	2.025,98	1	49,1	KG
SNR	FLZ203	46,03	1	0,36	KG
SNR	FLZ204	46,46	1	0,31	KG
SNR	FLZ205	55,71	1	0,528	KG
SNR	FLZ206	65,05	1	0,682	KG
SNR	FLZ207	82,40	1	0,802	KG
SNR	FLZ208	92,25	1	1,088	KG
SNR	FLZ209	87,82	1	1,246	KG
SNR	FLZ210	97,55	1	1,408	KG
SNR	FLZ212	124,92	1	2,294	KG
SNR	FS305	42,90	1	878	G
SNR	FS306	57,33	1	1,23	KG
SNR	FS307	66,64	1	1,542	KG
SNR	FS308	78,37	1	2140	G
SNR	FS309	97,89	1	2654	G
SNR	FS310	130,93	1	3322	G
SNR	FS.311	145,84	1	3,915	KG
SNR	FS312	190,40	1	5,01	KG
SNR	FS313	180,73	1	5,908	KG
SNR	FS314	170,36	1	7,304	KG
SNR	FS315	262,25	1	8,37	KG
SNR	FS316	311,99	1	9,345	KG
SNR	FS.317	347,44	1	10,588	KG
SNR	FS318	358,14	1	13,618	KG
SNR	FS319	562,66	1	15,99	KG
SNR	FS320	980,36	1	18,2	KG
SNR	FS321	797,91	1	17,6	KG
SNR	FS322	926,96	1	29,29	KG
SNR	FS324	1.372,73	1	39,3	KG
SNR	FS326	1.583,16	1	44,9	KG
SNR	FS328	1.881,95	1	64,3	KG
SNR	P.203	27,83	1	0,57	KG

SNR	P.203.N	32,00	1	0,554	KG
SNR	P.204	27,83	1	0,53	KG
SNR	P.204.N	32,00	1	532	G
SNR	P.205	35,16	1	610	G
SNR	P.205.N	40,44	1	608	G
SNR	P.206	41,72	1	1055	G
SNR	P.206.N	47,95	1	1065	G
SNR	P.207	43,93	1	1290	G
SNR	P.207.N	52,51	1	1220	G
SNR	P.208	45,42	1	1490	G
SNR	P.208.N	54,32	1	1440	G
SNR	P.209	54,72	1	1775	G
SNR	P.209.N	65,45	1	1692	G
SNR	P.210	64,92	1	2200	G
SNR	P.210.N	77,65	1	2126	G
SNR	P.211	86,83	1	2,76	KG
SNR	P.211.N	103,88	1	2,486	KG
SNR	P.212	101,03	1	3,765	KG
SNR	P.212.N	120,82	1	3,544	KG
SNR	P.213	158,07	1	4,5	KG
SNR	P.213.N	181,75	1	4265	G
SNR	P.214	211,30	1	4780	G
SNR	P.215	229,92	1	5,3	KG
SNR	P216	246,50	1	6199	G
SNR	P.217	284,14	1	7,892	KG
SNR	P.218	324,69	1	9,37	KG
SNR	P305	42,90	1	1,156	KG
SNR	P306	53,60	1	1,512	KG
SNR	P307	87,51	1	2,032	KG
SNR	P308	102,62	1	2,594	KG
SNR	P309	128,48	1	3,406	KG
SNR	P310	171,76	1	4,826	KG
SNR	P311	191,28	1	5,785	KG
SNR	P312	249,96	1	7,188	KG
SNR	P313	256,52	1	8,504	KG
SNR	P314	263,52	1	9,672	KG
SNR	P315	275,35	1	10,75	KG
SNR	P316	311,99	1	13,22	KG
SNR	P317	347,44	1	19,2	KG
SNR	P318	358,14	1	17	KG
SNR	P319	429,25	1	28,7	KG
SNR	P320	655,84	1	31,31	KG
SNR	P321	631,50	1	31	KG
SNR	P322	828,54	1	40,2	KG
SNR	P324	1.354,75	1	58	KG
SNR	P326	1.642,44	1	55,8	KG
SNR	P328	1.418,26	1	69,1	KG
SNR	PA203	37,57	1	0,318	KG
SNR	PA204	37,57	1	0,39	KG
SNR	PA205	45,63	1	0,514	KG

SNR	PA206	55,06	1	0,822	KG
SNR	PA207	60,14	1	1,072	KG
SNR	PA207N	60,14	1	0,96	KG
SNR	PA208	68,74	1	1,112	KG
SNR	PA209	77,72	1	1,528	KG
SNR	PA210	86,34	1	1,961	KG
SNR	PA211	102,59	1	2,18	KG
SNR	PA212	142,25	1	2,672	KG
SNR	PF.208	26,22	1	0,708	KG
SNR	PF.209	35,39	1	0,704	KG
SNR	PF.211	46,07	1	0,947	KG
SNR	PFL.208	24,27	1	0,341	KG
SNR	PG201.3	67,05	1	0,26	KG
SNR	PG203N	176,81	1	220	G
SNR	PG204	37,57	1	0,498	KG
SNR	PG204N	176,32	1	430	G
SNR	PG205	45,63	1	0,6	KG
SNR	PG205N	211,65	1	490	G
SNR	PG206	55,06	1	0,9	KG
SNR	PG206N	180,10	1	715	G
SNR	PG207	60,14	1	1,07	KG
SNR	PG207N	184,07	1	1,005	KG
SNR	PG208	68,74	1	1,17	KG
SNR	PG208N	187,96	1	1,15	KG
SNR	PG209	77,72	1	1,48	KG
SNR	PG209N	241,01	1	1,52	KG
SNR	PG210	86,34	1	2,2	KG
SNR	PG.210.N	212,13	1	1,91	KG
SNR	PG211N	187,86	1	2,38	KG
SNR	PG212	142,25	1	3,554	KG
SNR	PG212N	282,89	1	3,17	KG
SNR	PH203	36,09	1	628	G
SNR	PH203N	41,50	1	730	G
SNR	PH204	36,09	1	0,788	KG
SNR	PH204N	41,50	1	730	G
SNR	PH205	45,11	1	1,07	KG
SNR	PH.205N	51,89	1	1,063	KG
SNR	PH206	53,30	1	1,52	KG
SNR	PH206N	69,94	1	1,495	KG
SNR	PH207	59,39	1	1,9	KG
SNR	PH.207N	68,31	1	1,91	KG
SNR	PH208	63,05	1	2,4	KG
SNR	PH.208N	72,50	1	2,28	KG
SNR	PH209	74,89	1	2,586	KG
SNR	PH209N	86,14	1	2,42	KG
SNR	PH210	88,12	1	3,118	KG
SNR	PH210N	101,33	1	2,8	KG
SNR	PP.203	10,63	1	62	G
SNR	PP.204	11,89	1	0,12	KG
SNR	PP.205	10,79	1	0,14	KG

SNR	PP.206	12,78	1	0,17	KG
SNR	PP.207	16,43	1	0,244	KG
SNR	SCC.203	13,90	1	0,025	KG
SNR	SCC.204	13,90	1	0,027	KG
SNR	SCC.205	14,66	1	0,036	KG
SNR	SCC.206	16,72	1	0,047	KG
SNR	SCC.207	21,82	1	0,058	KG
SNR	SCC.208	24,02	1	0,076	KG
SNR	SCC.209	26,13	1	0,091	KG
SNR	SCC.210	29,29	1	0,121	KG
SNR	SCC.211	36,27	1	0,144	KG
SNR	SCC.212	40,19	1	0,173	KG
SNR	SCC.213	44,73	1	0,202	KG
SNR	SCCE203	17,33	1	29	G
SNR	SCCE204	17,33	1	0,035	KG
SNR	SCCE205	18,25	1	40	G
SNR	SCCE206	20,97	1	0,054	KG
SNR	SCCE207	26,44	1	0,068	KG
SNR	SCCE.208	29,18	1	0,088	KG
SNR	SCCE209	31,03	1	0,001	KG
SNR	SCCE210	34,65	1	0,134	KG
SNR	SCCE211	43,78	1	0,17	KG
SNR	SCCE212	47,43	1	0,205	KG
SNR	SCCE213	54,73	1	0,225	KG
SNR	SCO.201-12	19,76	1	0,025	KG
SNR	SCO.202-15	19,76	1	0,02	KG
SNR	SCO.203-17	19,76	1	20	G
SNR	SCO.204-20	19,06	1	0,028	KG
SNR	SCO.205-20	19,59	1	0,035	KG
SNR	SCO.205-25	19,59	1	0,034	KG
SNR	SCO.206-25	21,63	1	0,045	KG
SNR	SCO.206-30	21,63	1	0,044	KG
SNR	SCO.207-30	27,06	1	0,055	KG
SNR	SCO.207-35	27,06	1	0,058	KG
SNR	SCO.208-35	29,60	1	0,072	KG
SNR	SCO.208-40	29,60	1	0,078	KG
SNR	SCO.209-40	31,77	1	0,084	KG
SNR	SCO.209-45	31,77	1	0,084	KG
SNR	SCO.210-45	34,49	1	0,108	KG
SNR	SCO.210-50	34,49	1	0,104	KG
SNR	SCO.211-50	42,31	1	0,126	KG
SNR	SCO.211-55	42,31	1	0,126	KG
SNR	SCO.212-55	47,21	1	0,158	KG
SNR	SCO.212-60	47,21	1	0,174	KG
SNR	SCO.213-60	51,01	1	0,176	KG
SNR	SCO.213-65	51,01	1	0,18	KG
SNR	SCOE20112	23,07	1	29	G
SNR	SCOE20215	23,07	1	25	G
SNR	SCOE20317	23,07	1	29	G
SNR	SCOE20420	23,07	1	35	G

SNR	SCOE20525	23,82	1	40	G
SNR	SCOE20630	26,67	1	55	G
SNR	SCOE20735	32,10	1	60	G
SNR	SCOE20840	35,48	1	78	G
SNR	SCOE20945	37,80	1	88	G
SNR	SCOE21050	41,42	1	130	G
SNR	SCOE21155	50,50	1	149	G
SNR	SCOE21260	56,46	1	178	G
SNR	SCOE21365	61,08	1	202	G
SNR	SCOU20412	19,06	1	0,03	KG
SNR	SCOU20516	19,59	1	0,03	KG
SNR	SCOU20619	21,63	1	0,045	KG
SNR	SCOU20620	21,63	1	0,045	KG
SNR	SCOU20720	27,06	1	0,001	KG
SNR	SCOU20722	27,06	1	0,055	KG
SNR	SCOU20723	27,06	1	0,055	KG
SNR	SCOU20824	27,06	1	0,075	KG
SNR	SCOU20926	31,77	1	0,001	KG
SNR	SCOU20928	31,77	1	0,08	KG
SNR	SCOU21031	34,49	1	0,001	KG
SNR	SCOU21132	42,31	1	0,001	KG
SNR	SCOU21135	42,31	1	0,001	KG
SNR	SCOU21236	48,85	1	0,001	KG
SNR	SCOU21239	47,21	1	0,001	KG
SNR	SP211	637,61	1	2,98	KG
SNR	SPR.1	147,47	1	990	G
SNR	SPR.12	117,02	1	840	G
SNR	SPR.2	157,93	1	1562	G
SNR	SPR.21	255,84	1	62	G
SNR	SPR.22	139,01	1	1560	G
SNR	SPR.24	287,17	1	1570	G
SNR	T204	37,57	1	0,6	KG
SNR	T204N	301,58	1	504	G
SNR	T205	45,63	1	0,664	KG
SNR	T205N	192,88	1	634	G
SNR	T206	55,06	1	0,958	KG
SNR	T206N	63,33	1	836	G
SNR	T207	60,14	1	1,18	KG
SNR	T207N	69,14	1	1,074	KG
SNR	T208	68,74	1	1,786	KG
SNR	T208N	79,04	1	1650	G
SNR	T.209	80,05	1	1670	G
SNR	T209N	107,84	1	1595	G
SNR	T210	86,34	1	1,75	KG
SNR	T210N	92,06	1	1602	G
SNR	T.211	105,69	1	2794	G
SNR	T211N	121,55	1	2,62	KG
SNR	T212	142,25	1	3,26	KG
SNR	T212N	163,60	1	3220	G
SNR	T213	186,65	1	4,92	KG

SNR	T213N	285,61	1	4735	G
SNR	T214	231,12	1	4,82	KG
SNR	T215	272,03	1	5,095	KG
SNR	T216	303,03	1	5,72	KG
SNR	T217	442,22	1	7,56	KG
SNR	T305	47,94	1	0,974	KG
SNR	T306	56,87	1	1,27	KG
SNR	T307	68,52	1	1,696	KG
SNR	T308	80,04	1	2,1	KG
SNR	T309	121,99	1	2,856	KG
SNR	T310	149,07	1	3,522	KG
SNR	T311	184,73	1	4,338	KG
SNR	T312	208,86	1	5,168	KG
SNR	T313	204,06	1	6,466	KG
SNR	T314	226,15	1	7,302	KG
SNR	T315	279,68	1	8,488	KG
SNR	T316	335,26	1	10,816	KG
SNR	T317	414,40	1	17,22	KG
SNR	T318	433,27	1	18,905	KG
SNR	T319	591,45	1	16,99	KG
SNR	T320	510,90	1	24,688	KG
SNR	T321	787,01	1	19,4	KG
SNR	T322	897,04	1	30,705	KG
SNR	T324	1.156,05	1	35,4	KG
SNR	T326	1.483,30	1	44,8	KG
SNR	T328	1.764,42	1	54,7	KG
NTN	AELF204D1W3	72,72	1	0,61	KG
NTN	AELF206D1W3	101,60	1	1,066	KG
NTN	AELF209D1	154,47	1	2,174	KG
NTN	AELF210D1	174,24	1	2,481	KG
NTN	AELF212D1	338,71	1	3,965	KG
NTN	AELFL204D1	72,72	1	0,45	KG
NTN	AELFL209D1	160,63	1	1,836	KG
NTN	AELP204D1W3	72,72	1	0,717	KG
NTN	AELP206D1W3	101,60	1	1,392	KG
NTN	AELP209D1W3	154,47	1	2,234	KG
SNR	ESF.204	72,72	1	570	G
SNR	ESF.205	83,62	1	784	G
SNR	ESF.206	101,60	1	1129	G
SNR	ESF.207	116,82	1	1625	G
SNR	ESF.208	129,26	1	1846	G
SNR	ESF.209	160,63	1	2158	G
SNR	ESF.210	181,21	1	2463	G
SNR	ESF.211	207,10	1	3386	G
SNR	ESF.212	265,79	1	4300	G
SNR	ESFL.204	72,72	1	435	G
SNR	ESFL205	83,62	1	0,6	KG
SNR	ESFL.206	101,60	1	924	G
SNR	ESFL.207	116,82	1	1258	G
SNR	ESFL.208	129,26	1	1455	G

SNR	ESFL.209	160,63	1	1820	G
SNR	ESFL.210	181,21	1	2196	G
SNR	ESFL.211	207,10	1	2905	G
SNR	ESFL.212	265,79	1	3577	G
SNR	ESP.204	69,92	1	0,68	KG
SNR	ESP.205	80,41	1	0,8	KG
SNR	ESP.206	97,71	1	1,422	KG
SNR	ESP.207	112,32	1	1,679	KG
SNR	ESP.208	124,29	1	2149	G
SNR	ESP.209	154,47	1	2468	G
SNR	ESP.210	174,24	1	3	KG
SNR	ESP.211	207,10	1	3,63	KG
SNR	ESP.212	257,04	1	4,984	KG
NTN	M-AELF204D1	72,72	1	0,6	KG
NTN	M-AELF205D1	83,62	1	0,785	KG
NTN	M-AELF206D1	101,60	1	1,06	KG
NTN	M-AELF207D1	116,82	1	1,525	KG
NTN	M-AELF208D1	124,29	1	1,74	KG
NTN	M-AELF210D1	174,24	1	2,405	KG
NTN	M-AELP204D1	72,72	1	0,728	KG
NTN	M-AELP205D1	83,62	1	0,82	KG
NTN	M-AELP206D1	101,60	1	1,355	KG
NTN	M-AELP207D1	116,82	1	1,41	KG
NTN	M-AELP208D1	124,29	1	1,95	KG
NTN	M-AELP210D1	174,24	1	2,705	KG
NTN	M-UCF204D1	63,70	1	0,574	KG
NTN	M-UCF205D1	73,93	1	0,726	KG
NTN	M-UCF206D1	85,26	1	1	KG
NTN	M-UCF207D1	99,67	1	1,448	KG
NTN	M-UCF208D1	120,80	1	1,8	KG
NTN	M-UCF209D1	137,72	1	2,175	KG
NTN	M-UCF210D1	156,84	1	2,505	KG
NTN	M-UCFL204D1	63,70	1	0,1	KG
NTN	M-UCFL205D1	71,08	1	0,601	KG
NTN	M-UCFL206D1	85,26	1	0,898	KG
NTN	M-UCFL207D1	103,66	1	1,182	KG
NTN	M-UCFL208D1	120,80	1	1,52	KG
NTN	M-UCFL209D1	137,72	1	1,855	KG
NTN	M-UCFL210D1	163,10	1	2,104	KG
NTN	M-UCP204D1	63,70	1	0,71	KG
NTN	M-UCP205D1	73,93	1	0,852	KG
NTN	M-UCP206D1	85,26	1	1,27	KG
NTN	M-UCP207D1	99,67	1	1,607	KG
NTN	M-UCP208D1	120,80	1	1,76	KG
NTN	M-UCP209D1	132,43	1	2,188	KG
NTN	M-UCP210D1	156,84	1	2,7	KG
SNR	UCF.204	63,70	1	590	G
SNR	UCF.205	73,93	1	804	G
SNR	UCF.206	85,26	1	1130	G
SNR	UCF.207	99,67	1	1484	G

SNR	UCF.208	120,80	1	1920	G
SNR	UCF.209	137,72	1	2172	G
SNR	UCF.210	156,84	1	2480	G
SNR	UCF.211	212,64	1	3244	G
NTN	UCF211D1	212,64	1	3,375	KG
SNR	UCF.212	246,48	1	4300	G
NTN	UCF212D1	246,48	1	3,966	KG
SNR	UCFL.204	63,70	1	455	G
SNR	UCFL.205	71,08	1	620	G
SNR	UCFL.206	85,26	1	909	G
SNR	UCFL.207	103,66	1	1196	G
NTN	UCFL208	120,80	1	1,521	KG
SNR	UCFL.208	120,80	1	1500	G
SNR	UCFL.209	137,72	1	1960	G
SNR	UCFL.210	163,10	1	2193	G
SNR	UCFL.211	212,64	1	2950	G
NTN	UCFL211D1	212,64	1	3,1	KG
SNR	UCFL.212	256,11	1	3780	G
NTN	UCFL212D1	256,11	1	3,93	KG
SNR	UCP.204	63,70	1	0,7	KG
SNR	UCP.205	73,93	1	0,82	KG
SNR	UCP.206	85,26	1	1,38	KG
SNR	UCP.207	99,67	1	1,695	KG
SNR	UCP.208	120,80	1	2,1	KG
SNR	UCP.209	132,43	1	2,4	KG
SNR	UCP.210	156,84	1	2,505	KG
NTN	UCP210D1	156,84	1	2,743	KG
SNR	UCP.211	204,46	1	3,71	KG
NTN	UCP211D1	204,46	1	3,3	KG
SNR	UCP.212	246,48	1	4,945	KG
NTN	UCP212D1	246,48	1	4,7	KG
SNR	ESFE.204	66,24	1	640	G
SNR	ESFE.205	75,72	1	790	G
SNR	ESFE.206	90,37	1	1190	G
SNR	ESFE.207	102,00	1	1620	G
SNR	ESFE.208	119,26	1	2080	G
SNR	ESFE.209	148,46	1	2292	G
SNR	ESFE.210	159,79	1	2504	G
SNR	ESFE.211	207,10	1	3680	G
SNR	ESFE.212	257,04	1	4926	G
SNR	ESFLE.204	66,24	1	450	G
SNR	ESFLE.205	72,81	1	590	G
SNR	ESFLE.206	86,90	1	900	G
SNR	ESFLE.207	102,00	1	1140	G
SNR	ESFLE.208	119,26	1	1640	G
SNR	ESFLE.209	148,46	1	1868	G
SNR	ESFLE.210	159,79	1	2069	G
SNR	ESFLE.211	207,10	1	3250	G
SNR	ESFLE.212	265,79	1	3594	G
SNR	ESPE.204	66,24	1	0,58	KG

SNR	ESPE.205	72,81	1	0,73	KG
SNR	ESPE.206	86,90	1	1,16	KG
SNR	ESPE.207	102,00	1	1610	G
SNR	ESPE.208	119,26	1	1,872	KG
SNR	ESPE.209	148,46	1	2,248	KG
SNR	ESPE.210	159,79	1	2,76	KG
SNR	ESPE.211	207,10	1	3,617	KG
SNR	ESPE.212	257,04	1	4,9	KG
SNR	UCFE.204	58,81	1	0,66	KG
SNR	UCFE.205	70,92	1	0,81	KG
SNR	UCFE.206	83,10	1	1178	G
SNR	UCFE.207	96,71	1	1,605	KG
SNR	UCFE.208	111,75	1	2100	G
SNR	UCFE.209	127,54	1	2320	G
SNR	UCFE.210	149,11	1	2577	G
SNR	UCFE.211	195,72	1	3702	G
SNR	UCFE.212	246,48	1	4840	G
SNR	UCFLE.204	61,15	1	470	G
SNR	UCFLE.205	73,78	1	610	G
SNR	UCFLE.206	83,10	1	840	G
SNR	UCFLE.207	100,52	1	1178	G
SNR	UCFLE.208	114,07	1	1674	G
SNR	UCFLE.209	130,70	1	1867	G
SNR	UCFLE.210	150,57	1	2200	G
SNR	UCFLE.211	197,10	1	3200	G
SNR	UCFLE.212	248,14	1	3688	G
SNR	UCPE.204	61,15	1	0,6	KG
SNR	UCPE.205	73,78	1	0,75	KG
SNR	UCPE.206	86,42	1	1,19	KG
SNR	UCPE.207	100,52	1	1,604	KG
SNR	UCPE.208	111,75	1	1880	G
SNR	UCPE.209	130,70	1	2,306	KG
SNR	UCPE.210	149,11	1	2,852	KG
SNR	UCPE.211	197,10	1	3,608	KG
SNR	UCPE.212	246,48	1	4,955	KG
SNR	722506.DA	188,83	1	1,588	KG
SNR	722506.DB	188,83	1	1,606	KG
SNR	722507.DA	197,92	1	1,858	KG
SNR	722507.DB	197,92	1	1,91	KG
SNR	722508.DA	212,53	1	2,5	KG
SNR	722508.DB	212,53	1	2,43	KG
SNR	722509.DA	243,97	1	3,042	KG
SNR	722509.DB	243,97	1	3,088	KG
SNR	722510.DA	299,23	1	3,856	KG
SNR	722510.DB	299,23	1	3,56	KG
SNR	722511.DA	392,76	1	3,838	KG
SNR	722511.DB	392,76	1	3,963	KG
SNR	722512.DA	467,57	1	5,656	KG
SNR	722512.DB	467,57	1	5,464	KG
SNR	722513.DA	529,22	1	6,634	KG

SNR	722513.DB	529,22	1	6,125	KG
SNR	722515.A	630,19	1	10,294	KG
SNR	722515.B	630,19	1	9,75	KG
SNR	722516.A	677,66	1	11,42	KG
SNR	722516.B	677,66	1	10,64	KG
SNR	722517.A	832,14	1	11,5	KG
SNR	722517.B	832,14	1	12,458	KG
SNR	722518.A	817,26	1	12,344	KG
SNR	722518.B	817,26	1	12,96	KG
SNR	722520.A	1.061,32	1	18,85	KG
SNR	722520.B	1.061,32	1	19,168	KG
SNR	722522.A	1.207,65	1	24,141	KG
SNR	722522.B	1.207,65	1	23,442	KG
SNR	ASNA.3024K	76,98	1	1,1	KG
SNR	ASNA.3026K	90,75	1	1,5	KG
SNR	ASNA.3030K	121,51	1	29,5	KG
SNR	ASNA.3032K	174,45	1	1,784	KG
SNR	ASNA.3036K	238,38	1	2,706	KG
SNR	ASNA.3040K	315,77	1	3,22	KG
SNR	ASNA.3048K	385,76	1	5,79	KG
SNR	ASNA.3052K	418,80	1	1,6	KG
SNR	ASNA.3056K	724,60	1	8,6	KG
SNR	DLG.316.AD	8.620,44	1	67,3	KG
SNR	DLG.317.AD	9.143,15	1	77,2	KG
SNR	DLG.319.AD	11.792,40	1	106	KG
SNR	F.11206	188,23	1	1,4	KG
SNR	F.11207	217,21	1	1,8	KG
SNR	F.11210	403,24	1	3,6	KG
SNR	FI.190/6X5	4,22	1	1	G
SNR	FI.260/8X6,5	5,33	1	0,003	KG
SNR	FI.330/9X7,5	6,51	1	0,004	KG
SNR	FI.370/10X8,5	8,34	1	0,042	KG
SNR	FI.460/12X10	11,13	1	20	G
SNR	FI.510/14X11	13,31	1	0,064	KG
SNR	S.3024K	1.539,73	1	19,23	KG
SNR	S.3026K	1.815,05	1	33,9	KG
SNR	S.3028K	2.072,05	1	26	KG
SNR	S.3032K	3.489,03	1	41	KG
SNR	S.3034K	4.132,94	1	62,4	KG
SNR	S.3036K	4.767,77	1	62	KG
SNR	S.3040K	6.315,44	1	80	KG
SNR	S.3044K	7.604,03	1	120	KG
SNR	S.3048K	7.715,20	1	140	KG
SNR	S.3052K	8.376,03	1	164	KG
SNR	S.3056K	14.491,79	1	231,7	KG
NTN	SN511L5Z2	267,47	1	4,573	KG
NTN	SN610L5Z2	324,95	1	4,855	KG
NTN	SN611L5Z	345,57	1	6,21	KG
SNR	SNC.205	146,25	1	1,65	KG
SNR	SNC.206-305	138,68	1	2,208	KG

SNR	SNC.207-306	145,55	1	2,259	KG
SNR	SNC.208-307	143,59	1	3,222	KG
SNR	SNC.209	151,70	1	3,184	KG
SNR	SNC.210-308	152,30	1	3,3	KG
SNR	SNC.211-309	208,37	1	4,794	KG
SNR	SNC.212-310	211,28	1	5,456	KG
SNR	SNC.213-311	264,55	1	6,7	KG
SNR	SNC.214	311,58	1	8,162	KG
SNR	SNC.215-312	281,05	1	7,02	KG
SNR	SNC.216-313	340,58	1	9,7	KG
SNR	SNC.217-314	389,73	1	10,51	KG
SNR	SNC.218-315	412,97	1	13,04	KG
SNR	SNC.226-526	1.246,57	1	42,6	KG
SNR	SNC.228-528	1.328,78	1	49,15	KG
SNR	SNC.230-530	1.856,60	1	50	KG
SNR	SNC.232-532	2.100,73	1	70,6	KG
SNR	SNC.318-618	572,28	1	19,3	KG
SNR	SNC.505	146,25	1	1,548	KG
SNR	SNC.506-605	149,90	1	2,323	KG
SNR	SNC.507-606	121,55	1	2,58	KG
SNR	SNC.508-607	121,73	1	3,369	KG
SNR	SNC.509	128,66	1	3,38	KG
SNR	SNC.510-608	138,44	1	3,491	KG
SNR	SNC.511-609	194,29	1	4,98	KG
SNR	SNC.512-610	211,28	1	5,656	KG
SNR	SNC.513-611	272,79	1	7,235	KG
SNR	SNC.515-612	262,25	1	7,45	KG
SNR	SNC.516-613	329,69	1	10,24	KG
SNR	SNC.517	364,25	1	10,6	KG
SNR	SNC.518-615	413,84	1	14,5	KG
SNR	SNC.519-616	478,27	1	15,48	KG
SNR	SNC.520-617	538,85	1	19,02	KG
SNR	SNC.522-619	740,46	1	25,18	KG
SNR	SNC.524-620	1.028,13	1	33,1	KG
SNR	SNCD226-526	1.850,55	1	36,75	KG
SNR	SNCD226-526MH1	2.787,39	1	36,75	KG
SNR	SNCD226-526MH2	2.787,39	1	36,75	KG
SNR	SNCD226-526MHL1	2.787,39	1	37,8	KG
SNR	SNCD226-526MHL2	2.787,39	1	37,8	KG
SNR	SNCD.228-528	2.835,89	1	46,15	KG
SNR	SNCD228-528MH1	3.207,32	1	46,2	KG
SNR	SNCD228-528MH2	3.207,32	1	46,2	KG
SNR	SNCD228-528MHL2	3.207,32	1	46,2	KG
SNR	SNCD230-530	3.435,47	1	55,6	KG
SNR	SNCD230-530MH1	3.847,67	1	55,6	KG
SNR	SNCD230-530MH2	3.847,67	1	55,6	KG
SNR	SNCD232-532	3.912,71	1	62	KG
SNR	SNCD232-532MH1	4.332,63	1	62	KG
SNR	SNCD232-532MH2	4.332,63	1	62	KG
SNR	SNCD232-532MHL2	4.332,63	1	62	KG

SNR	SNCD3036	5.751,42	1	70,9	KG
SNR	SNCD.3036R	5.750,63	1	64,3	KG
SNR	SNCD3038	6.746,39	1	84,7	KG
SNR	SNCD3040	8.211,17	1	103	KG
SNR	SNCD3044	9.878,08	1	125	KG
SNR	SNCD3044R	9.878,08	1	117,3	KG
SNR	SNCD3048	12.410,02	1	140,5	KG
SNR	SNCD3048R	12.410,02	1	132,3	KG
SNR	SNCD3052	15.195,12	1	178,3	KG
SNR	SNCD3056	17.018,70	1	229,3	KG
SNR	SNCD3060	19.204,23	1	235,4	KG
SNR	SNCD3076	33.105,92	1	448,6	KG
SNR	SNCD3134	4.513,39	1	72	KG
SNR	SNCD3136	5.000,55	1	81,5	KG
SNR	SNCD3138	5.865,75	1	99	KG
SNR	SNCD3140	7.140,97	1	124,1	KG
SNR	SNCD3144	8.038,13	1	139	KG
SNR	SNCD3148	10.791,36	1	18,9	KG
SNR	SNCD3152	13.213,93	1	221	KG
SNR	SNCD3156	14.798,85	1	244,4	KG
SNR	SNCD3160	16.700,10	1	300,1	KG
SNR	SNCD3164	20.537,86	1	347,5	KG
SNR	SNCD3168	23.909,40	1	429,2	KG
SNR	SNCD3172	27.403,28	1	455,5	KG
SNR	SNCD3176	28.787,61	1	479,8	KG
SNR	SNCD3184	44.031,74	1	701	KG
SNR	SNCD520-617	1.109,88	1	18,728	KG
SNR	SNCD520-617MH1	1.319,30	1	18,728	KG
SNR	SNCD520-617MH2	1.319,30	1	18,728	KG
SNR	SNCD520-617MHL2	1.319,30	1	19,93	KG
SNR	SNCD.522-619	1.472,50	1	25,5	KG
SNR	SNCD.522-619MH1	1.759,06	1	25,5	KG
SNR	SNCD.522-619MH2	1.759,06	1	25,5	KG
SNR	SNCD522-619MHL2	1.759,06	1	26,54	KG
SNR	SNCD524-620	1.803,16	1	18,728	KG
SNR	SNCD524-620MH1	2.102,94	1	18,728	KG
SNR	SNCD524-620MH2	2.102,94	1	18,728	KG
SNR	SNCD524-620MHL2	2.102,94	1	18,728	KG
SNR	TVN.209.B	312,66	1	5,02	KG
SNR	TVN.212.A	434,23	1	3,612	KG
SNR	TVN.6207	224,24	1	2,6	KG
SNR	TVN.6208	283,94	1	3,7	KG
SNR	TVN.6213.A	451,35	1	9,1	KG
SNR	TVN.6310	462,08	1	6,88	KG
SNR	ZLG.306.AA	1.963,49	1	7726	G
SNR	ZLG.306.YY	1.878,98	1	6,91	KG
SNR	ZLG.307.AA	2.277,78	1	11380	G
SNR	ZLG.307.YY	2.164,20	1	10	KG
SNR	ZLG.308.AA	2.368,26	1	12392	G
SNR	ZLG.308.YY	2.207,65	1	11,11	KG

SNR	ZLG.309.AA	2.459,89	1	20350	G
SNR	ZLG.309.AC	2.586,52	1	17,5	KG
SNR	ZLG.309.YY	2.257,25	1	16	KG
SNR	ZLG.310.AA	2.694,72	1	21160	G
SNR	ZLG.310.AB	2.263,31	1	21,5	KG
SNR	ZLG.310.AC	2.832,37	1	21,3	KG
SNR	ZLG.310.YY	2.430,86	1	18,95	KG
SNR	ZLG.311.AA	3.192,66	1	26600	G
SNR	ZLG.311.AB	4.342,28	1	25	KG
SNR	ZLG.311.AC	3.653,98	1	27,9	KG
SNR	ZLG.311.YY	2.861,83	1	20,31	KG
SNR	ZLG.312.AA	3.712,08	1	28,558	KG
SNR	ZLG.312.AB	4.792,52	1	31,672	KG
SNR	ZLG.312.AC	3.880,74	1	29,188	KG
SNR	ZLG.312.YY	3.292,87	1	34	KG
SNR	ZLG.313.AA	4.266,78	1	42,3	KG
SNR	ZLG.313.AC	4.441,79	1	37,3	KG
SNR	ZLG.313.YY	3.705,23	1	38,4	KG
SNR	ZLG.314.AA	4.689,37	1	39,8	KG
SNR	ZLG.314.AB	4.935,28	1	62	KG
SNR	ZLG.314.AC	4.891,89	1	40,6	KG
SNR	ZLG.314.YY	4.015,28	1	34,7	KG
SNR	ZLG.315.AA	5.391,35	1	59500	G
SNR	ZLG.315.AC	5.617,97	1	52860	G
SNR	ZLG.315.YY	4.592,01	1	46400	G
SNR	ZLG.316.AA	6.284,97	1	59500	G
SNR	ZLG.316.AB	6.535,52	1	61,8	KG
SNR	ZLG.316.AC	6.529,93	1	60,2	KG
SNR	ZLG.316.YY	5.317,54	1	53100	G
SNR	ZLG.317.AA	7.177,94	1	57700	G
SNR	ZLG.317.AC	7.464,74	1	64600	G
SNR	ZLG.317.YY	6.039,96	1	64	KG
SNR	ZLG.318.AA	8.173,85	1	67000	G
SNR	ZLG.318.AB	8.347,20	1	96000	G
SNR	ZLG.318.AC	8.903,53	1	69000	G
SNR	ZLG.318.YY	6.790,32	1	60200	G
SNR	ZLG.319.AA	9.947,42	1	104000	G
SNR	ZLG.319.AC	10.233,92	1	94,6	KG
SNR	ZLG.319.YY	8.238,34	1	82	KG
SNR	ZLG.320.AA	10.974,95	1	100600	G
SNR	ZLG.320.AB	14.569,24	1	120000	G
SNR	ZLG.320.AC	11.474,82	1	145000	G
SNR	ZLG.320.YY	8.917,39	1	124	KG
SNR	ZLG.322.AA	9.935,44	1	154	KG
SNR	ZLG.322.AC	13.299,26	1	131	KG
SNR	ZLG.324.AA	18.591,35	1	21,52	KG
SNR	ZLG.324.AB	20.770,96	1	196	KG
SNR	ZLG.324.AC	25.914,25	1	178,6	KG
SNR	ZLOE.319/1.A	29.318,68	1	93,2	KG
SNR	AH.2236.G	927,48	1	3,95	KG

SNR	AH.2238.G	1.039,79	1	4,382	KG
SNR	AH.2240	1.377,21	1	5,287	KG
SNR	AH.2308	132,86	1	138	G
SNR	AH.2309	137,48	1	0,163	KG
SNR	AH.2313.G	144,08	1	0,362	KG
SNR	AH.2332.G	1.000,05	1	4,32	KG
NTN	AH2334	1.069,28	1	5,26	KG
SNR	AH.2334.G	1.069,28	1	5,32	KG
SNR	AH.2336.G	1.137,95	1	5,824	KG
SNR	AH.2338.G	1.234,86	1	6,508	KG
SNR	AH.2340	1.653,05	1	8,16	KG
NTN	AH2356	5.095,17	1	22,25	KG
SNR	AH.24024	423,30	1	0,81	KG
SNR	AH.24026	470,82	1	975	G
SNR	AH.24028	552,91	1	1,076	KG
SNR	AH.24030	663,84	1	1166	G
SNR	AH.24032	831,15	1	2517	G
SNR	AH.24034	981,76	1	2,995	KG
SNR	AH.24036	1.225,97	1	3430	G
SNR	AH.24038	1.541,20	1	4,122	KG
SNR	AH.24040	1.612,28	1	4490	G
SNR	AH.24122	393,28	1	0,933	KG
SNR	AH.24124	501,30	1	1,127	KG
SNR	AH.24126	547,86	1	1,243	KG
SNR	AH.24128	619,64	1	1,426	KG
SNR	AH.24130	826,08	1	1,971	KG
SNR	AH.24132	863,95	1	3,302	KG
SNR	AH.24134	1.024,72	1	3,502	KG
SNR	AH.24136	1.270,97	1	4,078	KG
NTN	AH24138	1.571,25	1	5,188	KG
SNR	AH.24138	1.571,25	1	4,986	KG
SNR	AH.24140	1.742,91	1	5,588	KG
SNR	AH.3028	440,86	1	1,6	KG
SNR	AH.3032	487,16	1	2,099	KG
SNR	AH.3034	538,68	1	2655	G
SNR	AH.3036	655,43	1	3,074	KG
SNR	AH.3038.G	748,85	1	3,746	KG
SNR	AH.3040.G	889,56	1	4,061	KG
SNR	AH.308	126,63	1	89	G
SNR	AH.309	128,46	1	121	G
SNR	AH.3132.G	717,55	1	2,874	KG
SNR	AH.3134.G	711,40	1	3,308	KG
SNR	AH.3136.G	909,49	1	4,311	KG
SNR	AH.3138.G	1.033,68	1	4,923	KG
SNR	AH.313.G	126,58	1	0,216	KG
SNR	AH.3140	1.161,14	1	6,108	KG
SNR	AH.314.G	154,73	1	0,254	KG
SNR	AH.315.G	135,84	1	0,326	KG
SNR	AH.316	171,35	1	0,363	KG
SNR	AH.3232.G	897,61	1	3,7	KG

SNR	AH.3234.G	1.013,17	1	4,44	KG
NTN	AH3236	1.140,70	1	5,974	KG
SNR	AH.3236.G	1.140,65	1	5,286	KG
SNR	AH.3238.G	1.384,62	1	5,776	KG
SNR	AH.3240	1.551,33	1	6,78	KG
SNR	AHX.2310	120,08	1	0,203	KG
SNR	AHX.2311	124,33	1	0,28	KG
SNR	AHX.2312	128,18	1	0,296	KG
SNR	AHX.2314.G	124,01	1	0,392	KG
SNR	AHX.2315.G	157,54	1	0,49	KG
SNR	AHX.2316	150,07	1	0,621	KG
SNR	AHX.2317	188,58	1	0,7	KG
SNR	AHX.2318	192,95	1	0,799	KG
SNR	AHX.2319	240,09	1	0,888	KG
SNR	AHX.2320	241,27	1	1,018	KG
SNR	AHX.2322/100.G	480,22	1	1,856	KG
SNR	AHX.2322.G	310,98	1	1,29	KG
NTN	AHX2324	349,85	1	1,635	KG
SNR	AHX.2324.G	349,85	1	1,479	KG
SNR	AHX.2326/120.G	685,65	1	2,78	KG
SNR	AHX.2326.G	406,18	1	1,87	KG
SNR	AHX.2328/130.G	804,39	1	3,208	KG
SNR	AHX.2328.G	594,99	1	2,263	KG
SNR	AHX.2330.G	711,40	1	0,356	KG
SNR	AHX.3024	244,24	1	798	G
SNR	AHX.3024/110	558,10	1	750	G
SNR	AHX.3026	312,02	1	0,925	KG
SNR	AHX.3028	364,16	1	1,076	KG
SNR	AHX.3030	393,72	1	1,204	KG
SNR	AHX.3030/140	656,59	1	1,134	KG
SNR	AHX.310	109,50	1	149	G
SNR	AHX.311	138,60	1	0,16	KG
SNR	AHX.312	139,85	1	199	G
SNR	AHX.3120	256,81	1	0,7	KG
SNR	AHX.3122	290,78	1	0,837	KG
SNR	AHX.3122/100	462,95	1	1,188	KG
SNR	AHX.3124	329,23	1	1	KG
SNR	AHX.3124/110	524,09	1	1,524	KG
SNR	AHX.3126	361,46	1	1,14	KG
SNR	AHX.3126/120	528,25	1	1,722	KG
SNR	AHX.3128	470,61	1	1,279	KG
SNR	AHX.3128/130	658,81	1	1,954	KG
SNR	AHX.3130	559,25	1	1,785	KG
SNR	AHX.3130/140	718,46	1	2,696	KG
SNR	AHX.317	150,37	1	0,46	KG
SNR	AHX.318	157,01	1	0,49	KG
SNR	AHX.319	176,55	1	0,578	KG
SNR	AHX.320	195,09	1	0,613	KG
SNR	AHX.3218	185,77	1	0,572	KG
SNR	AHX.322	210,59	1	0,775	KG

SNR	AHX.3220	234,44	1	0,811	KG
SNR	AHX.3222/100.G	506,55	1	1,475	KG
SNR	AHX3222G	283,61	1	1	KG
SNR	AHX.3224.G	356,10	1	0,74	KG
SNR	AHX.3226.G	390,09	1	1,46	KG
SNR	AHX.3228.G	483,63	1	1,775	KG
SNR	AHX.3230/140.G	985,40	1	3,181	KG
SNR	AHX.3230.G	682,67	1	2,058	KG
SNR	AOH.2244	2.787,98	1	9,594	KG
SNR	AOH2248	3.099,30	1	11,1	KG
SNR	AOH2252G	5.072,47	1	13	KG
SNR	AOH2256G	5.251,71	1	14,6	KG
SNR	AOH2260G	5.841,10	1	17,2	KG
SNR	AOH2264G	6.289,41	1	19,7	KG
SNR	AOH.2344	2.757,13	1	13,952	KG
SNR	AOH.2348	3.101,81	1	16,18	KG
SNR	AOH.2352.G	3.446,49	1	19,325	KG
SNR	AOH.2356.G	3.791,14	1	21,315	KG
SNR	AOH240/500	14.847,07	1	39,7	KG
SNR	AOH240/530G	15.512,66	1	67,9	KG
SNR	AOH240/560G	19.025,13	1	77,8	KG
SNR	AOH240/630G	28.164,21	1	98,7	KG
SNR	AOH240/670G	31.633,29	1	138	KG
SNR	AOH240/710G	34.339,80	1	153	KG
SNR	AOH240/750G	43.292,19	1	175	KG
SNR	AOH240/800G	53.827,01	1	233	KG
SNR	AOH240/850G	49.948,06	1	261	KG
SNR	AOH240/900	68.599,96	1	291	KG
SNR	AOH240/950	74.502,79	1	335	KG
SNR	AOH.24044	1.895,55	1	8,678	KG
SNR	AOH.24048	2.757,27	1	9,71	KG
SNR	AOH.24052.G	3.139,07	1	12,3	KG
SNR	AOH.24056.G	3.446,49	1	14,36	KG
SNR	AOH.24060.G	3.791,14	1	16,4	KG
SNR	AOH24068	6.585,48	1	21,7	KG
SNR	AOH24072	8.622,71	1	22,7	KG
SNR	AOH24076	8.535,77	1	23,7	KG
SNR	AOH24080	10.777,59	1	27,1	KG
SNR	AOH24084	11.245,88	1	29	KG
SNR	AOH24088	11.839,25	1	31,9	KG
SNR	AOH24092	12.492,84	1	34,7	KG
SNR	AOH24096	12.628,27	1	36,3	KG
SNR	AOH241/500	21.403,49	1	59,6	KG
SNR	AOH241/530G	24.823,65	1	89,9	KG
SNR	AOH241/560G	29.287,44	1	105	KG
SNR	AOH241/630G	33.328,28	1	134	KG
SNR	AOH241/670	36.538,62	1	182	KG
SNR	AOH241/710	38.096,14	1	209	KG
SNR	AOH.24144	2.385,37	1	10,614	KG
SNR	AOH.24148	3.274,22	1	12,82	KG

SNR	AOH.24152	3.791,14	1	16,616	KG
SNR	AOH.24156	4.484,92	1	17,768	KG
SNR	AOH.24160	4.855,07	1	21,1	KG
SNR	AOH.24164	7.547,88	1	21,4	KG
SNR	AOH24168	7.759,41	1	27,1	KG
SNR	AOH24176	9.740,03	1	31,3	KG
SNR	AOH24184	13.600,79	1	40,3	KG
SNR	AOH24188	14.156,28	1	42,3	KG
SNR	AOH24192	15.920,46	1	47,4	KG
SNR	AOH24196	17.248,42	1	53,7	KG
SNR	AOH30/530	17.486,65	1	61,9	KG
SNR	AOH30/630	23.003,14	1	87,8	KG
SNR	AOH30/670	26.891,05	1	125	KG
SNR	AOH30/750	35.182,00	1	156	KG
SNR	AOH30/800	38.626,56	1	200	KG
SNR	AOH30/850	41.399,90	1	226	KG
SNR	AOH30/900	43.114,33	1	248	KG
SNR	AOH30/950	46.275,21	1	279	KG
SNR	AOH.3044.G	2.113,13	1	7,59	KG
SNR	AOH.3048	2.584,92	1	9,512	KG
SNR	AOH.3052	2.735,32	1	11,72	KG
SNR	AOH.3056	3.927,23	1	12,81	KG
SNR	AOH.3060	4.211,55	1	15,188	KG
SNR	AOH.3064.G	5.593,22	1	15,7	KG
SNR	AOH.3068.G	5.660,79	1	18,6	KG
SNR	AOH.3072.G	7.335,77	1	20,4	KG
SNR	AOH.3076.G	7.386,00	1	22,7	KG
SNR	AOH.3080.G	11.069,83	1	33,7	KG
SNR	AOH31/530	21.014,00	1	93,4	KG
SNR	AOH31/560	23.079,89	1	106	KG
SNR	AOH31/630	28.871,38	1	138	KG
SNR	AOH31/750	41.119,40	1	236	KG
SNR	AOH31/800	45.417,17	1	302	KG
SNR	AOH31/850	49.681,34	1	342	KG
SNR	AOH31/900	52.250,78	1	375	KG
SNR	AOH3132	1.808,11	1	3,7	KG
SNR	AOH.3144	2.453,65	1	10,818	KG
SNR	AOH.3148	2.927,44	1	12,872	KG
SNR	AOH.3152.G	3.191,89	1	16,032	KG
SNR	AOH.3156.G	3.816,49	1	17,566	KG
SNR	AOH.3160.G	4.390,24	1	20,742	KG
SNR	AOH.3164.G	7.744,55	1	32,9	KG
SNR	AOH.3168.G	9.593,33	1	27,404	KG
SNR	AOH.3172.G	10.164,23	1	34,25	KG
SNR	AOH3176G	11.318,98	1	32,9	KG
SNR	AOH3180G	12.013,66	1	36,1	KG
SNR	AOH32/530G	23.119,84	1	125	KG
SNR	AOH32/630G	31.910,06	1	185	KG
SNR	AOH32/670G	38.424,04	1	250	KG
SNR	AOH32/710G	42.412,65	1	275	KG

SNR	AOH32/750	51.681,23	1	317	KG
SNR	AOH32/850	60.996,36	1	458	KG
SNR	AOH.3260.G	6.573,92	1	23,4	KG
SNR	AOH3264G	6.927,15	1	28,9	KG
SNR	AOH3272G	8.348,67	1	35,4	KG
SNR	AOH3280G	12.070,15	1	48	KG
SNR	AOH3284G	12.556,91	1	54	KG
SNR	AOHX240/600	22.025,51	1	84,8	KG
SNR	AOHX241/600	30.346,22	1	116	KG
SNR	AOHX30/500G	13.103,72	1	40	KG
SNR	AOHX30/560	17.097,98	1	71,8	KG
SNR	AOHX30/600	19.476,20	1	75,6	KG
SNR	AOHX30/710	29.720,75	1	135	KG
SNR	AOHX3092G	12.463,90	1	33,1	KG
SNR	AOHX3096G	13.302,25	1	36	KG
SNR	AOHX31/500G	18.076,58	1	62,3	KG
SNR	AOHX31/600	23.496,78	1	118	KG
SNR	AOHX31/670	33.027,11	1	187	KG
SNR	AOHX31/710	35.928,17	1	205	KG
SNR	AOHX3188G	11.394,86	1	42,3	KG
SNR	AOHX3196G	13.095,14	1	56	KG
SNR	AOHX32/500G	20.828,55	1	89,3	KG
SNR	AOHX32/560	26.017,72	1	140	KG
SNR	AOHX32/600G	27.497,52	1	158	KG
SNR	AOHX3288G	13.842,04	1	58,8	KG
SNR	AOHX3292G	16.075,72	1	66,3	KG
SNR	B100	299,91	1	867	G
SNR	B.110	343,15	1	1220	G
SNR	B12/1	71,55	1	20	G
SNR	B.120	410,32	1	1,452	KG
SNR	B15/1	57,33	1	0,02	KG
SNR	B.150	690,16	1	2,5	KG
SNR	B.160	798,81	1	3190	G
SNR	B17/1	57,58	1	0,034	KG
SNR	B20/1	74,55	1	42	G
SNR	B25	82,13	1	64	G
SNR	B30	85,36	1	82	G
SNR	B35	94,66	1	112	G
SNR	B40	102,97	1	155	G
SNR	B45	115,49	1	0,191	KG
SNR	B50	133,99	1	212	G
SNR	B55	138,63	1	258	G
SNR	B60	153,08	1	282	G
SNR	B65	167,93	1	306	G
SNR	B70	205,74	1	0,4	KG
SNR	B75	224,02	1	451	G
SNR	B80	229,79	1	525	G
SNR	B85	253,52	1	553	G
SNR	B90	270,41	1	792	G
SNR	B95	282,83	1	0,824	KG

SNR	BP35	131,07	1	288	G
SNR	BP40	142,95	1	0,302	KG
SNR	BP45	168,02	1	0,38	KG
SNR	BP50	194,27	1	472	G
SNR	BP55	202,48	1	0,93	KG
SNR	BP60	214,36	1	1,182	KG
SNR	BP70	289,60	1	1,49	KG
SNR	BPR100	440,52	1	3,7	KG
SNR	BPR25	117,91	1	170	G
SNR	BPR30	122,85	1	250	G
SNR	BPR35	136,57	1	0,287	KG
SNR	BPR40	148,86	1	298	G
SNR	BPR45	174,93	1	386	G
SNR	BPR50	202,35	1	472	G
SNR	BPR55	211,00	1	0,928	KG
SNR	BPR60	223,37	1	1180	G
SNR	BPR65	245,06	1	1,344	KG
SNR	BPR70	301,59	1	1,552	KG
SNR	BPR75	328,88	1	2328	G
SNR	BR100	387,08	1	0,865	KG
SNR	BR25	85,36	1	62	G
SNR	BR30	88,90	1	0,09	KG
SNR	BR35	98,39	1	0,106	KG
SNR	BR40	107,21	1	154	G
SNR	BR45	125,39	1	190	G
SNR	BR50	144,60	1	212	G
SNR	BR55	150,65	1	256	G
SNR	BR60	159,46	1	0,278	KG
SNR	BR65	174,71	1	306	G
SNR	BR70	214,13	1	0,403	KG
SNR	BR75	233,34	1	0,44	KG
SNR	BR80	239,27	1	528	G
SNR	BR85	263,93	1	556	G
SNR	BR90	345,50	1	0,79	KG
SNR	BR95	373,24	1	816	G
SNR	BRK35	86,12	1	0,114	KG
SNR	H.204	30,58	1	50	G
SNR	H.205	25,78	1	80	G
SNR	H.206	26,08	1	104	G
SNR	H.207	27,50	1	140	G
SNR	H.208	29,10	1	0,178	KG
SNR	H.209	35,77	1	232	G
SNR	H.210	38,31	1	280	G
SNR	H.211	41,48	1	310	G
SNR	H.212	45,31	1	340	G
SNR	H.213	48,65	1	0,409	KG
SNR	H.215	85,65	1	0,722	KG
SNR	H.216	102,96	1	0,878	KG
SNR	H.217	116,88	1	1,028	KG
SNR	H.218	134,74	1	1210	G

SNR	H.219	163,66	1	1354	G
SNR	H.220	170,03	1	1,521	KG
SNR	H.222	201,20	1	1,942	KG
SNR	H.2305	41,59	1	0,097	KG
SNR	H.2306	40,49	1	125	G
NTN	H2306X	40,49	1	130	G
SNR	H.2307	40,39	1	0,18	KG
NTN	H2307X	40,39	1	400	G
SNR	H.2308	40,76	1	0,234	KG
SNR	H2308E	112,06	1	0,24	KG
SNR	H.2309	47,22	1	300	G
NTN	H2309X	47,22	1	0,293	KG
SNR	H.2310	50,61	1	0,376	KG
NTN	H2310X	50,61	1	350	G
SNR	H.2311	55,37	1	434	G
NTN	H2311X	55,50	1	0,43	KG
SNR	H.2312	73,84	1	496	G
SNR	H.2313	84,64	1	0,034	KG
SNR	H2313E	151,55	1	0,53	KG
SNR	H.2314	109,57	1	0,978	KG
SNR	H.2315	114,74	1	1,082	KG
SNR	H.2316	137,10	1	1,296	KG
SNR	H.2317	146,08	1	1,472	KG
SNR	H.2318	181,23	1	1,72	KG
SNR	H2318E/L73	333,05	1	1,5	KG
SNR	H.2319	226,02	1	1,94	KG
SNR	H2319E	544,94	1	1,85	KG
SNR	H.2320	246,94	1	2,214	KG
SNR	H2320E	396,97	1	2	KG
SNR	H.2322	287,86	1	2,795	KG
SNR	H.2324	395,32	1	3245	G
SNR	H.2326	535,68	1	4,646	KG
SNR	H.2328	630,04	1	5,688	KG
SNR	H.2330	815,64	1	6,802	KG
SNR	H.2332	914,42	1	9,205	KG
SNR	H.2334	1.217,56	1	10,729	KG
SNR	H.2336	1.246,52	1	11,834	KG
SNR	H.2338	1.789,21	1	13,291	KG
SNR	H.2340	1.828,87	1	14,533	KG
SNR	H.2344.H	3.983,45	1	18,5	KG
SNR	H.2348.H	4.380,85	1	21,61	KG
SNR	H.2352.H	6.251,96	1	26,2	KG
SNR	H.2356.H	6.645,20	1	29,208	KG
SNR	H30/500H	19.137,15	1	82	KG
SNR	H30/530H	21.045,01	1	71,1	KG
SNR	H30/600H	24.714,54	1	147	KG
SNR	H.3024	271,60	1	1,962	KG
SNR	H.3026	334,76	1	2894	G
SNR	H.3028	445,22	1	3,228	KG
SNR	H.3030	614,68	1	3,994	KG

SNR	H.3032	656,64	1	5328	G
SNR	H.3034	706,46	1	6,661	KG
SNR	H.3036	877,57	1	7,476	KG
SNR	H.3038	1.048,45	1	7,996	KG
SNR	H.304	24,95	1	54	G
SNR	H.3040	1.303,04	1	9,978	KG
SNR	H.3040.H	2.360,90	1	9,19	KG
SNR	H.3044.H	2.311,65	1	10,966	KG
SNR	H.3048.H	2.928,59	1	14,136	KG
SNR	H.305	27,35	1	0,09	KG
SNR	H.3052.H	3.522,25	1	16,3	KG
SNR	H.3056.H	4.545,79	1	18,612	KG
NTN	H305X	27,35	1	85	G
SNR	H.306	26,70	1	0,112	KG
SNR	H.3060.H	4.388,85	1	23	KG
SNR	H.3064.H	6.353,15	1	24,596	KG
SNR	H.3068.H	6.350,47	1	38	KG
SNR	H.307	29,45	1	0,16	KG
SNR	H.3072.H	8.640,10	1	30,5	KG
SNR	H.3076.H	8.967,74	1	33	KG
SNR	H.308	31,71	1	0,2	KG
SNR	H.3080.H	9.873,19	1	41,46	KG
SNR	H.309	36,68	1	0,258	KG
SNR	H3096H	15.538,13	1	75	KG
SNR	H309E	112,98	1	0,24	KG
SNR	H.310	41,48	1	300	G
SNR	H310E	127,66	1	0,3	KG
SNR	H.311	43,37	1	350	G
SNR	H311E	117,11	1	0,34	KG
SNR	H.312	46,01	1	404	G
SNR	H.3120	287,16	1	1,828	KG
SNR	H.3122	273,72	1	2,294	KG
SNR	H.3124	272,66	1	2,66	KG
SNR	H.3126	352,88	1	3,665	KG
SNR	H.3128	454,64	1	4,378	KG
SNR	H312E	144,20	1	0,4	KG
SNR	H.313	51,29	1	462	G
SNR	H.3130	627,92	1	5,603	KG
SNR	H.3132	734,54	1	7,645	KG
SNR	H3132H	1.572,12	1	7,67	KG
SNR	H.3134	790,98	1	8,84	KG
SNR	H.3136	943,98	1	10,118	KG
SNR	H3138	1.085,99	1	11	KG
SNR	H314	87,48	1	752	G
SNR	H.3140	1.270,23	1	12,787	KG
SNR	H.3144	2.062,62	1	16,443	KG
SNR	H.3144.H	2.576,83	1	16,401	KG
SNR	H.3148.H	2.927,64	1	19,061	KG
SNR	H314E	759,86	1	0,67	KG
SNR	H.315	88,78	1	861	G

SNR	H.3152.H	3.525,07	1	23,95	KG
SNR	H.3156.H	4.449,52	1	69,3	KG
SNR	H315E	268,38	1	0,82	G
SNR	H.316	108,44	1	1039	G
SNR	H.3160.H	5.420,64	1	30,5	KG
SNR	H.3164.H	8.838,38	1	35,1	KG
SNR	H.3168.H	9.598,02	1	58,6	KG
SNR	H316E	288,58	1	1,039	KG
NTN	H316X	120,77	1	1052	G
SNR	H.317	124,29	1	1193	G
SNR	H.3172.H	10.264,89	1	55,3	KG
SNR	H317E	300,53	1	1,15	KG
SNR	H.318	140,20	1	1391	G
SNR	H3180H	15.823,32	1	73	KG
SNR	H.319	160,38	1	1552	G
SNR	H.320	179,60	1	1723	G
SNR	H.322	226,14	1	2203	G
SNR	H.3260.H	6.689,39	1	34,1	KG
SNR	H3272H	11.911,99	1	60,6	KG
SNR	H39/630H	30.684,72	1	120	KG
SNR	HA317	171,51	1	1170	G
SNR	HE2328M1	760,50	1	5260	G
SNR	HM30/500	5.180,20	1	33,6	KG
SNR	HM30/530	5.827,73	1	42,8	KG
SNR	HM30/560	4.968,81	1	44,2	KG
SNR	HM30/630	7.680,15	1	56	KG
SNR	HM.3060	1.203,84	1	9,11	KG
SNR	HM3064	1.440,54	1	9,767	KG
SNR	HM.3068	1.668,05	1	11,292	KG
SNR	HM.3072	2.266,81	1	11,63	KG
SNR	HM.3076	2.470,52	1	15,49	KG
SNR	HM.3084	4.070,95	1	18,376	KG
SNR	HM3096	4.888,13	1	28,3	KG
SNR	HM.3160	1.491,87	1	11,709	KG
SNR	HM.3164	2.113,32	1	13,04	KG
SNR	HM.3168	2.731,23	1	23,898	KG
SNR	HM.3172	4.261,06	1	26,658	KG
SNR	HM.3176	6.168,23	1	33	KG
SNR	HM.42.T	677,65	1	4754	G
SNR	HM.44.T	679,11	1	5368	G
SNR	HM.46.T	830,48	1	5,972	KG
SNR	HM.48.T	799,99	1	6,206	KG
SNR	HM.52.T	1.216,52	1	8,412	KG
SNR	HM.56.T	1.389,84	1	9,2	KG
SNR	HML.43.T	930,23	1	3,676	KG
SNR	KM.0	5,96	1	4	G
SNR	KM.1	5,96	1	0,009	KG
SNR	KM.10	17,91	1	149	G
SNR	KM.11	19,32	1	0,166	KG
SNR	KM.12	20,89	1	178	G

SNR	KM.13	25,30	1	0,219	KG
SNR	KM.14	29,20	1	254	G
SNR	KM.15	30,42	1	300	G
SNR	KM.16	41,23	1	0,421	KG
SNR	KM.17	51,58	1	0,47	KG
SNR	KM.18	60,20	1	0,6	KG
SNR	KM.19	65,45	1	0,67	KG
SNR	KM.2	6,46	1	0,012	KG
SNR	KM.20	73,05	1	0,751	KG
SNR	KM.21	78,72	1	879	G
SNR	KM.22	95,42	1	986	G
SNR	KM.23	135,24	1	1,054	KG
SNR	KM.24	114,32	1	1,13	KG
SNR	KM.25	156,76	1	1,24	KG
SNR	KM.26	138,42	1	1,3	KG
SNR	KM27	212,84	1	1,55	KG
SNR	KM.28	173,82	1	1,382	KG
SNR	KM29	238,34	1	1,8	KG
SNR	KM.3	8,08	1	0,014	KG
SNR	KM.30	202,14	1	2,15	KG
SNR	KM31	279,17	1	2,3	KG
SNR	KM.32	225,32	1	2,58	KG
SNR	KM.34	262,93	1	2,844	KG
SNR	KM.36	289,48	1	3,094	KG
SNR	KM.38	324,48	1	3,392	KG
SNR	KM.4	10,80	1	0,02	KG
SNR	KM.40	352,25	1	3,732	KG
SNR	KM.5	11,52	1	0,03	KG
SNR	KM.6	12,45	1	0,04	KG
SNR	KM.7	14,33	1	65	G
SNR	KM.8	14,56	1	0,089	KG
SNR	KM.9	15,43	1	0,128	KG
SNR	KML30	277,44	1	1,38	KG
SNR	TB100	299,91	1	872	G
SNR	TB20/1	74,55	1	0,04	KG
SNR	TB20/1,5	74,55	1	42	G
SNR	TB25	82,13	1	0,06	KG
SNR	TB30	85,36	1	0,09	KG
SNR	TB35	94,66	1	113	G
SNR	TB40	102,97	1	154	G
SNR	TB45	115,49	1	189	G
SNR	TB50	133,99	1	212	G
SNR	TB55	138,63	1	266	G
SNR	TB65	169,48	1	309	G
SNR	TB70	205,74	1	0,416	KG
SNR	TB75	224,02	1	464	G
SNR	TB80	229,79	1	538	G
SNR	TB85	253,52	1	568	G
SNR	TB90	270,41	1	0,796	KG
SNR	TB95	282,83	1	828	G

SNR	TBP100	422,91	1	3894	G
SNR	TBP25	113,20	1	0,114	KG
SNR	TBP35	131,07	1	292	G
SNR	TBP40	142,95	1	306	G
SNR	TBP45	168,02	1	390	G
SNR	TBP50	194,27	1	488	G
SNR	TBP55	202,48	1	0,954	KG
SNR	TBP60	214,36	1	1,206	KG
SNR	TBP75	315,72	1	2370	G
SNR	TBPR100	440,52	1	3,7	KG
SNR	TBPR20/1	106,67	1	130	G
SNR	TBPR30	122,85	1	252	G
SNR	TBPR35	136,57	1	0,292	KG
SNR	TBPR40	148,86	1	0,304	KG
SNR	TBPR45	174,93	1	390	G
SNR	TBPR50	202,35	1	484	G
SNR	TBPR55	211,00	1	0,948	KG
SNR	TBPR60	223,37	1	1,192	KG
SNR	TBPR75	328,88	1	2354	G
SNR	TBPR85	372,25	1	3601	G
SNR	TBR100	312,23	1	0,89	KG
SNR	TBR25	85,36	1	0,07	KG
SNR	TBR30	88,90	1	0,078	KG
SNR	TBR35	98,39	1	110	G
SNR	TBR40	107,21	1	153	G
SNR	TBR45	125,39	1	0,187	KG
SNR	TBR50	144,60	1	214	G
SNR	TBR55	150,65	1	264	G
SNR	TBR60	159,46	1	283	G
SNR	TBR65	174,71	1	0,311	KG
SNR	TBR70	214,13	1	406	G
SNR	TBR75	233,34	1	0,458	KG
SNR	TBR80	239,27	1	534	G
SNR	TBR85	263,93	1	564	G
SNR	TBR90	281,43	1	0,804	KG
SNR	TBR95	294,45	1	826	G
SNR	A205	13,08	1	0,001	KG
SNR	FE.110X90X2	11,79	1	0,001	KG
SNR	FE.120X100X2	16,21	1	0,02	KG
SNR	FR.100X11,5X4	12,13	1	0,078	KG
SNR	FR.100X2	11,93	1	0,038	KG
SNR	FR.100X4X3	10,80	1	0,022	KG
SNR	FR.100X6X3	10,76	1	0,03	KG
SNR	FR.100X9,5X4	10,93	1	0,065	KG
SNR	FR.110X10,5X4	12,42	1	0,09	KG
SNR	FR.110X10X4	11,35	1	0,078	KG
SNR	FR.110X13X5	16,18	1	0,148	KG
SNR	FR.110X4X3	13,04	1	0,024	KG
SNR	FR.120X10X4	11,35	1	0,082	KG
SNR	FR.120X11X4	14,22	1	0,09	KG

SNR	FR.120X14X5	20,03	1	0,144	KG
SNR	FR.120X4X5	14,41	1	0,048	KG
SNR	FR.125X10X4	17,24	1	0,084	KG
SNR	FR.125X6,5X4	14,96	1	0,06	KG
SNR	FR.130X12,5X5	17,47	1	0,14	KG
SNR	FR.130X15,5X5	24,89	1	0,17	KG
SNR	FR.130X5X4	15,98	1	0,048	KG
SNR	FR.130X5X6	24,31	1	0,044	KG
SNR	FR.140X10X4	21,13	1	0,094	KG
SNR	FR.140X12,5X5	17,47	1	0,146	KG
SNR	FR.140X16X5	25,62	1	0,194	KG
SNR	FR.140X5X6	19,90	1	0,073	KG
SNR	FR.150X12,5X5	20,67	1	0,164	KG
SNR	FR.150X13X5	19,48	1	0,18	KG
SNR	FR.150X16,5X6	27,83	1	0,265	KG
SNR	FR.150X3X5,5	23,96	1	0,038	KG
SNR	FR.150X5X4	26,45	1	0,056	KG
SNR	FR.150X5X6	21,41	1	0,086	KG
SNR	FR.160X10X5	22,87	1	149	G
SNR	FR.160X12,5X5	18,41	1	0,182	KG
SNR	FR.160X14X5	22,13	1	0,206	KG
SNR	FR.160X17,5X6	38,66	1	0,304	KG
SNR	FR.160X5X6	20,11	1	0,092	KG
SNR	FR.160X6,25X4	36,18	1	0,079	KG
SNR	FR.160X6,3	25,82	1	0,08	KG
SNR	FR.170X12,5X5	28,33	1	0,192	KG
SNR	FR.170X14,5X4	20,84	1	0,215	KG
SNR	FR.170X14,5X5	29,63	1	0,218	KG
SNR	FR.170X18X6	40,31	1	0,328	KG
SNR	FR.170X5X6	20,49	1	0,096	KG
SNR	FR.180X10X5	29,73	1	0,155	KG
SNR	FR.180X12X5	29,73	1	0,175	KG
SNR	FR.180X14,5X5	32,18	1	0,234	KG
SNR	FR.180X18X6	44,00	1	0,338	KG
SNR	FR.180X4,85X4,85	25,07	1	0,08	KG
SNR	FR.180X5X6	22,13	1	0,1	KG
SNR	FR.190X15,5X5	32,79	1	0,266	KG
SNR	FR.190X5X6	36,35	1	0,108	KG
SNR	FR.200X10X10	28,04	1	0,178	KG
SNR	FR.200X10X5	31,85	1	0,184	KG
SNR	FR.200X13,5X5	40,68	1	0,274	KG
SNR	FR.200X17,5X6	51,36	1	0,087	KG
SNR	FR.200X21X6	60,89	1	0,446	KG
SNR	FR.200X5,1X6	32,98	1	0,112	KG
SNR	FR.200X5X6	28,04	1	0,085	KG
SNR	FR.200X6,5X5	28,10	1	0,12	KG
SNR	FR210/13	28,85	1	0,236	KG
SNR	FR.210X10X5	37,28	1	0,182	KG
SNR	FR.215X19,5X6	184,95	1	0,446	KG
SNR	FR.215X5X6	27,64	1	0,128	KG

SNR	FR.215X6,5X5	31,85	1	0,12	KG
SNR	FR.230X10X5	51,97	1	0,2	KG
SNR	FR.230X13X6	42,90	1	0,323	KG
SNR	FR.230X5X6	33,98	1	0,128	KG
SNR	FR.250X10X10	43,17	1	0,34	KG
SNR	FR.250X15X6	53,13	1	0,405	KG
SNR	FR.250X5X6	38,32	1	0,14	KG
SNR	FR.270X16,5X6	80,18	1	0,292	KG
SNR	FR.270X5X6	55,66	1	0,164	KG
SNR	FR.280X17X10	158,06	1	0,019	KG
SNR	FR.290X17X6	103,58	1	0,634	KG
SNR	FR.290X5X6	73,52	1	0,172	KG
SNR	FR.360X12X10	176,09	1	0,39	KG
SNR	FR.400X22X10	484,36	1	0,8	KG
SNR	FR.400X5X10	121,18	1	0,38	KG
SNR	FR.440X10X10	142,70	1	0,079	KG
SNR	FR.460X25X10	484,96	1	1,05	KG
SNR	FR.480X10X10	180,97	1	0,44	KG
SNR	FR.520X16X10	183,32	1	0,76	KG
SNR	FR.52X3,5X3,5	13,14	1	0,013	KG
SNR	FR.52X5X3	8,05	1	0,019	KG
SNR	FR.540X16X10	315,14	1	0,79	KG
SNR	FR.560X22,5X10	562,11	1	1,15	KG
SNR	FR.580X10X10	347,95	1	0,53	KG
SNR	FR.600X22X10	576,25	1	1,21	KG
SNR	FR.620X10X10	531,90	1	0,57	KG
SNR	FR.620X22X10	587,27	1	1,25	KG
SNR	FR.62X4X3	9,92	1	0,014	KG
SNR	FR.62X6X3	8,33	1	0,021	KG
SNR	FR.62X7,5X3	8,01	1	0,026	KG
SNR	FR.62X7X3	8,06	1	0,021	KG
SNR	FR.62X8X3	7,82	1	0,028	KG
SNR	FR.650X10X15	731,06	1	0,89	KG
SNR	FR.650X21,5X15	773,47	1	1,92	KG
SNR	FR.680X30,5X15	998,57	1	2,85	KG
SNR	FR.700X10X15	832,98	1	0,96	KG
SNR	FR.700X29,5X15	1.069,10	1	2,83	KG
SNR	FR.72X3,5X3,5	12,59	1	0,018	KG
SNR	FR.72X5,5X3	10,30	1	0,022	KG
SNR	FR.72X7,5X3	9,64	1	0,03	KG
SNR	FR.72X8,5X3	9,69	1	0,034	KG
SNR	FR.72X8X3	9,69	1	0,03	KG
SNR	FR.80X10,5X4	10,56	1	0,065	KG
SNR	FR.80X3X4	13,87	1	0,018	KG
SNR	FR.80X4X3	9,70	1	0,016	KG
SNR	FR.80X7X3	9,67	1	0,027	KG
SNR	FR.80X8X3	8,95	1	0,03	KG
SNR	FR.80X9X4	9,70	1	0,02	KG
SNR	FR85/4	11,38	1	0,016	KG
SNR	FR.85X3,5X3,5	12,04	1	0,02	KG

SNR	FR.85X5,5X3	9,18	1	0,026	KG
SNR	FR.90X10,5X4	11,76	1	0,074	KG
SNR	FR.90X10X3	15,14	1	190	G
SNR	FR.90X4X3	10,56	1	0,02	KG
SNR	FR.90X5X3	11,12	1	0,023	KG
SNR	FR.90X9X4	10,43	1	0,057	KG
SNR	HA2320M1	448,48	1	2485	G
SNR	RDC.205	14,38	1	37	G
SNR	RDC.206	14,57	1	60	G
SNR	RDC.207	14,69	1	80	G
SNR	RDC.208	15,50	1	79	G
SNR	RDC.209	17,46	1	0,144	KG
SNR	RDC.210	18,46	1	0,21	KG
SNR	RDC.211	25,07	1	164	G
SNR	RDC.212	21,09	1	210	G
SNR	RDC.213	22,39	1	270	G
SNR	RDC.214	31,42	1	380	G
SNR	RDC.215	25,84	1	0,31	KG
SNR	RDC.216	27,30	1	0,384	KG
SNR	RDC.217	28,63	1	0,484	KG
SNR	RDC.218	45,74	1	0,475	KG
SNR	RDC.219	39,64	1	660	G
SNR	RDC.220	48,13	1	735	G
SNR	RDC.222	56,67	1	1,185	KG
SNR	RDC.224	67,97	1	1,144	KG
SNR	RDC.226	85,20	1	1,164	KG
SNR	RDC.228	102,23	1	1,525	KG
SNR	RDC.230	113,57	1	2,028	KG
SNR	RDC.232	133,38	1	2,623	KG
SNR	RDC.305	14,57	1	54	G
SNR	RDC.306	15,50	1	75	G
SNR	RDC.307	15,99	1	87	G
SNR	RDC.308	17,46	1	131	G
SNR	RDC.309	18,79	1	173	G
SNR	RDC.310	20,43	1	209	G
SNR	RDC.311	31,60	1	250	G
SNR	RDC.312	24,53	1	460	G
SNR	RDC.313	25,84	1	454	G
SNR	RDC.314	28,63	1	532	G
SNR	RDC.315	31,58	1	0,57	KG
SNR	RDC.316	34,36	1	0,708	KG
SNR	RDC.317	37,30	1	750	G
SNR	RDC.318	41,27	1	805	G
SNR	RDC.319	44,04	1	915	G
SNR	RDC.320	48,13	1	0,991	KG
SNR	RDC.506	22,93	1	80	G
SNR	RDC.509	27,38	1	126	G
SNR	RDC.510	68,52	1	160	G
SNR	RDC.511	75,69	1	0,202	KG
SNR	RDC.512	82,66	1	210	G

SNR	RDC.513	93,04	1	284	G
SNR	RDC.517	47,98	1	480	G
SNR	RDC.519	54,72	1	0,516	KG
SNR	RDC.520	191,51	1	0,78	KG
SNR	RDC.522	215,67	1	1	KG
SNR	RDC.524	92,37	1	1,206	KG
SNR	RDC.528	112,20	1	1,936	KG
SNR	RDC.530	120,72	1	2,2	KG
SNR	RDC.532	126,30	1	2	KG
SNR	RDC.608	25,91	1	136	G
SNR	RDC.609	75,42	1	171	G
SNR	RDC.610	31,48	1	0,228	G
SNR	RDC.611	80,18	1	260	G
SNR	RDC.612	98,18	1	250	G
SNR	RDC.613	95,26	1	250	G
SNR	RDC.615	50,79	1	700	G
SNR	RDC.616	62,10	1	750	G
SNR	RDC.617	67,87	1	980	G
SNR	RDC.618	80,31	1	2,386	KG
SNR	RDC.619	85,30	1	1,35	KG
SNR	RDC.620	89,56	1	1,397	KG
SNR	SC.205.DS	17,09	1	0,019	KG
SNR	SC.205.FS	25,65	1	0,03	KG
SNR	SC.205.LA	200,56	1	0,085	KG
SNR	SC.206.DS	17,09	1	0,022	KG
SNR	SC.206.FS	26,30	1	0,42	KG
SNR	SC.206.LA	210,84	1	0,11	KG
SNR	SC.206.SV	17,75	1	0,025	KG
SNR	SC.207.DS	17,09	1	0,024	KG
SNR	SC.207.FS	26,93	1	0,56	KG
SNR	SC.207.LA	234,40	1	130	G
SNR	SC.207.SV	20,16	1	0,23	KG
SNR	SC.208.DS	19,37	1	0,026	KG
SNR	SC.208.LA	241,73	1	145	G
SNR	SC.208.SV	22,56	1	0,035	KG
SNR	SC.209.DS	21,09	1	0,013	KG
SNR	SC.209.FS	33,00	1	40	G
SNR	SC.209.LA	252,01	1	174	G
SNR	SC.209.SV	24,19	1	0,03	KG
SNR	SC.210.DS	19,84	1	0,03	KG
SNR	SC.210.FS	39,98	1	0,06	KG
SNR	SC.210.LA	197,87	1	188	G
SNR	SC.210.SV	25,81	1	0,03	KG
SNR	SC.211.DS	23,79	1	0,03	KG
SNR	SC.211.FS	34,49	1	0,058	KG
SNR	SC.211.FSS	67,53	1	0,07	KG
SNR	SC.211.LA	204,78	1	0,233	KG
SNR	SC.211.SV	28,23	1	0,045	KG
SNR	SC.212.DS	29,48	1	0,04	KG
SNR	SC.212.FS	43,04	1	0,075	KG

SNR	SC.212.LA	214,42	1	0,29	KG
SNR	SC.212.SV	30,64	1	0,055	KG
SNR	SC.213.DS	34,25	1	0,038	KG
SNR	SC.213.FS	43,04	1	0,082	KG
SNR	SC.213.LA	223,73	1	360	G
SNR	SC.213.SV	33,88	1	0,048	KG
SNR	SC.214.DS	39,13	1	0,019	KG
SNR	SC.214.FSS	51,16	1	0,14	KG
SNR	SC.214.LA	232,96	1	0,34	KG
SNR	SC.214.SV	36,03	1	36	G
SNR	SC.215.DS	39,51	1	0,042	KG
SNR	SC.215.FS	51,96	1	0,76	KG
SNR	SC.215.LA	245,12	1	400	G
SNR	SC.215.SV	36,27	1	0,065	KG
SNR	SC.216-313.EC	31,85	1	0,104	KG
SNR	SC.216.DS	42,16	1	0,05	KG
SNR	SC.216.FS	54,17	1	0,091	KG
SNR	SC.216.LA	445,35	1	435	G
SNR	SC.216.SV	41,00	1	0,06	KG
SNR	SC.217-314.EC	33,34	1	0,112	KG
SNR	SC.217.DS	43,90	1	0,056	KG
SNR	SC.217.LA	617,24	1	430	G
SNR	SC.217.SV	41,92	1	0,06	KG
SNR	SC.218-315.EC	35,82	1	0,126	KG
SNR	SC.218.DS	49,51	1	0,066	KG
SNR	SC.218.FS	56,15	1	0,104	KG
SNR	SC.218.LA	388,97	1	0,532	KG
SNR	SC.218.SV	45,14	1	0,11	KG
SNR	SC.219.DS	51,99	1	0,07	KG
SNR	SC.219.FS	64,09	1	0,152	KG
SNR	SC.219.LA	393,41	1	336	G
SNR	SC.219.SV	46,85	1	80	G
SNR	SC.220.DS	59,05	1	0,082	KG
SNR	SC.220.FS	60,70	1	0,168	KG
SNR	SC.220.LA	399,24	1	0,786	KG
SNR	SC.220.SV	50,26	1	0,11	KG
SNR	SC.222.DS	86,40	1	0,083	KG
SNR	SC.222.FS	66,97	1	0,18	KG
SNR	SC.222.LA	470,04	1	0,854	KG
SNR	SC.222.SV	50,82	1	0,106	KG
SNR	SC.224.DS	73,30	1	0,091	KG
SNR	SC.224.FS	71,27	1	0,195	KG
SNR	SC.224.LA	515,15	1	1,08	KG
SNR	SC.224.SV	59,93	1	0,12	KG
SNR	SC.226-526.EC	47,03	1	0,24	KG
SNR	SC.226.DS	76,25	1	0,1	KG
SNR	SC.226.FSS	182,57	1	0,48	KG
SNR	SC.226.LA	510,14	1	1,04	KG
SNR	SC.226.SV	64,37	1	140	G
SNR	SC.228-528.EC	56,80	1	0,28	KG

SNR	SC.228.DS	81,01	1	0,1	KG
SNR	SC.228.FS	88,44	1	196	G
SNR	SC.228.LA	604,65	1	1,445	KG
SNR	SC.228.SV	75,93	1	0,155	KG
SNR	SC.230-530.EC	59,89	1	0,32	KG
SNR	SC.230.DS	88,09	1	0,126	KG
SNR	SC.230.FS	98,01	1	0,201	KG
SNR	SC.230.LA	532,82	1	1,486	KG
SNR	SC.230.SV	82,77	1	0,167	KG
SNR	SC.232-532.EC	80,00	1	0,346	KG
SNR	SC.232.DS	93,14	1	0,12	KG
SNR	SC.232.FS	106,45	1	0,246	KG
SNR	SC.232.LA	586,18	1	1,494	KG
SNR	SC.232.SV	89,98	1	0,172	KG
SNR	SC.305.DS	12,06	1	0,024	KG
SNR	SC.305.FS	26,30	1	0,04	KG
SNR	SC.305.LA	450,42	1	140	G
SNR	SC.305.SV	19,32	1	30	G
SNR	SC.307.FS	29,43	1	0,05	KG
SNR	SC.307.LA	352,82	1	175	G
SNR	SC.307.SV	21,52	1	0,04	KG
SNR	SC.316.DS	54,37	1	0,112	KG
SNR	SC.316.FS	67,56	1	0,24	KG
SNR	SC.316.LA	494,06	1	1,14	KG
SNR	SC.316.SV	54,72	1	0,11	KG
SNR	SC.317.DS	59,05	1	0,12	KG
SNR	SC.317.FS	67,94	1	258	G
SNR	SC.317.LA	1.104,88	1	1,261	KG
SNR	SC.317.SV	56,87	1	130	G
SNR	SC.318-618.EC	43,81	1	0,184	KG
SNR	SC.318.DS	66,22	1	0,12	KG
SNR	SC.318.FS	73,36	1	0,326	KG
SNR	SC.318.LA	513,77	1	1,146	KG
SNR	SC.318.SV	60,08	1	0,135	KG
SNR	SC.319.DS	71,85	1	0,126	KG
SNR	SC.319.FS	74,16	1	0,26	KG
SNR	SC.319.LA	350,44	1	1,22	KG
SNR	SC.319.SV	62,97	1	128	G
SNR	SC.320.DS	75,32	1	0,138	KG
SNR	SC.320.FS	79,04	1	0,305	KG
SNR	SC.320.FSS	158,17	1	0,85	KG
SNR	SC.320.LA	528,98	1	1,751	KG
SNR	SC.320.SV	65,65	1	155	G
SNR	SC.505.DS	17,00	1	0,018	KG
SNR	SC.505.EC	10,11	1	0,015	KG
SNR	SC.505.LA	161,47	1	75	G
SNR	SC.505.SV	22,65	1	0,021	KG
SNR	SC.505.TA	262,85	1	400	G
SNR	SC.506-605.EC	10,93	1	0,018	KG
SNR	SC.506.DS	17,83	1	0,02	KG

SNR	SC.506.FS	29,60	1	0,03	KG
SNR	SC.506.LA	167,61	1	85	G
SNR	SC.506.SV	16,65	1	0,026	KG
SNR	SC.506.TA	262,85	1	452	G
SNR	SC.507-606.EC	11,38	1	0,024	KG
SNR	SC.507.DS	14,38	1	0,024	KG
SNR	SC.507.FS	31,26	1	0,042	KG
SNR	SC.507.LA	128,43	1	0,144	KG
SNR	SC.507.SV	18,70	1	0,02	KG
SNR	SC.507.TA	262,85	1	0,615	KG
SNR	SC.508-607.EC	11,38	1	0,029	KG
SNR	SC.508.DS	12,37	1	0,024	KG
SNR	SC.508.FS	33,24	1	0,046	KG
SNR	SC.508.LA	137,57	1	0,16	KG
SNR	SC.508.SV	16,34	1	0,022	KG
SNR	SC.508.TA	262,85	1	0,66	KG
SNR	SC.509.DS	13,02	1	0,024	KG
SNR	SC.509.EC	11,58	1	0,033	KG
SNR	SC.509.FS	28,71	1	0,046	KG
SNR	SC.509.LA	136,06	1	0,194	KG
SNR	SC.509.SV	26,03	1	0,034	KG
SNR	SC.509.TA	262,85	1	0,706	KG
SNR	SC.510-608.EC	12,13	1	0,038	KG
SNR	SC.510.DS	13,88	1	0,029	KG
SNR	SC.510.FS	30,58	1	0,052	KG
SNR	SC.510.LA	138,05	1	0,22	KG
SNR	SC.510.SV	26,53	1	0,028	KG
SNR	SC.510.TA	277,14	1	0,83	KG
SNR	SC.511-609.EC	13,59	1	0,044	KG
SNR	SC.511.DS	14,33	1	0,03	KG
SNR	SC.511.FS	32,53	1	0,056	KG
SNR	SC.511.LA	140,30	1	0,236	KG
SNR	SC.511.SV	29,76	1	0,03	KG
SNR	SC.511.TA	291,72	1	0,916	KG
SNR	SC.512-610.EC	13,96	1	0,05	KG
SNR	SC.512.DS	16,04	1	0,031	KG
SNR	SC.512.FS	43,04	1	0,06	KG
SNR	SC.512.LA	163,97	1	0,25	KG
SNR	SC.512.SV	27,16	1	0,042	KG
SNR	SC.512.TA	308,06	1	0,942	KG
SNR	SC.513-35.DS	16,61	1	30	G
SNR	SC.513-611.EC	14,88	1	0,056	KG
SNR	SC.513.DS	16,61	1	0,03	KG
SNR	SC.513.FS	34,50	1	0,07	KG
SNR	SC.513.LA	148,70	1	0,274	KG
SNR	SC.513.SV	35,59	1	0,036	KG
SNR	SC.513.TA	325,21	1	1,005	KG
SNR	SC.515-612.EC	16,18	1	0,071	KG
SNR	SC.515.DS	20,42	1	0,04	KG
SNR	SC.515.FS	40,39	1	0,092	KG

SNR	SC.515.LA	153,38	1	0,407	KG
SNR	SC.515.SV	39,17	1	0,054	KG
SNR	SC.515.TA	336,12	1	1,362	KG
SNR	SC.516-613.EC	17,99	1	0,079	KG
SNR	SC.516.DS	22,57	1	0,05	KG
SNR	SC.516.FS	51,10	1	0,093	KG
SNR	SC.516.LA	156,71	1	0,426	KG
SNR	SC.516.SV	40,66	1	0,06	KG
SNR	SC.516.TA	374,52	1	1,466	KG
SNR	SC.517.DS	24,35	1	0,046	KG
SNR	SC.517.EC	19,21	1	0,086	KG
SNR	SC.517.FS	43,51	1	0,098	KG
SNR	SC.517.LA	164,04	1	0,468	KG
SNR	SC.517.SV	42,40	1	0,06	KG
SNR	SC.517.TA	380,78	1	1,698	KG
SNR	SC.518-615.EC	20,94	1	0,094	KG
SNR	SC.518.DS	28,05	1	0,048	KG
SNR	SC.518.LA	231,67	1	0,46	KG
SNR	SC.518.SV	37,04	1	0,066	KG
SNR	SC.518.TA	450,13	1	1,8	KG
SNR	SC.519-616.EC	25,35	1	0,15	KG
SNR	SC.519.DS	27,81	1	0,113	KG
SNR	SC.519.FS	75,31	1	0,242	KG
SNR	SC.519.LA	323,49	1	1,252	KG
SNR	SC.519.SV	39,19	1	0,118	KG
SNR	SC.519.TA	526,24	1	2,04	KG
SNR	SC.520-617.EC	27,27	1	0,172	KG
SNR	SC.520.DS	39,96	1	0,141	KG
SNR	SC.520.FS	74,21	1	0,285	KG
SNR	SC.520.LA	279,05	1	1,368	KG
SNR	SC.520.SV	48,41	1	0,131	KG
SNR	SC.520.TA	526,24	1	1,23	KG
SNR	SC.522-619.EC	29,57	1	0,196	KG
SNR	SC.522.DS	43,58	1	0,134	KG
SNR	SC.522.FS	83,76	1	0,316	KG
SNR	SC.522.LA	302,92	1	1,484	KG
SNR	SC.522.SV	51,99	1	0,134	KG
SNR	SC.522.TA	604,39	1	3,524	KG
SNR	SC.524-620.EC	38,37	1	0,22	KG
SNR	SC.524.DS	35,22	1	0,068	KG
SNR	SC.524.FS	88,44	1	0,332	KG
SNR	SC.524.LA	339,08	1	1,655	KG
SNR	SC.524.SV	62,70	1	0,16	KG
SNR	SC.524.TA	702,60	1	2,64	KG
SNR	SC.526.DS	38,61	1	0,16	KG
SNR	SC.526.FSS	144,40	1	1	KG
SNR	SC.526.LA	401,54	1	2,162	KG
SNR	SC.526.SV	58,04	1	0,18	KG
SNR	SC.526.TA	791,17	1	2,84	KG
SNR	SC.528.DS	42,18	1	0,17	KG

SNR	SC.528.FSS	215,15	1	1	KG
SNR	SC.528.LA	411,54	1	2,435	KG
SNR	SC.528.SV	67,72	1	0,19	KG
SNR	SC.528.TA	901,80	1	4,99	KG
SNR	SC.530.DS	48,34	1	0,21	KG
SNR	SC.530.FS	134,39	1	0,498	KG
SNR	SC.530.LA	448,68	1	2,85	KG
SNR	SC.530.SV	87,50	1	0,209	KG
SNR	SC.530.TA	1.150,11	1	6,725	KG
SNR	SC.532.DS	49,47	1	0,224	KG
SNR	SC.532.FS	163,10	1	0,618	KG
SNR	SC.532.LA	473,45	1	3,242	KG
SNR	SC.532.SV	96,26	1	0,234	KG
SNR	SC.532.TA	1.214,52	1	7,482	KG
SNR	SC.605.DS	17,28	1	0,022	KG
SNR	SC.605.FS	27,55	1	34	G
SNR	SC.605.LA	377,25	1	110	G
SNR	SC.605.SV	16,91	1	0,024	KG
SNR	SC.606.DS	17,36	1	0,026	KG
SNR	SC.606.FS	28,90	1	0,044	KG
SNR	SC.606.LA	381,07	1	0,171	KG
SNR	SC.606.SV	16,34	1	0,03	KG
SNR	SC.607.DS	10,56	1	0,028	KG
SNR	SC.607.FS	34,48	1	0,04	KG
SNR	SC.607.LA	385,49	1	0,192	KG
SNR	SC.607.SV	16,34	1	0,024	KG
SNR	SC.608.DS	12,27	1	0,035	KG
SNR	SC.608.FS	39,76	1	0,064	KG
SNR	SC.608.LA	349,41	1	0,285	KG
SNR	SC.608.SV	20,22	1	0,032	KG
SNR	SC.609.DS	12,13	1	0,034	KG
SNR	SC.609.FS	42,12	1	0,063	KG
SNR	SC.609.LA	393,74	1	0,345	KG
SNR	SC.609.SV	20,43	1	0,054	KG
SNR	SC.610.DS	12,59	1	0,038	KG
SNR	SC.610.FS	43,85	1	0,083	KG
SNR	SC.610.LA	427,37	1	0,375	KG
SNR	SC.610.SV	22,49	1	0,042	KG
SNR	SC.611.DS	12,89	1	0,042	KG
SNR	SC.611.FS	44,59	1	0,092	KG
SNR	SC.611.LA	463,90	1	0,402	KG
SNR	SC.611.SV	22,92	1	0,04	KG
SNR	SC.612.DS	14,69	1	0,052	KG
SNR	SC.612.FS	48,29	1	0,108	KG
SNR	SC.612.LA	518,45	1	520	G
SNR	SC.612.SV	27,16	1	0,059	KG
SNR	SC.613.DS	16,73	1	0,048	KG
SNR	SC.613.FS	50,51	1	0,112	KG
SNR	SC.613.LA	467,74	1	0,599	KG
SNR	SC.613.SV	31,33	1	0,062	KG

SNR	SC.615.DS	16,68	1	0,06	KG
SNR	SC.615.FS	52,84	1	0,146	KG
SNR	SC.615.LA	646,84	1	0,78	KG
SNR	SC.615.SV	29,01	1	0,074	KG
SNR	SC.616.DS	25,71	1	0,143	KG
SNR	SC.616.FS	73,76	1	0,27	KG
SNR	SC.616.LA	780,70	1	1,56	KG
SNR	SC.616.SV	39,19	1	0,13	KG
SNR	SC.617.DS	23,74	1	0,15	KG
SNR	SC.617.FS	87,71	1	0,392	KG
SNR	SC.617.LA	601,34	1	1,67	KG
SNR	SC.617.SV	58,08	1	0,132	KG
SNR	SC.618.DS	69,17	1	0,156	KG
SNR	SC.618.FS	113,33	1	0,344	KG
SNR	SC.618.LA	654,16	1	1,668	KG
SNR	SC.618.SV	42,42	1	0,149	KG
SNR	SC.619.DS	29,31	1	0,15	KG
SNR	SC.619.FS	101,95	1	0,375	KG
SNR	SC.619.LA	709,41	1	1,885	KG
SNR	SC.619.SV	68,48	1	0,152	KG
SNR	SC.620.DS	30,27	1	0,18	KG
SNR	SC.620.LA	717,47	1	2,322	KG
SNR	SC.620.SV	76,06	1	176	G
SNR	TA-36	2.193,03	1	1,66	KG
SNR	TA-38	2.346,46	1	6,6	KG
SNR	TA-48	3.080,52	1	11,2	KG
SNR	TA-52	3.315,80	1	12	KG
SNR	TE-34	253,50	1	2,1	KG
SNR	TE-36	286,57	1	2,3	KG
SNR	TE-38	319,63	1	2,6	KG
SNR	TE-40	352,70	1	2,8	KG
SNR	TE-44	434,80	1	3,3	KG
SNR	TE-48	474,03	1	3,8	KG
SNR	TE-52	533,35	1	4,32	KG
SNR	TE-56	611,38	1	4,9	KG
SNR	TE-60	675,53	1	5,5	KG
SNR	TE-64	735,81	1	6,2	KG
SNR	TE-68	805,91	1	6,9	KG
SNR	TE-72	877,00	1	7,6	KG
SNR	TE-76	948,09	1	8,4	KG
SNR	TS-34	254,25	1	2,1	KG
SNR	TS-36	266,54	1	2,23	KG
SNR	TS-38	303,30	1	2,35	KG
SNR	TS-40	318,53	1	2,45	KG
SNR	TS-44	343,87	1	2,7	KG
SNR	TS-48	485,82	1	2,93	KG
SNR	TS-52	509,99	1	0,042	KG
SNR	TS-56	796,93	1	3,46	KG
SNR	TS-60	842,37	1	3,67	KG
SNR	TS-64	794,01	1	3,96	KG

SNR	TS-68	1.329,38	1	4,26	KG
SNR	TS-72	2.172,91	1	4,52	KG
SNR	TS-76	1.551,62	1	4,77	KG
SNR	LUB FOOD AL GREASE / B1kg	38,09	1	1238	G
SNR	LUB FOOD AL GREASE / C400G	20,19	1	452	G
SNR	LUB GREASE GUN SET	34,32	1	1075	G
SNR	LUB HEAVY DUTY GREASE / B1kg	17,53	1	1,174	KG
SNR	LUB HEAVY DUTY GREASE / C400g	9,92	1	0,44	KG
SNR	LUB HEAVY DUTY GREASE/F190kg	1.491,56	1	193,333	KG
SNR	LUB HEAVY DUTY GREASE / F23kg	209,83	1	23	KG
SNR	LUB HEAVY DUTY GREASE / F50kg	444,67	1	53	KG
SNR	LUB HEAVY DUTY GREASE / S5kg	68,10	1	5,312	KG
SNR	LUB HIGH SPEED + GREASE / B1KG	87,69	1	1,165	KG
SNR	LUB HIGH TEMP GREASE / B1KG	71,54	1	1,195	KG
SNR	LUB HIGH TEMP GREASE / C400G	38,12	1	450	G
SNR	LUB HIGH TEMP MP GREASE / B1kg	70,38	1	1	KG
SNR	LUB HIGH TEMP MP GREASE / C400g	37,74	1	400	G
SNR	LUB ULTRA HIGH TEMP GREASE/ C800G	460,93	1	800	G
SNR	LUB UNIVERSAL GREASE / B1kg	12,44	1	1	KG
SNR	LUB UNIVERSAL GREASE / C400g	7,36	1	0,4	KG
SNR	LUB UNIVERSAL GREASE / F23kg	202,78	1	24	KG
SNR	LUB UNIVERSAL GREASE / F50kg	411,39	1	52	KG
SNR	LUB UNIVERSAL GREASE / S5kg	57,93	1	5	KG
SNR	LUB VIB GREASE / B1kg	20,08	1	1,228	KG
SNR	LUB VIB GREASE / C400g	11,44	1	0,4	KG
SNR	LUB VIB GREASE / F50kg	813,11	1	50	KG
SNR	LUB GREASE GUN / ACC SET	6,08	1	55	G
SNR	Tool AS-SCHP 12 T / Acc set hyd pull	888,10	1	20,92	KG
SNR	Tool AS-SCHP 4 T / Acc set hyd pull	266,43	1	6,54	KG
SNR	TOOL BBPS 10-100/BALL BEARING PULLER SI	921,86	1	8,84	KG
SNR	TOOL BP3S 140-495 / TRI-SECTION BACK PUL	3.622,04	1	63,4	KG
SNR	TOOL BP3S 26-160 / TRI-SECTION BACK PULL	376,34	1	2190	G
SNR	Tool BP3S 50-210 / Tri-section back pull	472,44	1	5,466	KG
SNR	TOOL BP3S 90-340 / TRI-SECTION BACK PULL	1.236,64	1	20500	G
SNR	TOOL BPES 10-105/Back puller extract set	427,20	1	10,73	KG
SNR	TOOL BP SET 45-100 / Bore puller set	803,81	1	12	KG
SNR	TOOL BP SET 5-44 / Bore puller set	723,55	1	5	KG
SNR	TOOL FEELER GAUGES 100	24,62	1	0,045	KG
SNR	TOOL FEELER GAUGES 150	38,12	1	0,08	KG
SNR	TOOL FEELER GAUGES 300	55,91	1	0,162	KG
SNR	TOOL GLOVE HEAT RESISTANT	57,04	1	0,24	KG
SNR	TOOL HS 120-180 / Hook Spanner	80,63	1	1,39	KG
SNR	TOOL HS 15-35 / Hook Spanner	27,94	1	0,32	KG
SNR	TOOL HS 35-50 / Hook Spanner	31,71	1	0,181	KG
SNR	TOOL HS 50-80 / Hook Spanner	44,35	1	0,53	KG
SNR	TOOL HS 80-120 / Hook Spanner	59,13	1	0,53	KG
SNR	TOOL IFT SET 33 / Industry Fitting Tool	655,42	1	4,18	KG
SNR	TOOL IMPACT RING A 10-26	14,60	1	0,01	KG
SNR	TOOL IMPACT RING A 10-30	14,60	1	0,01	KG
SNR	TOOL IMPACT RING A 10-35	14,60	1	0,015	KG

SNR	TOOL IMPACT RING A 12-28	14,60	1	0,01	KG
SNR	TOOL IMPACT RING A 12-32	14,60	1	0,01	KG
SNR	TOOL IMPACT RING A 12-37	14,60	1	0,015	KG
SNR	TOOL IMPACT RING A 15-32	14,60	1	0,01	KG
SNR	TOOL IMPACT RING A 15-35	14,60	1	0,015	KG
SNR	TOOL IMPACT RING A 15-42	14,60	1	0,02	KG
SNR	TOOL IMPACT RING A 17-35	14,60	1	0,015	KG
SNR	TOOL IMPACT RING A 17-40	14,60	1	0,015	KG
SNR	TOOL IMPACT RING A 17-47	14,60	1	0,025	KG
SNR	TOOL IMPACT RING B 20-42	25,71	1	0,015	KG
SNR	TOOL IMPACT RING B 20-47	25,71	1	0,02	KG
SNR	TOOL IMPACT RING B 20-52	25,71	1	0,025	KG
SNR	TOOL IMPACT RING B 25-47	25,71	1	0,015	KG
SNR	TOOL IMPACT RING B 25-52	25,71	1	0,02	KG
SNR	TOOL IMPACT RING B 25-62	25,71	1	0,035	KG
SNR	TOOL IMPACT RING B 30-55	25,71	1	0,055	KG
SNR	TOOL IMPACT RING B 30-62	25,71	1	0,035	KG
SNR	TOOL IMPACT RING B 30-72	25,71	1	0,055	KG
SNR	TOOL IMPACT RING C 35-62	36,27	1	0,03	KG
SNR	TOOL IMPACT RING C 35-72	36,27	1	0,04	KG
SNR	TOOL IMPACT RING C 35-80	36,27	1	0,055	KG
SNR	TOOL IMPACT RING C 40-68	36,27	1	0,03	KG
SNR	TOOL IMPACT RING C 40-80	36,27	1	0,05	KG
SNR	TOOL IMPACT RING C 40-90	36,27	1	0,075	KG
SNR	TOOL IMPACT RING C 45-100	36,27	1	0,095	KG
SNR	TOOL IMPACT RING C 45-75	36,27	1	0,04	KG
SNR	TOOL IMPACT RING C 45-85	36,27	1	0,06	KG
SNR	TOOL IMPACT RING C 50-110	36,27	1	0,115	KG
SNR	TOOL IMPACT RING C 50-80	36,27	1	0,045	KG
SNR	TOOL IMPACT RING C 50-90	36,27	1	0,065	KG
SNR	TOOL IMPACT RING HAMMER	118,12	1	0,835	KG
SNR	TOOL IMPACT RING LOOSE RING A	14,60	1	0,015	KG
SNR	TOOL IMPACT RING LOOSE RING B	25,71	1	0,035	KG
SNR	TOOL IMPACT RING LOOSE RING C	36,27	1	0,07	KG
SNR	TOOL IMPACT RING SLEEVE A	85,68	1	0,12	KG
SNR	TOOL IMPACT RING SLEEVE B	111,16	1	0,26	KG
SNR	TOOL IMPACT RING SLEEVE C	118,12	1	0,44	KG
SNR	TOOL LASERTEMP 301 / IR thermometer	243,75	1	0,347	KG
SNR	TOOL PS 120-180 / Pin Spanner	86,00	1	1,35	KG
SNR	TOOL PS 15-35 / Pin Spanner	29,57	1	0,081	KG
SNR	TOOL PS 35-50 / Pin Spanner	37,62	1	0,161	KG
SNR	TOOL PS 50-80 / Pin Spanner	44,35	1	0,37	KG
SNR	TOOL PS 80-120 / Pin Spanner	53,75	1	0,71	KG
SNR	TOOL PUSH/PULLER 8/12 TONS	3.215,25	1	39020	G
SNR	Tool SCHP 12 Tons / Self-center hyd pull	1.397,54	1	18,588	KG
SNR	Tool SCHP 20 Tons / Self-center hyd pull	2.421,26	1	28	KG
SNR	Tool SCHP 30 Tons / Self-center hyd pull	3.104,57	1	61100	G
SNR	Tool SCHP 4 Tons / Self-center hyd pulle	692,51	1	9,66	KG
SNR	Tool SCMP 2/3-120 / Self-center mech pul	172,79	1	1,592	KG
SNR	Tool SCMP 2/3-180 / Self-center mech pul	233,76	1	2,379	KG

SNR	Tool SCMP 2/3-270 / Self-center mech pul	335,41	1	5,062	KG
SNR	TOOLCONNECTINGNIPPLEM6-150MPA	232,58	1	90	G
SNR	TOOL DIAL EXTENSION SET	62,08	1	0,03	KG
SNR	TOOL DIAL GAUGE 050	394,94	1	0,175	KG
SNR	TOOL DIAL GAUGE 100	162,61	1	0,366	KG
SNR	TOOLEXTENSIONPIPEM6-150MPA	144,40	1	60	G
SNR	TOOL GAUGE ADAPTOR 0,3L	85,44	1	0,58	KG
SNR	TOOL GAUGE ADAPTOR 0,9L	85,44	1	0,755	KG
SNR	TOOLHMV 100EBF / Hydr nut	6.891,46	1	82,4	KG
SNR	TOOLHMV 102EBF / Hydr nut	7.016,80	1	85,7	KG
SNR	TOOLHMV 104EBF / Hydr nut	7.263,51	1	88,3	KG
SNR	TOOLHMV 106EBF / Hydr nut	7.658,21	1	10,9	KG
SNR	TOOLHMV 108EBF / Hydr nut	7.891,19	1	91,9	KG
SNR	TOOLHMV 10EBF / Hydr nut	1.036,13	1	2,9	KG
SNR	TOOL HMV10 SET-PSK	121,97	1	0,06	KG
SNR	TOOLHMV 110EBF / Hydr nut	7.993,90	1	98	KG
SNR	TOOLHMV 112EBF / Hydr nut	8.054,18	1	100,3	KG
SNR	TOOLHMV 114EBF / Hydr nut	8.144,57	1	105,1	KG
SNR	TOOLHMV 116EBF / Hydr nut	8.356,57	1	107,8	KG
SNR	TOOLHMV 11EBF / Hydr nut	1.036,13	1	3	KG
SNR	TOOLHMV 120EBF / Hydr nut	8.464,77	1	113,4	KG
SNR	TOOLHMV 126EBF / Hydr nut	8.895,82	1	110,2	KG
SNR	TOOLHMV 12EBF / Hydr nut	1.036,13	1	3,2	KG
SNR	TOOLHMV 130EBF / Hydr nut	9.159,43	1	125,7	KG
SNR	TOOLHMV 134EBF / Hydr nut	9.413,18	1	16,68	KG
SNR	TOOLHMV 138EBF / Hydr nut	9.840,49	1	145,2	KG
SNR	TOOLHMV 13EBF / Hydr nut	1.073,13	1	3,4	KG
SNR	TOOLHMV 142EBF / Hydr nut	10.366,85	1	152,9	KG
SNR	TOOLHMV 14EBF / Hydr nut	1.097,81	1	3,5	KG
SNR	TOOLHMV 150EBF / Hydr nut	11.050,06	1	162,4	KG
SNR	TOOLHMV 15EBF / Hydr nut	1.122,48	1	3,7	KG
SNR	TOOLHMV 160EBF / Hydr nut	14.578,23	1	175,6	KG
SNR	TOOLHMV 16EBF / Hydr nut	1.147,15	1	3,9	KG
SNR	TOOLHMV 170EBF / Hydr nut	15.552,36	1	203,2	KG
SNR	TOOLHMV 17EBF / Hydr nut	1.171,82	1	4	KG
SNR	TOOLHMV 180EBF / Hydr nut	17.944,97	1	247,5	KG
SNR	TOOLHMV 18EBF / Hydr nut	1.196,48	1	4,2	KG
SNR	TOOLHMV 190EBF / Hydr nut	19.359,33	1	261	KG
SNR	TOOLHMV 19EBF / Hydr nut	1.208,82	1	4,5	KG
SNR	TOOLHMV 200EBF / Hydr nut	20.601,53	1	279	KG
SNR	TOOLHMV 20EBF / Hydr nut	1.221,15	1	4,7	KG
SNR	TOOLHMV 21EBF / Hydr nut	1.245,82	1	4,9	KG
SNR	TOOLHMV 22EBF / Hydr nut	1.270,49	1	5,2	KG
SNR	TOOLHMV 23EBF / Hydr nut	1.282,83	1	5,3	KG
SNR	TOOLHMV 24EBF / Hydr nut	1.307,50	1	5,6	KG
SNR	TOOLHMV 25EBF / Hydr nut	1.332,17	1	5,6	KG
SNR	TOOLHMV 26EBF / Hydr nut	1.369,18	1	5,9	KG
SNR	TOOLHMV 27EBF / Hydr nut	1.393,85	1	6,1	KG
SNR	TOOLHMV 28EBF / Hydr nut	1.418,51	1	6,4	KG
SNR	TOOLHMV 29EBF / Hydr nut	1.480,18	1	6,8	KG

SNR	TOOLHMV 30EBF / Hydr nut	1.578,87	1	7,2	KG
SNR	TOOLHMV 31EBF / Hydr nut	1.652,89	1	7,5	KG
SNR	TOOLHMV 32EBF / Hydr nut	1.739,21	1	8	KG
SNR	TOOLHMV 33EBF / Hydr nut	1.825,57	1	8,4	KG
SNR	TOOLHMV 34EBF / Hydr nut	1.874,89	1	8,9	KG
SNR	TOOLHMV 36EBF / Hydr nut	1.948,91	1	9,7	KG
SNR	TOOLHMV 38EBF / Hydr nut	2.022,93	1	10,8	KG
SNR	TOOLHMV 40EBF / Hydr nut	2.281,96	1	12,1	KG
SNR	TOOLHMV 41EBF / Hydr nut	2.318,96	1	12,7	KG
SNR	TOOLHMV 42EBF / Hydr nut	2.417,63	1	13,4	KG
SNR	TOOLHMV 43EBF / Hydr nut	2.454,64	1	13,9	KG
SNR	TOOLHMV 44EBF / Hydr nut	2.503,99	1	14,3	KG
SNR	TOOLHMV 45EBF / Hydr nut	2.577,99	1	14,3	KG
SNR	TOOLHMV 46EBF / Hydr nut	2.664,33	1	15,5	KG
SNR	TOOLHMV 47EBF / Hydr nut	2.713,67	1	16,8	KG
SNR	TOOLHMV 48EBF / Hydr nut	2.775,34	1	17,1	KG
SNR	TOOLHMV 50EBF / Hydr nut	2.824,69	1	18,3	KG
SNR	TOOLHMV 52EBF / Hydr nut	2.911,04	1	20,1	KG
SNR	TOOLHMV 54EBF / Hydr nut	3.059,05	1	23,3	KG
SNR	TOOLHMV 56EBF / Hydr nut	3.133,07	1	23,3	KG
SNR	TOOLHMV 58EBF / Hydr nut	3.182,41	1	23,9	KG
SNR	TOOLHMV60EBF / Hydr nut	3.355,09	1	27,3	KG
SNR	TOOLHMV 62EBF / Hydr nut	3.540,11	1	4,52	KG
SNR	TOOLHMV 64EBF / Hydr nut	3.725,13	1	31,3	KG
SNR	TOOLHMV 66EBF / Hydr nut	3.873,14	1	32,3	KG
SNR	TOOLHMV 68EBF / Hydr nut	4.033,50	1	34,4	KG
SNR	TOOLHMV 69EBF / Hydr nut	4.095,17	1	35,2	KG
SNR	TOOLHMV 70EBF / Hydr nut	4.181,53	1	37,8	KG
SNR	TOOLHMV 72EBF / Hydr nut	4.341,87	1	37,9	KG
SNR	TOOLHMV 73EBF / Hydr nut	4.489,91	1	41,5	KG
SNR	TOOLHMV 74EBF / Hydr nut	4.500,82	1	42	KG
SNR	TOOLHMV 76EBF / Hydr nut	4.698,18	1	43,3	KG
SNR	TOOLHMV 77EBF / Hydr nut	4.820,12	1	44,3	KG
SNR	TOOLHMV 80EBF / Hydr nut	5.017,47	1	52,8	KG
SNR	TOOLHMV 82EBF / Hydr nut	5.309,28	1	57	KG
SNR	TOOLHMV 84EBF / Hydr nut	5.503,53	1	58	KG
SNR	TOOLHMV 86EBF / Hydr nut	5.679,34	1	59,9	KG
SNR	TOOLHMV 88EBF / Hydr nut	5.738,20	1	60,8	KG
SNR	TOOLHMV 90EBF / Hydr nut	5.983,08	1	66,3	KG
SNR	TOOLHMV 92EBF / Hydr nut	6.282,34	1	0,085	KG
SNR	TOOLHMV 94EBF / Hydr nut	6.484,07	1	70,4	KG
SNR	TOOLHMV 96EBF / Hydr nut	6.596,13	1	71,7	KG
SNR	TOOLHMV 98EBF / Hydr nut	6.757,32	1	79,9	KG
SNR	TOOL HMV BALL PLUG 1/4	23,35	1	0,009	KG
SNR	TOOLHMVC26EBF/HYDRNUT	1.391,78	1	6,575	KG
SNR	TOOLHMVC32EBF/HYDRNUT	1.739,21	1	8	KG
SNR	TOOLHMVC38EBF/HYDRNUT	1.895,43	1	8	KG
SNR	TOOL HMV EBO M12	8,48	1	0,18	KG
SNR	TOOL HMV EBO M16	9,88	1	0,3	KG
SNR	TOOL HMV HYCON 1/4	143,16	1	0,08	KG

SNR	TOOL HMV HYCON ADAPTER 1/4	17,06	1	0,02	KG
SNR	TOOL HMV NIPPLE 1/4	97,39	1	0,095	KG
SNR	TOOL HMV PAS M5	2,81	1	0,01	KG
SNR	TOOL HMV TBAR 11x150	20,60	1	0,11	KG
SNR	TOOL HYDRAULIC HOSE 1500	159,79	1	0,535	KG
SNR	TOOL HYDRAULIC HOSE 3000	176,01	1	2,685	KG
SNR	TOOL HYDRAULIC OIL 1L	33,72	1	1,2	KG
SNR	TOOL PUMP 700B-0,3L	655,57	1	2360	G
SNR	TOOL PUMP COUPLING 1/4	150,35	1	0,125	KG
SNR	TOOL PUMP GAUGE 700	114,67	1	0,16	KG
SNR	Tool PUMP SET 700b-0.3L / Pump with acc	1.133,92	1	4,157	KG
SNR	Tool PUMP SET 700b-0.9L / Pump with acc	1.305,42	1	8,35	KG
SNR	TOOL FAST THERM20 / induction heater	2.203,47	1	19,598	KG
SNR	TOOL FT150-YOKE 60	577,26	1	10,037	KG
SNR	TOOL FT150-YOKE 85	699,45	1	9,93	KG
SNR	TOOL FT20 CASE	408,00	1	3	KG
SNR	TOOL SMART TEMP/USB STICK	95,10	1	0,01	KG
SNR	TOOL ST/L EXTENSION YOKE 150	726,87	1	11,46	KG
SNR	TOOL ST/L YOKE 100	709,89	1	1,318	KG
SNR	TOOL ST/L YOKE 20	197,00	1	0,5	KG
SNR	TOOL ST/L YOKE 30	414,39	1	2	KG
SNR	TOOL ST/L YOKE 45	421,18	1	3,175	KG
SNR	TOOL ST/L YOKE 60	468,73	1	5	KG
SNR	TOOL ST/L YOKE 70	512,89	1	7,26	KG
SNR	TOOL ST/L YOKE 85	580,82	1	10	KG
SNR	TOOL ST/M EXTENSION YOKE 120	322,68	1	5,2	KG
SNR	TOOL ST/M YOKE 10	81,52	1	0,1	KG
SNR	TOOL ST/M YOKE 15	81,52	1	0,2	KG
SNR	TOOL ST/M YOKE 20	81,52	1	0,3	KG
SNR	TOOL ST/M YOKE 35	230,97	1	1,685	KG
SNR	TOOL ST/M YOKE 45	268,33	1	2,3	KG
SNR	TOOL ST/M YOKE 60	268,33	1	3,545	KG
SNR	TOOL ST/M YOKE 70	292,11	1	5,32	KG
SNR	TOOL ST/S CARRYING CASE	400,80	1	5	KG
SNR	TOOL ST/S EXTENSION YOKE 75	302,30	1	2,1	KG
SNR	TOOL ST/S YOKE 10	81,52	1	0,08	KG
SNR	TOOL ST/S YOKE 15	81,52	1	0,15	KG
SNR	TOOL ST/S YOKE 20	81,52	1	0,3	KG
SNR	TOOL ST/S YOKE 35	91,71	1	0,9	KG
SNR	TOOL ST/S YOKE 45	139,26	1	1,3	KG
SNR	TOOL ST/S YOKE 60	139,26	1	2,3	KG
SNR	TOOL ST/XL-P EXTENSION YOKE 150	774,42	1	13,4	KG
SNR	TOOL ST/XL-P EXTENSION YOKE 200	920,48	1	17,9	KG
SNR	TOOL ST/XL-P YOKE 100	703,10	1	19	KG
SNR	TOOL ST/XL-P YOKE 115	883,12	1	25	KG
SNR	TOOL ST/XL-P YOKE 30	441,56	1	2,8	KG
SNR	TOOL ST/XL-P YOKE 45	472,13	1	4,369	KG
SNR	TOOL ST/XL-P YOKE 60	533,27	1	6,9	KG
SNR	TOOL ST/XL-P YOKE 70	580,82	1	7,5	KG
SNR	TOOL ST/XL-P YOKE 85	658,94	1	10,22	KG

SNR	TOOL ST/XL_XL-P TROLLEY	1.545,45	1	90	KG
SNR	TOOL ST/XL YOKE 100	703,10	1	19	KG
SNR	TOOL ST/XL YOKE 115	883,12	1	25	KG
SNR	TOOL ST/XL YOKE 30	441,56	1	2,8	KG
SNR	TOOL ST/XL YOKE 45	472,13	1	4,4	KG
SNR	TOOL ST/XL YOKE 60	533,27	1	6,9	KG
SNR	TOOL ST/XL YOKE 70	580,82	1	7,5	KG
SNR	TOOL ST/XL YOKE 85	658,94	1	14,5	KG
SNR	TOOL ST/XXL LIFTING DEVICE	5.264,73	1	85	KG
SNR	TOOL ST/XXL TROLLEY	2.958,44	1	130	KG
SNR	TOOL ST/XXL YOKE 100	1.144,65	1	27	KG
SNR	TOOL ST/XXL YOKE 115	1.280,52	1	35	KG
SNR	TOOL ST/XXL YOKE 130	1.497,90	1	44	KG
SNR	TOOL ST/XXL YOKE 145	1.759,44	1	54	KG
SNR	TOOL ST/XXL YOKE 45	641,96	1	6	KG
SNR	TOOL ST/XXL YOKE 60	713,29	1	9,3	KG
SNR	TOOL ST/XXL YOKE 70	852,55	1	14	KG
SNR	TOOL ST/XXL YOKE 85	1.012,19	1	20	KG
SNR	TOOL ST/XXXL LIFTING DEVICE	9.704,09	1	120	KG
SNR	TOOL ST/XXXL TROLLEY	4.456,34	1	160	KG
SNR	TOOL ST/XXXL YOKE 115	2.476,12	1	42,5	KG
SNR	TOOL ST/XXXL YOKE 145	2.839,56	1	65	KG
SNR	TOOL ST/XXXL YOKE 215	4.055,54	1	145	KG
SNR	TOOL ST/XXXL YOKE 85	1.936,06	1	24,5	KG
SNR	TOOL ST700-YOKE 100	1.382,52	1	26,69	KG
SNR	TOOL ST700-YOKE 115	1.546,83	1	34,26	KG
SNR	TOOL ST700-YOKE 130	1.802,68	1	43,865	KG
SNR	TOOL ST700-YOKE 45	774,58	1	4,83	KG
SNR	TOOL ST700-YOKE 60	859,07	1	8,505	KG
SNR	TOOL ST700-YOKE 85	1.220,56	1	19,81	KG
SNR	TOOL TEMP PROBE 1000	621,28	1	0,026	KG
SNR	TOOL TEMP PROBE 1500	621,28	1	0,032	KG
SNR	TOOL TEMP PROBE 400	621,28	1	0,02	KG
SNR	LUBER ANGLE 45 G1/4	9,25	1	0,028	KG
SNR	LUBER ANGLE 90 G1/4	9,25	1	0,045	KG
SNR	LUBER BRACKET	14,38	1	0,09	KG
SNR	LUBER DRIVE KIT 120-FOOD	155,62	1	400	G
SNR	LUBER DRIVE KIT 120-HEAVY DUTY +	148,27	1	400	G
SNR	LUBER DRIVE KIT 120-HIGH TEMP	158,07	1	400	G
SNR	LUBER DRIVE KIT 120-HIGH TEMP MP	154,97	1	400	G
SNR	LUBER DRIVE KIT 120-UNIVERSAL +	145,81	1	400	G
SNR	LUBER DRIVE KIT 120-VIB	150,72	1	400	G
SNR	LUBER DRIVE KIT 250-CHAIN OIL	178,26	1	600	G
SNR	LUBER DRIVE KIT 250-FOOD	169,09	1	600	G
SNR	LUBER DRIVE KIT 250-HEAVY DUTY +	161,74	1	560	G
SNR	LUBER DRIVE KIT 250-HIGH TEMP	171,54	1	600	G
SNR	LUBER DRIVE KIT 250-HIGH TEMP MP	168,18	1	600	G
SNR	LUBER DRIVE KIT 250-UNIVERSAL +	159,28	1	600	G
SNR	LUBER DRIVE KIT 250-VIB	164,66	1	600	G
SNR	LUBER DRIVE REFILL 120 FOOD	42,60	1	280	G

SNR	LUBER DRIVE REFILL 120 HEAVY DUTY +	38,76	1	0,274	KG
SNR	LUBER DRIVE REFILL 120 HIGH TEMP	48,74	1	0,35	KG
SNR	LUBER DRIVE REFILL 120 HIGH TEMP MP	47,78	1	0,35	KG
SNR	LUBER DRIVE REFILL 120 UNIVERSAL +	36,24	1	0,31	KG
SNR	LUBER DRIVE REFILL 120 VIB	41,24	1	346	G
SNR	LUBER DRIVE REFILL 250 CHAIN OIL	64,31	1	450	G
SNR	LUBER DRIVE REFILL 250 FOOD	62,50	1	0,502	KG
SNR	LUBER DRIVE REFILL 250 HEAVY DUTY +	53,74	1	464	G
SNR	LUBER DRIVE REFILL 250 HIGH TEMP	68,01	1	505	G
SNR	LUBER DRIVE REFILL 250 HIGH TEMP MP	66,68	1	505	G
SNR	LUBER DRIVE REFILL 250 UNIVERSAL +	51,24	1	450	G
SNR	LUBER DRIVE REFILL 250 VIB	59,57	1	509	G
SNR	LUBER DRIVE-UNIT	81,65	1	210	G
SNR	LUBER EXTENSION G1/4 30 MM	4,50	1	0,045	KG
SNR	LUBER EXTENSION G1/4 75 MM	8,00	1	0,078	KG
SNR	LUBER HDKIT 1P 30mm BEAM CLAMP	276,64	1	2,17	KG
SNR	LUBER HDKIT 1P 65mm BEAM CLAMP	303,09	1	2,48	KG
SNR	LUBER HDKIT 1P CAGE HANGER	283,25	1	2,14	KG
SNR	LUBER HDKIT 2P 30mm BEAM CLAMP	456,30	1	3,58	KG
SNR	LUBER HDKIT 2P 65mm BEAM CLAMP	494,87	1	3,88	KG
SNR	LUBER HDKIT 2P CAGE HANGER	462,92	1	3,53	KG
SNR	LUBER HOSE & CONNECTORS 1 M	23,86	1	0,062	KG
SNR	LUBER OIL BRUSH 100 X 30 - G1/4	42,49	1	0,098	KG
SNR	LUBER OIL BRUSH 40 X 30 - G1/4	21,50	1	0,039	KG
SNR	LUBER OIL BRUSH 60 X 30 - G1/4	41,24	1	0,043	KG
SNR	LUBER OIL BRUSH DIAM 20 - G1/4	20,24	1	0,038	KG
SNR	LUBER PROTECTION BASE	14,99	1	0,028	KG
SNR	LUBER PROTECTION COVER 120	5,24	1	0,044	KG
SNR	LUBER PROTECTION COVER 250	6,25	1	0,056	KG
SNR	LUBER PURGE w MANUAL VALVE	39,68	1	0,165	KG
SNR	LUBER READY 60 CHAIN OIL	33,33	1	145	G
SNR	LUBER READY 60 FOOD	35,26	1	145	G
SNR	LUBER READY 60 HEAVY DUTY +	29,92	1	145	G
SNR	LUBER READY 60 HIGH TEMP	34,19	1	140	G
SNR	LUBER READY 60 HIGH TEMP MP	33,52	1	140	G
SNR	LUBER READY 60 UNIVERSAL +	28,49	1	138	G
SNR	LUBER READY 60 VIB	32,69	1	145	G
SNR	LUBER READY CHAIN OIL	33,68	1	238	G
SNR	LUBER READY FOOD	35,63	1	227	G
SNR	LUBER READY FOOD CHAIN OIL	38,85	1	205	G
SNR	LUBER READY HEAVY DUTY +	30,22	1	203	G
SNR	LUBER READY HIGH TEMP	34,55	1	231	G
SNR	LUBER READY HIGH TEMP MP	32,85	1	231	G
SNR	LUBER READY PROTECTION BASE	13,83	1	35	G
SNR	LUBER READY PROTECTION CAP	31,61	1	135	G
SNR	LUBER READY SUPPORT FLANGE	23,16	1	80	G
SNR	LUBER READY UNIVERSAL +	28,78	1	205	G
SNR	LUBER READY VIB	33,03	1	208	G
SNR	LUBER REDUCER G1/4 - G1/8	6,25	1	0,018	KG
SNR	LUBER REDUCER G1/4 - M10	6,25	1	0,018	KG

SNR	LUBER REDUCER G1/4 - M10X1	6,25	1	0,022	KG
SNR	LUBER REDUCER G1/4 - M6	6,25	1	0,016	KG
SNR	LUBER REDUCER G1/4 - M8	6,25	1	0,016	KG
SNR	LUBER REDUCER G1/4 - M8X1	6,25	1	0,017	KG
SNR	LUBER SDKIT 1P 30mm BEAM CLAMP	144,38	1	0,87	KG
SNR	LUBER SDKIT 1P 65mm BEAM CLAMP	163,12	1	0,99	KG
SNR	LUBER SDKIT 1P CAGE HANGER	121,24	1	0,72	KG
SNR	LUBER SMART 125 CHAIN OIL	92,48	1	265	G
SNR	LUBER SMART 125 FOOD	103,73	1	323	G
SNR	LUBER SMART 125 HEAVY DUTY+	92,48	1	260	G
SNR	LUBER SMART 125 HIGH TEMP	99,98	1	321	G
SNR	LUBER SMART 125 HIGH TEMP MP	98,02	1	321	G
SNR	LUBER SMART 125 UNIVERSAL +	89,99	1	260	G
SNR	LUBER SMART 125 VIB	95,00	1	280	G
SNR	LUBER SMART-CONTROL UNIT	44,96	1	40	G
SNR	LUBER SMART REFILL 125 CHAIN OIL	47,48	1	235	G
SNR	LUBER SMART REFILL 125 FOOD	58,74	1	276	G
SNR	LUBER SMART REFILL 125 HEAVY DUTY+	47,48	1	230	G
SNR	LUBER SMART REFILL 125 HIGH TEMP	54,99	1	275	G
SNR	LUBER SMART REFILL 125 HIGH TEMP MP	53,91	1	275	G
SNR	LUBER SMART REFILL 125 UNIVERSAL+	44,99	1	230	G
SNR	LUBER SMART REFILL 125 VIB	49,99	1	279	G
SNR	LUBER UNIVERSAL CLIP	13,71	1	0,04	G
SNR	CONN-ELBOW PUSH-IN M10X1D4_3084654	2,68	1	11,9	G
SNR	KIT CARTRIDGE GREASE FILLING_0888038	151,78	1	0,944	KG
SNR	POLIPUMP-2KG-12 PUM-12VDC-IND._0888270	449,69	1	3,4	KG
SNR	POLIPUMP-2KG-12 PUM-12VDC-NRUN_088827	505,90	1	3,3	KG
SNR	POLIPUMP-2KG-12 PUM-24VDC-IND._0888273	449,69	1	3,4	KG
SNR	POLIPUMP-2KG-12 PUM-24VDC-NRUN_088827	505,90	1	3,4	KG
SNR	POLIPUMP-2KG-24 PUM-12VDC-IND._0888271	460,93	1	3,4	KG
SNR	POLIPUMP-2KG-24 PUM-12VDC-NRUN_088827	517,14	1	3,3	KG
SNR	POLIPUMP-2KG-24 PUM-24VDC-IND._0888274	460,93	1	3,4	KG
SNR	POLIPUMP-2KG-24 PUM-24VDC-NRUN_088828	517,14	1	3,3	KG
SNR	POLIPUMP-2KG-35 PUM-12VDC-IND._0888272	472,18	1	3,3	KG
SNR	POLIPUMP-2KG-35 PUM-12VDC-NRUN_088827	528,38	1	3,3	KG
SNR	POLIPUMP-2KG-35 PUM-24VDC-IND._0888275	472,18	1	3,3	KG
SNR	POLIPUMP-2KG-35 PUM-24VDC-NRUN_088828	528,38	1	3,3	KG
SNR	PUMPING UNIT 0.02cc - RED_0888451	23,61	1	0,02	KG
SNR	PUMPING UNIT 0.03cc - GREEN_0888452	23,61	1	0,02	KG
SNR	PUMPING UNIT 0.04cc - YELLOW_0888453	23,61	1	0,02	KG
SNR	PUMPING UNIT 0.08cc - BLUE_0888454	24,74	1	0,03	KG
SNR	PUMPING UNIT 0.10cc - GREY_0888455	24,74	1	0,03	KG
SNR	PUMPING UNIT 0.13cc - BLACK_0888456	24,74	1	0,03	KG
SNR	PUSH-IN-90M6X1D4_3084613	4,69	1	0,014	KG
SNR	PUSH-IN-GIR.90 M8X1 TUBO4_3084731	7,38	1	17,8	G
SNR	PUSH-IN-M6X1 D4_3084579	2,02	1	6	G
SNR	STRAIGHTPUSH-IN-CONN 1/8 D4_3084577	2,02	1	7	G
SNR	SWIVEL CONN-STRAIGHT 90-D4-1/8_3084638	4,02	1	11,9	G
SNR	TUBE-NYLON 6 4X2 BLACK-25M_5717258	11,24	1	0,25	KG
SNR	TUBE-NYLON6 4X2 BLACK-25M GREASE_5717	35,33	1	0,148	KG

DRO	TUBE-NYLON 6 4X2 WHITE (rlx100m)_5717218	55,11	1	11	G
NTN	SA1-100B	864,15	1	4,23	KG
NTN	SA1-60B	206,74	1	1,01	KG
NTN	SAR1-35	124,65	1	0,212	KG
NTN	SAT35	331,21	1	1,07	KG